ERRATUM

to MCO 3501.4A

MARINE CORPS COMBAT READINESS EVALUATION SYSTEM (SHORT TITLE:MCCRES); VOLUME III, ROTARY-WING SQUADRONS

1. For administrative purposes, the Publications Control Number (PCN) has been reidentified. Change the PCN "10203353200" to read: "10203361300".



DEPARTMENT OF THE NAVY HEADQUARTERS UNITED STATES MARINE CORPS WASHINGTON, DC 20380-0001

MCO 3501.4A TE 31A 19 Jun 91

MARINE CORPS ORDER 3501.4A

From: Commandant of the Marine Corps

To: Distribution List

Subj: MARINE CORPS COMBAT READINESS EVALUATION SYSTEM (SHORT TITLE:

MCCRES); VOLUME III, ROTARY-WING SQUADRONS

Ref: (a) MCO 3501.1B

Encl: (1) Volume III Mission Performance Standards (MPS's) for Rotary-

Wing Squadrons

1. <u>Purpose</u>. To promulgate this Order for use in the training and evaluation of rotary-wing squadrons per the reference.

- 2. Cancellation. MCO 3501.4.
- 3. <u>Information</u>. The reference establishes MCCRES for implementation within the Marine Corps. The enclosure, supported by the policies and procedures set forth in the reference provides the MPS's for use in evaluation of the combat readiness of fixed-wing squadrons to perform combat operations.

4. Action. Commanders will:

- a. Use the MPS's contained in the enclosure as guidelines for establishing training goals, training programs, and to prepare for formal readiness evaluations as directed by higher headquarters per the reference.
- b. When appropriate, use the MPS's for informal evaluations, and/or as an inventory to determine a unit's current training status and areas for future progressive training programs.
- c. Make every effort to conduct evaluations when the unit is participating in their appropriate role as part of a Marine Air Ground Task Force (MAGTF). This method will strengthen integration efforts and give a more complete evaluation of realistic combat readiness.

5. Reserve Applicability. This Order is applicable to the Marine Corps Reserve.

Paul K. Van Riper
PAUL K. VAN RIPER

By direction

DISTRIBUTION: PCN 10203361300

> 7000110 (55) 7230004 (20) Copy to: 8145004 (2) 8145005 (2) 8145001 (1) 7000144 (1)

TABLE OF CONTENTS

PAGE

INTRODUC	CTION	1
SECTION	3A - MARINE MEDIUM HELICOPTER SQUADRONS	
INTE	RODUCTION	.III-A-1
MPS	3A.1GENERAL KNOWLEDGE	.III-A-2
MPS	3A.2 GENERAL SQUADRON PLANNING	.III-A-4
MPS	3A.3	.III-A-12
MPS	3A.4 HELICOPTER BORNE ASSAULT OPERATIONS	.III-A-27
MPS	3A.5RESUPPLY	.III-A-39
MPS	3A.6 MILITARY OPERATIONS IN URBAN TERRAIN (MOUT)	.III-A-51
MPS	3A.7	.III-A-63
MPS	3A.8RAID	.III-A-74
MPS	3A.9SECURITY/REINFORCEMENT OPERATIONS	.III-A-86
MPS	3A.10 RECONNAISSANCE PATROL/REACTION FORCE OPERATI	
MPS	3A.11MEDICAL EVACUATION (MEDEVAC)	III-A-111
MPS	3A.12	
MPS	3A.13 FORWARD ARMING AND REFUELING POINT (FARP)	III-A-134
MPS	3A.14	III-A-138
MPS	3A.15 DESERT OPERATIONS	III-A-141
MPS	3A.16NIGHT OPERATIONS	III-A-143
MPS	3A.17 NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) OPERATION	
SECTION	3B - MARINE HEAVY HELICOPTER SQUADRON (HMH)	
INTF	RODUCTION	III-B-1
MPS	3B.1GENERAL KNOWLEDGE	III-B-2
MPS	3B.2 GENERAL KNOWHEDGE GENERAL SQUADRON PLANNING	III-B-3
MPS	3B.3	.III-B-13
MPS	3B.4AMPHIBIOUS OPERATIONS	.III-B-27
MPS	3B.5SUBSEQUENT OPERATIONS ASHORE	.III-B-31
MPS	3B.6 HELICOPTERBORNE ASSAULT OPERATIONS	.III-B-35
MPS	3B.7	.III-B-48
MPS	RESUPPLY OPERATIONS 3B.6	. III-B-61

	<u>PAGE</u>
MPS	3B.9III-B-67
MPS	3B.10III-B-78 SECURITY/REINFORCEMENT OPERATIONS
MPS	3B.11III-B-91 RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
MPS	3B.12
MPS	3B.13III-B-107 MEDICAL EVACUATION (MEDEVAC) OPERATIONS
MIS	3B.14III-B-110 TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND
MPS	PERSONNEL (TRAP) OPERATIONS 3B.15III-B-113 FORWARD ARMING AND REFUELING POINT (FARP)
MPS	OPERATIONS 3B.16III-B-119 NIGHT OPERATIONS
MIS	3B.17III-B-125
MIS	COLD-Weather OPERATIONS 3B.18III-B-128
MIS	DESERT OPERATIONS 3B.19III-B-129
	NUCLEAR, BIOLOGICAL, AND CHEMICAL (NBC) OPERATIONS
SECTION 3C -	MARINE LIGHT/ATTACK HELICOPTER SQUADRON (HML/A)
INTRODUCTION	>>>>>>III-C-1
MIS	3C.1III-C-2
MIS	GENERAL KNOWLEDGE 3C.2III-C-3
MIS	GENERAL SQUADRON PLANNING 3C.3III-C-12
MIS	CONTINUING ACTIONS BY MARINES 3C.4III-C-29
MIS	AMPHIBIOUS OPERATIONS GENERAL PLANNING 3C.5III-C-33
MPS	SUBSEQUENT OPERATIONS ASHORE; GENERAL PLANNING 3C.6III-C-37
MIS	MISSION EXECUTION GENERAL PLANNING 3C.7III-C-44
MPS	ON SCENE COMMAND AND CONTROL 3C.8III-C-45
MIS	SUPPORTING ARMS COORDINATION, AIRBORNE (SAC(A)) 3C.9III-C-47
MIS	CLOSE-IN FIRE SUPPORT (CIFS)/ANTIARMOR 3C.1CIII-C-50
MPS	ESCORT 3C.11III-C-55
	RECONNAISSANCE
	3C.12III-C-64 MILITARY OPERATIONS IN URBAN TERRAIN (MOUT) 3C.13
	RAID 3C.14III-C-88
	NONCOMBATANT EVACUATION OPERATIONS (NED) 3C.15III-C-94
	NIGHT OPERATIONS 3C.16III-C-101
	COLD-WEATHER OPERATIONS 3C.17III-C-103
	DESERT OPERATIONS 3C.18III-C-105
1115	MEDICAL EVACUATION (MEDEVAC)

PAGI	<u>E</u>
MPS 3C.19III-C- TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP)	-107
MPS 3C.20III-C- FORWARD ARMING AND REFUELING POINT (FARP)	
MPS 3C.21III-C- NUCLEAR, BIOLOGICAL, AND CHEMICAL (NBC) OPERATIONS	
SECTION 3D - MARINE EXPEDITIONARY UNIT (SPECIAL OPERATIONS CAPABLE) AVIATION COMBAT ELEMENT (MEU(SOC)ACE)	
INTRODUCTIONIII-I	D-1
MPS 3D.1	D-2
MPS 3D.2III-I GENERAL ACE PLANNING	
MPS 3D.3III-I HELICOPTERBORNE ASSAULT MPS 3D.4III-I	
RAID MPS 3D.5III-I	
MILITARY OPERATIONS IN URBAN TERRAIN (MOUT) MPS 3D.6III-I	D-54
NONCOMBATANT EVACUATION OPERATIONS (NEO) MPS 3D.7III-I ONSCENE COMMAND AND CONTROL	D-61
MPS 3D.8III-I	D-62
MPS 3D.9	
MPS 3D.10III-I RESUPPLY MPS 3D.11III-I	
MEDICAL EVACUATION (MEDEVAC) MPS 3D.12III-I	
RESCUE COMBAT AIR PATROL (RECAP) MPS 3D.13III-D- TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP)	-101
MPS 3D.14	-109
MPS 3D.15III-D- CLOSE AIR SUPPORT (CAS)	
MPS 3D.16III-D- CLOSE-IN FIRE SUPPORT (CIFS)/ANTIARMOR	
MPS 3D.17III-D- SUPPORTING ARMS COORDINATION, AIRBORNE (SAC(A)) MPS 3D.18III-D-	
ESCORT MPS 3D.19III-D- ANTIAIR WARFARE (MW)	

III-iii

VOLUME III

MISSION PERFORMANCE STANDARDS (MPS)

ROTARY-WING SQUADRONS

INTRODUCTION:

This volume of the Marine Corps Combat Readiness Evaluation System (MCCRES) contains the mission performance standards (MPS) that have been specifically formulated for use in the evaluation, under simulated combat conditions, of the operational performance of rotary-wing squadrons.

Because the employment in combat of squadron size units is a general theme throughout Marine Corp. doctrine, the helicopter MPS's have been structured for use at the squadron level. However, since task organization for combat by aircraft squadrons may take many forms, these MPS's have been developed to maximize flexibility. This flexibility permits the use of these MPS's, with only minor modification, in the evaluation of any of the following forms of a helicopter squadron:

- 1. A squadron operating as a subordinate unit of its parent Marine Aircraft Group (MAG).
- 2. An appropriately augmented squadron operating independently.
- 3. A squadron composed or reinforced with aircraft detachments from other type squadrons; e.g., a medium helicopter squadron reinforced with heavy, light, and/or attack helicopter detachments.
- 4. A squadron operating as the aviation element of a Marine Expeditionary Unit (MEU).
- 5. A squadron operating as an element of the task organized Marine Aircraft Group of a Marine Expeditionary Brigade (MEB).

While the most likely and comprehensive use of these MCCRES MPS's is in evaluations conducted on complete squadrons operating within the parent MAG or as the MEU aviation element, it is possible to use the MPS's to assess the operational readiness of separate aircraft detachments. This type of evaluation, however, should only occur during the informal application of the MPS's by a commander using MCCRES standards as a training tool. When the aircraft detachment is operating as a part of a composite squadron, formal evaluation of the detachment's performance of applicable MPS's may occur and the results of such an evaluation should be used in assessing the overall performance of the composite squadron.

The MCCRES MPS's are grouped by aircraft type; i.e., all MPS's pertaining to a particular aircraft Type will be found in that section of this volume. The old general MPH sections have been deleted and the MPS's contained therein have been included as applicable in the appropriate sections of this volume. They are grouped to allow the unit to utilize any or all of the portions that apply to the specific scenario or exercise being evaluated.

The enclosed standards cover the operational tasks that may be assigned to the unit in a combat environment. The MPS's, tasks, and standards are derived from Marine Corps doctrine, tactics, techniques, and field recommendations from Marine Corps commands. It is recommended that commanders use MCCRES MPS's to establish training objectives and take every opportunity to informally evaluate their units against these standards. The system provides the commander with a tool to formally or informally evaluate the combat readiness and training of his unit, to identify strengths and weaknesses, and to prioritize the unit's future training requirements.

One of the primary responsibilities of a squadron/detachment commander and his unit is to plan and execute support of the ground commander's scheme of maneuver. Accordingly, it is recommended and preferred that evaluations be conducted and measured with regard to support of a Marine Air Ground Task Force (MAGTF). This approach maximizes training opportunities and creates a meaningful tactical orientation to facilitate learning and training feedback.

A squadron normally has pilots undergoing training in the Combat Ready (CR), Combat Qualification (CQ), and Full Combat Qualified (FCQ) phases per the aviation Training and Readiness (T&R) Manual. Accordingly, MCCRES evaluations should be tailored to include sorties from each of the three phases of training based on combat environment consistent with squadron training and safety requirements. Aircrew will not be evaluated

on sorties they haven't previously completed without prior approval of the squadron commander or higher command elements.

As the MCCRES evaluation procedures are intended to provide feedback to the commander on unit trends, and highlight necessary future training goals, it is preferred that multiple sorties be scheduled in each flight phase so that as many different aircrew as possible can participate. Simply stated, one "special" aircrew flying a sortie does not give an adequate indication of the unit's training readiness.

It is understood that the number of MCCRES tasks that can be evaluated will be influenced by Available training areas, environmental restrictions, units to be supported, external support, time available, and scenarios. MCCRES tasks for squadrons assume that personnel and lo8istic support are sufficient to achieve minimum acceptable STANDARDS: however. it is acknowledged that sufficient people, supplies, and equipment are not always available. The standards are written so that those sections applicable to a particular exercise or training scenario can be selected for evaluation. The unit is not penalized if it cannot attempt all the standards. When external factors contribute to limiting the unit's combat readiness, it should be noted and recorded in the overall report.

In addition to being familiar with the MIS's, the evaluator should have a thorough knowledge of FMFM 1 (WARFIGHTING) FMFM 1-1 (CAMPAIGNING) FMFM 5-1 (Marine Aviation), FMFM 5-3 (Assault Support Helicopter (ASH) Manual), FMFM 5-41 (Close Air Support and Close-in Fire Support), FMFM 7-1 (Fire Support Coordination), the appropriate Naval Air Training and Operating Procedures Standardization Program (NATOPS) flight manual(s), and squadron SOP's.

To assist the evaluator's decision-making process, the words, "shall", "should", and "may", have been used throughout this volume. Usage and meaning of these words is intended to follow the same guidelines contained within the NATOPS manual'. i.e., shall/mandatory, should/recommend, and may/optional.

Recommended changes to this volume or other MCCRES documentation should be submitted to the Commanding General, MCCDC (Code TE31), H&SBN - Training & Education Center, Quantico, Vs. 22134-5010. Each suggested change must cite the specific item, volume, page, paragraph, or line of text as appropriate and should be in the following format:

- 1. Item to be changed (MIS, Task, Standard, etc.).
- 2. Comment.
- 3. Recommendation.

III-2

SECTION 3A

MARINE MEDIUM HELICOPTER SQUADRON (HMM)

TABLE OF CONTENTS

PAGE
INTRODUCTION
NPS 3A.i - GENERAL KNOWLEDGE
TASK 3A.i.iIII-A-2 CONDUCT NATOPS IMMEDIATE ACTION EMERGENCIES EXAM
TASK 3A.1.2III-A-2 CONDUCT TACTICAL MANUAL EXAMINATION
TASK 3A.i.3III-A-2 CONDUCT AIRCRAFT OR EQUIPMENT RECOGNITION
TASK 3A.1.4III-A-3 SCORE THE NBC EXAM
TASK 3A.1.5III-A-3 CONDUCT RULES OF ENGAGEMENT (ROE)
MPS 3A.2 - GENERAL SQUADRON PLANNING
TASK 3A.2.1III-A-4 CONDUCT ADMINISTRATION PLANNING
TASK 3A.2.2III-A-5 CONDUCT INTELLIGENCE PLANNING
TASK 3A.2.3III-A-6 CONDUCT OPERATIONS PLANNING
TASK 3A.2.4III-A-9 CONDUCT LOGISTICS PLANNING
TASK 3A.2.5III-A-10 CONDUCT MAINTENANCE PLANNING
MIS 3A.3 - CONTINUING ACTIONS
TASK 3A.3.1III-A-12
CONDUCT COMMAND AND STAFF ACTIONS TASK 3A.3.2III-A-13 DEMONSTRATE MAINTENANCE PERFORMANCE
TASK 3A3.3III-A-14 CONDUCT SAFETY SURVEY
TASK 3A.3.4
TASK 3A.3.5III-A-16 CONDUCT INTELLIGENCE UPDATE DURING MISSION BRIEFING
TASK 3A.3.6III-A-16 EVALUATE SELF PROTECTION ECM CREW KNOWLEDGE
TASK 3A.3.7III-A-17 EXECUTE GUNNERY EVALUATION
TASK 3A.3.8III-A-18 EVALUATE PREDISASTER PLAN
TASK 3A.3.9III-A-i8 EVALUATE CREWCHIEF COORDINATION
TASK 3A.3.10III-A-19 EVALUATE COMMUNICATIONS DISCIPLINE
TASK 3A.3.11III-A-20 EXECUTE AIRBORNE CONTROL OF AIRCRAFT
TASK 3A.3.12III-A-21 DEMONSTRATE PROPER ELECTRONIC WARFARE CONSIDERATIONS
TASK 3A.3.13III-A-21 DEMONSTRATE PROPER UNIT DISCIPLINE
TASK 3A.3.14III-A-22 DEMONSTRATE PROPER UNIT DISPERSION TECHNIQUES
TASK 3A.3.15III-A-23 DEMONSTRATE PROPER USE OF COVER
TASK 3A.3.16III-A-23 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT TECHNIQUES
TASK 3A.3.17III-A-24 DEMONSTRATE PROPER LOCAL SECURITY TECHNIQUES
TASK 3A.3.18III-A-25 DEMONSTRATE PROPER RESPONSE TO ENEMY ELECTRONIC WARFARE (EW) ACTIVITY

III-A-i

ENCLOSURE (1)

			DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITY
	111011		DEMONSTRATE PROPER CASUALTY HANDLING
MPS	3A.4	- HELICOPTE	RBORNE ASSAULT OPERATIONS
	TASK		
	TASK		CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEFING
	TASK		
	TASK	3A.4.4	CONDUCT HELICOPTERBORNE ASSAULT MISSION DEBRIEFING
MPS	3A.5	- RESUPPLY	
	TASK	3A.5.1	CONDUCT DEGIDDLY MISSION DIANNING
	TASK		CONDUCT RESUPPLY MISSION PLANNINGIII-A-43
	TASK	3A.5.3	CONDUCT RESUPPLY MISSION BRIEFINGIII-A-48
	TASK		EXECUTE RESUPPLY MISSIONIII-A-51 CONDUCT RESUPPLY MISSION DEBRIEFING
MPS	3A.6	- MILITARY	OPERATIONS IN URBAN TERRAIN (MOUT)
	TASK	3A.6.1	III-A-52 CONDUCT MOUT MISSION PLANNING
	TASK		CONDUCT MOUT MISSION FLANNINGIII-A-54 CONDUCT MOUT MISSION BRIEFING
	TASK	3A.6.3	EXECUTE MOUT MISSION EXECUTE MOUT MISSION
	TASK		III-A-63 CONDUCT MOUT MISSION DEBRIEFING
MPS	3A.7	- NONCOMBAT	ANT EVACUATION OPERATIONS (NEO)
	TASK	3A.7.1	CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION
	TASK	3A.7.2	PLANNINGIII-A-66 CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION
	TASK	3A.7.3	BRIEFINGIII-A-71
	TASK		EXECUTE NONCOMBATANT EVACUATION (NEO) MISSIONIII-A-74
			CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION DEBRIEFING
MPS	3A.8	- RAID	
	TASK	3A.8.1	III-A-75 CONDUCT RAID MISSION PLANNING
	TASK	3A.8.2	CONDUCT RAID MISSION PLANNINGIII-A-77 CONDUCT RAID MISSION BRIEFING
	TASK	3A.8.3	CONDUCT RAID MISSION BRIEFINGIII-A-83 EXECUTE RAID MISSION
	TASK	3A.8.4	III-A-86 CONDUCT RAID MISSION DEBRIEFING

III-A-ii

PAGE

MPS 3A.9	- SECURITY/REINFORCEMENT OPERATIONS
	3A.9.1III-A-87 CONDUCT SECURITY/REINFORCEMENT MISSION PLANNING
TASK	3A.9.2III-A-89 CONDUCT SECURITY/REINFORCEMENT MISSION BRIEFING
TASK	3A.9.3III-A-94 EXECUTE SECURITY/REINFORCEMENT MISSION
TASK	3A.9.4III-A-97 CONDUCT SECURITY/REINFORCEMENT MISSION DEBRIEFING
MPS 3A. 1	0 - RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
TASK	3A.10.1III-A-98 PLAN RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
TASK	3A.10.2III-A-101
	BRIEF RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
TASK	3A.10.3III-A-106 EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
TASK	3A.10.4III-A-109 EXECUTE EMERGENCY EXTRACTION
TASK	3A.10.5III-A-110 EXECUTE ROPE SUSPENSION OPERATIONS
TASK	3A.10.6III-A-111 DEBRIEF RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
MPS 3A.11	- MEDICAL EVACUATION (MEDEVAC)
TASK	3A.11.1III-A-112 PLAN MEDICAL EVACUATION (MEDEVAC) MISSION
TASK	3A.11.2
TASK	3A.11.3III-A-120 EXECUTE MEDICAL EVACUATION (MEDEVAC) MISSION
TASK	3A.11.4III-A-123 DEBRIEF MEDICAL EVACUATION (MEDEVAC) MISSION
MPS 3A.12	- TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT. AND PERSONNEL (TRAP)
TASK	3A.12.1III-A-124 PLAN TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP) OPERATIONS
TASK	3A.12.2III-A-126 BRIEF TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP)
TASK	MISSION 3A.12.3
111010	EXECUTE TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP) OPERATIONS
TASK	3A.12.4III-A-134 DEBRIEF TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP) OPERATIONS
MPS 3A.13	- FORWARD ARMING AND REFUELING POINT (FARP)
TASK	3A.13.1III-A-135 PLAN FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS
TASK	3A.13.2III-A-137 BRIEF FORWARD ARMING AND REFUELING POINT (FARP)
TASK	OPERATIONS 3A.13.3III-A-139
ma cre	EXECUTE FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS 3A.13.4III-A-139
IASK	DEBRIEF FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS

III-A-iii

PAGE

MIS	3A.14	COLD-WEATHER OPERATIONS
		3A.14.1
	171010	EXECUTE COLD-WEATHER MAINTENANCE TASK
	TASK	3A.14.3III-A-142 EXECUTE COLD-WEATHER MISSION
MPS	3A.15	- DESERT OPERATIONS
	TASK	3A.15.1III-A-143 CONSIDER GENERAL EFFECTS OF DESERT OPERATIONS
MIS	3A.16	- NIGHT OPERATIONS
		3A.16.1
	TASK	3A.16.2III-A-147 BRIEF NIGHT OPERATIONS
	TASK	3A.16.3III-A-148 EXECUTE NIGHT MISSIONS
MIS	3A. 1	7 - NUCLEAR. BIOLOGICAL. CHEMICAL CNBC) OPERATIONS
		TASK 3A.17.1III-A-
149		DDEDADE HOD MUGIERD DIOLOGICAL GUIDMICAL GNDG \ ODEDAELONG
	TASK	PREPARE FOR NUCLEAR BIOLOGICAL CHEMICAL CNBC) OPERATIONS 3A.17.2III-A-150 PREPARE FOR NUCLEAR ATTACK
	TASK	3A.17.3III-A-151 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK
	TASK	3A.17.4III-A-151 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK
	TASK	3A.17.5III-A-152 PERFORM RADIOLOGICAL DECONTAMINATION
	TASK	3A.17.6III-A-153 CROSS A RADIOLOGICAL CONTAMINATED AREA
	TASK	3A.17.7III-A-153 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
	TASK	3A.17.aIII-A-154 PREPARE FOR A CHEMICAL AGENT ATTACK
	TASK	3A.17III-A-155 RESPOND TO A CHEMICAL AGENT ATTACK
	TASK	3A.17.1GIII-A-156 PERFORM PARTIAL DECONTAMINATION
	TASK	3A.17.11
	TASK	3A.17.12III-A-158
	TASK	EXCHANGE PROTECTIVE CLOTHING 3A.17.13III-A-158 CONDUCT NBC AERIAL SURVEY

III-A-iv

MARINE MEDIUM HELICOPTER SQUADRON (HMM) INTRODUCTION

The mission of the HMM is to provide assault transport of combat troops in the initial assault waves and follow-on stages of amphibious operations and subsequent operations ashore. The enclosed standards cover the operational tasks that may be assigned to the unit in a combat environment. They are grouped to allow the unit to utilize any or all of the portions that are applicable to the specific scenario or exercise being evaluated. The MPS's, tasks, and standards are derived from Marine Corps doctrine, tactics, techniques, and field recommendations from Marine Corps commands.

It is recommended that commanders use MCCRES MPS's to establish training objectives and take every opportunity to informally evaluate their units against these standards. The system provides the commander with a tool to formally or informally evaluate the combat readiness and training of his unit, to identify strengths and weaknesses, and to prioritize the unit's future training requirements.

One of the primary responsibilities of an HMM squadron/detachment commander and his unit is to plan And execute support of the MAGTF commander's scheme of maneuver. Accordingly, it is recommended and Preferred that evaluations be conducted and measured with regard to support of a Marine Air Ground Task Force (MAGTF). This approach maximizes training opportunities and creates a meaningful tactical orientation to facilitate learning and training feedback.

A squadron normally has pilots undergoing training in the Combat Ready (CR), Combat Qualification (CQ), and Full Combat Qualified (FCQ) phases per the aviation Training and Readiness (T&R) Manual. Accordingly, MCCRES evaluations should be tailored to include sorties from each of the three phases of training based on aircrew combat ready percentage (CRP). The evaluation should evaluate all assigned aircrews in a simulated combat environment coincident with squadron training and safety requirements. Aircrews will not be evaluated on sorties they haven't previously completed without prior approval of the squadron commander or higher command elements.

As the MCCRES evaluation procedures are intended to provide feedback to the commander on unit trends and highlight necessary future training goals, it is preferred that multiple sorties be scheduled in each flight phase so that as many squadron aircrew as possible can participate. Simply stated, one "special" aircrew flying a sortie does not give an adequate indication of the unit's training readiness.

It is understood that the number of MCCRES tasks that can be evaluated will be influenced by available training areas, environmental restrictions, units to be supported, external support, time available, and scenarios. MCCRES tasks for a squadron presupposes that personnel and logistic support are sufficient to achieve minimum acceptable standards; however, it is acknowledged that sufficient people, supplies, and equipment are not always available. Portions of the standards may be utilized as they fit a particular scenario or operation without prejudice to the evaluated unit for not attempting all standards. When external factors contribute to limiting the unit's combat readiness, it should be noted in the comments portion of the evaluation sheet, and recorded in the overall report.

III-A-1

3A.1 GENERAL KNOWLEDGE

TASK: 3A.1.1 CONDUCT NATOPS IMMEDIATE ACTION EMERGENCIES EXAM

CONDITION(S): The examination will cover only immediate action emergencies; i.e., those denoted by an asterisk in the NATOPS manual. All available squadron aircrew will take the examination.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Squadron aircrew achieve 90 to 95 percent.
- .2 ____ Squadron aircrew achieve 96 to 100 percent.

<u>EVALUATOR INSTRUCTIONS</u>: The squadron must average 90 percent or higher on this exam. Debrief the exam as soon as everyone is finished to reinforce correct responses and correct any wrong responses.

KEY INDICATORS: None.

TASK: 3A.1.2 CONDUCT TACTICAL MANUAL EXAMINATION

 $\underline{\text{CONDITION}(S)}$: Questions for the tactical examination will be requested from higher command/MAWTS-1 by The Senior Evaluator. Local publications that address tactical operations may be used as a source for supplementary questions for the examination.

STANDARDS: EVAL: Y: N: NE

- .1 ____ The squadron averages 75 percent or higher, on tactical manual exam.
- 2 ____ The squadron averages 85 percent or higher.
- .3 ____ The squadron averages 95 percent or higher.
- .4 ____ The squadron averages 100 percent.

EVALUATOR INSTRUCTIONS: The squadron will be provided with a reasonable notice of what will be Evaluated by the examination, and a listing of appropriate references, Nark the score achieved and all standards below that score with a "yea." Nark standards that are not attained with a "no."

This same procedure will be used throughout the MCCRES.

KEY INDICATORS: None.

TASK: 3A.1.3 CONDUCT AIRCRAFT OR EQUIPMENT RECOGNITION

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}}: \quad \text{The examination will include examples of the major weapon systems currently in use by countries around the world. The examination should include such additional regional features as fin flashes, national ensigns, etc. All available squadron aircrews will take the examination. S-2 will provide realistic views from a helicopter perspective.$

III-A-2

STANDARDS: EVAL: Y: N: NE
.1 The squadron averages 75 percent or higher on recognition exam.
.2 The squadron averages 85 percent or higher.
.3 The squadron averages 95 percent or higher.
.4 The squadron averages 100 percent.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS: None.
TASK: 3A.1. SCORE THE NBC EXAM
CONDITION(S): Classroom atmosphere. An exam will be prepared at the wing/brigade level and will take No more then 30 minutes. All available personnel will take the examination.
STANDARDS: EVAL: Y: N: NE
.1 Unit averages 70 percent or higher.
.2 Unit averages 80 percent or higher.
.3 Unit averages 90 percent or higher.
.4 Unit averages 100 percent.
EVALUATOR INSTRUCTIONS: Standards will be marked either Y or N. As an example, if the team average Was 86 percent, standards 3A.17.14.1 and 3A.17.14.2 would be marked Y (Yes) and the remainder would be marked N(No).
REQUIRED DATA:
a. No. of personnel in unit:
b. No. of personnel taking exam:
c. Unit average:
KEY INDICATORS: None.
TASK: 3A.1.5 CONDUCT RULES OF ENGAGEMENT (ROE)
<u>CONDITION(S)</u> : The examination will consist of actions required in relation to actual squadron contingencies to include classified briefing information, as appropriate.
III-A-3

STANDARDS:	EVAL: Y: N: NE
	The squadron averages 75 percent or higher on published standard ROE exam.
.2	The squadron averages 85 percent or higher.
.3	The squadron averages 95 percent or higher.
. 4	The squadron averages 100 percent.
	<pre>INSTRUCTIONS: The evaluator must provide the ROE as the ies indicate.</pre>
KEY INDICA	TORS: None.
	3A.2 GENERAL SQUADRON PLANNING
TASK: 3A	2. 1 CONDUCT ADMINISTRATION PLANNING
requiring	<u>S)</u> : The squadron is in receipt of an operations order them to deploy and support tactical operations of a MAGTF. The ces planning and liaison with outside units, as directed.
STANDARDS:	EVAL: Y: N: NE
	Uses published SOP's in planning and coordinating redeployment activities.
.2	Identifies any personnel shortages and requests augmentation.
.3	Submits orders request with sufficient leadtime.
.4	Screens personnel records for Marine's deployability.
.5	Arranges for advance per diem, as necessary.
.6	Identifies advance party and rear det personnel.
.7	Coordinates postal handling procedures for deployed personnel.
.8	Reviews casualty reporting procedures.
.9	Arranges provisions for payment of deployed personnel.
	Coordinates for the availability of a flight surgeon and corpsmen for the deployment.
.11	Arranges for endorsement of orders at all deployment sites.
.12	Issues meal cards, as appropriate.
	Ensures Basic Allowance for Subsistence (BAS) is reflected on the unit diary.
	Makes the appropriate entries for accumulated deployed time and sea duty on unit diary.
.15	Arranges for COMM shift and message releasing authority at the deployed site.
.16	Prepares personnel affairs briefs for dependents.
.17	Plans special services requirements at deployed site.
.18	Arranges for PAO augmentation.
.19	Arranges for home town news releases.

III-A-4

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3£.2.2 CONDUCT INTELLIGENCE PLANNING

<u>CONDITIONS</u>: The squadron is in receipt of an operations order requiring them to deploy and support the tactical operations of a MAGTF. The 5-2 commences plannin8 and liaison immediately. It is imperative that the intelligence planning/gathering be completed in a timely manner Co it will be useful to the aircrews during their later mission planning.

STANDA	RDS: EVAL: Y: N: NE
.1	Receives ACE/MAG commander's planning guidance and intent.
.2	Requests essential elements of information (EEI's) from the higher command element to include enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities, weather conditions in the areas of responsibility (AOR), prominent terrain in the AOR, and safe areas and divert fields. (KI)
.3	Prepares a preliminary aviation intelligence estimate to furnish the squadron commander with sufficient intelligence to formulate basic decisions and assist in issuing planning guidance to squadron personnel.
.4	Makes early distribution of the intelligence estimate to all staff officers to allow them to proceed with their planning functions.
.5	Determines. based on the assigned missions and the commander's guidance, additional EEI's and other intelligence requirements (OIR's) of the squadron.
.6	Phrases the additional EEI's for forwarding to higher command element in simple, concise statements which include a positive directive, qualifying questions. and items inviting special attention.
.7	Recommends a priority of effort to the higher command element to satisfy the squadron's intelligence requirements based on the tactical situation and the mission(s) assigned.
.8	Determines squadron requirements for maps, charts, aerial imagery, photographs, other graphic aids, and inventories onhand assets.
.9	Requests any necessary graphic aids not onhand.
.10	Disseminates all necessary information, graphic aide, and "smart packs" to aircrews, as required in time for mission planning.
.11	Plane and reviews procedures for requesting satellite intelligence information in conjunction with the communications officer.
.12	Develops a collection plan to support the mission.
.13	Plans communications requirements for sending end receiving intelligence information.
.14	Coordinates with ACE/MAG 5-2 to develop collection plan requirements to include visual reconnaissance assignments to squadron aircrew.
.15	Participates in all briefings of aircrews and provides updated intelligence information prior to each launch.
.16	Plane and conducts an intelligence debrief for every aircrew' that completes a mission.
.17	Records information gathered from aircrews systematically for ease of study and comparison, end forwards information gathered immediately to all appropriate command elements.

.18	Develops and maintains a complete enemy order of battle (EOB) to include information on enemy missiles, aviation assets, EW Capabilities, naval forces, ground forces, and coordinates dissemination means with the S-3. (KI)
.19	Updates all staff members on newly acquired intelligence information as it become. available.
.20	Provides routine intelligence reports to higher and adjacent elements, as required in the operations order.
.21	Plans to submit reports on time to higher commend
.22	Plane for end requests TERPES/TAMPS data.

<u>EVALUATOR INSTRUCTIONS</u>: Provide as requested information that enables 5-2 to accomplish assigned tasks and disseminate EOB.

KEY INDICATORS:

INTELLIGENCE COLLECTION MANAGEMENT

- 1. Prepares end maintains a squadron collection plan.
- 2. Coordinates the development and approval of squadron EEI's.
- 3. Submits Request for Information (RI) to higher echelons. as required.

ELECTRONIC WARFARE

EW incorporated into EW mission planning should include:

- Target significance.
- 2. Threat disposition to include early warning end GCI radars, Al, SAM/AAA, end EW capabilities.
- Threat capabilities to include early warning end GCI radars, Al, SAN/AAA, end EW capabilities..
- 4. Mission ECM/ECCM capabilities.
- 5. Application of threat information in influencing routine selections, target attack tactic., EW support requirements, end SEA) tactics planning.
- 6. Preparation of detailed intelligence map. and charts end plotting of radar horizons.
- 7. Appropriate light level calendar.

TASK: 3A.2.3 CONDUCT OPERATIONS PLANNING

III-A-6

STANDARDS: EVAL: Y: N: NE .1 ____ ACE/squadron commander's guidance and intent received. Ensures squadron staff officers become thoroughly familiar with the operations plan and ensures delivery of warning order. Plans aircrew assignments to the level of the crews qualifications; i.e., CR , CQ , and FCQ . _ Sufficient TERF qualified crews are available. _ Sufficient NVG qualified crews are available. Sufficient ACM qualified crews are available. Sufficient crewchiefs are available. . 7 _ Sufficient aircrew are available to carry troops while on NVG missions. Coordinates the development of the EEI's with the S-2. (See .9 _ Teak 3A.2.2 Intelligence Planning.)(KI) __ Establishes early liaison with the ACE/MAG staff operations planners. _ Makes initial estimate of squadron capabilities as they pertain to the assigned mission(s). .12 ____ Provides projected aircraft availability for the ACE/MAG commander/staff, based on the assigned mission. ___ Develops planning figures for a surge effort and its maintenance. .14 ____ Establishes operational plans using unit SOP's and tactical manuals. __ Coordinates with adjacent staff members (S-4, Maint, Supply, .15 ___ Comm, at dl) to ensure the availability of squadron support assets (i.e. full Systems aircraft, EW equipment, secure voice equipment, fuel, GSE, etc.). _ Assigns liaison operations team to supported unit, .16 Involves appropriate command and control agencies (i.e. DASC, TACC, ATC) in initial planning and briefings. .17 __ _ Establishes briefing time and location. .18 ___ _ Institutes EW procedures by SOP to include MIJI reports, 1FF/SlY .19 __ authentication, and EMCON procedures. .20 _ Employs EW assets available per doctrine. _ Establishes procedures for C3CM during all phases of the .21 __ operations. (KI) _ Establishes divert criteria caused by weather minimums. Coordinates with 5-2 in the preparation of a deception plan that is believable, consistent with the enemy's perception of our real capabilities, tactical doctrine SOP's, and threat analysis. Develops an emergency Tactical Recovery of Aircraft and Personnel (TRAP) contingency plan which includes guidance as to the authority to do destroy aircraft, if required. Uses SOP for procedures of enemy and friendly NBC strikes, reports required, equipment issued, promulgation of MOPP levels, and aerial radiological and chemical surveys. Coordinates aerial observer support. .26 _ Develops post assault aviation employment plan to include staging of aircraft, RESUPPLY, and reinforcements. .28 ____ Provides guidance on security and delivery of POW's by aviation units.

.29	Formulates scatter plans.
.30	Plans location of the FARP.
.31	Plans for MEDEVAC as contained in the SOP. (See TASK 3A.11.)
.32	Coordinates requirements for changes to airframe configurations required to support missions with maintenance personnel.
.33	Coordinate and provides input to the loading plan.
.34	If paradrops are planned, coordinates marking of LZ with LZ control team.
.35	Establishes command and control procedures for LZ's as contained in the SOP.
.36	Updates any changes to return to force (RTF) procedures or routes.
.37	Plans standby crews when necessary.
.38	Plans use of TERPES and/or TAMPS for mission planning.
.39	Determines Class V requirements.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

EEI's

EEI's from the 5-2 to include enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations enemy aircraft capabilities and tactics, weather conditions in the AOR, prominent terrain in the AOR, and safe areas/divert fields.

C3CM

- 1. Threat analysis.
- 2. Protect C3.
 - a. Make use of secure communications.
 - b. Utilize alternate means of communications.
 - c. Exercise emission control.
- 3. Counter C3: Identify threat critical modes.
- 4. Electronic Warfare (EW).
 - a. Electronic Support Measures (ESM).
 - $\ \ \, \text{b. } \, \, \text{Electronic Countermeasures (ECM).}$
 - c. Electronic Counter-Countermeasures (ECCM).
 - d. Physical Destruction.

III-A-8

TASK: 3A.2.4 CONDUCT LOGISTICS PLANNING

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}}: \quad \text{The squadron is in receipt of an operations order} \\ \text{requiring them to deploy and support tactical operations of a MAGTF.} \quad \text{The S-4 commences planning and liaison with outside units, as directed.} \\$

STANDARDS:	EVAL: Y: N: NE
.1	Receives higher command guidance and attends any planning conferences.
.2	Accomplishes planning per published SOP's and deployment checklists, to include attached units.
.3	Coordinates SAAM requests with ACE/MALLS S-4.
.4	Coordinates the load plan with ACE/MALS S-4.
.5	Ensures that certifying officials for the transport of hazardous material, per MCO P4030.19, are available.
.6	Planar for material handling equipment (HRE) at all points of embarkation and debarkation.
.7	Plans and coordinates with the ACE/MALS 3-4 for the provision and use of special equipment to support the MAC airlift of disassembled helicopters per Chap. VI, USAF Technical Order 1C-5A-9, including C-s auxiliary ramp extensions, one set per helicopter of nose strut keeper blocks and modified air transport dolly wheels, main gear box/rotor stand, main rotor blade stand sets, wheel chocks, hydraulic jacks, PT-4 equivalent towbars, specified quantities/dimensions of plywood for dunnage/shoring per the General Aircraft Information Manual, A1-46AE-GAI-000.
.8	Coordinates with the Embarkation Chief. $M()$, and 3-3, as appropriate, the schedule and procedures for helicopter disassembly, preparation for loading, unloading, reassembly, and operational flight testing upon reassembly, during airlift operations.
.9	Plans for all squadron transportation requirements; i.e to and from billeting and work spaces, messhall, ordnance areas, duty vehicles, refuel/defuel drivers, buses for PAX, and trucks for baggage/large cargo.
.10	Coordinates with the 5-3 for the loadout instruction (LOI) outlining the timetable for embarkation including weight allowances and staging areas.
.11	Plans for squadron packup to be staged and weighed in advance, to include supply packup and GSE gear.
.12	Coordinates for working parties to assist in the loading and unloading of and to accompany the lift aircraft.
.13	Coordinates procedures with ACE/MALS intermediate maintenance activity (IMA) for acquiring and transporting aircraft parts not currently on hand to the deployed site.
.14	Coordinates with ACE/MAG supply for generators, tents, sleeping bags, cots, blankets, heaters, lights, and water buffaloes if barracks will not be used.
.15	Coordinates with ACE/MAG 3-4 for any special equipment (e.g., 782 gear, NBC MOPP gear, cold weather/desert equipment, T/O weapons) to be issued to individuals.
.16	Plans head/shower/laundry facilities, if required, and submits requirements to the ACE/MAG S-4 $$
.17	Establishes a point of contact (POC) at the deployment site, if available.
.18	Coordinates location of office spaces and maintenance areas for all squadron departments.
.19	Plans billeting and submits requirements to ACE/MAG 5-4.
.20	Coordinates the availability of electrical power and pressurized air for maintenance spaces at the deployed site.
.21	Coordinates any food service requirements (messmen, cooks) and hours of operation at deployed site.

.22		Identifies medical/dental capabilities at the deployed site.
.23		Coordinates with the communications/electronics officer (CEO) for communications requirements to include telephones/intercoms/radios
.24		Coordinates the amount and types of fuel required at the deployed site.
.25		Coordinates security requirements for billeting and working areas.
.26		Coordinates the ordering of ordnance and expendables with 8-3.
.27		Coordinates for explosive device storage at the deployed site.
.28		Coordinates disposal of hazardous waste at the deployed site.
.29		Ensures coordination with CSSD for personnel and equipment for the FARP. (See TASK 3F.15.)
.30		Determines Classes I and III requirements.
.31		Ensures HST has required equipment for conducting operations, if necessary.
<u>EVAI</u>	LUATOR	INSTRUCTIONS: None.
KEY	INDICA	ATORS: None.
TASK	: 3 <i>I</i>	A 2.5 CONDUCT MAINTENANCE PLANNING
as p sect	eart of tions. ducted	E: The squadron is preparing to function in support of a MAGTF a ACE/NAG. A variety of missions can be anticipated requiring divisions and multiple division strength. Liaison is being with the INA.
STAN	IDARDS:	EVAL: Y: N: NE
.1		Identifies and coordinates any personnel shortages with the 5-1, for forwarding to the ACE/NAG for assistance.
. 2		Identifies the advance and trail maintenance packup and the prepositioning of components (engines, struts, etc.) to ACE/NAG supply.
.3		Identifies advance and trail maintenance personnel to S-1 for the coordination of paychecks, orders, health records, etc.
. 4		Plans advance and trailing maintenance party, ensuring that appropriate licensed personnel are available (i.e., collateral duty inspectors (CDI). high turn-up personnel, etc.) as well as any special equipment noted for embarkation, if movement to a new support base is required.
.5		Ensures that advance and trail maintenance designated Supervisory personnel have message releasing authority.
.6		Coordinates message pick-up authority for maintenance personnel with S-1.
. 7		Coordinates with S-1 for any request for wills, allotments, dependent's power of attorney, etc.
.8		Coordinates with the 8-3 to determine the number of sorties anticipated and required, aircraft configurations, and scheduling of the launches that best utilize the available assets.
.9		Informs CD and S-3 of any shortcomings of assets available to meet the operational requirements.
.10		
		Coordinates ordnance requirements with 8-3 so that the request is conveyed quickly to ACE/NAG ordnance.

.11 _	Coordinates with the 5-3 for a conference at the deployed site to include representatives from supply, base operations, ATC. IMA, ordnance, fuel farm, billeting, and security to discuss aircraft support.
.12 _	 Reviews SOP's, lessons learned, etc.
.13 _	 Uses squadron SOP in planning briefings on disaster preparedness.
.14 _	 Screens aircraft logs to ensure that no aircraft inspections will interfere with the operational requirements (i.e., phase inspection, appropriate day inspection, changing of high time components, etc.).
.15 _	 Identifies necessary test equipment and ground support equipment (engine stands, nitrogen carts, jacks, NC units, light units, SATS loaders, hydraulic jenny, etc.), for use at the deployed Site and coordinates this with the 5-4.
.16 _	 Coordinates with MALS to make available ${\tt XRAY/NDI}$ equipment. if necessary.
.17 _	 Ensures the pre-expend bins (PEB)'s are stocked.
.18 _	 Ensures that all calibrated equipment is up-to-date including gauges, torque wrenches, jacks, tire changing kits, and avionics equipment.
.19 _	 Coordinates with MALS/GSE for any predeployment licensing needed.
.20 _	 Coordinates with MALS to make available high use items including brakes, tires, black boxes, and high-time items.
.21 _	 Coordinates with the squadron 5-4 for necessary transportation to replenish aircraft parts and other supplies.
.22 _	 Coordinates with the squadron 5-4 for transportation of maintenance personnel to and from billeting, work spaces, and dining facilities, if required.
.23 _	 Coordinates with squadron 5-4 for any special personnel equipment requirements (field jackets. 782 gear, cold weather gear, mosquito nets, etc.).
.24 _	 Coordinates disposal of hazardous waste with the 3-4.
.25 _	 Coordinates with the 5-4 for required ordnance vehicles.
.26 _	 Plans facilities for storage of explosive items, if required.
.27 _	 Ensures key maintenance personnel (shop NCOIC's, QAR's) are available during predeployment workup, and if not makes appropriate adjustments to work schedules.
.28 _	 Reviews the number of licensed personnel to ensure that appropriate personnel are available for each working crew including high power turnup, GSE personnel, tow qualified personnel, plane captains, ordnance drivers, and CDI's.
.29 _	 Rehearses the reclamation team and inventories equipment for serviceability, to include a radio for communication, lighting, foul weather gear, water, and rations for several days.
.30 _	 Coordinates with the $3-2$ and $3-3$ for security forces augmentation requirements.
.31 _	 Plans for maintenance area security of any required classified material and coordinates with $5-2$ and $5-4$.
.32 _	 Makes special arrangements for food services to accommodate unusual work schedules, if required.
.33 _	 Plans for the establishment of communications between reedy room and maintenance control including the monitoring of squadron base frequency.
.34 _	 Ensures that maintenance intercom/radio system between working spaces is incorporated and working.
.35 _	 Ensures that maintenance control has access to key phone numbers and radio frequencies such as security, crash crew, firs department, fuel farm, supply, key maintenance personnel, enlisted billeting GSF etc.

36	Ensures that all maintenance personnel are aware of the threat alert conditions, the methods used by the squadron to signal enemy attacks, and individual actions to take place.
.37	Ensures briefings are held to keep maintenance personnel abreast of the tactical situation.
.38	Plans for and identifies necessary equipment which should be available for use in an NBC environment.
.39	Identifies aircraft wash facilities.
.40	Determines hand tool requirements.
.41	Identifies and provides reports required.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS: None.
	3A.3 CONTINUING ACTIONS
TASK: 32	A.3.1 CONDUCT COMMAND AND STAFF ACTIONS
	(<u>S)</u> Given a mission tasking the commander and his staff should l facets of the assigned missions
STANDARDS	: EVAL: Y: N: NE
.1	Designates flight leadership.
.2	Supervises the conduct of operational while maintaining tactical communications with the supported unit/ACE commander.
.3	Disseminates any changes to procedures, tactics, or communications as dictated by the operational situation.
.4	Provides updated information to the supported unit/ACE as to how assets can assist the MAGTF in their current tactical situation.
.5	Monitors delays to assigned missions and/or mission aborts. Provides recommendations for alternative actions to higher headquarters.
.6	Coordinates and updates fire support coordination measures to the $\mbox{ACE}/\mbox{MAG}/\mbox{supported unit"}.$
	Ensures procedures for updating all source, theater intelligence information are established and disseminated to aircrews for planning.
.8	Ensures contingency requirements and emergencies are tactically sound and handled according to plans, and SOP.
.9	Ensures early warnings and alert conditions are passed in a timely manner.
.10	Monitors designated alert/broadcast nets and responds to data such as nuclear flash warnings.
.11	Effectively operates a squadron common net.
.12	Establishes a means of effective coordination with HDC, DASC, and/or higher headquarters, including ECON.
.13	Adheres to flight schedule.

III-A-12

	learned. Uses positive points to update contingency plans and SOP's.
.15	Staff actions continue during absence of the commander.
<u>EVALUATOR</u>	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
KET TIVDIC	ATOMO. None.
TASK: 3	A.3.2 DEMONSTRATE MAINTENANCE PERFORMANCE
effective: possible.	(S): Aircraft availability. response reliability, and maintenance ness are evaluated throughout the scenario. As closely as combat operations and tempo shall be simulated, but interfere with current safety regulations and standards.
STANDARDS	: EVAL: Y: N: NE
.1	Aircraft availability - 50 to 59 percent or higher.
.2	Aircraft availability - 60 to 69 percent or higher.
.3	Aircraft availability - 70 to 79 percent or higher.
	Aircraft availability - 80 to 89 percent or higher.
.5	Aircraft availability - 90 to 100 percent.
.6	Response reliability - less then 70 percent. (KI)
.7	Response reliability - 70 to 79 percent or higher.
.8	Response reliability - 80 to 89 percent or higher.
.9	Response reliability - 90 to 100 percent.
.10	Maintenance effectiveness - less than 70 percent.
.11	Maintenance effectiveness - 70 to 79 percent or higher.
.12	Maintenance effectiveness - 80 to 89 percent or higher.
.13	Maintenance effectiveness - 90 to 100 percent.
.14	Seventy percent of tested Mode IV units were operational.
.15	Eighty percent of tested Mode IV units were operational.
.16	Ninety percent of tested Mode IV units were operational.
.17	One hundred percent of tested Mode IV units worked successfully.
.18	Seventy percent of tested secure voice units worked successfully.
.19	Eighty percent of tested secure voice units worked successfully.
.20	Ninety percent of tested secure voice units worked successfully.
.21	one hundred percent of tested secure voice units worked successfully.
.22	Processing of discrepancies begins immediately following aircrew return to squadron/maintenance area.

.14 ____ Conducts post operation debriefing as to include lesions

III-A-13

EVALUATOR INSTRUCTIONS: Evaluator must comment in detail as to the reasons for the scores given, to include NRS, NMRS. Onhand aircraft are defined as assigned aircraft minus SDLM aircraft minus deployed aircraft. "Up" aircraft are defined as "mission capable" aircraft per OPNAVINST 4790.2E, VOL II. Aircraft availability is defined as "up" aircraft divided by "onhand" aircraft. Response reliability is defined as sorties scheduled minus combat aborts divided by sorties scheduled. Maintenance effectiveness is defined as sorties scheduled minus maintenance aborts divided by sorties scheduled.

KEY INDICATORS:

ABORTS

WEATHER ABORTS:

Scheduled missions which are launched and not completed due to weather conditions shall not be counted in the computations.

COMBAT ABORTS:

Scheduled missions which are not launched as scheduled due to the lack of aircraft or pilots. An aircraft shall also be considered a combat abort if it is 'up" but launched too late to complete the assigned mission. No abort shall be assessed when a replacement aircraft is launched in place of a downed aircraft provided the replacement aircraft fulfills the required mission.

- A launched mission that, because of mechanical malfunction or pilot error. was unable to complete the mission.
- A mission launched unarmed or otherwise not configured for the assigned mission.

NOTE: Authorized additions to the flight schedule after its publication are considered scheduled sorties.

TASK: 3A.3.3 CONDUCT SAFETY SURVEY

 $\underline{\text{CONDITION}(S)}$: Safety of aircraft and crews shall be the overriding consideration throughout any evaluation, therefore aviation and ground safety shall also be evaluated continuously.

STANDARDS:	EVAL: Y: N: NE
.1	Each crewmember wears required flight/survival clothing and equipment.
.2	Requires safety devices as the mission dictates.
.3	Maintenance practices are conformed with current safety regulations; i.e., Group, Wing.
.4	Seats and restraining devices are available and are used by emplaned personnel.
.5	Secures vehicles and cargo properly for flight in the aircraft.
.6	Sound suppressors and safety goggles are available and are used. $({\rm KI})$
.7	Crewmembers do not exceed crew day/flight-time limitations without authorization.
.8	Unsafe practices are immediately corrected and/or are addressed in flight debriefings by flight leaders.

EVALUATOR INSTRUCTIONS: The evaluator shall use local directives/SOP's.

III-A-14

KEY INDICATORS:

SAFETY EQUIPMENT

Safety equipment will be per local directives.

TASK: 3A.3.4 CONDUCT OPERATIONS DUTY OFFICER (01)0) TASKS

 $\underline{\text{CONDITION(S)}}$: The ODO is a key link to the effective control of squadron aircraft and as such should be evaluated throughout flight operations.

STANDARDS	EVAL: Y. N: NE
.1	Has access to information to assist pilots during airborne emergencies.
.2	Ensures the squadron common net is monitored during flight operations.
.3	Continually monitors the flight schedule.
.4	Establishes priority for assignment of available aircraft.
.5	Monitors crew day and flight-time limitations.
.6	Ensures essential information is available to flightcrews and weight and balance forms are filled out. $$
	Maintains hazard map. if required.
.8	The TACC is kept informed of current flight operations.
.9	Ensures availability and readiness of standby aircrew and aircraft.
.10	Knows, and executes, the necessary procedures for overdue aircraft per premishap plan.
.11	Duty officer reacts to 5 staged mishap per the squadron SOP.
	<u>INSTRUCTIONS</u> : Evaluator should be familiar with squadron erations SOP.

KEY INDICATORS:

ESSENTIAL INFORMATION

The duty officer should ensure the following information is available and briefed to the flight-crews:

- 1. Current weather and forecast.
- 2. Deck spot or parking spot.
- Divert fields/decks.
- 4. Frequencies/call signs.
- 5. NAVAIDS ID/status.
- 6. Nearest land (shipboard).
- 7. Recovery time/schedule.
- 8. NOTAM's.

III-A-15

- 9. BRC/PIM
- 10. Fire plans.
- 11. Updated tactical admin read and initial board.

TASK: 3A.3.5 CONDUCT INTELLIGENCE UPDATE DURING MISSION BRIEFING

 $\begin{array}{llll} \underline{CONDITION(S)} \colon & \text{The operations order has been issued and the squadron is} \\ \text{assigned missions in tactical support of a MAGTF.} & \text{All liaison has been} \\ \text{performed and initial intelligence information has bean disseminated.} \\ \text{Mission commanders have been assigned and hold a brief prior to each} \\ \text{mission where designated S-2 representatives will give an intelligence} \\ \text{update.} \\ \end{array}$

STANDARDS:	EVAL: Y: N: NE
.1	Updates briefing on detailed ground scheme of maneuver, forces and weapons involved, enemy concentrations control points, ingress/egress routes, and the latest aerial imagery.
.2 (Jpdates EEI's for visual reconnaissance by squadron aircrews.
.3	Updates any enemy/threat capabilities and changes to tactics.
EVALUATOR I	INSTRUCTIONS: Hone.
KEY INDICAT	FORS: Hone.
TASK: 3A	A. 3. EVALUATE SELF PROTECTION ECM CREW KNOWLEDGE
	S): Aircrews display adequate knowledge of available sures and compatible onboard EW equipment throughout the
STANDARDS:	EVAL: Y: N: NE
.1	Aircrew demonstrate proper employment and capabilities of onboard radar homing and warning (RHAW) equipment. (KI)
.2	Aircrew demonstrate proper employment and capabilities of onboard expendables: e.g., chaff, flares, and jammers. (KI)
	Aircrew demonstrate proper employment and capabilities of passive infrared (IR) jammers.
* 4	Demonstrate familiarity with current recommended defensive formations to include mutually supportive alignment, spacing, and ECM support aircraft integration.
5	Exhibit familiarity with current recommended defensive maneuvers for SAM, AM, and airborne threats.

III-A-16

 ${\hbox{{\fontfamily \underline{EVALUATOR}}}}: \ \ {\hbox{If available, ground test equipment will be used to simulate ECM operation.}}$

KEY INDICATORS:

RHAW AND MISSILE WARNING RECEIVERS

<u>Operation</u>: Cockpit switchology, pre-operations checks, interference limitations (internal and external interference sources). display indications.

<u>Capabilities</u>: Threat correlations, threats covered, display ambi8uitiei, threats not covered.

Employment: Reactions to displays.

ONBOARD EXPENDABLES

 $\underline{\mathtt{Operations}} \colon \mathtt{Dispenser}$ loading and program, cockpit switchology for manual, and programmed expenditure.

 $\underline{\text{Capabilities}}$: General knowledge of chaff-type correlation with threat, decoy flare IR effectiveness, current jammer threat coverage.

 $\underline{\text{Employment}}$: Timing/interface with threat activity and aircraft maneuvers, use in high/low altitude profiles, etc.

TASK: 3A.3.7 EXECUTE GUNNERY EVALUATION

 $\underline{\text{CONDITION}(S)}$: The squadron has been alerted to prepare aircraft for launch on an armed transport mission. All crew-served weapons and ammunition are prepared and ready for installation.

STANDARDS:	EVAL:	Υ:	N:	NE

.1	Demonstrates the proper donning of ballistic protective equipment.
.2	Demonstrates proper use of verbal/nonverbal communication with aircrew.
.3	Correctly mounts appropriate crew-served weapons within 15 minutes each.
. 4	Successfully fires their crew-served weapon(s) in a safe and knowledgeable manner within the appropriate parameter: of the system used.
.5	Achieves multiple bits on appropriate targets.
.6	Demonstrates understanding of weapons control conditions (weapons free, weapons tight, hold fire, etc.).
.7	Demonstrates proper procedures in taking corrective action on malfunctions or stoppages.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

III-A-17

TASK: 3A.3.8 EVALUATE PREDISASTER PLAN

 $\frac{\text{CONDITION(S)}}{\text{flight line.}}: \quad \text{During operations a simulated disaster will occur on the flight line.} \quad \text{An aircraft will be destroyed and casualties will have been inflicted.} \quad \text{Once informed that the incident has taken place, the maintenance and operations personnel will make appropriate calls and prepare the flash message.}$

STANDARDS	: EVAL: Y: N: NE
.1	Uses a current disaster plan or SOP covering accidents on the flightline, in working spaces and on the hangar deck.
.2	Plans briefings for all personnel on flightline disaster; e.g., get personnel clear of aircraft, know where the fire bottles are and how to use them, towing adjacent aircraft away from accident site, where the phone numbers are to get in touch with fire department, medical department, base ODD. Squadron CO, XO. and AD.
.3	Random sampling of maintenance personnel indicates clear understanding of the plan and each work center's required actions.
.4	Proper firefighting, first aid equipment, and gas masks are onhand.
.5	Executes orderly and positive immediate action to cope with the incident/accident/disaster.
.6	Keeps damage injuries at S minimum level.
.7	Leadership is demonstrated by SNCO's/NCO's in coping with the incident/accident/disaster.
.8	Prepares required messages concerning casualties and disaster occurrences within required timeframe.
ascertain Evaluator working s Senior Ev	<u>INSTRUCTIONS</u> : Evaluator reviews squadron's plan and s general knowledge of plan by random sampling of personnel. creates an incident, accident, or disaster on the flightline, paces, or hangar deck (fire. ordnance detention, etc.). The aluator will act as the "message center" for processing of OPREP-of Mass Casualty messages.
KEY INDIC	ATORS: None.
TASK: 3	A.3.9 EVALUATE CREWCHIEF COORDINATION
CONDITION as possib	
STANDARDS	: EVAL: Y: N: NE
.1	Covers lookout sectors as briefed.
.2	Communicates promptly. consistently, and accurately using appropriate terminology/signals.
.3	Monitors mechanical functioning of the aircraft.
.4	Keeps pilots advised of position of other aircraft in the flight.
.5	Provides obstacle clearance and landing zone information during hovering and landing operations.
.6	Understands and complies with commands for control of weapons employment procedures. (KI)
.7	Ensures all passengers are seated, have seat belts on, and are wearing appropriate safety equipment.

.8 ____ During external cargo/rope suspension operation uses standard terminology for positioning aircraft.

.9 During external cargo/rope operations advises pilot of conditions of the load.
.10 Keeps the pilot informed of internal load and personnel progress during all open ramp operations either airborne or on the ground.
.11 Performs all safety and mechanical checks during refuel/transfer of fuel with range extension tanks installed.
.12 Uses correct hand and arm signals during taxiing or positioning aircraft.
.13 Crewchief passes on signals between the pilot, jumpmaster, and/or helicopter rope suspension training master.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS:
WEAPONS CONTROL
BASIC COMMANDS SHOULD BE:
1. "Lock and load."
2. "Open fire."
3. "Cease fire."
4. "Clear your weapons."
5. "Countermeasures employed."
TASK: 3A.3.10 EVALUATE COMMUNICATIONS DISCIPLINE
$\underline{\text{CONDITION}(S)}$: Communications discipline should be evaluated on as many missions as possible.
STANDARDS: EVAL: Y: N: NE
.1 Complies with EMCON procedures.
.2 Radio communications are prompt and concise.
.3 Avoids unnecessary transmissions and testing of equipment. (KI)
.4 Automated Communications Electronics Operation Instructions (ACEOI) properly employed.
.5 Does not respond to fraudulent or imitative messages.
.6 Recognizes, counters properly, and reported MIJI activities.
.7 Makes appropriate "Beadwindow" calls.
.8 Makes maximum use of covered communication equipment.
.9 Briefs radio discipline and employs visual signals to the maximum extent possible.
.10 Employs visual signals wherever possible for ground-to-air co"-communication.
.11 Executes chattermark procedures as briefed.
III-A-19

.12	Properly	encrypts	and	decrypts	friendly	numerical	information
	transmitt	ted on inc	SECILI	re rading			

.13 ____ Properly authenticates or challenges stations called or stations calling on insecure radios.

 ${\hbox{\footnotesize EVALUATOR INSTRUCTIONS}}\colon$ C3 agencies provide debrief with regard to MIJI attempts.

KEY INDICATORS:

UNNECESSARY TRANSMISSIONS

- Avoid unnecessary maintenance radio operation during EMCON conditions.
- 2. Considers radio operations for deception plan.

TASK: 3A. 3.11 EXECUTE AIRBORNE CONTROL OF AIRCRAFT

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The ACE has been assigned a mission which requires a large helicopterborne force. On-scene control of aircraft in the operations area is required due to the scope of the operation.}$

STANDARDS: EVAL: Y: N: NE

.1	Utilizes tactical air coordinator (airborne)(TAC(A)). as
	appropriate to include artillery, naval gunfire, close air
	support (CAS), and close in fire support (CIFS).

. 2	Utilizes	naval	aviation	observer	(MAO),	as	appropriate.
-----	----------	-------	----------	----------	--------	----	--------------

3	Utilizes FAC(A)	, as appropriate to	include aerial
	reconnaissance,	directing CAS, and	close in fire support.

4	HC(A)	exerci	ses sp	ecifi	ed a	irborne	coordination	and	control	of
	helic	opters	within	his	AOR.	(KI)				

5	Helicopter	Transport	Commander	functions	as	HC(A)	when	no	HC(A)
	is assigned	d.							

- .6 ____ Utilizes flight coordinator, as required.
- .7 ____ Properly utilizes DASC/DASC (airborne).
- 8 ____ Division/section leaders control respective elements.

<u>EVALUATOR INSTRUCTIONS</u>: The evaluator shall be familiar with the Assault Support Helicopter (ASH) Tactical Manual. The evaluator should examine the utilization of each airborne control agency provided by the squadron.

KEY INDICATORS:

HELICOPTER COORDINATOR (AIRBORNE)

Should:

- 1. Assist HDC or DASC in coordination and control of helicopters.
- 2. Be thoroughly knowledgeable in every facet of the operation.
- Recommend to mission commander for request of observation/tactical air support as needed.
- 4. Be airborne with HUC for timely and coordinated decision-making.

III-A-20

- 5. Coordinate and control en route helicopter flights.
- 6. Ensure LZ preparation strikes are timely, accurate, end sufficient.
- 7. Advise TACC and HDC Status of lending end provide information concerning weather, enemy activity, alternate routes, end supporting arms.

TASK: 3A.3 .12 DEMONSTRATE PROPER ELECTRONIC WARFARE CONSIDERATIONS

 $\underline{\text{CONDITION}(S)}\colon$ Aircrews apply EW mission planning requirements to exercise mission excretions.

STANDARDS:	EVAL: Y: N: NE
.1 U	ses EW considerations end tactics effectively.
.2 C	onducts airfield departures as briefed.
	ptimizes tactics, including route utilized, altitudes, and EW upport for the threat EW considerations.
.4 E	mploys appropriate RTF procedures.
T	emonstrates proper air command and control procedures within AOR, including entry/exit points end corridors, IFF/SIF, and overed end coded communications.
.6 G	athers EW intelligence within limits of capability.
	emonstrates proper tactical. utilization of radar warning eceiver.
	emonstrates proper tactical utilization of expendable ountermeasure equipment.
.9 U	tilizes alternate communication nets (e.g., HF).
Mode IV che	NSTRUCTIONS: Indicate the following data; Missions flown, cks attempted, Mode IV checks successful, Secures successful, d on tactical missions. Fifty percent of squadron assets sted.
KEY INDICAT	ORS: None.
TASK: 3A	.3.13 DEMONSTRATE PROPER UNIT DISCIPLINE
flight oper indirect fi	The squadron has been given a mission to conduct tactical ations from a forward area. An enemy force with direct and re, rotary end fixed-wing aircraft, end EW capabilities the MAGTF. The unit has established self protection. ositions.
STANDARDS:	EVAL: Y: N: NE
.1 U	nit has, and uses, a ground defense SOP.
С	nit discipline is demonstrated by individual umbers being in ontrol of themselves and contributing to mission ccomplishment.
	arines take care to safeguard end clean their weapons, both ndividual and crewserved, daily.
	ehicles, generators, etc., are given regular maintenance by the arine assigned to operate them.

III-A-21

.5	Marines employ their firepower in an orderly and organized fashion, if engaged. Random waste of ammunition is not tolerated by unit leaders.	
.6	Marines do not waste or souse unit supplies or material.	
.7	Supplies arm safeguarded from the enemy and from the weather and are not scattered as litter on the terrain.	
.8	Marines operating radios do not expose themselves to radio direction finding (RDF) by unnecessary, wordy, or repetitious message traffic. Standard prowords are used and communication checks are limited. All personnel using radio adhere to required standards of performance regardless of grade.	
	Unit cannot be detected by enemy as a result of poor noise discipline.	
	Unit cannot be detected by enemy as a result of poor light discipline.	
.11	Marines wear the prescribed uniform at all times, including individual weapon, body armor, helmet, and first aid kit.	
.12	Leaders actively promote field sanitation and personal hygiene by policing the area, inspecting feet and body sores, and enforcing use of designated heads and good personal health habits.	
EVALUATOR INSTRUCTIONS: With exceptions, evaluators will use the 90 percent rule C90 percent of the Marines 90 percent of the time) to determine whether requirements are being met. The exceptions will be communications, noise, and light discipline. These standards will stand literally. If a unit is located by RDF and an enemy indirect fire mission can be brought to bear on the unit's location as a result, or the unit is located or observed as a result of noise or light, the standard cannot be considered met. Evaluators must determine whether the unit is violating light and noise discipline and communications procedures when no aggressors or EW support is available from the TEC. This task will be evaluated over the entire exercise and evaluators will note efforts of unit leaders to maintain and correct discipline. If there is improvement by the unit throughout the exercise in which standards are consistently met, the unit may receive a "YES" marking.		
KEY INDICA	ATORS: None.	
TASK:	3A.3.14 DEMONSTRATE PROPER UNIT DISPERSION TECHNIQUES	
a forward	(S): The squadron is conducting tactical flight operations from area against an enemy who possesses direct and indirect fire, d fixed-wing aircraft, and SW capabilities.	
STANDARDS:	EVAL: Y: N: NE	
	Marines do not gather in groups unnecessarily when performing their duties, or when deployed in the defense.	
	Dispersion is controlled by junior leaders who are active in keeping Marines dispersed.	
.3	Units are not grouped together in small areas so that they combine to present a lucrative target for enemy indirect fire, especially at the conclusion of an attack or a defensive action.	
.4	Leaders set an example of dispersion by not congregating.	
.5	Tentage, equipment, aircraft. vehicles, and radios are placed in such a manner as to reduce their vulnerability to bursting munitions.	
.6	Firing positions for crewserved weapons generally are separated by a minimum of 30 to 35 meters.	
.7	Disperses all aircraft and vehicles and takes advantage of terrain features to the maximum degree possible to seek cover and concealment, yet avoids positions that will cause difficulty in exiting.	

<u>EVALUATOR INSTRUCTIONS</u>: This task is applicable throughout the exercise. Evaluator reaches a YES evaluation based on his observation that 90 percent of the Marines in the unit participate throughout the exercise with the quality of performance defined by the requirements.

KEY INDICATORS: None.

TASK: 3A.3.15 DEMONSTRATE PROPER USE OF COVER

 $\underline{\text{CONDITION}(S)}$: The squadron is conducting tactical flight operations from a forward area against enemy forces who possess direct and indirect fire, air, and EW capabilities.

STANDARDS: EVAL: Y: N: NE .1 ____ Individual Marines, including vehicle drivers, demonstrate by tactical and personal example an understanding of use of covered routes and covered positions. .2 ___ Returning aircraft do not remain in exposed locales but move immediately to the nearest cover. .3 ___ Equipment, tentage, radios, aircraft, and vehicle parking areas are sited to take advantage of cover provided by natural terrain features. .4 ___ Individual and crewserved weapons firing positions are established in areas that permit use of natural cover while still allowing observation and adequate fields of fire. .5 ___ All individual Marines and crewserved weapons elements make use of available material to improve cover.

EVALUATOR INSTRUCTIONS: This task is applicable throughout the exercise. Evaluator reaches a YES evaluation based on his observation that 90 percent of the Marines in the unit participate throughout the exercise with the quality of performance defined by the requirements.

KEY INDICATORS: None.

TASK: 3A.3.16 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT TECHNIQUES

CONDITION(S): The squadron is conducting tactical flight Operations
from a forward area against enemy forces who possess direct and indirect
fire, air, and EW capabilities.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Ensures that the principles of camouflage siting, discipline, and construction are employed continuously throughout the operations.
- .2 ____ Uses natural materials and camouflage screen support systems to conceal positions, aircraft, and vehicles from enemy ground observation to a distance of 200 meters. (KI)
- 3 ____ Camouflages all positions to prevent identification by enemy aircraft by employing soil, fresh foliage, and netting.

EVALUATOR INSTRUCTIONS: None.

III-A-23

KEY INDICATORS: VEHICLES (including GSE gear);

- 1. Have any light-colored tactical markings dulled or covered.
- 2. Have all reflective surface. dulled or covered to include mirrors and windshield.
- 3. Are equipped with proper camouflaging materials.

TASK: 3A. 3 17 DEMONSTRATE PROPER LOCAL SECURITY TECHNIQUES

 $\underline{\text{CONDITION}(S)}$: The squadron has assumed a defensive position around the forward area. Enemy forces are active. Enemy reconnaissance units have been reported in close vicinity. Local security measures and patrols have been planned and established as a means of aggressive defense.

STANDAR	DS: EVAL: Y: N: NE
.1	Briefs and inspects Marines assigned local forward security missions.
.2	Emplaces Marines and weapons in positions which offer good observation, fields of fire,
.3	concealment and cover, and which controls enemy avenues of approach.
.3	Employs local security measures which provide for early warning, continual observation, and counter reconnaissance screening, and avoids the element of enemy surprise.
.4	_ Individual weapons are available and ready for use at all times.
.5	_ Individual Marines are aware of the procedures for calling for, lifting, or shifting fires.
.6	Individual weapon shooters provide immediate well aimed volume of fire within the sectors of fire assigned to each weapon.
.7	Band grenades are available and Marines are proficient in their use.
.8	Considers active and passive OPSEC measures to prevent surprise and to provide greater security.
.9	Positions elements to allow for their mutual support, emphasizing coordinated surveillance, exchange of information, coordinated fires, final protective fires, and patrolling.
.10	Organizes defensive positions to allow for all-round defense.
.11	Plans primary and supplementary positions.
.12	Plans a defense in depth through the use of supplementary positions and through the planned use of calling fires into threatened areas.
.13	Employs a series of natural and artificial obstacles to restrict, delay, block, or stop the movement of enemy forces.
.14	Maintains the dispersion of equipment and individuals throughout the operation to avoid excessive casualties.
.15	_ Makes maximum use of surveillance devices (sensors, tripwires, observation posts) in order to detect enemy movement.
.16	Uses available time effectively in the planning and preparation of defensive positions.
.17	_ Security elements report departure and return per established procedures.
.18	_ Disseminates combat information acquired by security elements throughout the unit and as required to higher command elements.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3A.3. 18 DEMONSTRATE PROPER RESPONSE TO ENEMY ELECTRONIC WARFARE (EN) ACTIVITY

 ${\hbox{\hbox{\tt CONDITION(S)}}}\colon$ The squadron is conducting tactical flight operations from a forward area. The enemy is known to have EW capability.

STANDARDS	: EVAL: Y: N: NE
.1	All radio nets specified as covered circuits in the communications plan are operated in the covered mode.
.2	CEOI instructions for daily changing of frequencies and call signs are observed.
.3	Observes emission control (EMCON) procedures.
.4	Chooses communication sites that provide for terrain masking to minimize enemy probability of intercept.
.5	Marines require authentication when operating unsecure radio and wire nets.
.6	CEOI allocates alternate frequencies for critical radio nets.
.7	Marines operating radios recognize enemy jamming (as opposed to equipment malfunctions). do not reveal effectiveness of enemy jamming efforts, and continue to attempt to communicate.
.8	Proven or suspected enemy electronic activity is reported to the senior unit by other secure means in a timely manner.
.9	Relays communications by alternate means when radio nets are effectively jammed.
.10	Marines operating radios and officers transmitting on those radios do not compromise unit locations, strength, or commit other "Beadwindow" security lapses.
.11	Expedient directional antennas are used to the maximum extent possible.
.12	Uncovered transmissions are accomplished in such a way as to discourage radio direction finding by using short bursts and keeping traffic to the minimum essential.
.13	Brevity codes promulgated by the appropriate communications \ensuremath{SOP} are employed.
.14	Communications security materials of all types are safeguarded.
.15	Low priority and routine messages are sent by means other than radio communications.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.

III-A-25

TASK: 3A. 3.19 DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITY

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron is conducting tactical flight operations} \\ \text{from a forward area.} \quad \text{The enemy, in addition to direct and indirect fire} \\ \text{and EW capabilities, has a fixed and rotary-wing aircraft capability.}$

STANDARDS: EVAL: Y: N: NE		
.1	Unit has established procedures for both passive and active air defense.	
.2	Air guards are designated. (KI)	
.3	Unit has an alarm system to warn of air attack.	
.4	Marines within the unit are aware of the meaning of the alarm.	
.5	If given advance warning of approaching hostile aircraft, Marines react by dispersing per established passive measures and by taking appropriate active defensive actions when attacked. The unit utilizes the scatter plan for aircraft assets.	

6 ____ Unit machinegun teams engage enemy aircraft when under attack.

7 ____ Small unit leaders demonstrate ability to concentrate small arms fire against attacking aircraft.

.8 ____ Unit reports attack by enemy air to higher headquarters using a flash message.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

AIR GUARDS

Air guards within each subordinate element are designated to watch for the approach of hostile aircraft. These Marines are not specially trained beyond careful instruction by their immediate leader. They are able to:

- 1. State the nature of the threat; i.e., fixed-wing jet, fixed-wing prop, or rotary-wing.
- 2. Describe the signal established as the alarm for attack.
- 3. Identify friendly aircraft that are in support of the MAGTF.

TASK: 3A. 3.20 DEMONSTRATE PROPER CASUALTY HANDLING

STANDARDS: EVAL: Y: N: NE

.1	Marines dealing with casualties prior to arrival of corpsmen
	demonstrated buddy aid knowledge in treatment of fractures,
	penetrating wounds, and sucking chest wounds.

.2 ____ Marines tagged as lightly wounded apply self-aid.

III-A-26

. 3	Marines who must be evacuated are transported by man carry,
	litter, vehicle, or helicopter to the collection point or
	treatment site in a tactically sound and expeditious manner that
	still shows regard for the type of wound of the casualty.

.4 ____ Casualty reporting begins immediately after a Marine is tagged. starting at the level of the junior leader, and terminating at the unit headquarters.

<u>EVALUATOR INSTRUCTIONS</u>: In training exercises, the evaluator will specify that Marines. Including officers. who are tagged with incapacitating wounds drop when "hit." Marines tagged as incapacitated do not move under their own power, relying on other Marines to move them as part of the evaluation.

KEY INDICATORS: None.

3A. 4 HELICOPTERBORNE ASSAULT OPERATIONS

TASK: 3A.4.1 CONDUCT HELICOPTERBORNE ASSAULT MISSION PLANNING

<u>CONDITION(S)</u>: The squadron is in receipt of a warning order to conduct a helicopterborne assault mission(s) in support of the MAGTF. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP'S are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and support to enhance battlefield realism.

STANDARDS	EVAL: Y: N: NE
.1	Establishes early liaison with the assault commander.
.2	Issues warning order to squadron staff planners to prepare for imminent meeting.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Requests combat information and EEI's concerning METT-T.
.5	Establishes a time schedule delineating completion times for all phases of planning.
.6	Provides helicopter availability table (HAT) information to the assault commander. $$
.7	5-2 initiates planning to provide environmental data.
.8	Develops aviation support requirements (ordnance. fuel, special equipment. personnel, etc.).
.9	Provides aviation supportability estimates to commander.
.10	Requests air support requirm9nta from ACE/CLF/CATF.
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Plans reconnaissance request of the A)A.
.13	Reconciles any aviation shortfalls with the commander.
.14	Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform. fire support or EW support.
.15	Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).

.16	 Plans distance and fuel requirements and identifies refueling/FARP requirements. (Sea TASK: 3A.13 Forward Arming and (Refueling Point).
.17	 Integrates available fire support capability (i.e. NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.18	 Plans primary and alternate landing zones (LZ's). (KI)
.19	 Recommends priority of targets for zone prep.
.20	 Plans and coordinates control points. (KI)
.21	 Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	 Establishes and coordinates initial terminal guidance (ITG) procedures with the reconnaissance element.
.23	 Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.24	 Coordinates mutual support of weapons systems in the LZ.
.25	 Develop COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords. and frequencies (environmental effects, jamming capabilities), and coordinate with the MAGTF.
.26	 Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.27	 Plans TRAP procedures.
.28	 Plans FARP procedures.
.29	 Plans in conjunction with the MAGTF, a viable deception plan.
.30	 Coordinates the development of the "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.31	 Plans smallest maneuver element for tactical controllability in VMC and INC, both day and night. (KI)
.32	 Establishes plans for both operational and weather go/no 80 criteria.
.33	 Establishes a bump plan.
.34	 Establishes a scatter plan.
.35	 Coordinates and integrates command and control procedures.
.36	 Schedules rehearsal for evaluating the plan, if time allots.
.37	 Establishes procedures for manifesting and accounting for personnel on each aircraft.
.38	 Schedules mission briefings for all flightcrews and necessary personnel.
.39	 Assist the Supported unit commander in the preparation of the Helotism Wave and Serial Assignment Table (HWSAT).
.40	 Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.41	 Plans and coordinates RTF with the ACE.
.42	 Submits plan to the ACE/CLF/CATF for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE (LZ) SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

NIGHT LIMITATIONS

- 7. Reduction of visual acuity.
- 8. Positive aircraft control procedures.
- 9. Slower tempo of activity.
- 10. Smaller helicopter waves.
- 11. Problems inherent in conducting rendezvous, approaches, and landings at night.
- 12. Slower and more complicated troop and cargo loading/unloading operations.
- 13. Slower buildup of combat power in the LZ.

III-A-29

TASK: 3A.4.2 CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEFING

STAI	NDARDS	EVAL: Y: N: NE
.1		All items are briefed per published NATOPS, briefing guides, SOP'. and WWP-55-9.
.2		All participating aircrews are present.
.3		Questions are allowed to ensure safety of flight information is understood by all.
. 4		Systematically prioritizes teaks.
.5		Allocates time to ensure all task assigned are completed prior to mission briefing.
.6		Assigns planning responsibilities to appropriate flight billets.
.7		Maximizes use of tactical SOP's.
.8		Uses kneeboard cards and tactical checklists to consolidate information.
.9		Briefs the general situation in the area of operations.
.10		Briefs friendly forces scheme of maneuver, weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
.11		Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (KI)(See TASK 3A.3.5 Intelligence Update.)
.12		5-2 briefs local populace reaction capabilities. (See 3A.3.5 Task Intelligence Update.)
.13		Briefer uses appropriate maps, charts, and aerial photographs. as required.
.14		Briefs encryption procedures. both internal end external to the flight.
.15		Briefs SERE procedures, (KI)
.16		Briefs EN consideration. (KI)
.17		Briefs weather. (KI)
.18		Ensures that all appropriate personnel have handouts. (KI)
.19		Briefs mission go/no 80 criteria; i.e., aircraft, personnel, and other mission essential equipment.
.20		Briefs mission precedence.
.21		Ensures the mission statement is understood by all participants.
.22		Briefs a time line, to include L hour/H hour.
.23		Briefs mission assets. (KI)
.24		Briefs cell signs/event numbers.
.25		Briefs chain of responsibilities. (KI)
.26		Briefs general scheme of maneuver. (KI)

.27	Briefs g0/no 80 weather criteria.
.28	Briefs inadvertent IMC/loss of visual contact.
.29	Briefs fuel requirement:. (KI)
.30	Brief. ROE/window conditions.
.31	Brief: NVG operational consideration:.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Brief: LZ procedure:. (KI)
.35	Brief: egress procedures. (KI)
.36	Briefs downed aircraft procedures for overeater and overland,
.37	Briefs TRAP procedure:. (See TASK: 3A.12 TRAP.)
.38	Briefs concurrent operations.
.39	Brief. FARP procedure:. (See TASK: 3A.13 FARP.)
.40	Briefs deception plan.
.41	Brief: special considerations.
.42	Briefs all safety matters.
.43	Briefs time back.
.44	Briefs location/time of debriefs.
.45	Briefs goggle/defogging procedures.
.46	Briefs controlling agencies.
.47	Briefs EMCON procedures.
.48	Brief: DRIADS.
.49	Brief: ground signals.
EVALUATOR	INSTRUCTIONS: Brief uses 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire (NGF).
- 5. Fire support coordination measures.

III-A-31

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AAA threat Locations known.
- 5. SAM threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. EEI's.

SUE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. Propagation.
- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed wing.
- 2. helicopter including go/no 80 criteria.

III-A-32

- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight Leader/alternate.
- 5. Flight Coordinator/alternate.

The following agencies' locations, call signal, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedure..

III-A-33

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's. CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate arid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort,
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

EGRES5

- 9. Primary and alternate routes.
- 10. Control measures (CP's, RP's).
- 11. Timing.
- 12. Airspeed and altitude
- 13. Formations.

III-A-34

- 14. Escort.
- 15. Supporting arms.
- 16. Weapons conditions.
- 17. Penetration checklist
- 18. Communication procedures including visual signals, lost comm, chattermark, codewords. and RIO.
- 19. En route terrain.
- 20. Probable point of last enemy contact.
- 21. Evasive maneuvers.
- 22. Scatter plan.
- 23. NBC considerations.
- 24. NVG considerations.

TASK: 3A.4.3 CONDUCT HELICOPTERBORNE ASSAULT MISSION EXECUTION

 $\underline{\text{CONDITION}(S)}$: Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the S-2, and after completing mission planning and briefing execute assigned mission.

STAN	DARDS	: EVAL: Y: N: NE
.1		All aircrew are qualified and current for assigned mission
.2		Aircraft were configured to conduct preplanned missions.
.3		Conducts preflight activities within prescribed timeframe.
.4		Conducts a last minute liaison with supported unit for any changes.
.5		Conducts start-up on time with systems checks on time reedy for launch.
.6		Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
.7		Conducts launch activities (execute bump plan, if required) as briefed. \ensuremath{C}
.8		Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9		Confirms go/no go exist before continuing with C3.
.10		Execute COMM procedures/plan as briefed.
.11		Formation facilitates support by escort. control, maneuverability, mutual support, and collision avoidance.
.12		Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13		Employs smallest maneuver element capable of accomplishing mission.
.14		Executes procedures properly upon inadvertent IMC/ loss of visual contact entry.
.15		Exercises COMM discipline during mission.
.16		Ensures aircrews observe

.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Remains constantly aware of aircraft Systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	Changes to route are made by proper authority.
.25	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	Ensures crewmen comply with weapons conditions as briefed.
.27	Receives clearance at the IP to proceed to the LZ.
.28	Perform. penetration checklist at the appropriate time/place.
.29	Reports to C3 progress of mission. as required to update weather. enemy situation, and $go/no\ 80$.
.30	Flight receiving clearance at the IP to proceed to the LZ ensure go/no 80 criteria exists. (KI)
.31	Executes deception plan.
.32	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.33	Employs proper approach techniques to LZ.
.34	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Allows escort to be in position in time for prep fires.
.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Ensures change to LZ is done by proper authority.
.38	Contacts C3 upon reaching/departing LZ's.
.39	Ensures minimum time in zone.
.40	Flights arrive in LZ on time.
.41	In 5 minutes or less.
.42	In 4 minutes or less.
.43	In 3 minutes or less.
.44	In 2 minutes or less.
.45	In 1 minute or less.
.46	Flights land at correct LZ.
.47	Within 1,000 meters or less of LZ.
.48	Within 400 meters or less of LZ.
.49	Within 200 meters or less of LZ.
.50	Within 100 meters or less of LZ.

.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by ${\tt HST/LZ}$ control team.
.53	During paradrops, flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
.54	Executes proper departure techniques to reduce exposure to threat.
.55	Executes downed aircraft procedures ca briefed.
.56	Executes RTF procedures.
.57	Executes FARP procedures.
.58	Continues contact with C3 concerning flight status.
.59	Executes EW procedures.
.60	Performs recovery procedures.
.61	Executes post landing deployment of helicopters.
.62	Performs post flight of aircraft.
	<u>UATOR INSTRUCTIONS</u> : Evaluator shall be familiar with Assault elicopter Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain. vegetation, and manmade objects to reduce or avoid electronic missions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

III-A-37

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A.4.4 CONDUCT HELICOPTERBORNE ASSAULT MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: Given a completed mission conduct a debriefing for that mission, with emphasis on lesions learned for future use.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NW? 55-g.
.3	S-2 debriefs all crewmembers immediately upon return for any reel time intelligence information.
.4	Utilize maps, aerial photos, sketches, or other training aide when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

III-A-38

3A.5 RESUPPLY

TASK: 3A.5.1 CONDUCT RESUPPLY MISSION PLANNING

CONDITION(S): The squadron is in receipt of e warning order to conduct resupply missions in support of the MAGTF. All liaison has been performed and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (reel world contingencies are encouraged), the squadron should perform as many standards, as necessary. Additional assets may he utilized if available to include other helicopters. fixed-wing. air control elements, and MWSS support to enhance battlefield realism.

STANDARDS:	EVAL: Y: N: NE
.1	Acknowledge receipt of mission tasking to higher headquarters.
.2	Receives commander's planning guidance and intent.
.3	Issues warning order to squadron staff planners to meet.
.4	Analyzes mission tasking to determine specific tasks, stated and implied.
.5	Requests combat information and EEI's concerning METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides HAT information to the supported unit commander.
.8	Considers internal/ external/aerial delivery transport advantages/disadvantages. (KI)
.9	5-2 initiates planning to provide environmental data.
.10	Develops aviation support requirements (ordnance, fuel, special equipment, personnel. etc.).
.11	Provides aviation supportability estimates to commander.
12	Requests air support requirements from ACE/CLF/CATF.
.13	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.14	Requests reconnaissance of the AOA, if necessary.
.15	Reconciles any aviation shortfalls with the commander.
.16	Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.17	Allocates assets to support concept of operations and coordinates an ATO.
.18	Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A. 13 Forward Arming and Refueling Point.)
.19	Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.20	Plans primary and alternate LZ's. (KI)
.21	Plans ingress/egress routes to the primary and alternate LZ's.
.22	Recommends priority of targets for zone prep.
.23	Plans and coordinates control points. (KI)

III-A-39

.24	Ensures authority and procedures to change LZ's or ingress/egress routes ere clearly established.
.25	Establishes end coordinates ITG procedures with the reconnaissance element.
.26	Plans helicopter landing diagram and landing sequence to ensure traffic deconfliction and control of assets.
.27	Coordinates mutual support of weapons systems in the LE.
.28	Develop COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities), and coordinate with the MAGTF.
.29	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.30	Plans TRAP procedures.
.31	Plans FARP procedures.
.32	Plans in conjunction with the MAGTF a viable deception plan.
*33	Coordinates the development of the "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.34	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.35	Establishes plans for both operational and weather go/no 80 criteria.
.36	Establishes a bump plan.
.37	Establishes a scatter plan.
38	Coordinates and integrates command and control procedures.
.39	Schedules rehearsal for evaluating the plan, if time allots.
.40	Establishes procedures for manifesting and accounting for personnel on each aircraft,
.41	Schedules mission briefings for all flightcrews and necessary personnel.
.42	Assists the supported commander in the preparation of the HWSAT
.43	Considers LAAD assets to support operations based on available threat intelligence.
.44	Plans and coordinates RTF with the ACE.
.45	Submits plan to the ACE/CLF/CATF for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants end detachment representatives should participate in the planning.

III-A-40

KEY INDICATORS:

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

<u>Advantages</u>

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

<u>Disadvantages</u>

- 1 Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

<u>Advantages</u>

- Small item/s/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4. No slings requirement..
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permit. NOE.

<u>Disadvantages</u>

- 1. Loading/unloading delay..
- 2. Nay require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Load. generally smaller than external load..
- 5. Excludes outsize cargo that nay be necessary for mission.

III-A-41

AERIAL DELIVERY (NO LANDING)

<u>Advantages</u>

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

<u>Disadvantages</u>

- 1. Loading delay.
- 2. May require more sorties to accomplish mission,
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

III-A-42

TASK: 3A.5.2 CONDUCT RESUPPLY MISSION BRIEFING

 $\frac{\text{CONDITION(S)}}{\text{condition(S)}}: \quad \text{The ATO has been issued and the squadron is assigned support missions in support of the MAGTF. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers. FAC(A) and HC(A) attends brief when possible. Flight leaders provide navigation card, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS calculations when required by the evaluator.$

STANDARDS:	EVAL: Y: N: NE
.1	All items are briefed per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all task assigned are completed prior to mission briefing. $ \\$
.6	Assigns planning responsibilities to appropriate flight billets.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs the general situation in the area of operations.
.10	Briefs friendly forces scheme of maneuver, weapons involved,' i.e NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
.11	Briefs enemy detection and reaction capabilities. type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (KI) (See TASK 3A.3.5 Intelligence Update.)
.12	S-2 briefs local populace reaction capabilities. (See TASK 3A.3.5 Intelligence Update.)
.13	Brief uses appropriate maps. charts, and serial photographs. as required.
.14	Briefs encryption procedures, both internal and external to the flight.
.15	Briefs HERE procedures. (KI)
.16	Briefs EW consideration. (KI)
.17	Briefs weather. (KI)
.18	Ensures that all appropriate personnel have handouts.
.19	Briefs mission go/no 80 criteria; i.e., aircraft, personnel, and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a time line, to include L hour/H hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)

.27	Briefs go/no 80 weather criteria.
.28	Briefs inadvertent IMC/loss of visual contact.
.29	Briefs fuel requirements. (KI)
.30	Briefs ROE/window conditions.
.31	Briefs NVG operational considerations.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures for overwater and overland.
.37	Briefs TRAP procedures. (See Talk: 3A.12 TRAP.)
.38	Briefs concurrent operations.
.39	Briefs FARP procedures. (See TASK: 3A.13 FARP.)
.40	Briefs deception plan.
.41	Briefs special considerations.
.42	Briefs all safety matters,
.43	Briefs time hack.
.44	Briefs location/time of debriefs.
.45	Briefs goggle/degoggling procedures.
.46	Briefs controlling agencies.
.47	Briefs ECO)N procedures.
.48	Briefs DRIADS.
4g	Briefs ground signals.

KEY INDICATORS:

FRIENDLY FORCES

1. Infantry, to include scheme of maneuver.

EVALUATOR INSTRUCTIONS: Brief uses IMP 55-9-ASH Manual.

- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

III-A-44

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM threat locations known.
- 5. SAM threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

SERE

- 1. ISOPREP card.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Date.
- 2. Propagation
- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard card..
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no 80 criteria.

III-A-45

- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations. call signs, and frequencies should be briefed.

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

III-A-46

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP'S, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedure. including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact,
- 13. Evasive maneuver..
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NEC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 9. Primary and alternate routes.
- 10. Control measures (CF's. RP's).
- 11. Timing.
- 12. Airspeed, altitude and formations.
- 13. Escort.

III-A-47

- 14. Supporting arms.
- 15. Weapons conditions.
- 16. Penetration checklist.
- 17. Communication procedures including visual signals, lost coo, chattermark, codewords, and RIO.
- 18. En route terrain.
- 19. Probable point of last enemy contact.
- 20. Evasive maneuvers.
- 21. Scatter plan.
- 22. NBC considerations.
- 23; NVG considerations.

TASK: 3A.5.3 EXECUTE RESUPPLY MISSION

 $\underline{\text{CONDITION}(S)}$: Given the required asset. from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the S-2, and after completing mission planning and briefing execute assigned mission.

STANDARDS: EVAL: Y: N: NE All aircrew are qualified and current for assigned mission. Aircraft were configured to conduct preplanned missions. Conducts preflight activities within prescribed timeframe. _ Conducts a last minute liaison with supported unit for any changes. __ Conducts start-up and systems checks on time and ready for launch. _ All personnel/equipment are properly staged. .6 Conducts launch activities (execute bump plan, if required) as briefed. _ Accomplishes rendezvous procedures as briefed or as directed by controlling agencies. ___ Confirms go/no 80 criteria exist before continuing with mission. Execute COMM procedures/plan as briefed. .10 Formation facilitates support by escort, control. maneuverability, mutual support, and collision avoidance. .12 ____ Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI) .13 ____ Employs smallest maneuver element capable of accomplishing .14 ____ Executes procedures properly upon inadvertent flf/loss of visual contact. __ Exercises COMM discipline during mission. Ensures aircrew observe ROE/ROC. .16 Uses appropriate flight control measures to adequately control the flight.

.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination (look-out doctrine). (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Remains constantly aware of aircraft systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) $$
.24	changes to route are made by proper authority.
.25	Ensures fire support plan covers all perceived vulnerable cress and is responsive.
.26	Ensures crewmen comply with weapons conditions as briefed.
.27	Receives clearance at the IF to proceed to the LZ.
.28	Performs penetration checklist at the appropriate time/place.
.29	Reports to commander progress of mission, as required to update weather, enemy situation, and $go/no\ 80\ criteria$.
.30	Flight receiving clearance at the IF to proceed to the LZ ensures go/no 80 criteria exists. (KI) $^{\circ}$
.31	Executes deception plan.
.32	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.33	Employs proper approach techniques to LZ.
.34	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Allows escort to be in position in time for prep fires.
.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Ensures change to LZ is done by proper authority.
.38	Contacts C3 upon reaching/departing LZ's.
.39	Ensures minimum time in zone.
.40	Flights arrive in LZ on time.
.41	In 5 minutes or less.
.42	In 4 minutes or less.
.43	In 3 minutes or less.
.44	In 2 minutes or less.
.45	In 1 minute or less.
.46	Flights land at correct LZ.
.47	Within 1,000 meters or less of LZ.
.48	Within 400 meters or less of LZ.
.49	Within 200 meters or less of LZ.
50	Within 100 meters or less of 1.7

.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by ${\tt HST/LZ}$ control team.
.53	During paradrops, flies correct altitude, airspeed, beading providing information to crewchief/jumpmaster.
.54	Executes proper departure techniques to reduce exposure to threat.
.55	Executes downed aircraft procedures as briefed.
.56	Executes RTF procedures.
.57	Executes FARP procedures.
.58	Continues contact with C3 concerning flight status.
.59	Executes EW procedures.
.60	Performs recovery procedures.
.61	Executes post landing deployment of helicopters.
.62	Performs po5tflight of aircraft.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

1. Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitation5.
- $\it 3.$ Obstacle/hazard identification and avoidance,
- 4. Reduction of reaction time to aircraft emergencies.

III-A-50

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A.5.4 CONDUCT RESUPPLY MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: Conduct a resupply mission debriefing. Emphasizing lessons learned for future use.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission. $$
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, end lessons learned to develop new COA's and tactics to improve SOP's, contingency plane, and aircrew knowledge.
.8	S-2 collected all classified/Sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.
- 4. support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

III-A-51

3A.6 MILITARY OPERATIONS IN URBAN TERRAIN(MOUT)

TASK: 3A.6.1 CONDUCT MOUT MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct key mission(s) in support of the MAGTF. The enemy forces have no known fixed-wing aircraft; however, they are supplied with Soviet bloc weapons to include hand-held antiair missiles, heavy machineguns, end light antiaircraft artillery. The use of precision munitions and guided weapons can be approved by CATF/MAGTF. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards, as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS:	EVAL: Y: N: NE
.1	Establishes early liaison with the MOUT commander.
.2	Issues warning order to squadron staff planners to meet.
.3	Analyzes mission tasking to determine specific tasks, whether stated or implied.
.4	Requests combat information and EEI's concerning METT-T.
.5	Establishes a time schedule delineating completion time for all phases of planning.
.6	Provides HAT information to the MOUT commander.
.7	S-2 initiates planning to provide environmental data.
.8	Develops aviation support requirements; i.e. ordnance, fuel, special equipment. personnel, etc.
.9	Provides aviation supportability estimates to MOUT commander.
.10	Requests air support requirements from ACE/CLF/CATF.
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans. and informal briefings.
.12	Plans reconnaissance request of the AOA.
.13	Reconciles any aviation short falls with the commander.
.14	Requests support from theater aviation assets, if required. for fixed-wing escort, airborne early warning platform, fire support. or EW support.
.15	Allocates assets to support MOUT force concept of operations and coordinates an ATO.
.16	Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A.13 Forward Arming and Refueling Point).
.17	Integrates available fire support capability (i.e NGF, CAS, CIFS, artillery), with planned aviation tactics during ingress/egress and while in the objective area.
.18	Plans primary and alternate LZ's. (KI)
.19	Coordinates ingress/egress routes to the primary and alternate LZ a with MOUT commander and/or ACE/supported unit.
.20	Recommends priority of targets for zone prep.
.21	Plans and coordinates control points. (KI)

III-A-52

.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates ITG procedures with the reconnaissance element.
.24	Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.25	Coordinates mutual support of weapons systems in the LZ.
.26	Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark. EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities) and coordinates with the MAGTF.
.27	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Plans TRAP procedures.
.29	Plans FARP procedures.
* 30	Plans in conjunction with the MAGTF, a viable deception plan.
.31	Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes plans for both operational and weather $go/no\ 80$ criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allots.
.38	Establishes procedures for manifesting and accounting for personnel on each aircraft,
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assists the MOUT commander in the preparation of the HWSAT.
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Formulates contingency plans for rapid withdrawal or extraction.
.43	Plans and coordinates RTF with the ACE.
.44	Submits plan to the ACE/CLF/CATF for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.

- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

TASK: 3A.6.2 CONDUCT MOUT MISSION BRIEFING

STANDARDS	: EVAL: Y: N: NE
.1	All items are briefed per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2	All participating aircrews are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all task assigned are completed prior to mission briefing.
.6	Assigns planning responsibilities to appropriate flight billets.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
9	Briefs the general situation in the area of operations.
10	Briefs friendly forces schema of maneuver, weapons involved; i.e., NOF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (KI)(See TASK 3A.3.5 Intelligence Update).
12	5-2 briefs local populace reaction capabilities. (See TASK 3A.3.5 Intelligence Update).

.13	Brief uses appropriate maps, charts. and aerial photographs, as required.
.14	Briefs encryption procedures, both internal and external to the flight. \ensuremath{E}
.15	Briefs SERE procedures. (KI)
.16	Briefs EW consideration. (KI)
.17	Briefs weather. (KI)
.18	Ensures that all appropriate personnel have handouts.
.19	Briefs mission go/no 80 criteria; i.e., aircraft, personnel, and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a time line, to include L hour/B hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs go/no 80 weather criteria.
.28	Briefs inadvertent IMC/loss of visual contact.
.29	Briefs fuel requirements. (KI)
.30	Briefs ROE/window conditions.
.31	Briefs NVG operational considerations.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures for overwater and overland.
.37	Briefs TRAP procedures. (See TASK: 3A.12 TRAP).
.38	Briefs concurrent operations.
.39	Briefs FARP procedures. (See TASK: 3A.13 FARP).
.40	Briefs deception plan.
.41	Briefs special considerations.
.42	Briefs all safety matters.
.43	Briefs time hack.
.44	Briefs location/time of debriefs.
.45	Briefs goggle/degoggling procedures.
.46	Briefs controlling agencies.

III-A-55

47	Brief.	ECON pro	cedures	В.				
.48	Briefs DRIADS.							
.49	Briefs ground signals.							
EVALUATOR	INSTRUC	CTIONS:	Brief	uses	NWP	55-9-ASB	Manual.	

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire,
- 5. Fire support coordination measures.
- 6. LAI.
- 7. Tanks.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AAA threat locations known.
- 5. SAM threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

III-A-56

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. Propagation.
- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no 80 criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines. IP's, etc.
- 3. Primers' and alternate LZ's.

III-A-57

- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

<u>FUEL</u>

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost cam, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NEC considerations.
- 17. NVG considerations.

III-A-58

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7, Landing diagram.
- 8. Retraction plan.

EGRESS

- 9. Primary and alternate routes.
- 10. Control measures (CP's, RP's).
- 11. Timing.
- 12. Airspeed and altitude
- 13. Formations.
- 14. Escort.
- 15. Supporting arms.
- 16. Weapons conditions.
- 17. Penetration checklist.
- 18. Communication procedures including visual signals. lost cam, chattermark. codewords, and RIO.
- 19. En route terrain.
- 20. Probable point of last enemy contact.
- 21. Evasive maneuvers.
- 22. Scatter plan.
- 23. NBC considerations.
- 24. NVG considerations.

III-A-59

TASK: 3A.6.3 EXECUTE MOUT MISSION

 $\underline{\text{CONDITION}(S)}$: Given the required assets from the MAGTF commander while shipboard or shoreba5ed in support of the MAGTF, during day or night hours against a threat as briefed by the 5-2, and after completing mission planning and briefing execute assigned mission.

STANDARD	S: EVAL: Y: N: NE
.1	All aircrew are qualified and current for assigned mission.
.2	Aircraft were configured to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.
.4	Conducts a last minute liaison with supported unit for any changes.
.5	Conducts start-up and systems checks on time and ready for launch.
.6	Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
.7	Conducts launch activities (execute bump plan, if required), as briefed.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	Confirms go/no 80 criteria exist before continuing with mission
.10	Executes COMM procedures/plan as briefed.
.11	Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent IMC/ loss of visual contact entry.
.15	Exercises C discipline during mission.
.16	Ensures aircrews observe ROE/ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Remains constantly aware of aircraft systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	Charges to route are made by proper authority.
.25	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Receives clearance at the IP to proceed to the LZ.
.28	Performs penetration checklist at the appropriate time/place.

.29	Reports to controlling agency progress of mission as required to update weather, enemy situation, and go/no 80 criteria.
.30	Flight receiving clearance at the IP to proceed to the LZ ensures go/no 80 criteria exists. (KI) $$
.31	Executes deception plan.
.32	updates heloteam Leader on approach to LZ giving direction the helicopter will Land.
.33	Employs proper approach techniques to LZ.
.34	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Allows escort to be in position in time for prep fires.
.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Ensures charge to LZ is done by proper authority.
.38	Contacts controlling agency upon reaching/departing LZ's.
39	Ensures minimum time in zone.
.40	Flights arrive in LZ on time.
.41	In 5 minutes or Less.
.42	In 4 minutes or Less.
.43	In 3 minutes or less.
.44	In 2 minutes or less.
.45	In 1 minute or less.
.46	Flights land at correct LZ.
.47	Within 1,000 meters or Less of LE.
.48	Within 400 meters or less of LZ.
.49	Within 200 meter. or Less of LE.
.50	Within 100 meters or less of LE.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drop. Load in spot as directed by ${\tt UST/LZ}$ control team.
.53	During paradrops, flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
54	Executes proper departure techniques to reduce exposure to threat.
.55	Executes downed aircraft procedures as briefed.
.56	Executes RTF procedures.
.57	Executes FARP procedures.
.58	Continues contact with controlling agency concerning flight status.
59	Executes EW procedures.
.60	Performs recovery procedures.
.61	Executes post landing deployment of helicopters.

III-A-61

62	Performs	postflight	οf	aircraft	

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATION

Shall emphasize:

- 1. Compliance with safety audience to include ROE and ROC.
- 2. Aircraft performance/limitations,
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATION

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LE.
- 4. Marking of the LE.
- 5. Other matters of special interest.

III-A-62

TASK: 3A.6.4 CONDUCT MOUT MISSION DEBRIEFING

 $\underline{\text{CONDITION}(S)}$: Given a completed mission conduct a debriefing for that mission, with emphasis on lessons learned for future use.

.1	Ensures all aviation million essential personnel are present.
.2	Debrief is conducted per SOP. NATOPS, guides, and 55-9
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aide when debriefing the overall mission.
5	Debriefs all aspect of the flight (KI)

Debriefs all aspect. of the flight. (KI)

.6 __ Records post mission debrief for future use.

.7 ____ Analyses plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improves SOP's, contingency plans, and aircrew knowledge.

S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

STANDARDS: EVAL: Y: N: NE

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- S. Coordination.
- 8. Navigation.
- 7. 3sfety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

III-A-63

3A.7 NONCOMBATANT EVACUATION OPERATIONS (NEO)

TASK: 3A.7.1 CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct a NEO mission(s) in support of the MAGTF. The mission to recover U.S. nationals and embassy designated personnel friendly to the United States. who are either threatened with harm or are endangered by violence occurring within the country of residence. All liaison has been performed and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards, as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STAN	ARDS: EVAL: Y: N: NE	
.1	Establishes early liaison with the NEO commander.	
. 2	Issues warning order to squadron staff planner. to meet.	
. 3_	Analyses mission tasking to determine specific tasks. stated and implied.	
. 4	Requests combat information and EEI's concerning METT-T.	
.5	Establishes a time schedule delineating completion time for al phases of planning.	.1
.6	Provide. HAT information to the assault commander.	
.7	S-2 initiates planning to provide environmental data.	
.8	Develops aviation support requirements; i.e. ordnance, fuel, special equipment, personnel, etc.	
.9	Provides aviation supportability estimates to NEO commander.	
.10	Requests air support requirements from ACE/CLF/CATF.	
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.	
.12	Plans reconnaissance request of the AOA.	
.13	Reconciles any aviation short falls with the NEO commander.	
.14	Requests support from theater aviation assets, if required. for fixed-wing escort, airborne early warning platform, fire support, or EW support.	r
.15	Allocates assets to support NEO force concept of operations an coordinates an ATO.	ıd
.16	Plans distance and fuel requirements; identifies refueling/FAR requirements. (See TASK: 3A.13 FARP).	ŀΡ
.17	Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.	
.18	Plans primary and alternate LZ's. (KI)	
.19	Plans ingress/egress routes to the primary and alternate LZ's to NEO commander and/or ACE/supported unit.	
.20	Recommends priority of targets for zone prep.	
.21	Plans and coordinates control points. (KI)	
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.	
.23	Establishes and coordinates ITG procedures with the reconnaissance element.	

.24	Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.25	Coordinates mutual support of weapons systems in the LZ.
.26	Develop COMM plan (electronic and visual) to establish the C3 link, to include sir control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities), and coordinate with the MAGTF.
.27	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Plans TRAP procedures.
.29	Plans FARP procedures.
.30	Plans in conjunction with the MAGTF a viable deception plan.
.31	Coordinates the development of "smart packs'. (kneeboard handouts) to include primary/alternate communications. Mission terrain information, control measures, ROE, and restrictive measures.
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes plans for both operational and weather $g0/no\ 50$ criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allots.
.38	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assist the NEO commander in the preparation of the HWSAT.
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Plans and coordinates RTF with the ACE.
.43	Submits plan to the ACE/CLF/CATF for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS ID HELICOPTER LANDING ECON SELECTION

- 1 MAGTF concept of operation.
- 2. Enemy capabilities. predicted intentions. and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.

- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

TASK: 3A.7.2 CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION BRIEFING

 $\begin{array}{llll} \underline{CONDITION(S)} \colon & \text{The ATO has been issued and the squadron is assigned } \\ \text{support missions in support of the MAGTF.} & \text{All liaison has been } \\ \text{performed and mission planning is complete. Mission commanders have been } \\ \text{assigned and the squadron holds a brief prior to each mission.} \\ \text{Terminal controllers, FAC(A) and HC(A) attends brief when possible.} \\ \text{Flight leaders provide navigation card, maps, aircraft configurations and } \\ \text{gross weights, detailed fuel figures, checkpoints, IP's, and TOS } \\ \text{calculations when required by the evaluator.} \\ \end{array}$

STANDARDS: EVAL: Y: N: NE All items are briefed per published NATOPS, briefing guides, ${\tt SOP's}$ and ${\tt NWP-55-9}$. .1 ____ All participating aircrews are present. .2 _ Questions are allowed to ensure safety of flight information is understood by all. .4 ___ Systematically prioritizes tasks. Allocates time to ensure all task assigned are completed .5 _ prior to mission briefing. Assigns planning responsibilities to appropriate flight billets. .7 _ Maximizes use of tactical SOP's. Uses kneeboard cards and tactical checklists to consolidate .8 ____ information. .9 __ Briefs the general situation in the area of operations. Briefs friendly forces scheme of maneuver, weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy EMC and ECCM capabilities. (KI)(See TASK 3A.3.5 Intelligence Update). .11 S-2 briefs local populace reaction capabilities. (See TASK 3A.3.5 Intelligence Update). .12 ___ Brief uses appropriate maps, charts, and aerial photographs, .13 ____ as required. Briefs encryption procedures, both internal and external to .14 __ the flight. Briefs SERE procedures. (KI)

.16	 Briefs EW consideration. (KI)
.17	 Briefs weather. (KI)
.18	 Ensures that all appropriate personnel have handouts. (KI)
.19	 Briefs mission go/no 80 criteria; i.e., aircraft: personnel, and other mission essential equipment.
.20	 Briefs mission precedence.
.21	 Ensures the mission statement is understood by all participants.
.22	 Briefs a time line, to include L hour/B hour.
.23	 Briefs mission assets. (KI)
.24	 Briefs call signs/Event numbers.
.25	 Briefs chain of responsibilities. (KI)
.26	 Briefs general scheme of maneuver. (KI)
.27	 Briefs go/no 80 weather criteria.
.28	 Briefs inadvertent Inc/loss of visual contact.
.29	 Briefs fuel requirements. (KI)
.30	 Briefs ROE/window conditions.
.31	 Briefs NVG operational considerations.
.32	 Briefs launch conditions. (KI)
.33	 Briefs ingress procedures. (KI)
.34	 Briefs LZ procedures. (KI)
.35	 Briefs egress procedures. (KI)
.36	 Briefs downed aircraft procedures for overwater and overland.
.37	 Briefs TRAP procedures. (See TASK: 3A.12 TRAP).
.38	 Briefs concurrent operations.
.39	 Briefs FARP procedures. (See TASK: 3A.13 FARP).
.40	 Briefs deception plan.
.41	 Briefs special considerations.
.42	 Briefs all safety matters.
.43	 Briefs time hack.
.44	 Briefs location/time of debriefs.
.45	 Briefs goggle/degoggling procedures.
.46	 Briefs controlling agencies.
.47	 Briefs EMCON procedures.
.48	 Briefs DRIADS.
.49	 Briefs ground signals.

III-A-67

EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

Infantry to include scheme of maneuver.

- 1. Artillery.
- 2. Air support.
- 3. Naval gunfire.
- 4. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM threat locations known.
- 5. SAN threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood kits.
- 4. Safe area.
- 5. Designated area for rescue.

EN

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Date.
- 2. Propagation.

III-A-68

- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including 50/50 80 criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIR OF RESPONSIBILITY

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies, locations, call signs, and frequencies should be ${\tt Briefed:}$

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phaselines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. Escort.

FUEL

- 1. Take-off load.
- 2. Mini-is.
- 3. Bingo.

III-A-69

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3 Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, ZP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, last corn, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NEC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.

III-A-70

- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons condition..
- 9. Penetration checklist.
- 10. Communication procedure, including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of lilt enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3A.7.3 EXECUTE NONCOMBATANT EVACUATION (NEO) MISSION

<u>CONSIDERATION(S)</u>: Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the S-2, and after completing mission planning and briefing execute assigned mission.

STANDARDS. EVAL: Y; N; NE:

1	All aircrew are qualified and current for assigned mission.
2	Aircraft were configured to conduct preplanned missions.
3	Conducts preflight activities within prescribed time frame.
4	Conducts a last minute liaison with supported unit for any changes.
5	Conducts start-up on time with systems checks on time ready for launch.
6	Supported unit boards helicopters. with minimum delay, ensuring all personnel/equipment is properly staged.
7	Conducts launch activities (execute bump plan, if required), as briefed.
8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.

III-A-71

•	
	Confirms go/no 80 exist before continuing with mission.
.10	Executes COMM procedures/plan as briefed.
.11	Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	$\label{eq:flight} $
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent IMC/loss of visual contact.
.15	Exercises COMM discipline during mission.
.16	Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Remains constantly aware of aircraft systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	Changes to route are made by proper authority.
.25	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Receives clearance at the IP to proceed to the LZ (KI).
.28	Performs penetration checklist at the appropriate time/place.
	Reports to controlling agency progress of mission as required
to	update weather, enemy situation and go/no 80 criteria.
.30	Flight receiving clearance at the IP to proceed to the LZ ensures go/no 80 criteria exists.
.31	Executes deception plan.
.32	Updates heloteam leader on approach to LZ giving direction the helicopter will land. $$
.33	Employs proper approach techniques to LZ.
.34	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.36	Ensures change to LZ is done by proper authority.
.37	Contacts controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LZ on time.
.40	In 5 minutes or less.
.41	In 4 minutes or less.

.42	In 3 minutes or less.
.43	In 2 minutes or less.
.44	In 1 minute or less.
.45	Flights land at correct LZ.
.46	Within 1.000 meters or less of LZ.
.47	Within 400 meters or less of LZ.
.48	Within 200 meters or less of LZ.
.49	Within 100 meters or lees of LZ.
.50	Executes waveoffs as briefed.
.51	If carrying external load, drops load in spot as directed by ${\tt HST/LZ}$ control team.
.52	During paradrops, flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
.53	Executes proper departure techniques to reduce exposure to threat.
.54	Executes downed aircraft procedures, as briefed.
.55	Executes RTF procedures.
.56	Executes FARP procedures.
.57	Continues contact with controlling agency concerning flight status.
.58	Executes EW procedures.
.59	Performs recovery procedures.
.60	Executes poet landing deployment of helicopters.
.61	Performs postflight of aircraft.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ Evaluator shall be familiar with Assault Support Helicopter Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls. avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

III-A-73

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A.7.4 CONDUCT NONCOMBATANT EVACUATION (NEO) MISSION DEBRIEFING

 ${\hbox{\tt CONDITION(S)}}\colon$ Given a completed mission conduct a debriefing for that mission, with emphasis on lessons learned for future use.

STANDARDS: EVAL: Y: N: NE

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
. 4	Utilize maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief. execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.

.8 ____ S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

<u>DEBRIEFING ASPECTS</u>

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.

III-A-74

- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

3A.8 RAID

TASK: 3A.8.1 CONDUCT RAID MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. All liaison has been performed, and initial planning has begun. An operations order has bean developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards, as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	S: EVAL: Y: N: NE
.1	Establishes early liaison with the raid commander.
.2	Issues warning order to squadron staff planners to meet.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Requests combat information and EEI's concerning METT-T.
.5	Establishes a time schedule delineating completion times for all phases of planning.
.6	Provides EAT information to the raid commander.
.7	5-2 initiates planning to provide environmental data.
.8	Develops aviation support requirements; i.e. ordnance, fuel, special equipment, personnel, etc.
.9	Provides aviation supportability estimates to the commander.
.10	Requests air support requirements from ACE/CLF/CATF.
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Coordinates reconnaissance request of the ADA.
.13	Reconciles any aviation shortfalls with the commander.
.14	Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15	Allocates assets to support raid force concept of operations and coordinates an ATO.
.16	Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A.13 FARP).

III-A-75

.17	Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.18	Plans primary and alternate LZ's. (KI)
.19	Coordinates ingress/egress routes to the primary and alternate LZ's with raid commander and/or ACE/supported unit.
.20	Recommends priority of targets for zone prep.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates ITG procedures with the reconnaissance element.
.24	Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.25	Coordinates mutual support of weapons systems in the LE.
.26	Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities), and coordinate with the MAGTF.
.27	Plans Shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Plans TRAP procedures.
.29	Plans FARP procedures.
.30	Plans in conjunction with the MAGTF a viable deception plan.
.31	Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.32	Plans smallest maneuver element for tactical controllability in VMC and INC, both day and night.
.33	Establishes plans for both operational and weather go/no 80 criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allots.
.38	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assists the supported unit commander in the preparation of the HWSAT.
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Formulates contingency plans for rapid withdrawal or extraction. (KI)
.43	Plans and coordinates RTF with the ACE.
44	Submits plan to the ACE/CLF/CATF for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals. MAWTS-l take home-packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning. Evaluator may impose time constraints on mission based on level of squadron training.

KIT INDICATORS:

FACTORS IN HELICOPTER LANDING EON SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Site and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

CONTINGENCY PLANS

Because RAID forces, in most instances. are small forces with limited combat staying power. Contingency plans shall be fully coordinated and be capable of being executed with speed and precision to ensure success and the safety of the personnel involved.

TASK: 3A.8.2 CONDUCT RAID MISSION BRIEFING

III-A-77

STANDARDS: EVAL: Y: N: NE __ All items are briefed per published NATOPS, briefing guides. SOP's and NWP-55-9. All participating aircrews are present. Questions are allowed to ensure safety of flight information is understood by all. _ Systematically prioritizes tasks. .4 __ __ Allocates time to ensure all tasks assigned are completed prior to mission briefing. Assigns planning responsibilities to appropriate flight billets. _ Maximizes use of tactical SOP's. .7 __ Uses kneeboard cards and tactical checklists to consolidate information. .9 __ __ Briefs the general situation in the area of operation.. _ Briefs friendly forces scheme of maneuver, weapons involved: i.e., NGF, any joint integration, ingress/egress routes, and the latest serial imagery. (KI) .11 Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)(See TASK 3A.3.5 Intelligence Update). 5-2 briefs local populace reaction capabilities. (See TASK .12 3A.3.5 Intelligence Update). __ Brief uses appropriate maps. charts, and aerial photographs, as .13 ___ required. .14 ____ Briefs encryption procedures. both internal and external to the flight. .15 __ Briefs SERE procedures. (KI) Briefs EW consideration. (KI) __ Briefs weather. (KI) _ Ensures that all appropriate personnel have handouts. (KI) .18 __ _ Briefs mission go/no 80 criteria; i.e., aircraft, personnel, and .19 __ other mission essential equipment. .20 _ _ Briefs mission precedence. _ Ensures the mission statement is understood be, all .21 __ participants. __ Briefs a time line, to include L hour/H hour. __ Briefs mission assets, (KI) .23 ___ _ Briefs call signs/event numbers. __ Briefs chain of responsibilities. (KI) Briefs general scheme of maneuver. (KI) Briefs go/no 80 weather criteria. _ Briefs inadvertent DC/loss of visual contact. Briefs fuel requirements. (KI) _ Briefs ROE/window conditions. __ Briefs NVG operational considerations.

.32	Briefs Launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures far overwater and overland.
.37	Briefs TRAP procedures. (See TASK. 3A.12 TRAP).
.38	Briefs concurrent operations.
.39	Briefs FARP procedures. (See TASK: 3A.13 FARP).
.40	Briefs deception plan.
.41	Briefs special considerations.
.42	Briefs all safety matters.
.43	Briefs time hack.
.44	Briefs location/time of debriefs.
.45	Briefs goggle/degoggling procedures.
.46	Briefs controlling agencies.
.47	Briefs EMCON procedures.
.48	Briefs DRIADS.
.49	Briefs ground signals.
EVALUATOR	<u>INSTRUCTIONS</u> : Brief uses NWP 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AAA threat locations known.
- 5. SAM threat locations known.

III-A-79

- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

SERE

- 1 ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood kits.
- 4. Safe area.
- 5. Designated area for rescue.

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. Propagation.
- 3. Currant weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1 Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no 80 criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.

III-A-80

- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress route.
- 2. Control measures, boundaries, phase lines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEA.
- 6. Escort.

<u>FUEL</u>

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Dump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.

III-A-81

- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NEC considerations.
- 17 NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LE brief.
- 3. Landing direction/wave-Off instructions.
- 4. Escort.
- 5. Take-off instructions
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's.
- 3. Timing.
- 4. Airspeed and altitude
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers.

III-A-82

- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3A.8.3 EXECUTE RAID MISSION

<u>CONDITION(S)</u>: Execute mission during daylight or darkness in support of the MAGTF while ship-based or ashore against a threat identified by the 5-2 after mission planning and briefing have been accomplished.

STAND	ARDS	: EVAL: Y: N: NE
.1 _		All aircrew are qualified and current for assigned mission.
.2 _		Aircraft were configured to conduct preplanned missions.
.3 _		Conducts preflight activities within prescribed time frame.
.4 _		Conducts a last minute liaison with supported unit for any changes.
.5 _		Conducts start-up on time with systems checks on time ready for launch. $ \\$
.6 _		Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment is properly staged
.7 _		Conducts launch activities (execute bump plan, if required), as briefed. $ \\$
.8 _		Accomplishes rendezvous procedures as briefed or as directed by controlling agencies. $$
.9 _		Confirms go/no 80 criteria exist before continuing with mission.
.10 _		Execute COMM procedures/plan as briefed.
.11 _		Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12 _		Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13 _		Employs smallest maneuver element capable of accomplishing mission.
14 _		Executes procedures properly upon inadvertent ${\tt IMC/loss}$ of visual contact.
.15 _		Exercises COMM discipline during mission.
16 _		Ensures aircrews observes ROE/ROC.
.17 _		Uses appropriate flight control measures to adequately control the flight.
.18 _		Employs proper tactics response to any pop-up immediate threat.
.19 _		Aircrew demonstrates crew coordination. (KI)
.20 _		Flight navigates and remains oriented throughout mission.
.21 _		Members of the flight provide course correction, if needed.
.22 _		Remains constantly aware of aircraft systems and performance.
.23 _		Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24 _		Changes to route are made by proper authority.

.25	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	Ensures crewmen comply with weapons conditions as briefed.
.27	Receives clearance at the IP to proceed to the LZ. (KI)
.28	Performs penetration checklist at the appropriate time/place.
.29	Reports to controlling agency progress of mission, as required to update weather, enemy situation, and go/no 80 criteria.
.30	Flight receiving clearance at the I to proceed to the LZ ensures go/no 80 criteria exists. (KI) $$
.31	Executes deception plan.
.32	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.33	Employs proper approach techniques to LZ,
.34	Makes consistent use of cover, concealment. altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Allows escort to be in position in time for prep fires.
.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Ensures any change to LE is done by proper authority.
.38	Contacts controlling agency upon reaching/departing LZ's.
.39	Ensures minimum time in zone.
.40	Flights arrive in LZ on time.
.41	In 5 minutes or less.
.42	In 4 minutes or less.
.43	In 3 minutes or less.
.44	In 2 minutes or less.
.45	In 1 minute or less.
.46	Flights land at correct LZ.
.47	Within 1,000 meters or less of LE.
.48	Within 400 meters or less of LZ.
.49	Within 200 meters or less of LZ.
.50	Within 100 meters or less of LZ.
.51	Executes waveoffs as briefed.
.52	If carrying external load. drops Load in spot, as directed by HST/LZ control team.
.53	During paradrops, flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
.54	Lands in correct extraction site LZ.
.55	Flights arrive at the extraction LZ on time.
.56	In 5 minutes or less.
.57	In 4 minutes or less.

III-A-84

.58	In 3 minutes or less.
.59	In 2 minutes or less.
.60	In 1 minute or less.
	Last extraction aircraft does not depart the LZ until raid force leader accounts for all raid force personnel.
.62	Executes proper departure techniques to reduce exposure to threat.
.63	Executes downed aircraft procedures as briefed.
.64	Executes RTF procedures.
.65	Executes FARP procedures.
.66	Continues contact with controlling agency concerning flight status.
.67	Executes EW procedures.
.68	Performs recovery procedures.
.69	Executes post lending deployment of helicopters.
.70	Performs postflight of aircraft.
EVALUATOR	INSTRUCTIONS: Evaluator shall be familiar with Assault Support

KEY INDICATORS:

Helicopter Tactical Manual.

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, end manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles end reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction end route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ${\tt ROE/ROC}$.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

III-A-85

IP CONSIDERATIONS

- 1. Wind direction end velocity.
- 2. Friendly end enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5 Other matters of special interest.

TASK: 3A.8., CONDUCT RAID MISSION DEBRIEFING

 $\underline{\text{CONDITION}(S)}$: Given a completed mission conduct a debriefing for that mission, with emphasis on lessons learned for future use.

STANDARDS:	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP. NATOPS, guides, end NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos. sketches, or other training aide when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plane. and aircrew knowledge.
.8	5-2 collects all classified/sensitive materials.
.9	Following debrief, members of the aircrew end raid force are briefed as to what information may be released about the overall mission.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command end control.
- 3. Communications.
- 4, Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.

III-A-86

- 8. Tactics used/effectiveness.
- 9. Recommendations.

3A.9 SECURITY/REINFORCEMENT OPERATIONS

TASK: 3A.9.1 CONDUCT SECURITY/REINFORCEMENT MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct a security/reinforcement mission to protect a key area (i.e., U.S. Embassy, downed aircraft, critical avenues, etc.). Antigovernment forces are organized and capable of interfering militarily with the security forces. Minimal assistance is expected from the host national forces for additional security.

STANDARDS	EVAL: Y: N: NE
.1	Establishes early liaison with the security/reinforcement commander.
.2	Issues warning order to squadron staff planners to meet.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Requests combat information and EEI's concerning METT-T.
.5	Establishes a time schedule delineating completion times for all phases of planning.
.6	Provides HAT information to the security/reinforcement commander.
.7	S-2 initiates planning to provide environmental data.
.8	Develops aviation support requirements; i.e. ordnance, fuel, special equipment, personnel, etc.
.9	Provides aviation supportability estimates to the commander.
.10	Requests air support requirements from ACE/CLF/CATF.
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Plans reconnaissance request of the ADA.
.13	Reconciles any aviation shortfalls with the security/reinforcement commander.
.14	Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15	Allocates assets to support security/reinforcement force concept of operations end coordinates an A?0.
.16	Plans distance and fuel requirements; identifies refueling/FARP requirements. (Bee Task 3A.13 FARP).
.17	Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.18	Plans primary end alternate LZ's. (KI)
.19	Coordinates ingress/egress routes to the primary and alternate LZ's with security/reinforcement commander and/or ACE/supported unit.
.20	Recommends priority of targets for zone prep.
.21	Plans and coordinates control points. (KI)

III-A-87

.22	Ensures authority and procedures to change LZ's or ingress/egress routes are. clearly established.
.23	Establishes and coordinates ITG procedure: with the reconnaissance element.
.24	Plans helicopter landing diagram and landing sequence to Insure any deconfliction and control of assets.
.25	Coordinates mutual support of weapons systems in the LE.
.26	Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities), and coordinate with the MAGTF.
.27	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Plans TRAP procedures.
.29	Plans FARP procedures.
.30	Plans in conjunction with the MAGTF a viable deception plan.
.31	Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes plans for both operational and weather go/no 80 criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allots.
	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assists the security/reinforcement commander in the preparation of the HWSAT.
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Formulates contingency plans for rapid withdrawal or extraction (KI)
.43	Plans and coordinates RTF with the ACE.
.44	Submits plan to the ACE/CLF/CATF for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3, Terrain and proximity to objective.

- 6. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- B. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

CONTINGENCY PLANS

Because security/reinforcement forces are in most instances a small force with limited combat staying power, contingency plans shall be fully coordinated end be capable of being executed with speed and precision to ensure success and the safety of the personnel involved.

TASK: 3A.9.2 CONDUCT SECURITY/REINFORCEMENT MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	All items are briefed per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all task assigned are completed prior to mission briefing.
.6	Assigns planning responsibilities to appropriate flight billets.
7	Maximizes use of tactical SOP'S.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs the general situation in the area of operations.
.10	Briefs friendly forces scheme of maneuver, weapons involved; i.e NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)

.11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (See TASK 3A.2.6 Intelligence Planning). (KI)
.12	5-2 briefs local populace reaction capabilities. (See TASK 3A.2.6 Intelligence Planning).
.13	Brief uses appropriate maps, charts, and aerial photographs, as required.
.14	Briefs encryption procedures. both internal and external to the flight.
.15	Briefs SERE procedures. (KI)
.16	Briefs EW consideration. (KI)
.17	Briefs weather. (KI)
.18	Ensures that all appropriate personnel have handouts. (KI)
.19	Briefs mission go/no 80 criteria; i.e., aircraft, personnel and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a time line, to include L hour/H hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs go/no 80 weather criteria.
.28	Briefs inadvertent IMC/1 of visual contact.
.29	Briefs fuel requirements. (KI)
.30	Briefs ROE/window conditions.
.31	Briefs NVG operational considerations.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures for overwater and overland.
.37	Briefs TRAP procedures. (See TASK: 3A.12 TRAP).
.38	Briefs concurrent operations.
.39	Briefs FARP procedures. (See TASK: 3A.13 FARP).
.40	Briefs deception plan.
.41	Briefs special considerations.
.42	Briefs all safety matters.
.43	Briefs time hack.

III-A-90

.44 Briefs location/time of debriefs.		
.45 Briefs goggle/degoggling procedures		
.46 Briefs controlling agencies.		
.47 Briefs EMCON procedures.		
.48 Briefs DRIADS.		
.49 Briefs ground signals.		
EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual.		
KEY INDICATORS:		
FRIENDLY FORCES		
1. Infantry, to include scheme of maneuver.		
2. Artillery.		
3. Air support.		
4. Navel gunfire.		
5. Fire support coordination measures.		
FRIENDLY FORCES		
1. Operation area.		
2. Ability to reinforce.		
3. Ground threat locations known.		
4. AM threat locations known.		
5. SAM threat locations known.		
6. Air threat locations known.		
7. Expected movement.		
8. Essential elements of information.		
<u>SERE</u>		
1. ISOPREP cards.		
2. Passwords.		
3. Barter kits/blood chits.		
4. Safe area.		
5. Designated area for rescue.		

III-A-91

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. Propagation.
- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no 80 criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines, IP's, etc.
- 3. Primary and alternate LZ's.

III-A-92

- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's. IP's).
- 3. Timing.
- 4. Airspeeds arid altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals. lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

III-A-93

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons condition..
- 9. Penetration checklist.
- 10. Communication procedure. including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3A.9.3 EXECUTE SECURITY/REINFORCEMENT/ MISSION

CONDITION (5): Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the 5-2, and after completing mission planning and briefing execute assigned mission.

III-A-94

STANDARDS: EVAL: Y: N: NE _ All aircrew are qualified and current for assigned mission. Aircraft war. configured to conduct preplanned missions. _ Conducts preflight activities within prescribed timeframe. Conducts a last minute liaison with supported unit for any changes. Conduct. start-up on time with systems check. on time ready for .5 _ Launch. Supported unit boards helicopter. with minimum delay. ensuring .6 _ all personnel/equipment is properly staged. Conducts Launch activities (execute bump plan. if required), as briefed. Accomplished rendezvous procedures as briefed or 55 directed by .8 controlling agencies. _ Confirms go/no 80 criteria exist before continuing with mission. .10 _ Execute 12 procedures/plan as briefed. Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance. _ Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI) _ Employ's smallest maneuver element capable of accomplishing .13 __ mission. __ Executes procedures properly upon inadvertent LZ/loss of visual .14 __ contact. Exercises 12 discipline during mission. .15 Ensures aircrews observe ROE/ROC. .16 _ Uses appropriate flight control measures to adequately control the flight. .17 __ _ Employ's proper tactics response to any pop-up immediate threat. _ Aircrew demonstrates crew coordination. (KI) .19 Flight navigates and remains oriented throughout mission. .20 _ Members of the flight provide course correction, if needed. Remains constantly aware of aircraft systems and performance. .22 Emphasizes mission accomplishment and safety considerations .23 throughout the flight. (KI) .24 Changes to route are made by proper authority. Ensures fire support plan covers all perceived vulnerable areas .25 _ and is responsive. _ Ensures crewmen comply with weapons conditions as briefed. .26 _ Receives clearance at the IP to proceed to the LZ. (KI) Performs penetration checklist at the appropriate time/place. .28 __ Reports to controlling agency progress of mission as required to update weather, enemy situation, and go/no go criteria. .30 ____ Flight receiving clearance at the IF to proceed to the LE ensures go/no go criteria exists. (KI) __ Executes deception plan. .31 ___ _ Updates heloteam leader on approach to LZ giving direction the .32 _ helicopter will land.

.33	Employs proper approach techniques to LZ.
.34	Taxes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches
.35	Allows escort to be in position in time for prep fires.
.36	Performs landing as briefed, in sequence. and in proper position utilizing ITG procedures.
.37	Ensures change to LZ is done by proper authority,
.38	Contacts controlling agency upon reaching/departing LZ's.
.39	Ensures minimum time in zone,
.40	Flights arrive in LZ on time.
.41	In 5 minutes or less.
.42	In 4 minutes or less.
.43	In 3 minutes or less.
.44	In 2 minutes or less,
.45	In 1 minute or lees.
.46	Flights land at correct LE.
.47	Within 1,000 meters or less of LZ.
.48	Within 400 meters or less of LZ.
.49	Within 200 meters or less of LZ.
.50	Within 100 meters or less of LE.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by ${\tt HST/LZ}$ control team.
.53	During paradrops. flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
.54	Executes proper departure techniques to reduce exposure to threat.
.55	Executes downed aircraft procedures as briefed.
.56	Executes RTF procedures.
.57	Executes FARP procedures.
.58	Continues contact with controlling agency concerning flight status.
.59	Executes EW procedures.
.60	Performs recovery procedures.
.61	Executes post Landing deployment of helicopters.
.62	Performs postflight of aircraft.
RVAT.IIATOR	INSTRUCTIONS: Evaluator shall be familiar with Assault

III-A-96

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit.

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not it the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls directions and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance,
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A.9.4 CONDUCT SECURITY/REINFORCEMENT MISSION DEBRIEFING

 $\underline{\text{CONDITION}(S)}$: Given a completed mission conduct a debriefing for that mission, with emphasizes on lessons learned for future use.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Ensures all aviation mission essential personnel are present.
- .2 ____ Debriefs are conducted per SOP, NATOPS, guides, and NWP 55-9.
- .3 ____ 5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.

III-A-97

.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
·a	3-2 collects all classified/sensitive materials.
EVALUATO	OR INSTRUCTIONS: None.
KEY INDI	<u>CATORS</u> :
	DEBRIEFING ASPECTS
1.	Changes from brief.
2.	Command and control.
3.	Communications.
4.	Support/escort.
5.	Coordination.
	Navigation.
7.	Safety.
g.	Tactics used/effectiveness.
9.	Recommendations.
	3A.10 RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
TASK:	3A.10.1 PLAN RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
CONDITION(S): The squadron is in receipt of a warning order to conduct reconnaissance patrol/reaction force operations mission(s) in support of the MAGTF. All liaison has been performed, and an initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore. either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.	
STANDARI	os: eval: y: n: ne
.1	Establishes early liaison with the security/reinforcement

.1	Establishes early liaison with the security/reinforcement commander.
.2	Issues warning order to squadron staff planners to meet.
.3	Analyzes mission tasking to determine specific tasks, stated and implied. \ensuremath{I}
4	Requests combat information and EEI's concerning METT-T.
.5	Establishes a time schedule delineating completion times for all phases of planning.

III-A-98

.6	_ Provides HAT information to the security/reinforcement's commander.	
.7	_ S-2 initiates planning to provide environmental data.	
·g	Develops aviation support requirements'. i.e. ordnance, fuel, special equipment, personnel, etc.	
.9	_ Provides aviation supportability estimates to commander.	
.10	Requests air support requirements from ACE/CLF/CATF.	
.11	Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.	
.12	_ Plans reconnaissance request of the AOA.	
.13	Reconciles any aviation shortfalls with the security/reinforcement commander.	
.14	Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.	
.15	_ Allocates assets to support security/reinforcement force concept of operations and coordinates an ATO.	
.16	_ Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A.13 TARP).	
.17	_ Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.	
.18	_ Plans primary and alternate LZ's. (KI)	
.19	Coordinates ingress/egress routes to the primary and alternate LZ's with security/reinforcement commander and/or ACE/supported unit.	
.20	Recommends priority of targets for zone prep.	
.21	_ Plans and coordinates control points. (KI)	
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.	
.23	Establishes and coordinates ITG procedures with the reconnaissance element.	
.24	_ Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of asset	
.25	_ Coordinates mutual support of weapons systems in the LZ.	
.26	Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies (environmental effects, jamming capabilities). and coordinate with the MAGTF.	
.27	_ Plans shipboard refueling/rearming cycles with the ATT, if necessary.	
.28	_ Plans TRAP procedures.	
.29	Plans FARP procedures.	
.30	Plans in conjunction with the MAGTF s viable deception plan.	
.31	Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.	
.32	_ Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.	
.33	_ Establishes plans for both operational and weather go/no go criteria.	
.34	Establishes a bump plan.	

.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allots.
.38	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assists the security/reinforcement commander in the preparation of the \ensuremath{HWSAT} .
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Formulates contingency plans for rapid withdrawal or extraction $(\ensuremath{\mathtt{KI}})$
.43	Plane and coordinates RTF with the ACE.
.44	Submits plan to the ACE/CLF/CATF for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-l take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS II HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

III-A-100

CONTINGENCY PLANS

Because RECON patrols and reaction forces are in most instances a small force with limited combat staying power, contingency plans shall be fully coordinated and capable of being executed with speed and precision to ensure success and safety of personnel involved.

DECEPTION PLANS

Due to the covert nature of reconnaissance operations, every attempt shell be made to conceal intentions, mislead the enemy, and perform the unexpected. Supporting arms and helicopter support should be employed in a manner that does not compromise the location of the insertion point. If LZ preparation fires must be employed, multiple LZ preparations and simulated patrol insertions can be used to deceive the enemy as to the actual insertion point.

TASK: 3A.10.2 BRIEF RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

 $\frac{\text{CONDITION(S)}}{\text{condition(S)}}: \quad \text{The ATO has bean issued and the squadron is assigned } \\ \text{support missions in support of the MAGTF. All liaison has been performed } \\ \text{and mission planning is complete. Mission commanders have been assigned } \\ \text{and the squadron holds a brief prior to each mission. Terminal } \\ \text{controllers, FAC(A) and HC(A) attends brief when possible. Flight } \\ \text{leaders provide navigation card, maps, aircraft configurations and gross } \\ \text{weights, detailed fuel figures, checkpoints, IP's, and TOS calculations } \\ \text{when required by the evaluator.}$

STANDAR	OS: EVAL: Y: N: NE
.1	All items are briefed per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	_ Allocates time to ensure all task assigned are completed prior to mission briefing.
.6	Assigns planning responsibilities to appropriate flight billets
.7	_ Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs the general situation in the area of operations.
.10	Briefs friendly forces scheme of maneuver, weapons involved, i.e., NOF'. any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
.11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (See TASK 3A.2.2 Intelligence Planning). (KI)
.12	5-2 briefs local populace reaction capabilities. (See TASK 3A.2.2 Intelligence Planning).
.13	Brief uses appropriate maps, charts, and aerial photographs, as required.
.14	Briefs encryption procedures, both internal and external to the flight.
.15	_ Briefs SERE procedures. (KI)
.16	_ Briefs EN consideration. (KI)
.17	_ Briefs weather. (KI)
.18	_ Ensures that all appropriate personnel have handouts.

.19	Briefs mission go/no go criteria; i.e aircraft, personnel, and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a time line, to include L hour/H hour.
.23	Briefs mission assets. (KI)
.24	Briefs cell signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs go/no 80 weather criteria.
.28	Briefs inadvertent IMC/loss of visual contact.
.29	Briefs fuel requirements. (KI)
.30	Briefs ROE/window conditions.
.31	Briefs NVG operational considerations.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures for overwater and overland.
.37	Briefs TRAP procedures. (Sea Teak: 3A.12 TRAP).
.38	Briefs concurrent operations.
.39	Briefs FARP procedures. (See TASK: 3A.13 FARP).
.40	Briefs deception plan.
.41	Briefs special considerations.
.42	Briefs all safety matters.
.43	Briefs time heck.
.44	Briefs location/time of debriefs.
.45	Briefs goggle/degoggling procedures.
.46	Briefs controlling agencies.
.47	Briefs EMCON procedures.
.48	Briefs DRIADS.
.49	Briefs ground Signals.

III-A-102

EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry. to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation are..
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AAA threat locations known.
- 5. SAN threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 9. Essential elements of information.

SUE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5 Designated area for rescue.

EW

- 1 EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. Propagation.

III--103

- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no go criteria
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight Leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. BC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phaselines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

III-A-104

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures CRP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- a. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm. chattermark, codewords, and $\ensuremath{\mathsf{RIO}}$
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.

III-A-105

- 7. Landing diagram.
- 8. Retraction plan

EGRESS

- 1. Primary and alternate routes.
- Control measures (CP's. RP's).
- 3. Timing.
- 4. Airspeed and altitude
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3A.10.3 EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

 $\underline{\text{CONDITION}(S)}$: Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF. during day or night hours against a threat as briefed by the S-2, and after completing mission planning and briefing execute assigned mission.

STANDARDS: EVAL: Y; N; NE

1	All aircrew are qualified and current for assigned mission.
2	Aircraft were configured to conduct preplanned missions.
3	Conducts preflight activities within prescribed timeframe.
	Conducts a last minute liaison with supported unit for any changes.
5	Conducts start-up on time with systems checks on time ready for launch.
6	Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
7	Conducts launch activities (execute bump plan. if required). as briefed.
8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.

III-A-106

.9 _	 Confirms go/no go criteria exists before continuing with mission.
.10 _	 Execute COMM procedures/plan as briefed.
.11 _	 Formation facilitates support by escort, control, maneuverability, mutual support. and collision avoidance.
.12 _	 Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13 _	 Employs smallest maneuver element capable of accomplishing mission.
.14 _	 Executes procedures properly upon inadvertent IMC/loss of visual contact entry.
.15 _	 Exercises COMM discipline during mission.
.16 _	 Ensures aircrew observe ROE/ROC.
.17 _	 Uses appropriate flight control measures to adequately control the flight.
.18 _	 Employs proper tactics response to any pop-up immediate threat.
.19 _	 Aircrew demonstrates crew coordination. (KI)
.20 _	 Flight navigates and remains oriented throughout mission.
.21 _	 Members of the flight provide course correction, if needed.
.22 _	 Remains constantly aware of aircraft systems and performance.
.23 _	 Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24 _	 Changes to route are made by proper authority.
.25 _	 Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26 _	 Ensures crewmen comply with weapons conditions, as briefed.
.27 _	 Receives clearance at the IP to proceed to the LZ.
.28 _	 Performs penetration checklist at the appropriate time/place.
.29 _	 Reports to controlling agency progress of mission as required to update weather, enemy situation, and $go/no\ go\ criteria$.
.30 _	 Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) $$
.31	 Executes deception plan.
.32 _	 Updates heloteam leader an approach to LZ giving direction the helicopter will land. $$
.33 _	 Employs proper approach techniques to LZ.
	 Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35 _	 Allows escort to be in position in time for prep fires.
.36 _	 Performs landing as briefed. in sequence, and proper positions utilizing ITO procedures.
.37	 Ensures change to LE is done by proper authority.
.38 _	 Contacts controlling agency upon reaching/departing LZ's.
.39	 Ensures minimum time in zone.
.40 _	 Flights arrive in LZ on time.
.41	 In 5 minutes or less.

.42	In 4 minutes or less.
.43	In 3 minutes or less.
.44	In 2 minutes or less.
.45	In 1 minute or less.
.46	Flights land at correct LZ.
.47	Within 1,000 meters or less of LZ.
.48	Within 400 meters or less of LZ.
.49	Within 200 meters or less of LE.
.50	Within 100 meters or less of LE.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drape load in spot as directed by ${\tt HST/LZ}$ control tern.
.53	During paradrops, flies correct altitude, airspeed, heading providing information to crewchief/jumpmaster.
.54	Executes proper departure techniques to reduce exposure to threat.
.55	Executes downed aircraft procedures as briefed.
.56	Execute. RTF procedures.
.57	Executes FARP procedures.
.58	Continues contact with controlling agency concerning flight status.
.59	Executes EW procedures.
.60	Performs recovery procedures.
.61	Executes post lending deployment of helicopters.
.62	Performs postflight of aircraft.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ Evaluator shall be familiar with Assault Support Helicopter Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls. avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls direction and route corrections. In addition, he monitors the cockpit instruments.

III-A-108

- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2 Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A.10.4 EXECUTE EMERGENCY EXTRACTION

 $\underline{\text{CONDITION}(S)}$: The extraction flight is in the objective area. The RECON Patrol is in enemy contact or contact is imminent and requires immediate extraction.

STANDARDS: EVAL: Y: N: NE		
.1	Flight coordinator positioned to support the extraction aircraft.	
.2	Close air support and/or other supporting arms are requested to aid in the extraction. $$	
.3	Tactical situation permitting. the extraction aircraft receives an LZ briefing from the flight coordinator or RECON patrol per the ASH/TAC manual.	
.4	Helicopter Transport Commander (HTC) selects a scheme of maneuver based on information from recommendations of the flight coordinator.	
.5	The HTC commander ensures each helicopter aircraft commander (HAC) is briefed on the situation and adopted course of action.	
.6	Extraction zone is properly identified. (KI)	
.7	The extraction aircraft makes proper use of screening.	
.8	The extraction aircraft keeps the flight coordinator informed of its intended flight maneuvers to facilitate fire suppression support.	
.9	Departing aircraft uses a tactical egress.	

III-A-109

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LANDING ZONE MARKING

The importance of proper LZ identification through either radio communication and/or visual signals to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to smoke/panel color until the smoke/panel has been deployed and sighted by the helicopter flight. Subsequent to such sighting, the color of the smoke/panel shall be confirmed via radio communication with the ground unit unit.

TASK: 3A.10.5 EXECUTE ROPE SUSPENSION OPERATIONS

should be used.

STANDARDS:	EVAL: Y: N: NE	
.1	Joint briefing is conducted to ensure complete understanding of procedures and in-flight emergencies	
.2	HAC ensures equipment is rigged and inspected per applicable directives. (KI)	
.3	Safety considerations are of paramount importance.	
.4	Hovering out of ground effect (HOGE) computation ensures power available/power required ratio is sufficient for safe operations.	
.5	HAC ensures a Helicopter Rope Suspension Training master (HRST) is assigned to each station.	
.6	The pilot establishes a stable hover slightly above tree top/obstacle height while the SPIE rope is lowered and teem members hookup.	
.7	When HRST master indicates the teem is ready, the extraction helicopter lifts vertically until SPIE rope clears all obstacles.	
.8	Intensifies suppressive fires as the extraction commences,	
.9	In the event of an emergency, the SPIE rope is not released/cut until all teem members are on the ground or tangled in trees, brush, or other supporting structure.	
.10	Plight techniques are per NATOPS flight manual.	
.11	Crewchief effectively performs his duties, (El)	
.12	All patrol members successfully inserted/extracted.	
EVALUATOR INSTRUCTIONS: None.		
KEY INDICA	TORS:	
EQUIPMENT R	IGGING INSPECTION	
Rope:		
1. F	raying.	

2. Excessive oil.

III-A-110

- 3. Free of splices,
- 4. Padding to protect rope from damage.

Fast Rope Frame:

- 1. Frame free of excessive corrosion, cracks, and deformation.
- 2. Mounting security.
- 3. Rope mounted securely.

CREWCHIEF DUTIES AND RESPONSIBILITIES

In addition to normal aircrew duties, the crewchief shall:

- 1. Ensure all HRST master and crewmembers wear gunner's belts when operating near suspension stations.
- 2. Ensure rope cutting device is available at each suspension station. Pass voice instructions to pilots for assistance in maintaining a steady hover. Keep pilot informed of progress of the operation. Ensure HRST master retrieves/secures insertion/extraction equipment prior to the helicopter transition to forward flight.

TASK: 3A.10.9 DEBRIEF RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

 $\underline{\text{CONDITION(S)}}$: Given a completed mission conduct a debriefing for that mission, with emphasis on lessons learned for future use.

STANDARDS:	EVAL:	т:	N:	NE	

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records poet mission debrief for future use.
.7	Analyses plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
. 8	S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.

III-A-111

- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

3A.11 MEDICAL EVACUATION (MEDEVAC)

TASK 3A.11.t PLAN MEDICAL EVACUATION (MEDEVAC) MISSION

STAN	IDARDS	EVAL: Y: N: NE
.1		Establishes early Liaison with the supported unit commander.
. 2		Issues warning order to squadron staff planners to meet.
.3		Analyses mission tasking to determine specific tasks, stated and implied.
. 4		Requests combat information and EEI's concerning METT-T.
.5		Establishes a time schedule delineating completion times for all phases of planning.
.6		Squadron designates required MEDEVAC support aircraft and crews per LOI/PLAN.
.7		Conducts coordinated planning by MEDEVAC flight leader and flight coordinator.
.8		Provides HAT information to the supported unit commander.
.9		5-2 initiates planning to provide environmental data.
.10		Develops aviation support requirements; i.e. ordnance, fuel. special equipment. personnel. etc.
.11		Provides aviation supportability estimates to commander.
.12		Requests air support requirements from ACE/CLF/CATF.
.13		Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.14		Plans reconnaissance request of the area of operations.
.15		Reconciles any aviation short falls with the commander.
.16		Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.17		Allocates 55sCt5 for supported unit's force concept of operations and coordinates an ATO.
.18		Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A. 13 FARP).

.19 _		Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics. to include ingress/egress, and while in the objective area.
.20 _		Plans primary and alternate LZ's. (KI)
.21 _		Plans ingress/egress routes to the primary and alternate LZ's to supported unit commander and/or ACE/supported unit.
.22 _		Recommends priority of targets for zone prep.
.23 _		Plans and coordinates control points. (KI)
.24 _		Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.25 _		Establishes and coordinates ITG procedures with the reconnaissance element.
.26 _		Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.27 _		Coordinates mutual support of weapons systems in the LE.
.28 _		Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords. prowords, and frequencies (environmental effects, jamming capabilities), and coordinates with the MAGTF.
.29 _		Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.30 _		Plans TRAP procedures.
.31 _		Plane FARP procedures.
.32 _		Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.33 _		Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.34 _		Establishes plans for both operational and weather go/no go criteria.
.35 _		Establishes a bump plan.
.36 _		Establishes a scatter plan.
.37 _		Coordinates and integrates command and control procedures.
.38 _		Schedules general rehearsal for executing the plan, if time allots.
.39 _		Establishes procedures for manifesting and accounting for personnel on each aircraft.
.40 _		Schedules mission briefings for all flightcrews and necessary personnel.
.41 _		Assists the supported unit commander in the preparation of the $\ensuremath{\mathtt{HWSAT}}.$
.42 _		Considers LAAD assets to support operations based on available threat intelligence.
.43 _		Plans and coordinates RTF with the ACE.
.44 _		Summits plan to the ACE/CLF/CATF for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability' can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages. NATOPS instructions. and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities. predicted intentions and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

TASK: 3A.11.2 BRIEF MEDICAL EVACUATION (MEDEVAC) MISSION

 $\frac{\text{CONDITION}(S)}{\text{condition}}: \quad \text{The AID has been issued and the squadron is assigned support missions in support of the MAGTF. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers, FAC(A) and HC(A) attends brief when possible. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS calculations when required by the evaluator.$

STANDARDS: EVAL: Y: N: NE

.1	All items are briefed per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrew's are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all task assigned are completed prior to mission briefing.
.6	Assigns planning responsibilities to appropriate flight billets.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.

III-A-114

.9	Briefs the general situation in the area of operations.
.10	Briefs friendly forces scheme of maneuver, weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
.11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (See TASK 3A.2.2 Intelligence Planning). (KI)
.12	S-2 briefs local populace reaction capabilities. (See TASK 3A.2.2 Intelligence Planning).
.13	Mission commander briefs MEDEVAC flight leader's duties and responsibilities. (KI) $$
.14	Brief uses appropriate maps, charts, and serial photographs, as required.
.15	Briefs encryption procedures, both internal and external to the flight. $\label{eq:continuous}$
.16	Briefs SERE procedures. (KI)
.17	Briefs EW consideration. (KI)
.18	Briefs weather. (KI)
.19	Ensures that all appropriate personnel have handouts.
.20	Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.21	Briefs mission precedence.
.22	Ensures the mission statement is understood by all participants.
.23	Briefs a time line, to include L hour/H hour.
.24	Briefs mission assets. (KI)
.25	Briefs call signs/event numbers.
.26	Briefs chain of responsibilities. (KI)
.27	Briefs general scheme of maneuver. (KI)
.28	Briefs go/no go weather criteria.
.29	Briefs inadvertent IMC/loss of visual contact.
.30	Briefs fuel requirements. (KI)
.31	Briefs ROE/window conditions.
.32	Briefs NVG operational considerations.
.33	Briefs launch conditions. (KI)
.34	Briefs ingress procedures. (KI)
.35	Briefs LZ procedures. (KI)
.36	Briefs egress procedures. (KI)
.37	Briefs downed aircraft procedures for overwater and overland.
.38	Briefs TRAP procedures. (See TASK: 3A.12 TRAP).
.39	Briefs concurrent operations.
.40	Briefs FARP procedures. (See TASK: 3A.13 FARP).

III-A-115

.41	Briefs	special considerations.
.42	Briefs	all safety matters.
.43	Briefs	time hack.
.44	Briefs	location/time of debriefs.
.45	Briefs	goggle/degoggling procedures.
.46	Briefs	controlling agencies.
.47	Briefs	EMCON procedures.
.48	Briefs	DRIADS.
.49	Briefs	ground signals.

EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Navel gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM threat locations known.
- 5. SAN threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

MEDEVAC FLIGHT LEADER

- 1. Be responsible for mission accomplishment.
- 2. The determination of the sequence of medical evacuations from any particular location is a function of the supported unit commander and is accomplished normally by assignment of precedence based upon medical and tactical factors.
- 3. Request additional helicopter support, as required.
- 4. Designate flight coordinator.

III-A-116

<u>SERE</u>

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3 MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. Propagation.
- 3. Current weather.
- 4. Forecast weather.

HANDOUTS

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACED.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no go criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, end frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

III-A-117

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. lump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4, Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- S. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, Lost comm, chattermark, codewords, and RIO enrobe terrain.

III-A-118

- 11. Probable point of first enemy contact.
- 12. Evasive maneuvers.
- 13. Scatter plan.
- 14. Go/no 80 criteria.
- 15. NBC considerations.
- 16. NVG considerations.

LANDING ZONE

- 1. Primary and alternate &rid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4 Escort
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3 Timing.
- 4. Airspeed, altitude, and formations.
- 5. Escort.
- 8. Supporting arms.
- 7. Weapons conditions.
- 8. Penetration checklist.
- 9. Communication procedures including visual signals, lost cam, chattermark, codewords, and RIO.
- 10. En route terrain.
- 11. Probable point of last enemy contact.
- 12. Evasive maneuvers.
- 13. Scatter plan.
- 14. NBC considerations.
- 15. NVG considerations.

III-A-119

TASK: 3A.11.3 EXECUTE MEDICAL EVACUATION (MEDEVAC) MISSION

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}} : \qquad \texttt{Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the 5-2, and after completing mission planning and briefing execute assigned mission.}$

STAN	<u>IDARDS</u>	: EVAL: Y: N: NE
.1		All aircrew are qualified and current for assigned mission.
.2		Aircraft were configured to conduct preplanned missions.
.3		Conducts preflight activities within prescribed timeframe.
. 4		Conducts start-up on time with systems checks on time ready for launch. $ \\$
.5		Conducts launch activities (execute bump plan, if required), as briefed. $ \\$
.6		Ensures flight is equipped with the appropriate medical and rescue equipment/personnel.
. 7		Obtains clearance from controlling agency for all aircraft to proceed to MEDEVAC pick-up location.
.8		Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9		Confirms go/no go criteria exist before continuing with mission.
.10		Executes Coed procedures/plan as briefed.
.11		Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12		Plight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13		Employs smallest maneuver element capable of accomplishing mission.
.14		Executes procedures properly upon inadvertent IMC/loss of visual contact.
.15		Exercises Coed discipline during mission.
.16		Ensures aircrews observe ROE/ROC.
.17		Uses appropriate flight control measures to adequately control the flight.
.18		Employs proper tactics response to any pop-up immediate threat.
.19		Aircrew demonstrates crew coordination (e.g., look-out doctrine). (KI)
.20		Flight navigates and remains oriented throughout mission.
.21		Members of the flight provide course correction, if needed.
.22		Remains constantly aware of aircraft systems and performance.
.23		Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) $$
.24		Changes to route are made by proper authority.
.25		Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26		Ensures crewmen comply with weapons conditions as briefed.
.27		Receives clearance at the IP to proceed to the LE.
.28		Routes and altitude flown are medically expeditious, and tactically sound.
.29		Performs penetration checklist at the appropriate time/place.

.30	Reports to controlling agency progress of mission as required to update weather, enemy situation, and go/no go criteria.
.31	Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI)
.32	Establishes radio contact with supported ground unit as soon possible to receive LZ brief.
.33	Decides whether to attempt the evacuation or abort the mission based on assigned mission precedence, weather conditions, and enemy activity.
.34	Ensures aircrew is briefed during egress. on the situation and the adopted course of action. $({\tt KI})$
.35	Chooses approach and departure corridors and flight techniques which afford greatest protection to the evacuation helicopter.
.36	Informs the flight coordinator of the intended approach route and flight techniques.
.37	Allows escort to be in position in time for prep fires.
.38	Identifies the proper LZ through radio communications and/or colored smoke/panels. (KI)
.39	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.40	Ensures change to LE is done by proper authority.
.41	Contacts controlling agency upon reaching/departing LZ's.
.42	Ensures minimum time in zone.
.43	Flights arrive in LZ on time.
.44	In 5 minutes or less.
.45	In 4 minutes or less.
.46	In 3 minutes or less.
.47	In 2 minutes or less.
.48	In 1 minute or less.
.49	Flights land at correct LZ.
.50	Within 1,000 meters or lees of LZ.
.51	Within 400 meters or less of LZ.
.52	Within 200 meters or less of LZ.
.53	Within 100 meters or less of LE.
.54	Executes waveoffs as briefed.
.55	While evacuee is being loaded, the help lead informs the flight coordinator of the intended departure route and flight techniques.
.56	Executes proper departure technique to reduce exposure to threat.
.57	During the return flight, the medical facility is informed of:
	a. ETA.
	b. Type wound, injury or illness.
	C. Evacuee category (urgent, priority, routine).
.58	Executes downed aircraft procedures as briefed.

III-A-121

.59	Executes RTF procedures.
	Executes FARP procedures.
.61	Continues contact with controlling agency concerning flight status.
.62	Executes EW procedures.
.63	Performs recovery procedures.
.64	Executes post landing deployment of helicopters.
.65	Performs postflight of aircraft.
	<u>INSTRUCTIONS</u> : Evaluator shall be familiar with Assault Support r Tactical Manual.

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1 The pilot at the controls, avoids obstacles end reports terrain/landmark information to the pilot at the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

III-A-122

AIRCREW BRIEF

- 1. Friendly positions.
- 2. Enemy positions.
- 3. ROE/weapons conditions.

LANDING ZONE MARKING

The importance of proper LZ identification through either radio communication and/or visual signals to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to smoke/panel color until the smoke/panel has been deployed and Sighted by the helicopter flight. Subsequent to such sighting, the color of the smoke/panel shall be confirmed via radio communication with the ground unit.

TASK: 3A.11.4 DEBRIEF MEDICAL EVACUATION (MEDEVAC) MISSION

 $\underline{\text{CONDITION(S)}}$: Given a completed mission conduct a debriefing for that mission, with emphasis on lessons learned for future use.

TANDARDS:	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's. contingency plans, and aircrew knowledge.
.8	5-2 collects all classified/Sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1 Changes from brief.
- 2 Commend and control.
- 3 Communications.
- 4 Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.

III-A-123

- 8. Tactics used/effectiveness.
- 9. Recommendations.

3A.12 TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP)

CONDITION(S): The squadron is in receipt of a warning order to conduct a TRAP mission. All liaison has been performed, and initial planning has begun. Operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform as many standards, as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STAN	<u>IDARDS</u>	: EVAL: Y: N: NE
.1		Establishes early liaison with the TRAP commander.
. 2		Issues warning order to squadron staff planners to meet.
.3		Analyzes mission tasking to determine specific tasks, stated and implied.
. 4		Requests combat information and EEI's concerning METT-T.
.5		Establishes a time schedule delineating completion times for all phases of planning.
.6		Provides HAT information to the TRAP commander.
. 7		5-2 initiates planning to provide environmental data.
.8		Develops aviation TRAP support requirements (parts, tools, ordnance, fuel, special equipment, personnel, etc.).
.9		Provides aviation supportability estimates to the TRAP commander.
.10		Requests air support requirements from ACE/CLF/CATF.
.11		Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12		Plans reconnaissance request of the area of operations.
.13		Reconciles any aviation short falls with the TRAP commander.
.14		Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15		Allocates assets to support assault force concept of operations and coordinates an ATO.
.16		Plans distance and fuel requirements; identifies refueling/FARP requirements. (See TASK: 3A. 13 FARP).
.17		Integrates available fire support capability; (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.18		Integrates and coordinates aviation communications support requirements with higher headquarters, TRAP force, and air control agencies.
.19		Considers requirement to resupply TRAP force as well as identifying additional equipment (slings, hoist, litters, etc.).

.20	Coordinates with the Explosive Ordnance Disposal (EOD) Team for the contingency destruction of downed aircraft and removal of hazardous material.
.21	Plans ingress/egress routes to the TRAP site with the TRAP commander and/or ACE/supported unit.
.22	Recommends priority of targets for zone prep.
.23	Plans and coordinates control points. (KI)
.24	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.25	Establishes and coordinates ITG procedures with the reconnaissance element.
.26	Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of asset.
.27	Coordinates mutual support of weapons systems in the LZ.
.28	Develops COMM plan (electronic and visual) to establish the C3 link, to include air control agencies, COMSEC, deception, chattermark, ECON conditions, NORDO, codeword, prowords, and frequencies (environmental effects, jamming capabilities), and coordinates with the MAGTF.
.29	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.30	Plans FARP procedures.
.31	Plans in conjunction with the MAGTF a viable deception plan.
.32	Coordinates the development of "smart packs" (kneeboard handouts) to include primary/alternate communications, mission terrain information, control measures, ROE, and restrictive measures.
.33	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.34	Establishes plans for both operational and weather go/no go criteria;
.35	Establishes a bump plan.
.36	Establishes a scatter plan.
.37	Coordinates and integrates command and control procedures.
.38	Schedules rehearsal for evaluating the plan if time allots.
.39	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.40	Schedules mission briefings for all flightcrews and necessary personnel.
.41	Assists the TRAP commander in the preparation of the HWSAT.
.42	Considers LAAD assets to support operations based on available threat intelligence.
.43	Plans and coordinates RTF with the ACE.
.44	Submits plan to the ACE/GCE/CLF/CATF for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, MAWTS-1 take-home packages, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

TASK: 3A.12.2 BRIEF TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP) MISSION

CONDITION(S): The ATO ha. been issued and the squadron is stationed support missions in support of the MAGTF. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers, FAC(A) and HC(A) attends brief when possible. Flight leaders provide navigation card, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS calculations when required by the evaluator.

<u>STANDARDS</u>	: EVAL: Y: N: NE
.1	All items are briefed per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Questions are allowed to ensure safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all tasks assigned are completed prior to mission briefing. $ \\$
.6	Assigns planning responsibilities to appropriate flight billets.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
	Briefs the general situation in the area of operations.
.10	Briefs friendly forces scheme of maneuver, weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI)
.11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (See TASK 3A.2.2 Intelligence Planning). (KI)
.12	5-2 briefs local populace reaction capabilities. (See TASK 3A.2.2 Intelligence Planning).
.13	Brief uses appropriate maps, charts, and aerial photographs, as required.
.14	Briefs encryption procedures, both internal and external to the flight. \ensuremath{E}
.15	Briefs SERE procedures. (KI)
.16	Briefs EW consideration. (KI)
.17	Briefs weather. (KI)

.18	Ensures that all appropriate personnel have handouts. (KI)
.19	Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a time line to include L hour/H hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs go/no go weather criteria.
.28	Briefs inadvertent XL/loss of visual contact.
.29	Briefs fuel requirements. (KI)
.30	Briefs ROE/window conditions.
.31	Briefs NVG operational considerations.
.32	Briefs launch conditions. (KI)
.33	Briefs ingress procedures. (KI)
.34	Briefs LZ procedures. (KI)
.35	Briefs egress procedures. (KI)
.36	Briefs downed aircraft procedures for overwater and overland.
.37	Briefs concurrent operations.
.38	Briefs FARP procedures. (See TASK: 3A.13 FARP.)
.39	Briefs deception plan.
.40	Briefs special considerations.
.41	Briefs all safety matters.
.42	Briefs time hack.
.43	Briefs location/tire of debriefs.
.44	Briefs goggle/degoggling procedures.
.45	Briefs controlling agencies.
.46	Briefs EMCON procedures.
.47	Briefs DRIADS.
.48	Briefs ground signals.

III-A-127

EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry. to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM threat locations known.
- 5. SAM threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Date.
- 2. Propagation.

III-A-128

- 3. Current weather.
- 4. Forecast weather.

HANDOUTS

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no go criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate,
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries. phase lines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEA).
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. lingo.

III-A-129

LAUNCH

- 1. Aircraft manning tine.
- 2. Turn-up time.
- Taxi time/plan/frequencies..
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures CRP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- a. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, bat comm, chattermark, codeword, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LE brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.

III-A-130

- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals. lost cam, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3A. 12.3 EXECUTE TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP) OPERATIONS

 $\underline{\text{CONDITION}(S)}$: Given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the 5-2, and after completing mission planning and briefing execute assigned mission.

STANDARDS: EVAL: Y: N: NE

.1	All aircrew are qualified and current for assigned mission.
.2	Aircraft were configured to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.
. 4	Conducts a last minute liaison with supported unit for any changes.
.5	Conducts start-up on time with systems checks on time and ready for launch.
.6	Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
.7	Conducts launch activities (execute bump plan, if required) as briefed.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.

III-A-131

. 9	 Confirms go/no go criteria exist before continuing with mission.
.10	 Executes COMM procedures/plan as briefed.
.11	 Formation facilitates support by escort, control, maneuverability, mutual support. and collision avoidance.
.12	 Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13	 Employs smallest maneuver element capable of accomplishing mission.
.14	 Executes procedures properly upon inadvertent IMC/loss of visual contact.
.15	 Exercises COMM discipline during mission.
.16	 Ensures aircrews observe ROE/ROC.
.17	 Uses appropriate flight control measures to adequately control the flight.
.18	 Employs proper tactics response to any pop-up immediate threat.
.19	 Aircrew demonstrates crew coordination. (KI)
.20	 Flight navigates and remains oriented throughout mission.
.21	 Members of the flight provide course correction, if needed.
.22	 Remains constantly aware of aircraft systems and performance.
.23	 Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	 changes to route are made by proper authority.
.25	 Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	 Ensures crewmen comply with weapons conditions, as briefed.
.27	 Receives clearance at the IP to proceed to the LX. (KI)
.28	 Performs penetration checklist at the appropriate time/place.
.29	 Reports to controlling agency progress of mission, as required, to update weather, enemy situation, and go/no go criteria.
.30	 Flight receives clearance at the IP to proceed to the LX and ensures go/no go criteria exists. (KI)
.31	 Executes deception plan.
.32	 Updates heloteam leader on approach to LX giving direction the helicopter will land.
.33	 Employs proper approach techniques to LX.
.34	 Makes consistent use of cover, concealment. altitude. and airspeed to minimize exposure to the enemy during approaches.
.35	 Allows escort to be in position in time for prep fires.
.36	 Performs landing as briefed, in sequence. and in proper position utilizing ITG procedures.
.37	 Ensures any change to LX is done by proper authority.
.38	 Contacts controlling agency upon reaching/departing LZ's.
.39	 Ensures minimum time in zone.
.40	 Flights arrive in LZ ontime.

.41	In 5 minutes or less.	
.42	In 4 minutes or less.	
.43	In 3 minutes or less.	
.44	In 2 minutes or less.	
.45	In 1 minute or less.	
.46	Flights lend at correct LZ.	
.47	Within 1.000 meters or less of LZ.	
.48	Within 400 meters or less of LZ.	
.49	Within 200 meters or less of LZ.	
.50	Within 100 meters or less of LZ.	
.51	Executes waveoffs as briefed.	
.52	If carrying external load, drops Iced in spot as directed by HST/LZ control team.	
.53	Aircraft arrive at TRAP site with sufficient assets to accomplish the mission.	
.54	Maintains continuous coordination with supported unit commander informing him of TRAP progress.	
.55	Receives timely update to deployment of enemy forces in the area.	
.56	Ensures coordination with HST during external recovery of downed aircraft/aircraft components.	
.57	Successfully retrieves downed aircraft or extracts personnel from TRAP site.	
.58	Accounts for all TRAP personnel and equipment before departing the objective area.	
.59	Executes proper departure techniques to reduce exposure to threat.	
.60	Executes downed aircraft procedures as briefed.	
.61	Executes RTF procedures.	
.62	Executes FARP procedures.	
.63	Continues contact with controlling agency concerning flight status.	
.64	Executes EW procedures.	
.65	Performs recovery procedures.	
.66	Executes post landing deployment of helicopters.	
.67	Performs postflight of aircraft.	
<u>EVALUATOR INSTRUCTIONS</u> : Evaluator shall be familiar with Assault Support Helicopter Tactical Manual.		

KEY INDICATORS:

APPROPRIATE FLIGHT PROFILE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

III-A-133

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls. avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE/ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3A. 12. DEBRIEF TACTICAL RECOVERY OF AIRCRAFT/PERSONNEL (TRAP) OPERATIONS

 $\underline{\text{CONDITION(S)}}$: Given a completed mission conduct a debriefing for that mission. with emphasis on Lessons learned for future use.

STANDARDS: EVAL: Y: N: NE

1	Ensures all aviation mission essential personnel are present.
2	Debrief is conducted per SOP. NATOPS, guides, and NWP 55-9.
3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
5	Debriefs all aspects of the flight. (KI)
6	Records post mission debrief for future use.

III-A-134

.7	Analyzes plan, brief, execution phases, and Lessons learned to develop new COA's: and tactics to improve SOP's, contingency plans, and aircrew knowledge.	
.8	S-2 collects all classified/sensitive materials.	
EVALUATOR	<u>INSTRUCTIONS</u> : None.	
KEY INDICA	ATORS:	
	<u>DEBRIEFING ASPECTS</u>	
1. Cl	nanges from brief.	
2. Co	ommand end control.	
3. Co	ommunications.	
4. St	upport/escort.	
5. Co	pordination.	
6. Na	avigation.	
7. Sa	afety.	
8. Ta	actics used/effectiveness.	
9. Re	ecommendations.	
	3A.13 FORWARD ARMING AND REFUELING POINT(FARP)	
TASK: 32	A.13. PLAN FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS	
<u>CONDITION(S)</u> : The ACE is in receipt of a mission which requires the en route rearming end/or refueling of mission aircraft. The decision has been made to deploy a TARP. The intelligence scenario end operational scheme of maneuver reflects the basic mission that is being supported. The TARP is en enabling objective of the mission assigned.		
STANDARDS	EVAL: Y: N: NE	
.1	Utilizes NWP-55 (ASH Manual) checklist.	
.2	Assigns a FARP coordinator.	
.3	Plans time line end specifies duration of TARP operation.	
.4	Identifies number end type of aircraft to be supported.	
.5	Identifies mission essential equipment/logistics based on requirements.	
.6	Develops threat plan from available intelligence/ combat information.	
.7	Coordinates security requirements.	
.8	Develops communications plan to include frequencies end EMCON procedures.	
.9	Coordinates ITG requirements with the ground element, as required.	
.10	Plans for codewords/prowords end informs controlling agencies of their use.	

III-A-135

.11	 Plans for appropriate number and types of support personnel (e.g., HST, ORD, TAFDS, ATC).
.12	 Recommends FARP consideration for go/no go criteria in coordination with the supported elements.
.13	 Compares essential equipment assets with those available, considering backup requirements as well, and plane for their movement to the FARP area.
.14	 Coordinates weather criteria.
.15	 Plans alternate contingencies.
.16	 Considers EW assets/procedures.
.17	 Plans downed aircraft/recovery procedures to include necessary standby personnel.
.18	 Plans arming/dearming procedures.
.19	 Ensures rules of engagement weapons status and conditions are established.
.20	 Plans hung ordnance/jammed gun procedures.
.21	 Plans for tactical dispersion of aircraft to ensure the phased arrival at the FARP location.
.22	 Plans flight formations with reference to refueling sequence and tactical situation.
.23	 Integrates available fire support capabilities within the scheme of maneuver.
.24	 Plans scatter procedures and control points to allow for inflight contingencies.
.25	 Assigns an onsite FARP coordinator.
.26	 Base FARP location on METT-T.
.27	 Plans alternate location.
.28	 Plans visual signals for both day and night uses, and attempts to eliminate unnecessary voice communications.
.29	 Plans marking of FARP area.
.30	 Plans FARP layout and publishes diagram.
.31	 Plans refueling/rearming areas for safe separation.
.32	 Plans movement of aircraft in the FARP area and sequencing of services.
.33	 Plans ground safety equipment.
.34	 Considers drainage in FARP locations.
.35	 Considers environmental factors.
.36	 Considers location of LAAD teems for short range ground to air missile defense protection at the FARP site.
.37	 Plans for specific number and types of aircraft.
.38	 Plans replenishment method.
.39	 Coordinates plans for use of specific fuel pumps, nozzles, and backups.
.40	 Identifies mission fuel requirements.
.41	 Identifies/plans for specific number of refueling points.
42 _	 Plans refuel heading.
.43	 Calculates pumping time per aircraft.

.44 Plans total refueling	g time.	
.45 Plans refueling seque	ence.	
.46 Calculates ordnance k	ouildup times.	
.47 Plans arming/dearming	g headings.	
.48 Plans for emergencies	s in the refueling/rearming areas.	
.49 Utilizes light level	planning calendar.	
.50 Plans FARP area light	ing.	
.51 Allocates NVG to supp	port the operation.	
.52 Plans ITG and coordin	nates with appropriate elements.	
53 Determines aircraft l	ighting procedures.	
.54 Provides taxi directo	ors with appropriate wands.	
.55 Plans for contingenci	es and emergency procedures.	
.56 Plans and identifies	mission supplies.	
.57 Considers resupply.		
.58 Plans for retrogradir use.	ng of supplies and personnel after FARP	
.59 Determines requiremen	nt for EOD support.	
EVALUATOR INSTRUCTIONS: The evaluator should be familiar with all applicable FMFM's, Tactical Manuals, MAWTS-1 take-home packages, NATOPS instructions. and squadron SOP's. Liaison with the CSS element is required.		
KEY INDICATORS: None.		
TASK: 3A.13.2 BRIEF FORWARD A	ARMING AND REFUELING POINT (FARP) OPERATIONS	
CONDITION(S): The decision to has been performed and mission p	employ a FARP has been made. All liaison planning is complete.	
STANDARDS: EVAL: Y: N: NE		
.1 All items are briefed	l per published NWP-55-9 ASH Manuel.	
.2 Briefs procedures for	ordnance, HST, and ATC.	
.3 Briefs general scheme	e of maneuver for the basic mission.	
.4 Briefs FARP security	plan.	
.5 Briefs communications	s plan and provides handouts.	
.6 Briefs weather criter	ria.	
.7 Briefs go/no go crite	eria.	
.8 Briefs deception plan	1.	
.9 Briefs threat intelli	gence. to include escape and evasion	
	TTT-A-137	

III-A-137

.10	Briefs downed aircraft procedures in the FARP area.
.11	Briefs emergencies disengagement procedures.
.12	Briefs codewords.
.13	Briefs alternate FARP locations.
.14	Briefs time line.
.15	Briefs ROSH\weapons status and conditions.
.16	Brief. arming/dearming procedures.
.17	Briefs special considerations.
.18	Briefs obstacle clearance in FARP area.
.19	Briefs flight formations with reference to the refueling sequence.
.20	Briefs receiver aircraft on amount of fuel to be taken.
.21	Briefs the number of refueling points.
.22	Briefs refueling and rearming headings.
.23	Briefs movement of aircraft in the FARP area.
.24	Briefs FARP area diagram.
.Z5	Briefs location of ground safety equipment.
.26	Briefs visual signals for day/night.
	a. Night Briefing Items:
.27	Briefs ambient illumination.
.28	Briefs illumination plan.
.29	Briefs night vision goggles (NVG's) procedures.
.30	Briefs ITG.
.31	Briefs aircraft lighting. FARP lighting, and ground directors lighting.
.32	Briefs contingencies and emergency procedures at the FARP.
EVALUATOR commander	<pre>INSTRUCTIONS: This brief is to be conducted by the mission or his designee. All participants attend.</pre>
KEY INDICA	ATORS: None.
	III-A-138

TASK: 3A.13.3 EXECUTE FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS

<pre>CONDITION(S): None.</pre>		
STANDARDS: EVAL: Y: N: NE		
.1	Assigned aircraft arrived at the FARP site.	
.2	FARP is executed as briefed.	
.3	FARP is laid out as briefed.	
.4	Refueling/rearming area allows for safe separation of aircraft.	
.5	Onsite FARP coordinator and support personnel are present in the zone and are in control.	
.6	Movement of aircraft in the FARP area is as briefed.	
.7	Visual signals are executed as briefed.	
.8	Aircrews are able to adapt to changes without sacrificing mission accomplishment.	
.9	Sufficient fuel is available for receiver aircraft.	
.10	FARP site is setup in sufficient time to support the mission.	
.11	Aircraft receive proper ordnance.	
.12	Refueling/rearming headings are as briefed.	
.13	Refueling sequence is as briefed.	
.14	Total time of refueling is as briefed.	
.15	Available number of refueling points is as briefed.	
.16	FARP lighting is sufficient.	
.17	Taxi directors use appropriate lighting.	
.18	ITG methods were successful.	
.19	Aircraft lighting is as briefed.	
EVALUATOR INSTRUCTIONS: None.		
<u>KEY INDICATORS</u> : None.		
TASK: 3A.13.e DEBRIEF FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS		
CONDITION the complemission de	etion of the operation. To be included cc part of the overall	
STANDARDS: EVAL: Y: N: NE		
.1	Debrief all aspects of the mission.	

III-A-139

.2 ____ Discusses and incorporates lessons learned.

.3	Debriefs accuracy of fuel planning.
.4	Uses the debrief as a constructive training tool.
EVALUATO	R INSTRUCTIONS: None.
KEY INDI	CATORS: None.
	3A. 14 COLD-WEATHER OPERATIONS
TASK:	3A.14.1 PLAN COLD-WEATHER OPERATIONS
actical og the suppor	N(S): The squadron has been assigned a mission to support a peration. The commander is directed to establish liaison with ted unit for planning. This tack is considered in conjunction 3A.l thrush 3A.5.
STANDARDS:	EVAL: Y: N: NE
.1	Reviews information on terrain and climatology including snow conditions, snow depth, ice thickness. and wind velocity and direction.
.2	Considers equivalent chill factor and effect on Marines' physical and mental efficiency.
.3	Planning reflects that work requires up to four times longer to accomplish in cold weather.
.4	Fire support plan considers the limitations in ground mobilit of artillery weapons.
.5	Allows extra time for preflight, engine warmup, ground checks rotor engagement, and taxiing of aircraft.
.6	Utilizes prominent terrain features for navigation to offset difficulties associated with snow covered and feature less terrain.
.7	Considers use of mobile navigation aids and ASRT to navigate.
.8	Coordinates with HST for LZ prep.
.9	Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold-weather environment in even of mishap or heater failure. (KI)
.10	Emphasizes adherence to assigned mission routes to enhance SA effort.
.11	Plans extensive use of warming tents and stoves to assure adequate living and working conditions.
.12	Considers input that reduced visibility from snow and will have on tactical plan and aircraft operations.
EVALUATO:	R INSTRUCTIONS None.
KEY INDI	<u>CATORS</u> :
	HELICOPTER SURVIVAL KIT
1.	5 Nan arctic tent.
2.	Rations.
3.	Waterproof matches.
	III-A-140

- 4. Sleeping begs.
- 5. Axes.
- 6. Entrenching tool.
- 7. Lines.
- 8. Radio batteries.
- 9. Candles.
- 10. Snow Knife.
- 11. Snow saw.
- 12. Sunglasses.
- 13. Water purification tables.
- 14. Flashlight/lanterns.
- 15. Snow shoes.

TASK: 3A. 14.2 EXECUTE COLD-WEATHER MAINTENANCE TASK

 $\underline{\text{CONDITION}(S)}$: The squadron is deployed to an expeditionary airfield with all necessary ground support equipment available.

STANDARDS: EVAL: Y: N: NE

Ensures supervisory personnel are present to monitor affects of cold weather on maintenance personnel. Employs buddy system when working on aircraft to prevent coldweather casualties. Ensures personnel wear cold-weather gear, particularly gloves, when working near metal during freezing temperatures. Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather. Stores batteries in warm areas when not in use. Uses auxiliary power units whenever possible. Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication systems.	111111111111111111111111111111111111111	
weather casualties. Ensures personnel wear cold-weather gear, particularly gloves, when working near metal during freezing temperatures. Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather. Stores batteries in warm areas when not in use. Uses auxiliary power units whenever possible. Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	.1	
when working near metal during freezing temperatures. 4 Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather. 5 Stores batteries in warm areas when not in use. 6 Uses auxiliary power units whenever possible. 7 Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. 8 Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	.2	
monitors their use during freezing weather. Stores batteries in warm areas when not in use. Uses auxiliary power units whenever possible. Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	.3	
Uses auxiliary power units whenever possible. Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	. 4	
.7 Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement. .8 Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	.5	Stores batteries in warm areas when not in use.
aid in engine start and rotor engagement. 8 Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication	.6	Uses auxiliary power units whenever possible.
to prevent moisture from accumulating in fuel and lubrication	.7	· •
	.8	to prevent moisture from accumulating in fuel and lubrication

.9 ____ Covers rotor blades when aircraft is not in operation.

.10 ____ Uses protective covers whenever possible.

.11 ____ obtains fluid level readings when fluids are warm.

.12 ____ Demonstrates awareness of what cold soaking does to control rods and other malleable metal surfaces.

III-A-141

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3A.14.3 EXECUTE COLD-WEATHER MISSION

 $\underline{\text{CONDITION}(S)}$: The squadron conducts cold weather support missions. All liaison has been performed arid mission planning and briefing is completed.

STANDARDS: EVAL: Y: N: NE		
.1	Aircrew wear appropriate cold-weather equipment.	
.2	Aircraft attain normal operating limitations before taxiing.	
.3	Takes proper precautions when taxiing on snow/ice covered areas.	
.4	Does not operate aircraft beyond NATOPS limitations when flying in icing conditions.	
.5	Demonstrates proper snow landing techniques.	
.6	Uses landing point indicators (i.e., sled, panel, colored snow, etc.) to prevent drift during landing.	
.7	Land aircraft far enough apart in LZ to prevent blowing snow from reducing visibility to other aircraft during approach.	
.8	During external operations, with snow in the landing area, lands adjacent to the load and uses a sling extension for sling Qperation5.	
.9	When resting in snow, maintains sufficient power to the head/hover control to prevent settling.	
.10	Crewchief ensures sufficient rotor clearance when landing on snow before allowing egress of personnel and equipment.	
.11	Crewchief restricts accumulation of snow inside cabin section of aircraft.	
.12	Maintains cabin temperature below 40 degrees Fahrenheit to prevent condensation forming on equipment and weapons.	
.13	Utilizes maximum performance takeoff to minimize IFR conditions caused by blowing snow induced by rotor wash.	

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

III-A-142

3A.15 DESERT OPERATIONS

TASK: 3A.15.1 CONSIDER GENERAL EFFECTS OF DESERT OPERATIONS

 $\underline{\text{CONDITION}(S)}$: This MPS is considered in conjunction with MPS's 3A.4 through 3A.13. The mission should include TERF, navigation, and night evolutions.

STANDARDS:	EVAL: Y: N: NE
.1	Considers affect of ambient weather conditions (i.e., temperature, humidity, density altitude, dust/sand storms, etc.) on aircraft performance and assigned mission.
.2	Utilizes easily identifiable terrain features as checkpoints during en route navigation.
.3	Considers alternatives for reducing effect of sand and dust in areas where aircraft will be operating.
.4	Ensures aircraft are properly configured with survival equipment for desert survival. $\ensuremath{(\text{KI})}$
.5	Covers windscreens when not in use to prevent possible bubbling.
.6	Keeps windscreen from receiving direct sunlight.
.7	Covers or closes all possible openings when aircraft is not in use. (${\rm KI}\hspace{0.5pt}$)
.8	During engine start, rotor engagement and taxi, minimizes ground time to reduce effects of blowing sand, dust, and high temperatures on engines and gear boxes.
.9	Ensures all ground crew use proper protective clothing and equipment to reduce effects of rotor wash on personnel. (KI)
.10	Supervisor monitors conditions of maintenance personnel for dehydration, heat exhaustion, and other heat related injuries.
.11	Remains constantly aware of available aircraft power.
12	Avoids flying into sand or dust storms.
.13	Executes briefed inadvertent IFR procedures.
.14	On approach and landing, the pilot uses power required that will cause a minimum amount of dust and sand turbulence. (KI) $$
.15	Plans waveoff per NATOPS.
EVALUATOR	INSTRUCT 1058: None.

KEY INDICATORS:

SURVIVAL KITS

Survival kits are preflighted. maintained, and up-to-date.

COVER ALL OPENING. WHEN AIRCRAFT 15 NOT IN USE

- Blowing sand and dust will seep into any opening. Buildup of sand/dust in unobserved spaces can cause mechanical failure or malfunction.
- 2. Overall maintenance is severely degraded by blowing sand and dust. System contamination is a constant problem due to the arrival and departure of aircraft. Prolonged operation in a sand based environment will result in significantly degraded aircraft availability.
- Check for presence of sand and dust in control hinges and actuating linkages.

III-A-143

- 4. check tires for proper inflation.
- 5. check proper extensions of struts.
- check for accumulation of dust and sand in avionics and navigation compartments, engine intakes, cockpit. corrosion on rotor blades, etc.

PROTECTIVE CLOTHING/EQUIPMENT AVAILABLE AND USED TO HANDLE

<u>AIRCRAFT</u>

Blowing sand and debris associated with desert aircraft operations and the internal heat buildup associated with the aircraft parked in the sun requires specialized equipment by aircrew and HST personnel. All ground aircrew and HST personnel working in close proximity to operating aircraft must have appropriate eye protection, cranial protectors, sound attenuators, and gloves in addition to the required desert protective clothing.

<u>APPROACHES</u>

Despite Engine Air Particle Separators (EAPS's) installed on every engine, hovering close to the ground will lead to sand ingestion by the engines (which will result in engine damage/power loss), and possible observation of dust clouds by the enemy. It also can cause disorientation to pilots due to flying sand, particularly at night. Blowing debris from landing and departing aircraft creates a hazard to all personnel and a visibility problem for the aircrew.

3A.16 NIGHT OPERATIONS

TASK: 3A.16.1 PLAN NIGHT OPERATIONS

CONDITION(S): This MPS is considered in conjunction with MPS's 3A.4 through 3A.15 and concerns specific considerations that are addressed should an operation be conducted under the cover of darkness. As such, the execution of a mission at night should not be considered so much as a special operation as another option available to the tactical commander to achieve mission accomplishment. Accordingly, while the employment of a night operation may not ensure mission success. failure to apply basic techniques in planning and execution when using darkness will almost surely result in tactical degradation that will be the genesis for mission failure.

TANDARD	S: EVAL: Y: N: NE
	Utilizes light level planning calendar and lunar illumination table to determine if mission is to be conducted using unaided night vision techniques or NVG's. (KI)
.2	Considers slower tempo and limitations that characterize night operations. $\mbox{(KI)}$
	Establishes procedures for night vision adaptation and preservation.
.4	Bases aircraft lighting cm forecast light conditions and current directives.
.5	Considers the advantages/dk%ldvantag9a of artificial illumination vs. natural lighting. (KI)
	Plans methods of employment and delivery of artificial illumination. (KI)
.7	Incorporates on call illumination for emergency situations.
.8	Considers lighting aids to assist locating/identifying the LZ. $(\ensuremath{\text{KI}})$
.9	Ensures liaison with supported/supporting unit to coordinate use of light in LZ to ensure night adaptation/preservation or NVG compatibility. (KI)

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- Problems inherent in conducting rendezvouses, approaches, and landings at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the LZ.

NIGHT OPERATIONS CONSIDERATIONS

- 1. Mission and requirements.
- 2. Threat.
- 3. Ambient light level available (both natural and artificial).
- 4. Weather.
- 5. Terrain/distance.
- 6. Usage of NVG manual,
- 7. Shadowing.

NATURAL AND ARTIFICIAL ILLUMINATION CONSIDERATIONS

NATURAL LIGHTING ADVANTAGES:

- 1. Element of surprise is maintained longer.
- 2. Night vision capabilities are maximized and conserved.
- 3. Helicopters are difficult to acquire and engage by visual means.
- 4. Ground fire is easy to see.

NATURAL LIGHTING DISADVANTAGES:

- 1. Navigation is difficult.
- 2. LZ's are more difficult to identify.
- 3. Depth perception is greatly reduced.
- 4. Escort support capabilities are restricted.

III-A-145

ARTIFICIAL LIGHTING ADVANTAGES:

- 1. Permits navigation by terrain reference.
- 2. Aids in LZ identification.
- 3. Provides a visual horizon.
- Permits sea and avoid' procedures for safe separation of aircraft and flights.
- 5. Permits use of daylight operation procedures. flight techniques, and escort support procedures.

ARTIFICIAL LIGHTING DISADVANTAGES:

- 1. Flying through illumination debris.
- 2. Silhouetting of aircraft.
- 3. Provides optical tracking by the enemy.
- 4. Need for visible horizon.
- 5. Minimum acceptable level of lighting rather than the maximum to delay advantage to enemy.
- Aircraft flight pattern and downwind path of expanded flares and extended gun line of artillery-delivered illumination flare canisters.

STATION DELIVERY METHODS

Should Consider:

- Aircraft delivery is most effective, versatile, and easiest to control.
- Long endurance, large flare capacities of cargo-type (C-130) aircraft.
- 3. Minimum enemy exposure time of close air support and attack helicopters.
- 4. Ambient light level fluctuations and gaps in illumination caused by threat evasive maneuvers.
- 5. Adjustment time for artillery and NGF flares.
- 6. Less light production and shorter burn time of artillery and NGF.
- 7. Effectiveness of artillery and NGF is reduced in poor weather conditions.
- 8. Enemy air defense capabilities.
- 9. Range capabilities/limitations of artillery and NGF.

LANDING ZONE LIGHTING

Types of Lighting Aids

- Terminal guidance systems (Glide Angle Indicator Light (GAIL)).
 Precision Helicopter Landing System (PHLS) expeditionary lights.
- 2. Flare illumination.
- Field expedients (i.e. vehicle lights, flashlights, blinking lights, bonfires, smudge pots, chemical light sticks, etc.)

Landing Zone Lighting Should:

1. He visible to the pilot.

III-A-146

- Identify an area free of obstacles that is safe for hovering and/or landing.
- 3. Employ three or more separate lights to preclude effects of autokinesis.
- 4. Provide orientation along obstacle free approach and take-off corridors.

NVG COMPATIBLE LZ LIGHTING RESOURCES

Landing Zone Lighting:

- 1. NVG compatible LZ lighting.
- 2. IR Lights.
- 3. chemical light sticks.
- 4. Shielded flashlights.
- 5. Any light source sufficiently dimmed to not effect the NVG's.

GROUND UNIT CONSIDERATIONS

- 1. Increased time for embarkation/debarkation.
- 2. Light discipline requirements for NVG operations.
- 3. HST requirements for NVG utilization.
- 4. FARP requirements for NVG operations.

TASK: 3A.16.2 BRIEF NIGHT OPERATIONS

<u>CONDITION(S)</u>: The ATO has been issued and the squadron is assigned a variety of night missions in support of the MAGTF.

STANDARDS: EVAL: Y: N: NE

1	Ensures maps are prepared and are NVG/night compatible.
2	Issues NVG in adequate numbers and with appropriate accountability.
3	Ensures all aircrew members have required night flying equipment.
4	Aircrew coordination briefs to include NVG considerations. (KI)
5	Flight schedule allows additional time for aircrew5 to thoroughly preflight aircraft and lighting systems.
6	Ensures weapon employment procedures and effects are covered.
7	Ensures goggling/degoggling procedures are briefed.

EVALUATOR INSTRUCTIONS: None.

III-A-147

KEY INDICATORS:

AIRCREW COORDINATION

- 1. Procedures for NVG failures.
- 2. Inadvertent entry into IMC.
- 3. Light discipline.

TASK: 3A.16.3 EXECUTE NIGHT MISSIONS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron conducts night support missions.} \quad \texttt{All liaison} \\ \text{had been performed and mission planning and briefing is completed.} \\ \text{Navigation is required to the IP/LZ and timing for L-Hour/TT/TOT} \\ \text{has been established.} \\$

STAND	ARDS:	EVAL: Y: N: NE
.1 _		Ensures cockpit lighting is configured for night flying or NVG compatibility.
.2 _		Employs proper procedures.
.3 _		Ensures all crewmembers wear mounted NVG's, during NVG employment.
.4 _		Ground crew Utilize appropriate wand signals for directing aircraft.
.5 _		Minimum aircraft lighting used commensurate with safety and NVG compatibility.
.6 _		Demonstrates proficiency in the in-flight Utilization of NVG, as well as aircrew coordination. $(\mbox{\rm KI})$
.7 _		Avoids continuous flight in the 6 o'clock position.
.8 _		Does not descend below the altitude established for safe terrain and obstacle clearance. $$
.9 _		Ensures coordination with the flight coordinator for external lights out approach to preclude lose or hindrance to escorts.
.10 _		Properly executes GAIL/PHLS approaches.
.11 _		Makes approaches that minimize aircraft maneuvering and provides sufficient altitude and straight away for safe rate of descent. $ \frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \left(\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{$
.12 _		Judiciously uses spotlight to clear obstacles and locate the ${\tt LZ}$.
.13 _		Considers the judicious use of the spotlight (IR or white) while in the $\ensuremath{\mathtt{LZ}}$.
.14 _		Lands aircraft at designated spot indicated by LZ lighting.
.15 _		Departure technique provides safe terrain and obstacle clearance altitude.
<u>EVALU</u>	JATOR	<u>INSTRUCTIONS</u> : None.

III-A-148

KEY INDICATORS:

AIRCREW MEMBERS RESPONSIBILITIES

Pilot At The Controls:

- 1. Primary responsibility for flying the helicopter and observing outside the cockpit.
- 2. Correlates visual cues with flight instrument information.
- 3. Employs NVG scanning techniques for navigational landmarks, obstacle and aircraft avoidance, formation flying, and helicopter performance monitoring.
- 4. Avoids cockpit related distractions and tendency to focus on one external visual or sensory cue.

Pilot Not At The Controls:

- Monitors flight instruments to determine aircraft performance and detect unsafe conditions.
- Provides airspeed, radar altimeter, rate of descent/climb information to pilot at the controls.
- 3. Monitors aircraft and pilot performance, reporting unsafe observations, and taking necessary corrective actions.
- 4. Is prepared to take control of the aircraft at all times.
- 5. Monitors mechanical functioning of the aircraft, performs cockpit duties (e.g., operates switches, tunes radios, etc.) navigates, and monitors performance of crewchief/gunner.
- 6. Remains oriented along the flight route.

Crewchief And Gunner:

- 1. Monitors mechanical functioning of helicopter.
- 2. Performs look-out duties to warn of aircraft and obstacles.
- 3. Monitors positions of other aircraft inflight.
- 4. Assists in terrain recognition and provides obstacle clearance and LZ condition information during hovering and landing operations.
- 5. Provides positional directions to pilot during external operations.

3A.17 NUCLEAR. BIOLOGICAL. CHEMICAL (NBC) OPERATIONS

TASK: 3A.17.1 PREPARE FOR NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) OPERATIONS

CONDITION(S): Threat forces have been. reported to be capable of employing NBC munitions in the area where the squadron is located aimed at destroying/disrupting operations. Due to the threat, passive and active defense measures must be used for survival of the unit. This task may be evaluated during any evolution (ground or air) in which the squadron participates. Safety of aircraft and crews is the primary consideration when employing actual chemical agents and masking procedures. As desired by the evaluator, this task may be exercised through the use of smoke, gas, or a combination thereof at any time during the evaluation.

III-A-149

<u>STANDARDS</u>	: EVAL: Y: N: NE
.1	Squadron has established an SO? which outlines procedures for enemy NBC strikes and reports required.
.2	All individual NBC defense equipment authorized by the unit table of equipment is issued to each individual and is serviceable.
.3	All unit defense equipment (TIE) is operationally reedy end distributed to designated and trained/knowledgeable operators.
.4	Shortages are identified and replacement actions are initiated.
.5	Decontamination equipment and bulk decontaminates are assembled and prepared for ready transport to 5 decontamination area.
.6	MLL decontamination equipment units are filled (water used for training).
.7	MOPP level is established by the TAC/appropriate staff member end personnel are et or above the required MO?? level.
.8	Ensures personnel are familiar with the Operational Exposure Guide (FMFM 11-8) end Mission Oriented Protective Posture (FMFM 11-9) for the control of exposure of personnel to radiation or chemical hazards.
.9	Ensures Marines properly identify NATO or Threat NBC contamination markers.
.10	Emplacement of equipment maximizes utilization of terrain features for cover, concealment, and topographic shielding.
imminent normal as NBC Defen	INSTRUCTIONS: Provide the unit information to expect an nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School.
imminent normal as NBC Defen Evaluator	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of
imminent normal as NBC Defen Evaluator KEY INDIC	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School.
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None.
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance.
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .1	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .1 .2	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures are identified.
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .1 .2	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures are identified. Subordinate/displaced elements are alerted. Squadron continues the mission while implementing actions to minimize casualties end damage.
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .1234	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures are identified. Subordinate/displaced elements are alerted. Squadron continues the mission while implementing actions to minimize casualties end damage. Vehicles and equipment are protected from heat, blast, and
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .12345	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures are identified. Subordinate/displaced elements are alerted. Squadron continues the mission while implementing actions to minimize casualties end damage. Vehicles and equipment are protected from heat, blast, and radiation. Periodic monitoring is initiated using available survey
imminent normal as NBC Defen Evaluator KEY INDIC TASK: 3 CONDITION used in o checklist STANDARDS .1234566	nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as pert of 's School. ATORS: None. A.17.2 PREPARE FOR NUCLEAR ATTACK (S): The squadron is informed that nuclear weapons have been ffensive operations, SOP's/Op Orders are onhand to provide s, sequence of actions, and guidance. : EVAL: Y: N: NE Backup/alternate command, control, and communications procedures are identified. Subordinate/displaced elements are alerted. Squadron continues the mission while implementing actions to minimize casualties end damage. Vehicles and equipment are protected from heat, blast, and radiation. Periodic monitoring is initiated using available survey instruments. Personnel identify/prepare shelters to protect from heat, blast,

EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: None. 3A.17.3 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK CONDITION(S): Nuclear attack is simulated by the detonation of an artillery or nuclear blast simulator or by other appropriate means. STANDARDS: EVAL: Y: N: NE _ Upon recognizing the attack, all personnel take immediate action to shield themselves from blast and heat of detonation. Chain of command and communications are maintained or reestablished. Squadron resumes mission if possible. _ S-l initial and follow-up reports (as required) are rapidly submitted to higher headquarters by personnel designated or responsible for collecting the information. Reliable and complete reports are rapidly forwarded by secure means when possible. _ Casualties are given first aid and are evacuated to a medical treatment station as the mission permits; fatalities are evacuated to a graves registration collection point. Damage assessment is submitted by secure means to higher/supported headquarters per SOP. _ Continuous monitoring is initiated using available survey instruments. **EVALUATOR INSTRUCTIONS:** None. KEY INDICATORS: None. 3A.17.4 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK CONDITION(S): A surface or subsurface nuclear detonation has occurred. The squadron location is within the predicted fall-out zone. An M5A: radiological fall-out predictor, or substitute, is available. The unit gets effective downwind messages at least once every 3 hours. NSC-2 report is furnished to the unit about 15 mink Eyes after the detonation, or prepared by the unit; C-3 report is furnished about 45 minutes after detonation; NBC-S report and/or contamination overlay is provided about 4 hours after the detonation. hours after the detonation. STANDARDS: EVAL: Y: N: NE _ Squadron mission is performed concurrently with all other actions. .2 $_$ Supervisors are advised of estimated time of fall-out arrival and subordinate units are notified. .3 ____ Continuous monitoring is maintained using available survey instruments. Equipment, munitions,. POL, food, and water are protected from fallout. __ Personnel take protective measures to minimize fall-out effects as mission permits. _ NEC-4 reports are forwarded, as required, to higher headquarters

III-A-151

__ Unit total dose information is recorded and reported to higher

headquarter using available secure means.

by secure means.

.8	Exposure is minimized while the CO determines if relocation to a clean area is necessary or possible. Optimum time of exit is calculated.
.9	Personnel are able to handle and provide first-aid treatment to casualties in a nuclear environment.
.10	Casualties and fatalities are assessed,
	<u>INSTRUCTIONS</u> : Squadron commander is advised of estimated all-out arrival.
KEY INDIC	ATORS: None.
TASK: 3	A.17.5 PERFORM RADIOLOGICAL DECONTAMINATION
contamina radiation	(S): Fallout has ceased, and personnel and equipment are ted. The hazard to personnel does not allow time for the to decay to a minimum level. Time and tactical situation econtamination. Decontamination support is not available.
STANDARDS	: EVAL: Y: N: NE
.1	Decontamination priorities are established.
.2	Decontamination point is established.
.3	Decontamination personnel wear appropriate protective clothing and equipment.
. 4	Equipment, personnel, individual weapons, and electronic systems are decontaminated using appropriate decontamination kits.
.5	Unit equipment and vehicles are decontaminated using appropriate expedient devices.
.6	Contaminated areas are marked with NATO standard NBC markers.
.7	Adequacy of decontamination is determined using available personnel and equipment monitoring instruments.
.8	Contaminated materials are discarded according to tactical SOP, marked as contaminated, and location is provided to higher headquarters.
.9	Decontamination personnel are decontaminated, as necessary.
.10	Does not exceed OEG.
.11	Total dose information is recorded and reported to the MAGTF command element.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
	III-A-152
ENCLOSU	RE (1)

TASK: 3A.17.6 CROSS A RADIOLOGICAL CONTAMINATED AREA

CONDITION(S): Tactical situation forces a squadron to across a radiological contaminated area while moving to a new site. Unit receives an NBC-5 report or contamination overlay from the MAGTF command element.

STANDARDS	EVAL: Y: N: NE
.1	Temporary facilities are established to continue the mission while a new site is being setup.
.2	$\ensuremath{NBC-5}$ report and/or contamination overlay is posted to situation map and route determined.
.3	Route clearance and approval is obtained if necessary.
.4	Turn-back dose and dose rate are provided to advance party and/or reconnaissance team.
5	Vehicles receive additional shielding and personnel are provided all available protection from dust.
.6	Advance party and/or reconnaissance team is dispatched to reconnoiter new areas.
.7	Crosses suspected contaminated area while employing contamination avoidance techniques.
.8	OEG is not exceeded.
.9	After clearing the contaminated area, the degree of personnel and equipment contamination is determined using available personnel and equipment monitoring instruments.
.10	Decontamination priorities are established and performed, as required.
.11	Unit total dose information is recorded, using available total dose instruments and reported to higher headquarters.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	A.17.7 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
	(S): Unit receives a friendly NUCWARN per FMFM 11-8. TADC/TACC d within minimum safe distance (MSD) 2 to 3.
STANDARDS	: EVAL: Y: N: NE
.1	Personnel accurately and completely apply the NUCWARN to the situation map within 5 minutes after message receipt.
.2	Pertinent information regarding the planned detonation (time of burst, ground Zero, fall-out coverage. MSD, etc.) is available to the TAC.
.3	TAC is advised of the vulnerability of the unit to the burst (within MSD 1, 2. or 3) and residual contamination (within predicted fall-out Zone).
.4	TAC is advised of the measures needed to prevent casualties, damage, and extended interference with the mission.
.5	Squadron implements protective measures, as directed by higher headquarters, consistent with the mission.
.6	Personnel minimize exposure by rolling down sleeves, buttoning collars, and wearing additional clothing equal to a two layer uniform.

.7	Personnel take cover in foxholes, bunkers, armored vehicles, existing shelters (basements, culverts, caves, tunnels, etc.), or lie prone on open ground.
.8	Vehicles are placed behind masking terrain.
.9	Duplicate electronic devices are turned off; erected antennas are disassembled; antennas are tied down. Bare minimum radio equipment remains erected.
.10	All loose items (small weapons, tools, etc.) and highly flammable/explosive items (POL, propellants, missiles, etc.) are placed in armored vehicles or shelters.
.11	Squadron acknowledges the warning before the expected time of burst. All protective measures are implemented.
artillery blast has	<u>INSTRUCTIONS</u> : Evaluator simulates nuclear detonation with an or nuclear blast simulator or informs the unit that nuclear occurred. Evaluator assesses casualties and damage to ed personnel and equipment.
KEY INDICA	ATORS: None.
TASK: 37	A.17.B PREPARE FOR A CHEMICAL AGENT ATTACK
	(S): Squadron is informed that chemical weapons have been used eater of operations and that a chemical attack is imminent.
STANDARDS	EVAL: Y: N: NE
.1	Squadron has and uses a chemical defense SOP which addresses chemical defense/decontamination procedures.
.2	Squadron is directed to increase MOPP consistent with mission, temperature, work rate, and TAC guidance.
.3	Unit tasks that require a high degree of manual dexterity or physical strength, and are difficult to perform in MOPP 4 are identified. Alternate methods, such as rotating or assigning additional personnel, are planned.
.4	Marinas identify criteria for and demonstrate the capabilities for donning the protective mask and chemical protective ensemble.
.5	The buddy system is used to facilitate monitoring/treatment for chemical agent poisoning and emergency decontamination of team members.
.6	Squadron performs its mission while implementing all actions to minimize casualties and damage.
.7	Personnel are wearing the appropriate level MOPP equipment for the condition set.
.8	Portions of essential equipment, munitions, POL, food, and water supplies that cannot be placed in a shelter are covered with expendable or readily decontaminated tarps, shelter halves, or ponchos.
.9	Detector paper is affixed to visible, horizontal surfaces of protective clothing, and on equipment. munitions, etc.
.10	Squadron equipment is checked to ensure the Mll ii filled, individuals have completed M13 and M256 kits, and there is an available water source with a supporting road network.
.11	Potential decontamination sites are reported to higher headquarters.
.12	Available chemical agent alarms are setup and monitored.

.13	Protective NBC equipment and supplies are properly used and maintained in a high state of serviceability.
.14	Marines demonstrate a knowledge of chemical agent symptoms.
	<pre>INSTRUCTIONS:</pre>
KEY INDIC	ATORS: None.
TASK: 3.	A.17.9 RESPOND TO A CHEMICAL AGENT ATTACK
support t	(S): Squadron subjected to a chemical agent attack. Site should he type of activities being conducted and permit the safe use of s and devices.
STANDARDS	: EVAL: Y: N: NE
.1	Upon hearing a chemical alarm, personnel take immediate protective measures followed by treatment/decontamination of casualties. (KI)
.2	Personnel automatically mask upon notification of any enemy artillery, rocket, or air attack/overflight.
.3	Personnel automatically mask upon perceiving a suspicious odor, airborne droplets/mist, or smoke from unknown source.
.4	Marines do not unmask until authorized. (KI)
.5	Squadron is able to perform mission for at least 4 hours while in MOPP 4.
.6	Type of chemical agent is identified and reported using available detector kit.
	a. If Persistent Agent:
.7	Contamination is located and marked with NATO standard markers.
.8	Location and type of contamination is reported to the higher headquarters.
.9	CO determines if immediate relocation to a clean area is necessary or possible and advises MAGTF/MAG CO.
.10	Priorities are determined for decontamination. Decontamination support is requested if required.
.11	WIA's are wrapped, marked as contaminated, and evacuated as mission permits. Medical treatment facility is warned.
.12	KIA's are wrapped, marked as contaminated, and evacuated as mission permits. Graves registration collection point is warned.
	a. If Nonpersistent Agent:
.13	Unmasking procedures are followed. (KI)
.14	$\ensuremath{\mathtt{WIA's}}$ are evacuated to the medical treatment facility as mission permits.
.15	KIA's are evacuated to the graves registration collection point as mission permits.
.16	Detector units are serviced and returned to operation.
.17	Expended chemical defense items are replaced, as required.
	III-A-155

18	$\alpha \alpha$	24 ina+a	$M \cap DD$	101701	2 0	required.

.19 ____ Squadron is sole to handle and provide first-aid treatment to casualties in a chemical environment.

EVALUATOR INSTRUCTIONS: Selected personnel are presented decontamination training kits and first-aid treatment training devices to "treat designated casualties". Every attempt must be made to provide a realistic situation through devices, scenarios, or other aids believable, well-supported situation imposed by the trainer/evaluator.

KEY INDICATORS:

CHEMICAL CASUALTIES

Chemical casualties are described as:

- 1. Personnel without mask and hood within arms reach, without decontamination kits, or not wearing chemical protective clothing.
- Personnel not taking immediate corrective actions upon perceiving the attack; i.e., not masking within 9 seconds or making incorrect use of decontamination kits/first-aid treatment items.
- Marines who unmask or otherwise assume a lesser degree of MOPP without being authorized to do so.

UNMASKING PROCEDURES

- 1. When a detector kit is available, the following unmasking procedures will be adhered to:
 - a. After determining absence of agents two or three Marines unmask for 5 minutes.
 - b. Marines remask and are examined in a shady area for symptoms for $10\ \mathrm{minutes}$.
 - c. If no symptoms appear, remainder of unit may unmask.
- 2. when no detector kit is available, the following unmasking procedures will be adhered to:
 - a. Two or three Marines take a deep breath, hold it, break the seal on their masks, and keep their eyes open for 15 seconds.
 - b. Then they clear their masks, re-establish the seal and wait 10 minutes.
 - c. If no symptoms appear, the same Marines break the seal of their masks, take two or three deep breaths, clear and reseal their masks.
 - d. If after 10 minutes no symptoms have appeared, the same Marines unmask for 5 minutes and then remask.
 - e. If after 10 more minutes no symptoms have appeared, the rest of the unit may unmask.

TASK: 3A.17.10 PERFORM PARTIAL DECONTAMINATION

CONDITION(S): Personnel and equipment have been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is not available for complete decontamination. The hazard is such that partial decontamination is required. All personnel maintain a maximum MOPP level. Extent of decontamination is determined and decontamination priorities are established.

III-A-156

STANDARDS	EVAL: Y: N: NE
.1	Personnel decontaminate individual weapons and squadron equipment using appropriate decontamination kits.
.2	Extent of decontamination is determined and decontamination priorities are established
.3	Contaminated protective covers are removed. decontaminated. or discarded. $ \\$
.4	Decontamination procedures are appropriate to items being decontaminated (KI)
.5	Squadron equipment and vehicles are decontaminated using appropriate expedient devices.
.6	Squadron conducts hasty decontamination of its personnel, if necessary.
.7	Adequacy of decontamination is determined.
	1. If inadequate:
	a. Procedures are repeated.
	b. Decontamination support is requested or:
	c. Risk of using equipment is accepted.
.8	Contaminated materials are discarded according to tactical SOP, marked as contaminated, and location provided to the MAGTF command element.
.9	CD reduces MOPP level if required.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

DECONTAMINATION PROCEDURES

Initial decontamination of unit equipment, vehicles, and weapons may be accomplished by:

- a. Removing all gross liquid contamination with sticks or other improvised devices, which are buried after use.
- b. Utilizing Mll decontamination equipment filled with DS2 to spray areas frequently used or touched. (Water is used to simulate DS2 in a training environment.)

Contaminated items that may need special decontamination treatment are:

- a. POL, food, and water containers and munitions. These are washed with soapy water, rinsed, and thoroughly air dried.
- b. Communications equipment, vans, and other electronic equipment. Decontaminated with hot air, by weathering, or all metal parts are wiped with rags soaked with DS2. (Water is used for training purposes).
- c. Optical Instruments. Blotted with rags and then wiped with lens cleaning solution or organic solvent.

Adequacy of decontamination is determined using the chemical agent detector kit. If contamination is still present, decontaminate again.

III-A-157

TASK: 3A.17.11 COORDINATE FOR COMPLETE DECONTAMINATION OF EQUIPMENT

 $\underline{\text{CONDITION}(S)}$: Squadron equipment has been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is available for complete decontamination. Decontamination support from a decontamination unit is available upon request.

STANDARDS:	EVAL: Y: N: NE
	Coordination is made with the decontamination unit as to time of arrival, supplies, equipment, personnel support to be furnished by the contaminated unit, and estimated time of completion of decontamination.
	Squadron receives route clearance to Personnel Decontamination Station/Equipment Decontamination Station (PDS/EDS) assembly area. Advance party (personnel to augment decontamination operation and establish security) is dispatched to PDS/EDS.
.3 1	Main body arrives at PDS/EDS assembly area and organizes for processing.
.4	Decontamination begins as scheduled.
	Squadron personnel reorganize in a clean area upwind of residual effects for the resumption of their mission.
.6	CO adjusts MOPP level as required.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3A	. 17.12 EXCHANGE PROTECTIVE CLOTHING
	<u>S)</u> : The protective clothing is contaminated and a suitable ated area is available.
STANDARDS:	EVAL: Y: N: NE
.1	Individuals don new protective clothing.
	Contaminated clothing is removed without transfer of contamination.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3A	. 17.13 CONDUCT NBC AERIAL SURVEY

III-A-158

 $\underline{\text{CONDITION}(S)}$: Safety of aircraft and aircrew is the primary consideration in the conduct of aerial radiological and chemical surveys.

STANDARDS	EVAL: Y: N: NE
.1	Wears appropriate level MOPP gear for condition that is set.
.2	Monitor has internal communications with aircrew.
.3	Aircrew is familiar with course leg technique of radiological survey. (KI)
	Aircrew is familiar with point technique of radiological survey. (KI) $$
.5	Squadron monitor/survey and decontamination teams are ready upon completion of the flight to check for and remove contamination from aircraft.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

COURSE LEG TECHNIQUE

- Pilot locate. the starting checkpoint of a course leg to be flown and either locates the end checkpoint or determines the azimuth of the course leg.
- Pilot flies aircraft on the proper course to pa.. over the checkpoint on e straight path to the end checkpoint. When on course he alerts the monitor and gives the altitude above the ground.
- Pilot commands "Mark" when the aircraft is over the starting checkpoint end flies the course maintaining a constant altitude end speed above ground.
- 4. Pilot alerts the monitor when aircraft nears the end checkpoint. When the aircraft is over the end checkpoint, the pilot commands "Mark."

POINT TECHNIQUE

- When the situation permits, the aircraft Lands near the point of interest and the monitor dismounts and proceeds to the selected point and takes a meter reading or tests for the presence of chemical agents.
- 2. If the situation does not allow for a landing, an aerial radiological reading will he taken.

III-A-159

SECTION 3B

MARINE HEAVY HELICOPTER SQUADRON (HMH)

TABLE OF CONTENTS

INTRODUCTIONIII-B-1				
MPS 3B.1 - GENERAL KNOWLEDGE				
TASK 3B.1.1				
ADMINISTER AIRCRAFT AND EQUIPMENT RECOGNITION EXAM TASK 3B.1.4III-B-3 ADMINISTER RULES OF ENGAGEMENT EXAMINATION				
MPS 3B.2 - GENERAL SQUADRON PLANNING				
TASK 3B.2.1III-B-3 CONDUCT ADMINISTRATION PLANNING				
TASK 3B.2.2III-B-4 CONDUCT LOGISTICS PLANNING				
TASK 3B.2.3III-B-6 CONDUCT MAINTENANCE PLANNING				
TASK 3B.2.4III-B-8 CONDUCT OPERATIONS PLANNING TASK 3B.2.5III-B-10				
EXECUTE OPERATIONS DUTY OFFICER (ODO) TASKS TASK 3B.2.6III-B-10				
CONDUCT INTELLIGENCE PLANNING TASK 3B.2.7III-B-13				
CONDUCT INTELLIGENCE UPDATE 3RIEFING				
MPS 3B.3 - CONTINUING ACTION BY MARINES				
TASK 3B.3.1III-B-13 DEMONSTRATE INDIVIDUAL DISCIPLINE				
TASK 3B.3.2III-B-14 DEMONSTRATE PROPER DISPERSION OF PERSONNEL AND EQUIPMENT				
TASK 3B.3.3III-B-14 DEMONSTRATE PROPER USE OF COVER				
TASK 3B.3.4III-B-15 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT				
TASK 3B.3.5III-B-15 CONDUCT LOCAL SECURITY OPERATIONS				
TASK 3B.3.6III-B-16 DEMONSTRATE CORRECT RESPONSE TO ENEMY ELECTRONIC WARFARE (EW) CAPABILITY				
TASK 3B.3.7III-B-17 DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITIES				
TASK 3B.3.8III-B-18 DEMONSTRATE CORRECT TREATMENT OF ENEMY PRISONERS OF WAR				
TASK 3B.3.9III-B-19 DEMONSTRATE CORRECT TREATMENT OF CASUALTIES				
TASK 3B.3.10III-B-20 DEMONSTRATE MAINTENANCE PERFORMANCE				
TASK 3B.3.11III-B-21 DEMONSTRATE SAFETY AWARENESS				
TASK 3B.3.12III-B-22 DEMONSTRATE ELECTRONIC WARFARE (EW) PROCEDURES				
TASK 3B.3.13III-B-22 DEMONSTRATE SELF PROTECTION ELECTRONIC COUNTERMEASURES (ECM) CREW KNOWLEDGE				
TASK 3B.3.14III-B-23 DEMONSTRATE CREWCHIEF COORDINATION TROW 3B.3.15				
TASK 3B.3.15III-B-24 EXECUTE HELICOPTER ROPE SUSPENSION (HRS) OPERATIONS				
TASK 3B.3.16III-B-25 DEMONSTRATE CORRECT AND EFFECTIVE GUNNERY TECHNIQUES TASK 3B.3.17III-B-26				
DEMONSTRATE COMMUNICATIONS DISCIPLINE				

III-B-i

TASK 3B.3.18	CONDUCT PREDISASTER PLAN PREPARATION AND TRAINING			
MPS 3B.4 - AMPHIBIOUS	<u>OPERATIONS</u>			
TASK 3B.4.1	CONDUCT CONCEPT OF OPERATIONS PLANNING FOR AMPHIBIOUS OPERATIONS			
	CONDUCT EN ROUTE PLANNING FOR AMPHIBIOUS OPERATIONS			
	CONDUCT TERMINAL ASSAULT PLANNING FOR AMPHIBIOUS OPERATIONS			
TASK 3B.4.4	CONDUCT EXTRACTION PLANNING FOR AMPHIBIOUS OPERATIONS			
MPS 3B.5 - SUBSEQUENT	OPERATIONS ASHORE			
	CONDUCT CONCEPT OF OPERATIONS PLANNING FOR SUBSEQUENT OPERATIONS ASHORE			
	CONDUCT EN ROUTE PLANNING FOR SUBSEQUENT OPERATIONS ASHORE			
	CONDUCT TERMINAL ASSAULT PLANNING FOR SUBSEQUENT OPERATIONS ASHORE			
TASK 3B.5.4	CONDUCT EXTRACTION PLANNING FOR SUBSEQUENT OPERATIONS ASHORE			
MPS 3B.6 - HELICOPTERI	BORNE ASSAULT OPERATIONS			
TASK 3B.6.1				
	CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEFING			
	EXECUTE HELICOPTERBORNE ASSAULT MISSION			
TASK 3B.6.4	CONDUCT HELICOPTERBORNE ASSAULT MISSION DEBRIEFING			
MPS 3B.7 - RESUPPLY OPERATIONS				
TASK 3B.7.1				
TASK 3B.7.2	CONDUCT RESUPPLY MISSION BRIEFING			
	III-B-57 EXECUTE RESUPPLY MISSION			
TASK 3B.7.4	CONDUCT RESUPPLY MISSION DEBRIEFING			
MPS 3B.8 - NONCOMBATANT EVACUATION OPERATIONS (NEO)				
TASK 3B.8.1				
TASK 3B.8.2				
TASK 3B.8.4	CONDUCT NEO MISSION DEBRIEFING			
MPS 3B.9 - RAID OPERATIONS				
TASK 3B.9.1				
TASK 3B.9.2	CONDUCT RAID MISSION BRIEFING			
TASK 3B.9.3	EXECUTE RAID MISSION			
TASK 3B.9.4	EXECUTE RAID WITHDRAWAL			

III-b-ii

TASK 3B.9.5III- CONDUCT RAID MISSION DEBRIEFING	-B-77
MPS 3B.10- SECURITY/REINFORCEMENT OPERATIONS	
TASK 3B.10.1III- CONDUCT SECURITY/REINFORCEMENT MISSION PLANNING	-B-78
TASK 3B.10.2III- CONDUCT SECURITY/REINFORCEMENT MISSION BRIEFING	-B-82
TASK 3B.10.3III- EXECUTE SECURITY/REINFORCEMENT MISSION	
TASK 3B.10.4III- CONDUCT SECURITY/REINFORCEMENT MISSION DEBRIEFING	
MPS 3B.11- RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS	
TASK 3B.11.1III- CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION PLANNING	-B-92
TASK 3B.11.2III- CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION BRIEFING	
TASK 3B.11.3III- EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS	
TASK 3B.11.4III-B- EXECUTE EMERGENCY EXTRACTION	
TASK 3B.11.5III-B- EXECUTE ROPE SUSPENSION OPERATIONS	
TASK 3B.11.6III-B- CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION DEBRIEFING	·104
MPS 3B.12- SEARCH AND AIR RESCUE (SAN) OPERATIONS	
TASK 3B.12.1III-B- CONDUCT SAN PLANNING	-105
TASK 3B.12.2III-B- CONDUCT SAN BRIEF AND EXECUTE MISSION	-106
MPS 3B.13- MEDICAL EVACUATION (MEDEVAC) OPERATIONS	
TASK 3B.13.1III-B- CONDUCT MEDEVAC MISSION PLANNING AND BRIEFING	-108
TASK 3B.13.2III- EXECUTE EN ROUTE PROCEDURES TASK 3B.13.3III-B-	
EXECUTE APPROACH AND DEPARTURE PROCEDURES	100
MPS 3B.14- TACTICAL RECOVERY OF AIRCRAFT. EQUIPMENT. AND PERSONNEL (TROPERATIONS	<u>(AP)</u>
TASK 3B.14.1III-B- CONDUCT AVIATION PLANNING FOR TRAP	-110
TASK 3B.14.2III-B- CONDUCT TRAP NIGHT PLANNING	
TASK 3B.14.3III-B- EXECUTE TRAP MISSION	
TASK 3B.14.4III-B- EXECUTE SERE MISSION	·113
MPS 3B.15- FORWARD ARMING AND REFUELING POINT (FARP) OPERATIONS	
TASK 3B.15.1III-B-	-113
TASK 3B.15.2III-B-	-114
TASK 3B.15.3III-B-	-115
TASK 3B.15.4III-B-	-116
TASK 3B.15.5III-B-PLAN FARP LOGISTICS	·116

III-B-iii

TASK 3B.15.6III-B-117 BRIEF FARP MISSION
TASK 3B.15.7III-B-118 BRIEF NIGHT FARP OPERATIONS
TASK 3B.15.8III-B-118 EXECUTE FARP EN ROUTE PHASE
TASK 3B.15.9III-B-119 EXECUTE FARP AREA OPERATIONS
TASK 3B.15.10III-B-120 EXECUTE FARP NIGHT OPERATIONS
MPS 3B.16- NIGHT OPERATIONS
TASK 3B.16.1III-B-120 CONDUCT NIGHT MISSION PLANNING
TASK 3B.16.2III-B-123 CONDUCT NIGHT MISSION BRIEFING
TASK 3B.16.3III-B-124 EXECUTE NIGHT MISSION
MPS 3B.17- COLD-WEATHER OPERATIONS
TASK 3B.17.1III-B-126 CONDUCT COLD-WEATHER OPERATIONS PLANNING
TASK 3B.17.2III-B-127 EXECUTE MAINTENANCE TASK
TASK 3B.17.3III-B-128 EXECUTE COLD-WEATHER MISSIONS
MPS 3B.18 - DESERT OPERATIONS
TASK 3B.18.1III-B-129 CONSIDER DESERT OPERATIONS EFFECTS ON AIRCRAFT
MPS 3B.19- NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) OPERATIONS
TASK 3B.19.1III-B-130 PREPARE FOR NBC OPERATIONS
TASK 3B.19.2III-B-131 PREPARE FOR NUCLEAR ATTACK
TASK 3B.19.3III-B-131 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK
TASK 3B.19.4III-B-132 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK
TASK 3B.19.5III-B-133 PERFORM RADIOLOGICAL DECONTAMINATION
TASK 3B.19.6III-B-133 CROSS A RADIO LOGICALLY CONTAMINATED AREA
TASK 3B.19.7III-B-134 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
TASK 3B.19.8III-B-135 PREPARE FOR A CHEMICAL AGENT ATTACK
TASK 3B.19.9III-B-136 RESPOND TO A CHEMICAL AGENT ATTACK
TASK 3B.19.10III-B-137 PERFORM PARTIAL DECONTAMINATION
TASK 3B.19.11
TASK 3B.19.12III-B-139 EXCHANGE PROTECTIVE CLOTHING
TASK 3B.19.13III-B-139 CONDUCT NBC AERIAL SURVEY
TASK 3B.19.14III-B-140 SCORE THE NBC EXAM

III-B-iv

MARINE HEAVY HELICOPTER SQUADRON (HMH)

The mission of the HMH is to provide assault helicopter transport of heavy weapons. equipment, and supplies during amphibious operations and subsequent operations ashore. The enclosed standards cover the operational tasks that may be assigned to the unit in a combat environment. They are grouped to allow the unit to utilize any or all of the portions that are applicable to the specific scenario or exercise being evaluated. The MPS's, tasks, and standards are derived from Marine Corps doctrine, tactics, techniques, and field recommendations from Marine Corps commands.

It is recommended that commanders use MCCRES MPS's to establish training objectives and take every opportunity to informally evaluate their unite against these standards. The system provides the commander with a tool to formally or informally evaluate the combat readiness and training of his unit, to identify strengths and weaknesses, and to prioritize the unit's future training requirements.

One of the primary responsibilities of an 1111 squadron/detachment commander and his unit is to plan and execute support of the MAGTF commander's scheme of maneuver. Accordingly, it is recommended and preferred that evaluations he conducted and measured with regard to support of a Marine Air Ground Task Force (MAGTF). This approach maximizes training opportunities end creates a meaningful tactical orientation to facilitate learning and training feedback.

A squadron normally has pilots undergoing training in the Combat Reedy (CR), Combat Qualification (CQ), and Full Combat Qualified (FCQ) phases per the aviation Training and Readiness (T&R) Manuel. Accordingly, MCCRES evaluations should be tailored to include sorties from each of the three phases of training based on combat environment consistent with squadron training and safety requirements. Aircrew will not be evaluated on sorties they haven't previously completed without prior approval of the squadron commander or higher co-and elements.

As the MCCRES evaluation procedures are intended to provide feedback to the commander on unit trends, and highlight necessary future training goals, it is preferred that multiple sorties be scheduled in each flight phase so that as many different aircrew as possible can participate. Simply stated, one "special" aircrew flying a sortie does not give an adequate indication of the unit's training readiness.

It is understood that the number of MCCRES tasks that can he evaluated will be influenced by available training areas, environmental restrictions, units to be supported, external support, time available, and scenarios. MCCRES tasks for squadron assume that personnel and logistic support are sufficient to achieve minimum acceptable standards; however, it is acknowledged that sufficient people, supplies, and equipment are not always available. The standards are written so that those sections applicable to a particular exercise or training scenario can be selected for evaluation. The unit is not penalized if it cannot attempt all the standards. When external factors contribute to limiting the unit's combat readiness, it should be noted and recorded in the overall report.

III-B-1

3B.1 GENERAL KNOWLEDGE

TASK: 3B.1.1 ADMINISTER NATOPS IMMEDIATE ACTION EMERGENCIES EXAM

CONDITION(S): The examination will cover only immediate action emergencies; i.e., those denoted by an asterisk in the NATOPS manual. All available squadron aircrew will take the examination.

STANDARDS: EVAL: Y: N: NE

- .1 $_$ Squadron aircrew achieve 90 to 95 percent.
- .2 ____ Squadron aircrew achieve 96 to 100 percent.

<u>EVALUATOR INSTRUCTIONS</u>: The squadron must average 90 percent on this exam. Debrief the exam as soon as everyone is finished to reinforce correct responses and correct any wrong responses.

KEY INDICATORS: None.

TASK: 3B.1.2 ADMINISTER TACTICAL MANUAL EXAMINATION

 $\underline{\text{CONDITION}(S)}$: Questions for the tactical examination will be requested from higher command/MAWTS-1 by the senior evaluator. Local publications that address tactical operations may be used as a source for supplementary questions for the examination.

STANDARDS: EVAL: Y: N: NE

- .1 ____ All aircrew achieve 85 percent.
- 2 ____ All aircrew achieve 90 percent.
- 3 ____ All aircrew achieve 95 percent.
- .4 ____ All aircrew achieve 100 percent.

<u>EVALUATOR INSTRUCTIONS</u>: The squadron will be provided with a reasonable notice of what will be evaluated by the examination and a listing of appropriate references. Mark the score achieved and all standards below that score with a "yes."

KEY INDICATORS: None.

TASK: 3B.1.3 ADMINISTER AIRCRAFT AND EQUIPMENT RECOGNITION EXAM

CONDITION(S): The examination will include examples of the major ground, air, and naval weaponry and systems currently employed by western, Communist, and third world nations, as well as recognition of hospital ships. MEDEVAC aircraft, and other medical transports marked with the Red Cross and other distinctive emblems provided for in the Geneva Conventions. The examination should include such additional regional features as fin flashes, national ensigns, etc. All available squadron aircrews will take the examination. 5-2 will provide realistic views from an aircraft perspective.

III-B-2

STANDARDS: EVAL: Y: N: NE
.1 All aircrew achieve 85 percent.
.2 All aircrew achieve 90 percent.
.3 All aircrew achieve 95 percent.
.4 All aircrew achieve 100 percent.
<u>EVALUATOR INSTRUCTIONS</u> : None.
<u>KEY INDICATORS</u> : None.
TASK: 3B.1.4 ADMINISTER RULES OP ENGAGEMENT EXAMINATION
$\underline{\text{CONDITION}(S)}$: The examination will consist of actions required in relation to actual squadron contingencies to include classified briefing information, as appropriate.
STANDARDS: EVAL: Y: N: NE
.1 All aircrew achieve 85 percent on published standard ROE Exam.
.2 All aircrew achieve 90 percent.
.3 All aircrew achieve 95 percent.
.4 All aircrew achieve 100 percent.
<u>EVALUATOR INSTRUCTIONS</u> : The evaluator must provide the ROE as the contingencies dictate; i.e., JCS Peacetime Rule. of Engagement, Law of Land Warfare. and local ROE, both classified and unclassified.
<u>KEY INDICATORS</u> : None.
3B.2 GENERAL SQUADRON PLANNING
TASK: 3B.2.1 CONDUCT ADMINISTRATION PLANNING
$\underline{\text{CONDITION}(S)}$: The squadron is in receipt of an operations order requiring them to deploy and support tactical operations of a MAGTF. The S-1 commences planning and liaison with outside units, as directed.
STANDARDS: EVAL: Y: N: NE
.1 Uses published SOP's in planning and coordinating predeployment activities.
.2 Identifies any personnel shortages and requests augmentation.
.3 Submits orders request with sufficient lead-time.
.4 Screens personnel records for personnel deployability.
.5 Arranges for advance per diem, as necessary.
.6 Identifies advance party and rear det personnel.
III-B-3

.8	
	Revise by reporting procedures.
.9	Arranges provisions for payment of deployed personnel.
.10	Coordinates for the availability of a flight surgeon and corpsmen for the deployment.
.11	Arranges for endorsement of orders at all deployment sites, if required.
.12	Issues meal cards, as appropriate.
.13	Ensures comrats and BAS's are properly reflected on the unit diary.
.14	Makes the appropriate entries for accumulated deployed time and sea duty on unit diary.
.15	Arranges for COMM shift and message releasing authority at the deployed site.
.16	Prepares personnel affairs briefs for dependents.
.17	Plane special services requirements at deployed site.
.18	Arranges for PAO augmentation, if required.
.19	Arranges for hometown news releases, if desired.
TASK: 3	B.2.2 CONDUCT LOGISTICS PLANNING
it to dep	(S): The squadron is in receipt of an operations order requiring loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as
it to dep commences directed.	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as
it to dep commences directed.	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as
it to dep commences directed.	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences.
it to dep commences directed. STANDARDS .1	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences. Accomplishes planning per published SOP's and deployment
it to dep commences directed. STANDARDS .123	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences. Accomplishes planning per published SOP's and deployment checklists, to include attached units.
it to dep commences directed. STANDARDS .1234	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences. Accomplishes planning per published SOP's and deployment checklists, to include attached units. Coordinates SAAM requests with ACE/MALS 5-4.
it to dep commences directed. STANDARDS .12345	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences. Accomplishes planning per published SOP's and deployment checklists, to include attached units. Coordinates SAAM requests with ACE/MALS 5-4. Coordinates the load plan with ACE/MALS 5-4. Ensures that all certifying officials are available for the
it to dep commences directed. STANDARDS .123456	loy and support tactical operations of a MAGTF. The 5-4 planning and liaison internally and with outside units, as : EVAL: Y: N: NE Receives higher command guidance and attends all planning conferences. Accomplishes planning per published SOP's and deployment checklists, to include attached units. Coordinates SAAM requests with ACE/MALS 5-4. Coordinates the load plan with ACE/MALS 5-4. Ensures that all certifying officials are available for the transport of hazardous material, per MCO P4030.19.

.9	Plans for all squadron ground transportation requirements; i.e., to and from billeting and work spaces, messhall, ordnance areas, duty vehicles, refuel/defuel drivers, buses for PAX, and trucks for baggage/large cargo.
.10	Coordinates with the S-3 for the LOI outlining the timetable for embarkation including weight allowances and staging areas.
.11	Plans for squadron packup to be staged and weighed in advance, to include supply packup and GSE gear.
.12	Coordinates for working parties to assist in the loading and unloading of transports. and to accompany the transport aircraft, if required.
.13	Coordinates procedures with ACE/MALS IMA for acquiring and transporting aircraft parts not currently onhand to the deployed site.
.14	Coordinates with ACE/MALS supply for generators, tents, sleeping bags. cots, blankets, heaters, lights, and water trailers if barracks will not be used.
.15	Coordinates with ACE/MAG 5-4 for any special equipment C782 gear, NBC MOPP gear, cold-weather/desert equipment. T/O weapons) to be issued to individuals.
.16	Plans for head/shower/laundry facilities, if required, and submits requirements to the ACE/MAG 5-4.
.17	Establishes a Point Of Contact (POC) at the deployment site, if available.
.18	Coordinates location of office spaces and maintenance areas for all squadron departments.
.19	Plans billeting and submits requirements to ACE/MAG 5-4.
.20	Coordinates the availability of electrical power and pressurized air for maintenance spaces at the deployed site.
.21	Coordinates any food service requirements (messmen, cooks) and hours of operation at deployed site.
.22	Identifies or establishes medical/dental capabilities at the deployed site.
.23	Coordinates with the CEO for communications requirements to include telephones/intercoms/radios.
.24	Coordinates the amount and types of fuel required at the deployed site.
.25	Coordinates security requirements for billeting and working areas.
.26	Coordinates the ordering of ordnance and expendables with S-3.
.27	Coordinates for explosive device storage at the deployed site.
.28	Coordinates the disposal of hazardous waste at the deployed site.
.29	Ensures coordination with CSSD for personnel and equipment for the FARP. (See MPS 35.15.).
.30	Determines Classes I and III requirement.
.31	Ensures HST has required equipment for conducting operations, if necessary.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

III-B-5

KEY INDICATORS: None

TASK: 3B.2.3 CONDUCT MAINTENANCE PLANNING

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron is preparing to function as part of a MAGTF.} \\ \texttt{A variety of missions can be anticipated requiring sections, divisions.} \\ \texttt{and multiple division strength.} \quad \texttt{Liaison is being conducted with the IMA.} \\ \texttt{IMA.}$

STANDARDS	EVAL: Y: N: NE
.1	Identifies and coordinates any personnel shortages with the S-1 for forwarding to the MAG for assistance, as required.
.2	Identifies the advance and trail maintenance packup and the prepositioning of components (engines, struts. etc.) to MALS supply.
.3	Notifies 5-1 of advance and trail maintenance personnel for the coordination of paychecks, orders, health records, etc.
. 4	Plans advance and trail maintenance party. ensuring that appropriate licensed personnel are available (CDI's, high-power turn-up personnel. etc.) as well as any special equipment noted for embarkation, if movement to a new support base is required.
.5	Ensures that advance and trail maintenance designated supervisory personnel have message releasing authority.
.6	Ensures that clearance for maintenance personnel message pickup authority is delivered to the message center.
.7	Coordinates with S-1 for any request for wills, allotments, dependent powers of attorney, expiring I.D. cards, etc.
.8	Coordinates with the $S-3$ to determine the number of sorties anticipated and required, aircraft configurations, and best utilization of available assets.
.9	Informs CO and S-3 of any shortcomings of assets available to meet the operational requirements.
.10	Coordinates the ordnance requirements with S-3 in a timely manner to allow the request to be conveyed to MAG ordnance.
.11	Coordinates with the S-3 for a conference at the deployed site to include representatives from supply, base operations, ATC, IMA, ordnance, fuel farm, billeting, and security to ensure coordinated efforts for aircraft support.
.12	Reviews SOP's, lessons learned, etc.
.13	Uses squadron SOP in planning briefings on disaster preparedness.
.14	Screens aircraft logs to ensure that no aircraft inspections will interfere with the operational requirements; i.e., phase inspection, appropriate day inspection, changing of high-time components, etc.
.15	Identifies necessary test equipment and ground support equipment (engine stands, nitrogen carts, jacks, NC units, light units, SATS loaders, hydraulic jenny, etc.), for use at the deployed site and coordinates this with the 6-4.
.16	Coordinates with IMA to make ${\tt XRAY/NDI}$ equipment available, if necessary.
.17	Ensures the PEB's are stocked.
.18	Ensures that all calibrated equipment is up-to-date including gauges. torque wrenches, jacks, tire changing kits, and avionics equipment.
.19	Coordinates with IMA GSE for any predeployment licensing needed.
.20	Coordinates with IMA to make available high use items including brakes, tires, black boxes, and high-time items.

.21	Coordinates with the squadron 5-4 for necessary transportation to replenish aircraft parts and other supplies.
.22	Coordinates with the squadron 5-4 for transportation of maintenance personnel to and from billeting, work spaces, and dining facilities, if required.
.23	Coordinates with squadron 5-4 for any special personnel equipment requirements; field jackets, 782 gear, cold-weather gear, mosquito nets, etc.
.24	Coordinates disposal of hazardous waste with the 5-4.
.25	Coordinates with the 5-4 for required ordnance vehicles.
.26	Plans facilities for storage of explosive items, if required.
.27	Ensures key maintenance personnel (shop NCOIC's, QAR's) are available during predeployment workup, and if not, makes the appropriate adjustments to work schedules.
.28	Reviews the number of licensed personnel to ensure that appropriate personnel are available for each working crew including high power turnip, GSE personnel, tow qualified personnel, plane captains, ordnance drivers. and CDI's.
.29	Rehearses the reclamation teem and inventories equipment for serviceability, to include e radio for communication, lighting, foul-weather gear, water, and rations for several days.
.30	Coordinates with the $5-2$ and $5-3$ for security forces augmentation requirements.
.31	Plans for maintenance area security of any required classified material and coordinates with 5-2 and 5-4.
.32	Makes special arrangements for food services to accommodate unusual work schedules, if required.
.33	Coordinates the establishment of communications between ready room. and maintenance control including the monitoring of squadron base frequency.
.34	Ensures that maintenance intercom/radio system between working spaces is installed and working, if available.
	Ensures that maintenance control has access to key phone numbers and radio frequencies such as security, crash crew, fire department, fuel farm, supply, key maintenance personnel, enlisted billeting, G5E, etc.
.36	Ensures that all maintenance personnel are aware of the threat alert conditions, the methods used by the squadron to signal enemy attacks, and individual actions to take place.
.37	Ensures briefings are held to keep maintenance personnel abreast of the tactical situation.
.38	Plans for and identifies necessary equipment which should be available for use in an NBC environment.
.39	Identifies aircraft wash facilities.
.40	Determines hand tool requirements.
.41	Identifies and provides reports required.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

III-B-7

KEY INDICATORS: None.

TASK: 3B.2.4 CONDUCT OPERATIONS PLANNING

CONDITION(S): The squadron has received an initiating directive informing them of impending operations as part of a MAGTF. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. Day and night operations will be assigned, and will require integration with supported units as well as adjacent aviation elements.

STANDARDS	EVAL: Y: N: NE
.1	ACE/squadron commander's guidance and intent has been received.
.2	Ensures that squadron staff officers become thoroughly familiar with the operations plan and ensures delivery of warning order.
.3	Plans aircrew assignments to the level of the crews qualifications; i.e., CR, CQ, and FCQ.
. 4	Sufficient NVG qualified crews are available to man all primary aircraft account (PAA) aircraft.
.5	Sufficient TURF qualified crews are available to man all assigned aircraft per the PM.
.6	Sufficient ACM qualified crews are available to man all PM aircraft.
.7	Sufficient crewchiefs are available to man all PM aircraft.
.8	Sufficient aircrew are available to carry troops while on NVG missions.
.9	Coordinates the development of the EEI's with the S-2. (KI)
.10	Establishes early liaison with the MAGTF staff operations planners.
.11	Makes initial estimate of squadron capabilities as they pertain to the assigned $mission(s)$.
.12	Provides projected aircraft availability for the MAGTF commander/staff, based on the assigned mission.
.13	Develops planning figures for a surge effort.
.14	Establishes operational plans using unit SOP's and tactical manuals.
.15	Coordinates with adjacent staff members CS-4, Maintenance, Supply, Communications, etc.) to ensure the availability of squadron support assets; i.e., full systems aircraft, EW equipment, secure voice equipment, fuel, GSE, etc.
.16	Assigns liaison operations team to supported unit.
.17	Involves appropriate command and control agencies (DASC, TADC, ATC) in initial planning and briefings.
.18	Establishes briefing times and Location.
.19	Institutes EW procedures by SOP to include MIJI reports, IFF/SIF authentication, and EMCOM procedures.
.20	Coordinates the use of EW assets available per doctrine.
.21	Establishes supporting plan to accomplish the MAGTF commander's C3CM strategy. (KI) $$
.22	Establishes divert criteria caused by weather minimums.
.23	Aide in preparation of a deception plan that is believable, consistent with tactical doctrine, SOP, and threat analysis.
.24	Develops an emergency TRAP contingency plan which includes guidance as to the authority to destroy aircraft, if required.
.25	Uses SOP for procedures of enemy and friendly NBC strikes, reports required, equipment issued, promulgation of MOPP levels, and aerial radiological and chemical surveys.

.26	Coordinates aerial observer support.
.27	Develops post assault aviation employment plan to include staging of aircraft, resupply, and reinforcements.
.28	Provides guidance to aircrews on security and delivery of prisoners of war by aviation units.
.29	Formulates scatter plans.
.30	Plans for recommended locations of the FARP(s).
.31	Plans for MEDEVAC capability Cs contained in the SOP. (See MPS $38.14.$) (KI)
.32	Coordinates requirements with maintenance personnel for changes to airframe configurations required to support missions.
.33	Coordinates and provides input to the loading plan.
.34	If paradrops are planned, coordinates marking of LZ with LZ control team.
.35	Establishes command and control procedures for LZ's as contained in the SOP.
.36	Updates any changes to RTF procedures or routes.
.37	Plans standby crews, when necessary.
.38	Plans use of TERPS and/or TAMPS for mission planning.
.39	Plans Class V(A) requirement.

EVALUATOR INSTRUCTIONS: None.

RET INDICATORS:

INTELLIGENCE ESTIMATE

- 1. analysis of AOR: To include analysis of military geography, topography, hydrography, climate, and weather.
- 2. analysis of enemy capabilities: To include type and location of air defense weapons, capability to detect and react, capabilities of enemy aircraft, and enemy tactics.
- 3. Conclusions: Most likely enemy CA's and enemy vulnerabilities.

OVERALL DECEPTION PLANNING

- 1. Determines if enemy's capabilities warrant use of deception.
- 2. Determines if there is sufficient time to formulate, write, organize, and carry out the deception.
- 3. analyzes enemy perceptions of operational area.
- 4. Analyzes CA's available to the enemy.
- 5. Identifies logical opportunity to integrate deception plan with ground scheme of maneuver.
- 6. Plans for flexibility to counter any unexpected enemy reaction.
- 7. Coordinates with higher units and agencies that will participate or be affected by implementation of the plan.
- 8. Develops deception events that support the plan.

III-B-9

- 1. Threat analysis.
- 2. Protect C3:
 - a. Make use of secure communications.
 - b. Utilize alternate means of communications.
 - c. Exercise emission control.
- 3. Counter C3: Identify threat critical nodes.
- 4. Electronic warfare (EW):
 - a. Electronic support measures (ESM).
 - b. Electronic countermeasures (ECM).
 - c. Electronic counter-countermeasures (ECCM)
 - d. Physical destruction.

TASK: 3B.2.5 EXECUTE OPERATIONS DUTY OFFICER (ODD) TASKS

 ${\hbox{\tt CONDITION}(S)}\colon$ The operations/squadron duty officer is a key link to the effective control of employed squadron aircraft and as such should be evaluated through flight operations.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Is capable of providing information for assisting pilots during airborne emergencies, as required.
 .2 ____ Ensures the squadron common net is monitored during flight operations.
- .3 ____ Continually monitors the flight schedule.
- .4 ____ Establishes priorities for assignment of available aircraft.
- .5 ____ Monitors crewday and flight-time limitations.
- .6 ____ Ensures essential information is available to flightcrews and weight and balance forms are filled out. (KI)
- .7 ____ Keeps the TACC/higher command element informed of current flight operations.
- .8 $_$ Ensures availability and readiness of standby aircrew and aircraft.
- 9 ____ Knows, and executes, the necessary procedures for overdue aircraft per premishap plan.
- 10 ____ Duty officer reacts to 5 staged mishap per squadron SOP.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator should be familiar with squadron flight operations SOP.

III-B-10

KEY INDICATORS:

0D0 ESSENTIAL INFORMATION

The duty officer should ensure the following information is available and briefed to the flightcrews:

- 1. Current weather and forecast.
- 2. Deck spot or parking spot.
- 3. Divert fields/decks.
- 4. Frequencies/call signs.
- 5. NAVAIDS.
- 6. ID/status.
- 7. Nearest land, if deployed aboard ship.
- 8. Recovery time/schedule.
- 9. NOTAM's.
- 10. BRC/PIM.
- 11. Fire plans.
- 12. Updated tactical admin read and initial board.

TASK: 3B.2.6 CONDUCT INTELLIGENCE PLANNING

<u>CONDITION(S)</u>: The squadron is in receipt of an operations order requiring them to deploy and support the tactical operations of a MAGTF. The 5-2 commences planning and liaison immediately. It is imperative that intelligence planning/collection he completed in a timely manner SQ it will be useful to the aircrew during their later mission planning.

STANDARDS: Y: N: NE EVAL: __ Receives MAGTF commander's planning guidance and intent. Requests EEI's from the higher command element to include enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities, weather conditions in the AOR, prominent terrain in the AOR, and safe areas and divert fields. Prepares a preliminary aviation intelligence estimate to furnish the squadron commander with sufficient intelligence to formulate basic decisions and assist in issuing planning guidance to squadron personnel. __ Makes early distribution of the intelligence estimate to all staff officers to allow them to proceed with their planning functions. Determines, based on the assigned missions and the commander's guidance, additional EEI's and OIR's of the squadron. Phrases the additional EEI's for forwarding to higher command elements in simple, concise statements which include a positive directive, qualifying questions, and items inviting special attention. Recommends a priority of effort to the higher command element to satisfy the squadron's intelligence requirements based on the tactical situation and the mission(s) assigned.

III-B-11

.8	Determines squadron requirements for maps, charts, aerial imagery, photographs, and other graphic aids after inventorying onhand assets.
.9	Requests any necessary graphic aids not onhand.
.10	Disseminates all necessary information. graphic aids, and "smart packs" to aircrews as required, in time for mission planning.
.11	Plans and reviews procedures for requesting satellite intelligence information.
.12	Develops a collection plan to support the mission.
.13	Plans communications requirements for sending and receiving intelligence information.
.14	Coordinates with MAGTF G-2 and S-2 in the development of collection plan requirements including visual reconnaissance assignments to squadron aircrew.
.15	Participates in all briefings of aircrews and provides updated intelligence information prior to each launch.
.16	Plans and conducts an intelligence debrief for every aircrew that completes a mission.
.17	Records information gathered from aircrews systematically for ease of study and comparison, and forwards this information immediately to all appropriate command elements.
.18	Develops and maintains a complete EOB to include information on enemy missiles, aviation assets, EW capabilities, naval forces, ground forces, and coordinates dissemination means with the S-3.
.19	updates all staff members on newly acquired intelligence information as it becomes available.
.20	Provides routine intelligence reports to higher and adjacent elements as required in the operations order.
.21	Plane to submit reports ontime to higher commands.
.22	Plans for and requests TERPES/TAMPS date.
EVALUATOR enables 5 battle.	<u>INSTRUCTIONS</u> : Provides, as requested, information that -2 to accomplish assigned tasks and disseminate enemy order of

KEY INDICATORS:

INTELLIGENCE COLLECTION MANAGEMENT

The following items must be completed:

- 1. Prepare and maintain a squadron collection plan.
- 2. Coordinate the development and approval of squadron EEI's.
- 3. Submit requests for information (RI) to higher echelons, as required.

ELECTRONIC WARFARE (EW)

EW incorporated into EW mission planning should include:

- 1. Target significance.
- 2. Threat disposition to include early warning and GCI radars, AX, ${\sf SAM/AM},$ and EW capabilities.
- 3. Threat capabilities to include early warning and GCI radars, AZ. SAM/AM, and EW capabilities.
- 4. Mission ECM/ECCM capabilities.

III-B-12

- Application of threat information in determining route selections, target attack tactics, support requirements, and SEAD tactics planning.
- 6. Preparation of detailed intelligence maps and charts and plotting of radar horizons.
- 7. Appropriate light level calendar.

TASK: 3B.2.7 CONDUCT INTELLIGENCE UPDATE BRIEFING

CONDITION(S): The operations order has been issued and the squadron is assigned missions in tactical support of a MAGTF. All liaison has been performed and initial intelligence information has been disseminated. Mission commanders have been assigned and hold a brief prior to each mission where designated S-2 representatives will give an intelligence update.

STANDARDS: EVAL: Y: N: NE .1 ___ Updates briefing on detailed ground scheme of maneuver. forces end weapons involved, enemy concentrations, control points, ingress/egress routes, end the latest aerial imagery. .2 ___ Updates EEI's for visual reconnaissance by squadron aircrew. .3 ___ Updates any threat capabilities and changes to tactics or vulnerabilities. EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: None. 3B.3 CONTINUING ACTION BY MARINES TASK: 3B.3.1 DEMONSTRATE INDIVIDUAL DISCIPLINE CONDITION(S): The squadron is conducting tactical operations from a forward area. Enemy forces are in the area possessing weapons capable of direct and indirect fire, rotary-wing and fixed-wing aircraft, and EW

STANDARDS: EVAL: Y: N: NE

capabilities.

Unit discipline is demonstrated by individual members being in control of themselves and contributing to mission accomplishment.

Marines take care to safeguard end clean their weapons, both individual and crew-served. daily.

Vehicles, generators, etc., are given regular maintenance by the Marines assigned to operate them.

Marines employ fire control and fire discipline when engaged. Random waste of ammunition is not tolerated by unit leaders.

Marines do not waste or abuse unit supplies or material.

Supplies are safeguarded from the enemy and from the weather and are not scattered as litter on the terrain.

Marines operating radios do not expose themselves to radio direction finding (RDF) by unnecessarily wordy or repetitious message traffic. Standard prowords are used and communication

checks are limited. All personnel using radios adhere to required standards of performance regardless of grade.

III-B-13

.8	Leaders actively promote field sanitation and personal hygiene by policing the area and enforcing use of designated heads and good personal health habits.
.9	Unit leaders actively enforce rules of engagement and he law of war, individual Marines exercise appropriate discipline in this regard.
percent of	INSTRUCTIONS: Evaluators will use the 90 percent rule (90 the Marines 90 percent of the time) to determine whether ts are being met.
KEY INDICA	TORS: None.
TASK: 3B	.3.2 DEMONSTRATE PROPER DISPERSION OF PERSONNEL AND EQUIPMENT
a forward a	S): The squadron is conducting tactical flight operations from area with the enemy reported to be in the vicinity possessing indirect fire weapons, rotary-wing and fixed-wing aircraft, and ities.
STANDARDS:	EVAL: Y: N: NE
.1	Tentage, equipment, aircraft, vehicles, and radios are placed in such a manner as to reduce their vulnerability to bursting munitions.
.2	Firing positions for crew-served weapons generally are separated by a minimum of 30 to 35 meters.
.3	Disperses all vehicles and aircraft and takes advantage of terrain features to the maximum degree possible to seek cover and concealment, yet avoids positions that will cause difficulty in exiting.
Evaluator percent of	INSTRUCTIONS: This task is applicable throughout the exercise reaches a YES evaluation based on his observation that 90 the Marines in the unit participate throughout the exercise hality of performance defined by the requirements.
KEY INDICA	FORS: None.
TASK: 3B	.3.3 DEMONSTRATE PROPER USE OF COVER
a forward a	E): The squadron is conducting tactical flight operations from area with the enemy reported to be in the vicinity possessing indirect fire weapons, rotary-wing and fixed-wing aircraft, and ities.
STANDARDS:	EVAL: Y: N: NE
.1	Individual Marines, including vehicle drivers, demonstrate by tactical and personal example an understanding of use of covered routes and covered positions.
.2	Aircraft and vehicles do not remain in exposed locales but move immediately to the nearest cover. $$
.3	Equipment, tentage, radios, aircraft, and vehicle parking areas are sited to take advantage of cover provided by natural terrain. features.
.4	Individual and crew-served weapons firing position. are established in areas that permit use of natural cover while still allowing observation and adequate fields of fire.
.5	All individual Marines and crew-served weapons elements make use of available material to improve cover.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ This task is applicable throughout the exercise. Evaluator reaches a YES evaluation based on his observation that 90 percent of the Marines in the unit participate throughout the exercise with the quality of performance defined by the requirements.

KEY INDICATORS: None.

TASK: 3B.3.4 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT

 $\underline{\text{CONDITION}(S)}$: The squadron is conducting tactical flight operations from a forward site with the enemy reported to be in the area possessing direct and indirect fire weapons, rotary-wing and fixed-wing aircraft, and EW capabilities.

STANDARDS:	EVAL: Y: N: NE
	Ensures that the principles of camouflage siting, discipline. and construction are employed continuously throughout the operations.
	Uses natural materials and camouflage screen support systems to conceal positions, aircraft, and vehicles.
	Camouflages dl positions to prevent identification by enemy aircraft.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3B	3.3.5 CONDUCT LOCAL SECURITY OPERATIONS
vicinity t	<u>S)</u> : Enemy reconnaissance units have been sighted in close o squadron positions. These forces possess direct and indirect ry-wing and fixed-wins aircraft, and EW capabilities.
STANDARDS:	EVAL: Y: N: NE
	Briefs and inspects Marines assigned local forward security missions.
	Emplaces Marines and weapons in positions which control enemy avenues of approach, offer good observation, fields of fire, concealment, and cover.
	Employs local security measures which provide for early warning continual observation, and counter-reconnaissance screening to avoid the element of enemy surprise.
.4	Individual weapons are available and ready for use at all times
	Individual Marines are aware of signals for lifting or shifting fires.
.6	Individual weapon shooters provide immediate well-aimed volume of fire at the sectors of fire assigned to each weapon.
	Hand grenades are available and Marines are proficient in their use.
	Considers active and passive OPSEC measures to prevent surprise and to provide greater security.
	Positions elements to allow for their mutual support, emphasizing coordinated surveillance, exchange of information, coordinated fires, final protective fires. and patrolling.
.10	Organizes defensive positions to allow for all-round defense.

.11	Plans primary and supplementary position
.12	Maintains the dispersion of units and individuals throughout the operation to avoid excessive casualties.
.13	Makes maximum use of surveillance device. in order to detect enemy movement.
.14	Uses available time effectively in the planning and preparation of defensive positions.
.15	Disseminates combat information acquired by security element. throughout the unit and as required to higher command elements.
<u>EVALUATOR</u>	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	B.3.6 DEMONSTRATE CORRECT RESPONSE TO ENEMY ELECTRONIC WARFARE ILITY
CONDITION from a for	(S): The squadron is conducting tactical flight operations ward site while the enemy is known to have EW capability.
STANDARDS:	EVAL: Y: N: NE
.1	All radio nets specified as covered circuits in the communications plan are operated in the covered mode.
.2	CEOI instructions for daily changing of frequencies and call signs are observed.
.3	observes emission control (EMCON) procedures.
.4	Choose. communication sites that provide for terrain masking to minimize enemy probability of intercept.
.5	Marines require authentication when operating unsecure radio and wire nets.
.6	CEOI allocates alternate frequencies for critical radio nets.
.7	Marines operating radios recognize enemy jamming (as opposed to equipment malfunction.), do not reveal effectiveness of enemy jamming efforts, and continue to attempt to communicate.
.8	Proven or suspected enemy electronic activity is reported to the supported unit by a MIJI report via wire. messenger or other secure means in a timely manner.
.9	Relays communications by alternate mans "hen radio nets are effectively jammed.
.10	Marines operating radios and officers transmitting on those radios do not compromise unit locations, strength, or commit other "Beadwindow" security lapses.
.11	Expedient directional antennae are used to the maximum extent possible.
.12	Uncovered transmissions are accomplished in such a way as to discourage radio direction finding.
.13	Communications security material of all types is safeguarded.
.14	Low-priority and routine massages are sent by means other than radio communications.
.15	Brevity codes promulgated by the appropriate communications SOP are employed.

EVALUATOR INSTRUCTIONS: The task is applicable in all instance. in which the aggressor force described as the threat in the published scenario has an electronic warfare capability. Evaluator should determine in concert with the TEC the degree of application prior to start of the exercise.

KEY INDICATORS: None.

TASK: 3B.3.7 DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITIES

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron is conducting tactical flight operations.} \\ \text{The enemy, in addition to direct and indirect fire and EW capabilities,} \\ \text{has a fixed-wing and rotary-wing aircraft capability.} \\$

TANDARDS	EVAL: Y: N: NE
.1	Unit has established procedure. for both passive and active air defense.
.2	Air guards are designated. (KI)
.3	Unit has an alarm system to warn of air attack.
.4	Marines within the unit are aware of the meaning of the alarm.
.5	If given advance warning of approaching hostile aircraft, Marines react by dispersing per established passive measures and by taking appropriate active defensive actions when attacked.
.6	Unit machinegun teams engage enemy aircraft when under attack.
.7	Small unit leaders demonstrate ability to concentrate smell arms fire against attacking aircraft.
.8	Unit reports attack by enemy air to higher headquarters using a flash message.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

AIR GUARDS

Air guards within each subordinate element are designated to watch for the approach of hostile aircraft. These Marines are not specially trained beyond careful instruction by their immediate leader. They are able to:

- 1. State the nature of the threat; i.e., fixed-wing jet, fixed-wing prop, or rotary-wing.
- 2. Describe the signal established as the alarm for attack.
- 3. Identify friendly aircraft that are in support of the unit.

III-B-17

TASK: 3B.3.8 DEMONSTRATE CORRECT TREATMENT OF ENEMY PRISONERS OF WAR

 $\underline{\text{CONDITION}(S)}$: The squadron has taken prisoners of war (EPW's) and has designated a EPW collection point.

STANDARDS	EVAL: Y: N: NE
.1	The squadron has and uses SOP for processing EPW's.
.2	EPW's are searched immediately upon capture; weapons and items of potential intelligence value are tagged and evacuated at the same time as the EPW; personal items and protective clothing and equipment are returned to the EPW. (KI)
.3	Individual Marines handling EPW's segregate them by type (sex, grade, and combatant status). (KI) $$
.4	EPW's are allowed to retain personal protective equipment (e.g., helmet, gas mask, etc.). (KI)
.5	EPW's are required to remain silent and not permitted to converse among themselves. (KI)
.6	${\tt EPW's}$ are processed with speed to obtain maximum intelligence benefits. (KI)
.7	Marines handling EPW's ensure that they are safeguarded from abuse and from hazards of enemy fire. (KI)
.8	Perishable information obtained from EPW's is reported immediately to higher headquarters. (KI)
.9	Enemy casualties receive same medical care and MEDEVAC priority as unit casualties with any difference in treatment based solely on medical considerations. (KI)
.10	EPW's are escorted under guard to the designated collection point as soon as possible.
.11	EPW's and all recovered equipment/documents are transferred to

EVALUATOR INSTRUCTIONS: Evaluator ensures that EPW's are not mistreated.

higher command element as soon as possible.

KEY INDICATORS:

SEGREGATION

The segregation of EPW's requires that individual EPW's be identified as belonging to a particular category. While time and combat conditions may not permit the detailed interrogation of EPW's to make all such determinations, it should be possible to readily identify and separate EPW's into groups by sex and into subgroups such as enlisted, officer, civilians, and political figures. This keeps the leaders from promoting escape efforts, and will assist in maintaining discipline.

SEARCHING

EPW's should be disarmed and searched for concealed weapons, equipment, and documents of particular intelligence value immediately upon capture. unless the number of EPW's captured, enemy action, or other circumstances 'sake such a search impracticable. Until each EPW is searched, Marines must be particularly alert to prevent the use of concealed weapons or the destruction of documents or equipment.

SILENCE

Silence EPW's and do not let them talk to each other. Should a EPW be heard or observed doing anything unusual, note and report this information for interrogation purposes.

III-B-18

SAFEGUARD

The handling of EPW's will be per the 1949 Geneva Convention and they will be safeguarded at all times. While evacuating EPW's to the rear, do not let them bunch up, spread out too far, or start diversions. Before evacuating a EPW, attach a tag to him which reflects date/time of capture, place of capture, capturing unit, and circumstances of capture.

SPEED

Evacuate EPW's to the designated battalion/regimental collection point as scan as possible.

EOUIPMENT

Items of personal or individual equipment which are new or appear to be of a type not previously Been may be of intelligence value and should be processed via intelligence channels.

DOCUMENTS

A captured document is any piece of recorded information which has been in the hands of the enemy. When such documents are taken from a EN for safekeeping and delivery to intelligence personnel, care must be taken to secure that they can later be identified with the individual EPW from whom they were taken. Documents and records of a personal nature must be returned to the EN from whom they were taken. In no instance should the personal identity card of a EN be taken.

PERSONAL EFFECTS

EPW's should be permitted to retain protective equipment such as helmets, protective masks, and like items; effects and articles used for clothing or eating, except knives and forks; rations; identification cards or tags; and badges of grade and nationality. When items of equipment issued for personal protection are taken, they must be replaced with equivalent items serving the same purpose. Although money and other valuables may be taken from EPW's as a security measure, they must be receipted and a record must be maintained.

MEDICAL CARE

EPW's are entitled to the acme medical care as friendly casualties, to include MEDEVAC priority. Any difference in treatment must be based solely on medical considerations.

TASK: 3B.3.9 DEMONSTRATE CORRECT TREATMENT OF CASUALTIES

 $\underline{\text{CONDITION}(S)}$: The squadron is conducting tactical flight operations from a forward site and has taken casualties that require evacuation. The squadron has designated a medical collection point.

STANDARDS: EVAL: Y: N: NE

.1	Marines dealing with casualties prior to arrival of corpsmen demonstrate buddy aid knowledge in treatment of fractures, penetrating wounds, and sucking chest wounds.
.2	Marines tagged as lightly wounded apply self aid.
.3	Marines who must he evacuated are transported by man carry, litter, vehicle, or helicopter to the collection point or treatment site in a tactically sound and expeditious manner that still shows regard for the type of wound of the casualty.
.4	Casualty reporting begins immediately after a Marine is tagged. starting at the level of the junior leader and terminating at the unit headquarters.

EVALUATOR INSTRUCTIONS: Marines. including officers, who are tagged with incapacitating wounds drop when 'hit." Marines tagged as incapacitated do not move under their own cower, relying on other Marines to nova them.

KEY INDICATORS: None.

TASK: 3B.3.10 DEMONSTRATE MAINTENANCE PERFORMANCE

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}} : \quad \texttt{Aircraft} \ \ \texttt{availability, response reliability, and} \\ \text{maintenance effectiveness are evaluated throughout the scenario. Al closely as possible, combat operations and tempo shall be simulated, but must not interfere with current safety regulations and standards.}$

STANDARDS: EVAL: Y: N: NE
.1 Aircraft availability 50 to 59 percent or higher.
.2 Aircraft availability - 60 to 69 percent or higher.
.3 Aircraft availability - 70 to 79 percent or higher.
.4 Aircraft availability - 80 to 89 percent or higher.
.5 Aircraft availability - 90 to 100 percent.
.6 Response reliability - less than 70 percent. (KI)
.7 Response reliability - 70 to 79 percent or higher.
.8 Response reliability - 80 to 89 percent or higher.
.9 Response reliability - 90 to 100 percent.
.10 Maintenance effectiveness - less than 70 percent.
.11 Maintenance effectiveness - 70 to 79 percent or higher.
.12 Maintenance effectiveness - 80 to 89 percent or higher.
.13 Maintenance effectiveness - 90 to 100 percent.
.14 Seventy percent of tested Mode iv units were operational.
.15 Eighty percent of tested Mode Iv units were operational.
.16 Ninety percent of tested Mode iv units were operational.
.17 One hundred percent of tested Mode iv units worked successfully
.18 Seventy percent of tested secure voice units worked successfully
.19 Eighty percent of tested secure voice units worked successfully
.20 Ninety percent of tested secure voice units worked successfully
.21 One hundred percent of tested secure voice units worked successfully.
.22 Processing of discrepancies begins immediately following aircreve return to squadron/maintenance area.

EVALUATOR INSTRUCTIONS: Evaluator must comment in detail as to the reasons for the scores given, to include NRS, NMRS. "Onhand" aircraft are defined as assigned aircraft minus SDLM aircraft minus deployed aircraft. "Up" aircraft are defined as "mission capable" aircraft per OPNAVINST 4790.2E, VOL II. Aircraft availability is defined as "up" aircraft divided by "onhand" aircraft. Response reliability is defined as sorties scheduled minus combat aborts divided by sorties scheduled. Maintenance effectiveness is defined as sorties scheduled minus maintenance aborts divided by sorties scheduled.

KEY INDICATORS:

ABORTS

WEATHER ABORTS:

Scheduled missions which are launched and not completed due to weather conditions shall not be counted in the computations.

COMBAT ABORTS:

- 1. Scheduled missions which are not launched as scheduled due to the lack of aircraft or pilots. An aircraft shall also be considered a combat abort if it is "up" but launched too late to complete the assigned mission. Ho abort shall be assessed when a replacement aircraft is launched in place of a downed aircraft provided the replacement aircraft fulfills the required mission.
- 2. A launched mission that, because of mechanical malfunction or pilot error, was unable to complete the mission.
- 3. A mission launched unarmed or otherwise not configured for the assigned mission.

 ${\tt NOTE:}$ Authorized additions to the flight schedule after its publication are considered scheduled sorties.

TASK: 3B.3.11 DEMONSTRATE SAFETY AWARENESS

STANDARDS: EVAL: Y: N: NE

 $\underline{\text{CONDITION}(S)}$: Safety of aircraft and crews shall be a primary consideration throughout any evaluation. Therefore aviation and ground safety shall be evaluated continuously.

.1	Each crewmember veers required flight/survival clothing and equipment.
.2	Requires safety device. as the mission dictates.
.3	Maintenance practices conform with current safety regulations; i.e., Group, Wing.
.4	Seats and restraining devices are available and used by emplaned personnel.
.5	Secures vehicles and cargo properly prior to takeoff and until after landing.
.6	Sound suppressors and safety goggles are available and used.
.7	Crewmembers do not exceed crew day/flight time limitations without authorization.
.8	Unsafe practices are immediately corrected and/or are addressed

EVALUATOR INSTRUCTIONS: The evaluator shall use local
directives/SOP's.

in flight debriefings by flight leaders.

III-B-21

KEY INDICATORS: None.

STANDARDS: EVAL: Y: N: NE

TASK: 3B.3.12 DEMONSTRATE ELECTRONIC WARFARE (EW) PROCEDURES

 $\underline{\text{CONDITION}(S)}$: Aircrews apply EW mission planning requirements to exercise mission executions.

.1	Uses EW considerations and tactics affectively.
. 2	Conducts airfield departures, as briefed.
.3	Optimizes tactics, including route utilized, altitudes, and EW support for threat EW considerations.
. 4	Employs appropriate return-to-force (RTF) procedures.

- Demonstrates proper air command and control procedures within TAOR, including entry/exit points and corridors, IFF/SIF, and covered and coded communications.
- .6 ____ Gathers EW intelligence within limits of capability.
- .7 ____ Demonstrates proper tactical utilization of radar warning receiver.
- .8 ____ Demonstrates proper tactical utilization of expendable countermeasure equipment.
- .9 ____ Utilizes alternate communication nets (e.g., SF).

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ Fifty percent of squadron assets shall be tested. Indicate the following data:

- 1. Missions flown.
- 2. Mode IV checks attempted.
- 3. Mode XV checks successful.
- 4. Secure voice checks successful.
- 5. Whether KY-58's were used on tactical missions.

KEY INDICATORS: None.

TASK: 3B.3.13 DEMONSTRATE SELF PROTECTION ELECTRONIC COUNTERMEASURES (ECM) CREW KNOWLEDGE

 $\underline{\text{CONDITION(S)}}$: Aircrews demonstrate adequate knowledge of available countermeasures and compatible onboard EW equipment throughout the exercise.

STANDARDS: EVAL: Y: N: NE

.1	Aircrews	demoi	nstrate	prop	er	emplo	yment	and	capabilities	of
	onboard	radar	homing	and	waı	rning	(RHAW)	equ	uipment.(KI)	

2	 Aircrews	demonstrate	proper	employ	yment	end	capa	abilities	of	
	onboard	expendables;	e.q.,	chaff,	flare	s, a	ind '	jammers.	(KI)

. 3	 Aircrew	demonstrates	proper	employment	and	capabilities	οf
	passive	infrared (IR) jammeı	rs.			

III-B-22

.4	Demonstra	ate fami	liarity	with curre	ent recomme	nded de	efensive
	formation	ns/tacti	cs to in	clude muti	ually suppo	rtive a	alignment,
	spacing,	and ECM	support	aircraft	integratio	n.	

.5 ____ Exhibit familiarity with current rec0, mended defensive maneuvers for SAM, AAA, and airborne threats.

EVALUATOR INSTRUCTIONS: If available, around test equipment will be used to simulate ECM operation.

KEY INDICATORS:

RHAW AND MISSILE WARNING RECEIVERS

Operation: Cockpit switchology, preoperations checks, and display indications.

Capabilities: Threat correlations, threats covered, display ambiguities, threats not covered,

Employment Reactions to displays.

ONBOARD EXPENDABLES

Operation: Dispenser loading and program, cockpit switchology for manual and programmed expenditure.

Capabilities: General knowledge of chaff, decoy flare IR effectiveness, current jammer threat coverage.

 ${\tt Employment: Timing/interface with threat activity and aircraft maneuvers, use in high/low altitude profiles, etc.}$

TASK: 3B.3.14 DEMONSTRATE CREWCHIEF COORDINATION

 $\underline{\text{CONDITION}(S)}$: Crew coordination should be evaluated on as many missions as possible.

STANDARDS: EVAL: Y: N: NE

.1	Pilot briefs crewchief.
.2	Covers lookout sectors, as briefed.
.3	Communicates promptly, consistently, and accurately using appropriate terminology/signals.
.4	Monitors mechanical functioning of the aircraft.
.5	Keeps pilots advised of position of other aircraft in the flight.
.6	Provides obstacle clearance and landing zone information during hovering and landing operations.
.7	Ensures all passengers are seated, have seat belts on, and are wearing appropriate safety equipment.
.8	During external cargo/rope suspension/hoist operation uses standard terminology for positioning aircraft.
.9	During external cargo/rope/hoist operations advises pilot of load conditions.
10	Keeps the pilot informed of internal load and personnel progress during all open ramp operations either airborne or On the ground, as applicable.
11	Performs all safety and mechanical checks during refuel/transfer of fuel with range extension tanks installed.
	Uses correct hand and arm signals during taxiing or positioning of aircraft.

.13 ____ Crewchief passes on signals between the pilot, jumpmaster, and/or helicopter rope suspension training master.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3B.3.15 EXECUTE HELICOPTER ROPE SUSPENSION (HRS) OPERATIONS

<u>CONDITION(S)</u>: The squadron has been tasked to clandestinely insert infantry or reconnaissance teams into enemy territory. Aircraft exposure to enemy observation must be kept to a minimum. Therefore, some type of HRS operation will be necessary.

STANDARDS: EVAL: Y: N: NE

.1	Rope suspension (RS) master and aircrew conduct joint inspection of aircraft per currently approved directive. to ensure aircraft is ready for RS operations; i.e., sharp edges and points taped, lines and anchor points rigged, etc.
.2	RS master and aircrew conduct joint inspection of rope suspension system.
.3	Ensures proper communication devices are installed and operable. (KI)

- .4 ____ Aircrew and RS master brief entire mission face to face. (KI)
- .5 ____ Briefs emergency procedures. (KI)
- .6 $_$ Flight employs deception measures at IP (some helicopters depart for false LZ), if required, to mask final destination.
- 7 ____ Aircrew demonstrates expeditious establishment of critical factors; i.e., altitude, minimum lateral drift, etc.
- .8 ____ Expeditiously inserts teem into correct LZ.
- .9 ____ Does not depart LZ until rope(s) is clear of last man.
- .10 ____ Aircrew does not exceed permissible rate of turn and forward speed if trailing SPIE rig.

<u>EVALUATOR INSTRUCTIONS</u>: Aircrew coordination is paramount. In all situations, the helicopter aircraft commander (HAC) is ultimately responsible for the safety of the crew, passengers embarked, and the orderly conduct of the flight.

NET INDICATORS:

COMMUNICATIONS DEVICES

The following requirements shall be mandatory:

- 1. Internal Communications System (ICS) Communications. Positive ICS communication between all aircrew members and the RS master must be maintained throughout the evolution. Alternate signals must be agreed upon for use in emergency situations only.
- 2. Two Way Radio Communication. Positive two way radio communication with the aircrew and the supported ground unit must be maintained. An alternate, back up method of communication; i.e., hand and arm signals, smoke, etc., is permissible to continue operations only if it has been briefed by all parties concerned and the HAC and the RS master both agree that the evolution can be safely conducted.

III-B-24

MISSION BRIEF

A face to face mission brief for all aircrew and the RS master and his assistants (if present) participating in the rope suspension operation is mandatory. In addition to briefing the specifics of the mission to be performed, the safety of the entire evolution must be stressed to all participants.

EMERGENCY PROCEDURES

Emergency procedures must include but are not limited to the following:

- 1. Emergency jettisoning of the rope(s).
- 2. Personnel entangled in rope.

TASK: 3B.3. 16 DEMONSTRATE CORRECT AND EFFECTIVE GUNNERY TECHNIQUES

 $\underline{\text{CONDITION}(S)}$: The squadron has bean alerted to prepare aircraft for launch on an armed transport mission. All crew-served weapons and ammunition are prepared and ready for installation.

STANDA	DS: EVAL: Y; N; NE	
.1	_ Demonstrates the pr equipment.	oper donning of ballistic protective
.2 _	_ Demonstrates proper aircrew.	use of verbal/nonverbal communication wit
.3 _	Correctly mounts ap minutes each.	propriate crew-served weapons within 15
.4		crew-served weapon(s) in a safe and er within the appropriate parameters of the
.5	_ Achieves multiple h	its on appropriate targets.
.6	_ Understands and com employment procedur	uplies with commands for control of weapons es. (KI)
.7	_ Demonstrates proper malfunctions or sto	procedures in taking corrective action on oppages.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

WEAPONS CONTROL

Basic Co-ends Should Be:

- 1. Lock and load.
- 2. Open fire.
- 3. Cease fire.
- 4. Clear your weapons.
- 5. Countermeasures employed.

III-B-25

TASK: 3B.3.17 DEMONSTRATE COMMUNICATIONS DISCIPLINE

 $\underline{\text{CONDITION}(S)}\colon$ Communications discipline should be evaluated on is many missions as possible.

STA	NDARDS	EVAL: Y; N; NE
.1		Complies with EMCON procedures.
. 2		Radio communications are prompt and concise.
.3		Avoids unnecessary transmissions and testing of equipment. (KI)
. 4		Automated Communications Electronics Operation Instructions (ACEOI) are properly employed.
.5		Does not respond to fraudulent or imitative messages.
.6		Recognizes, counters properly, and reports MIJI activities.
.7		Makes appropriate "Beadwindow" calls.
.8		Makes maximum use of covered communication equipment.
.9		Briefs radio discipline and employs visual signals to the maximum extent possible.
.10		Employs visual signals wherever possible for ground-to-air communication.
.11		Executes chattermark procedures. as briefed.
.12		Correctly uses authentication procedures.
		INSTRUCTIONS: Appropriate agencies provide debrief with MIJI attempts.
<u>KEY</u>	INDIC	ATORS:
		voids unnecessary maintenance radio operation during EMCON onditions.
	2. C	onsiders radio operations for deception plan.
TAS	K: 3	B.3.18 CONDUCT PREDISASTER PLAN PREPARATION AND TRAINING
fli Onc ope	ghtlin e info	(S): During operations, a simulated disaster will occur on the e. An aircraft will be destroyed and casualties will result. rmed that the incident has taken place, the maintenance and s personnel will make appropriate cells and prepare the flash
STA	NDARDS	EVAL: Y; N; NE
.1		Uses a current disaster plan or SOP covering accidents on the flightline, in working spaces, and on the hangar deck.
. 2		Plans briefings for all personnel on flightline disaster; e.g., get personnel clear of aircraft, know where the firs bottles are and how to use them, towing adjacent aircraft away from accident site, where the phone numbers are to get in touch with fire department, medical department, base ODO, Squadron CO. XO, and MO.
.3		Random sampling of maintenance personnel indicates clear understanding of the plan and each work center's required actions.

III-B-26

.4 $_$ Proper firefighting, first aid equipment, and gas masks are onhand.

.5 $___$ Executes orderly and positive immediate action to cope with the incident/accident/disaster.

.6	Keeps damage injuries at a minimum Level.
.7	Leadership is demonstrated by ${\tt SNCO's/NCO's}$ in coping with the incident/accident/disaster.
.8	Prepares required messages concerning casualties and disaster occurrences within required timeframe.
general kn creates an spaces, or evaluator	INSTRUCTIONS: Evaluator reviews squadron's plan and ascertains nowledge of plan by random Sampling of personnel. Evaluator incident, accident, or disaster on the flightline, working hangar deck (fire, ordnance detonation, etc.). The senior will act as the "message center" for processing of OPREP-of Mass Casualty messages.
KEY INDICA	ATORS: None.
	3B.4 AMPHIBIOUS OPERATIONS
TASK: 31	3.4.1 CONDUCT CONCEPT OF OPERATIONS PLANNING FOR AMPHIBIOUS
support and be based as squadron be elements, time to conscible the scheduling However, simulate and the squadron the squadron to be based on the squadron to be squadron t	(S): The HMH is located afloat conducting flight operations to a amphibious operation. The potential exists for the squadron to ashore upon the establishment of the force beachhead. The has access to additional helicopter, fixed-wing, air control and MWSS support via the ACE. The squadron is given reasonable onduct necessary mission planning, coordination. and flight g with both the ACE and the supported ground combat elements. The mission scenario during the evaluation may be altered to real world contingencies requiring some reprioritization. The ages should be considered as complementary to the evaluation of the considered as complementary to the evaluation of the considered as complementary. The problem of the problem. Missions may include day and night evolutions.
STANDARDS	EVAL: Y; N; NE
.1	Reviews the commander's planning guidance and intent.
.2	Establishes early liaison with higher command elements to ensure aviation coordination and integration with the supported unit's requirements.
.3	Analyzes the mission to begin specific planning. (KI)
.4	Examines mission objectives in terms of precedence and METT-T. (KI)
.5	Determines if there are particular $mission(s)$ which need special equipment and/or training that must be accomplished prior to attempting that $mission$ and if so, makes higher command elements aware of these requirements.
.6	Provides input for the aviation estimate of supportability to higher command elements. (KI)
.7	Identifies squadron shore basing or FARP requirements, if any.
.8	Considers serial refueling/rapid ground refueling requirements.
.9	Forwards additional aviation support requirements (aircraft. ordnance. fuel, special equipment, personnel. etc.) to higher command elements.
.10	Determines capability to continue subsequent operations.
.11	Time permitting, plans/schedules a rehearsal of as many supporting units as possible that address the scheme of maneuver and timing.
.12	Begins preparation of the HAT.
.13	Presents the squadron concept of operations to higher command elements for approval.

<u>EVALUATOR INSTRUCTIONS</u>: The focus of this task is on the squadron as it fulfills its basic responsibilities to the supported unit and execution of proper planning procedures. This task is evaluated through all phases of the exercise. The evaluator should note that some of the requirements are one-time actions and some are repetitive actions that will occur as the tactical Situation dictates. Availability of assets may dictate that some support will be constructive.

KEY INDICATORS:

MISSION TASKS

A mission may be general or specific in nature or have an implied mission that must be accomplished in conjunction with the stated mission. The helicopter planners must discuss these aspects of the mission with the supported unit commander(s). At this time, the teak, to be accomplished should begin to emerge as being either preplanned or immediate, the two categories of assault helicopter missions. A, these categories begin to unfold, both the helicopter planner and the supported unit commander will develop a conceptual reference within which to identify parameters for the precedence of missions during the operations.

AVIATION ESTIMATE OF SUPPORTABILITY

The following areas discussed in FMFM 5-3 should be addressed:

- 1. Enemy situation and capabilities.
- 2. Requirements for aviation support.
- 3. Topography.
- 4. Weather: Regarding the target area, routes to and from the target, probable weather at recovery or home base upon return, and the effect of the weather upon the enemy's capability.
- 5. observation and surveillance.

EVAL: Y: N: NE

- 6. Communications.
- 7. Logistics.

STANDARDS:

- 8. Hydrographic conditions.
- 9. Specific commitments.

TASK: 3B.4.2 CONDUCT EN ROUTE PLANNING FOR AMPHIBIOUS OPERATIONS

 $\underline{\text{CONDITION}(S)}$: Continuous and concurrent planning must be demonstrated with all applicable agencies during this planning evolution.

.1 ____ Plans the smallest maneuver element capable of accomplishing the mission.

2	Plans formations that ensure controllability during marginal
	weather condition.; e.g., execution of inadvertent IFR
	procedures.

3	Coordinates	and	integrates	control	points	with	control	agencies
	for use thro	ougho	out the oper	ration.				

. 4	Incorporates	time,	distance,	altitude,	and	airspeed	factors	in
	route select:	ions.						

5	Submits	approach/retirement	lanes/routes	to	the	MAGTF	for
	approval	L.					

6	Establishes	EMCON	and	alternate	communications	plan
---	-------------	-------	-----	-----------	----------------	------

.7	Develops codewords to identify completion of critical mission phases and informs control agencies of these codewords.
.8	Provides input to the timing and integration of fire support plans to include delivery of prep fires, request for SEAD, and primary and alternate mean. of actuating fire control procedures.
.9	Provides assistance to the supported unit commander in his preparation of the helo wave and serial assignment table.
.10	Completes the preparation of the HAT and the helicopter landing diagram and ensures subsequent distribution.
.11	Coordinates with airborne control agencies for the entire operation.
.12	If feasible, ensures aviation and supported unit commanders are in the same aircraft during critical mission phases.
.13	Ensures procedures are established for safe flight separation during approach or retirement and deconfliction with ground units during the utilization of supporting arms (NGF, artillery, CAS).
	INSTRUCTIONS: Evaluator ensures that SPINS are distributed port agencies.
KEY INDICA	TORS: None.
TASK: 3 OPERATIONS	B.4.3 CONDUCT TERMINAL ASSAULT PLANNING FOR AMPHIBIOUS
assault du	S): The squadron has been tasked to support a helicopterborne ring amphibious operations. Appropriate provisions should be coordination with ATF agencies to accomplish shipboard planning.
STANDARDS:	EVAL: Y: N: NE
	EVAL: Y: N: NE Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI)
.1	Recommends primary and alternate LZ's, attack positions, and
.1	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI)
.1	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP
.1	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for
.1234	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval. Begins coordination and preparation of the helicopter landing
.1 .2 .3 .4	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval. Begins coordination and preparation of the helicopter landing diagram for subsequent submission to the MAGTF commander. Selects in conjunction with the MAGTF clearly identifiable
.1 .2 .3 .4 .5 .6	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval. Begins coordination and preparation of the helicopter landing diagram for subsequent submission to the MAGTF commander. Selects in conjunction with the MAGTF clearly identifiable landing sites and points in the LZ. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of
.1 .2 .3 .4 .5 .6 .7	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval. Begins coordination and preparation of the helicopter landing diagram for subsequent submission to the MAGTF commander. Selects in conjunction with the MAGTF clearly identifiable landing sites and points in the LZ. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aids. Ensures that the authority *and procedures to change LZ's and/or approach/retirement lanes/routes are clearly
.1 .2 .3 .4 .5 .6 .7	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) Recommends control points on the basis of METT-T. (KI) Recommends approach/retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound. Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval. Begins coordination and preparation of the helicopter landing diagram for subsequent submission to the MAGTF commander. Selects in conjunction with the MAGTF clearly identifiable landing sites and points in the LZ. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aids. Ensures that the authority *and procedures to change LZ's and/or approach/retirement lanes/routes are clearly understood. Coordinates tactical formations with the flight coordinator for

.12	Determines requirements and submits requests for additional support.
.13	Recommends priority of targets for zone prep with regard to ROE.
.14	Coordinates timing and integration of air, NGF. and other supporting arms to ensure SEAD and responsive fire support throughout the terminal phase.
.15	Coordinates and integrates command and control from IP inbound.
EVALUATOR :	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

Planning factors must include:

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

typical control points that must be established include:

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

TASK: 3B.4.4 CONDUCT EXTRACTION PLANNING FOR AMPHIBIOUS OPERATIONS

 $\underline{\text{CONDITION(S)}}$: Close coordination with the supported unit commander and air and fire support agencies is required. The plan should clearly reflect the fact that this operation may be conducted against serious opposition by enemy air and ground forces.

III-B-30

STANDARDS	EVAL: Y; N; NE
.1	Ensures that the extraction plan is as detailed and complete as the helicopterborne assault plan.
.2	Coordinates Lift requirements with the around element and maximizes use of available assets.
.3	Uses METT-T factors in development of the extraction plan.
.4	Collects all known intelligence on the enemy situation to include air defense threat, gun and troop positions, and enemy capabilities.
.5	Bases selection of LZ's and alternates on loading plan, terrain, and METT-T.
.6	Coordinates input for fire support plan,
.7	Coordinates CIFS and escort requirements to include immediate request procedures and onsite coordination and communication methods.
.8	Develops a flexible and responsive load plan with the ground commander.
EVALUATOR	R INSTRUCTIONS: Hone.
NET INDIC	<u>CATORS</u> : None.
33.5 SUBS	SEQUENT OPERATIONS ASHORE
TASK: 3	BB.5.1 CONDUCT CONCEPT OF OPERATIONS PLANNING FOR SUBSEQUENT
additionary via the Amission pand the sevaluation some representations.	mment of the force beachhead. The squadron has access to all helicopter. fixed-wins, air control elements, and MWSS support ACE. The squadron is given reasonable time to conduct necessary planning, coordination, and flight scheduling with both the ACE supported unit. However, the mission scenario during the on may be altered to simulate real world contingencies requiring rioritization. These changes should be considered as attary to the evaluation of the squadron's response to operational as by negating the effects of a "canned" problem. The mission and day and night evolutions.
STANDARDS	S: EVAL: Y: N: NE
	Reviews the commander's planning guidance and intent.
	Establishes early liaison with higher headquarters to ensure aviation coordination and integration with the supported unit's requirements.
.3	analyzes the mission to begin specific planning. (KI)
.4	Examines mission objectives in terms of precedence and METT-T. $(\ensuremath{\text{KI}})$
.5	Determines if there are particular mission(s) which need special equipment and/or training that must be accomplished prior to attempting that mission, and if so, makes higher headquarters aware of these requirements.
.6	Provides input for the aviation estimate of supportability to the higher headquarters. (KI)
.7	Identifies squadron shorebasing or FARP requirements, if any.
.8	Considers aerial refueling/rapid ground refueling requirements.
.9	Forwards additional aviation support requirements (aircraft, ordnance, fuel, special equipment, personnel, etc.) to higher command.

.10	Determines capability to continue subsequent operations
.11	Time permitting, plans/schedules a rehearsal of as many supporting units as possible that address the scheme of maneuver and timing.
.12	Begins preparation of the BAT.
* 13	Presents the squadron concept of operations to higher headquarters for approval.

EVALUATOR INSTRUCTIONS: The focus of this task is on the squadron as it fulfills its basic responsibilities to the supported unit and execution of proper planning procedures. This task is evaluated through all phases of the exercise. The evaluator should note that some of the requirements are one-time actions and some are repetitive actions that will occur as the tactical situation dictates. Availability of assets may dictate that some support may be constructive.

KEY INDICATORS:

MISSION TASKS

A mission maybe general or specific in nature or have an implied mission that must be accomplished in conjunction with the stated mission. The helicopter planners must discuss these aspects of the mission with the supported unit commanders. At this time, the tasks to be accomplished should begin to emerge as being either preplanned or immediate, the two categories of assault helicopter missions. As these categories begin to crystallize, both the helicopter planner and the supported unit commander will develop a conceptual reference within which to identify parameters for the precedence of missions during the operations.

AVIATION ESTIMATE OF SUPPORTABILITY

The following areas discussed in FMFM 5-3 should be addressed:

- 1. End situation and capabilities.
- 2. Requirements for aviation support.
- 3. Topography.
- 4. Weather.
- 5. Observation and surveillance.
- 6. Communications.
- 7. Logistics.
- 8. Hydrographic conditions.
- 9. Specific commitments.

TASK: 3B.5.2 CONDUCT EN ROUTE PLANNING FOR SUBSEQUENT OPERATIONS ASHORE

 $\underline{\text{CONDITION(S)}}$: Continuous and concurrent planning must be demonstrated with all applicable agencies during this planning evolution.

III-B-32

STANDARDS	EVAL: Y: N: NE	
.1	Employs the smallest maneuver element capable of accomplishing the mission.	
.2	Plans formations that ensure controllability during marginal weather conditions; e.g. execution of inadvertent IFR procedures.	
.3	Coordinates and integrates control points with control agencies throughout the operation.	
.4	Incorporates time, distance, altitude, and airspeed factors in route selections.	
.5	Submits approach/retirement lanes/routes to the MAGTF commander for approval. $\label{eq:magtrice} % \begin{array}{c} (x,y) & (x,$	
.6	Establishes emission control and alternate communications plan.	
.7	Develop codewords to identify completion of critical mission phases and informs control agencies of theme codeword.	
.8	Provides input to the timing and integration of fire support plans to include delivery of prep fire., request for SEAD, and primary and alternate mean: of actuating fire control procedure.	
.9	Provides assistance to the supported unit commander in his preparation of the helo wave and aerial assignment table.	
.10	Complete: the preparation of the EAT and the helicopter landing diagram and ensures subsequent distribution.	
.11	Coordinates with airborne control agencies for the entire operation.	
.12	If feasible, ensures aviation and supported unit commanders are in the same aircraft during critical mission phases.	
.13	Ensures procedures are established for safe flight separation during approach or retirement and deconfliction with ground units during the utilization of supporting arms (NGF, artillery, CAS, CIFS).	
<pre>EVALUATOR INSTRUCTIONS:</pre>		
<u>KEY INDICATORS</u> : None.		
TASK: 3B.5.3 CONDUCT TERMINAL ASSAULT PLANNING FOR SUBSEQUENT OPERATIONS ASHORE		
assault du should be	(S): The squadron has been tasked to support a helicopterborne uring subsequent operations ashore. Appropriate provisions made for coordination with ATF agencies to accomplish shipboard as necessary.	
STANDARDS	EVAL: Y: N: NE	
.1	Recommends primary and alternate LZ's, attack positions, and holding areas on the basis of METT-T. (KI) $$	
.2	Recommends control points on the basis of METT-T. (KI)	
.3	Recommends approach and retirement lanes/routes on the basis of threat analysis, terrain, and commander guidance from the IP inbound.	
.4	Coordinates and integrates command and control from IF inbound.	
.5	Coordinates primary and alternate approach/retirement lanes/routes and submits them to the MAGTF commander for approval.	

.6	Begins coordination and preparation of the helicopter landing diagram for subsequent submission to the MAGTF commander.
.7	Selects in conjunction with the supported unit clearly identifiable landing cite. and paints in the LE.
.8	Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aide.
.9	Ensures that the authority and procedures to change LZ's and/or approach/retirement lanes/routes are clearly understood.
.10	Coordinates tactical formations with the flight coordinator for approach and retirement from the LZ. $$
.11	Ensures procedures are established for safe flight separation during approach and retirement with regard to established fire support coordination measure
.12	Coordinates mutual support of weapons systems in the LE.
.13	Determines requirements for and submits requests for additional support.
.14	Recommends priority of targets for zone prep with regard to ROE.
.15	Coordinates timing and integration of air, NGF, and other supporting arms to ensure SEAD and responsive fire support throughout the terminal phase.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

III-B-34

TASK: 3B.5.4 CONDUCT EXTRACTION PLANNING FOR SUBSEQUENT OPERATIONS ASHORE

 $\underline{\text{CONDITION}(S)}$: Close coordination with the supported unit commander, air and fire support agencies is required. The plan should clearly reflect the fact that this operation may be conducted against serious opposition by enemy air and ground forces.

STANDARDS:	EVAL: Y: N: NE	
.1	Ensures that the extraction plan is as detailed and complete as the helicopterborne assault plan.	
.2	Coordinates lift requirements with the ground element and maximizes use of available assets.	
.3	Uses METT-T factors in development of the extraction plan.	
.4	Collects all known intelligence on the enemy situation to include air defense threat, gun and troop positions, and enemy capabilities.	
.5	Selection of LZ's and alternates based on terrain, loading plan, and .	
.6	Coordinates input for fire support plan.	
.7	Coordinates CIFS and escort requirements to include immediate request procedures and onsite coordination and communication methods.	
.8	Develops a flexible and responsive load plan with the ground commander.	
<u>EVALUATOR INSTRUCTIONS</u> : None.		
<u>KEY INDICATORS</u> : None.		

3B.6 HELICOPTERBORNE ASSAULT OPERATIONS

TASK: 3B.6.1 CONDUCT HELICOPTERBORNE ASSAULT MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct a helicopterborne assault mission(s) in support of a MAGTF. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged) the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixedwing, air control elements, and MSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE .1 ____ Establishes early liaison with the supported commander. .2 ____ Issues warning order to squadron staff planners to prepare for imminent missions. .3 ____ Analyzes mission tasking to determine specific tasks, stated end implied. .4 ____ Provides aviation supportability estimates to supported commander. .5 ____ Requests combat information end EEI's in concert with METT-T. .6 ____ Establishes a time schedule delineating completion times for all phases of planning. .7 ____ Provides helicopter availability table CHAT information to the supported commander.

.8	 Develops aviation support requirements (ordinance, fuel, special equipment, personnel, etc.).
.9	 Provides air support requirements to the MAGTF.
.10	 The commander provides guidance. throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.11	 Plans and/or requests reconnaissance information of the area of operations.
.12	 Reconciles any aviation shortfalls with the supported commander.
.13	 Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.14	 Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).
.15	 Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS: 38.15 Forward Arming and Refueling Point Operations).
.16	 Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics during ingress/egress, as well as in the objective area.
.17	 Plans/coordinates primary and alternate LZ's. (KI)
.18	 Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.19	 Recommends priority of targets for prep fires.
.20	 Plans and coordinates control points. (KI)
.21	 Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	 Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	 Coordinates communications needs (electronic and visual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.24	 Plans shipboard refueling/rearming cycles, if necessary.
.25	 Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.26	 Ensures knowledge of forward arming and refueling point (FARP) procedures if required by mission assignment.
.27	 Plans in conjunction with the supported element a viable deception plan, if required.
.28	 Coordinates the development of "smart packs" (kneeboard handovers).
.29	 Establishes plans for both operational and weather go/no go criteria.
.30	 Establishes a bump plan.
.31	 Establishes a scatter plan.
.32	 Coordinates and integrates command and control procedures.
.33	 Schedules rehearsal for evaluating the plan, if time allows.
.34	 Schedules mission briefings for all flightcrews and necessary personnel.
.35	 Assists the supported commander in the preparation of the heloteam wave and serial assignment table (HWSAT).
.36	 Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.

.37	Coordinates contingency plans for rapid withdrawal or extraction.
.38	Plans and coordinates return to force procedures (RTF).
.39	Utilizes light level planning calendar for night missions and understands limitations. (KI) $$
.40	Considers NYC's and establishes priorities for issue and testing, if required.
.41	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.42	Submits plans to the MAGTF for approval.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break up point.

NIGHT LIMITS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvouses, approaches, and landings at night.

III-B-37

- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. 10 loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to.
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4. No slings requirements.
- 5. No cargo net requirements.
- 6. 10 airspeed/maneuverability restrictions.
- 7. Permits ND.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

III-B-38

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish million.
- 3. Possible cargo loss due to:
 - a. Equipment failure,
 - b. Improper rigging.
 - c. Pilot technique.

TASK: 3B.6.2 CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2	All participating aircrews are present.
.3	Allows questions to ensure safety of flight information is understood by all.
.4	Systematically prioriti2es tasks.
.5	Allocates time to ensure all tasks assigned are completed prior to mission briefing. $$
.6	Assigns planning responsibilities to appropriate flight billets
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs the general situation in the AOA.
10	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery.
11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)(See TASK 3B.2.7 Conduct Intelligence Update Briefing.)

III-B-39

.12	5-2 briefs local populace reaction capabilities.
.13	Briefer uses appropriate maps, charts, and aerial photographs, as required.
.14	Briefs encryption procedures, both internal and external to the flight. $ \\$
.15	Briefs SERE procedures. (KI)
.16	Briefs EW considerations. (KI)
.17	Briefs weather, to include go/no go criteria. (KI)
.18	Ensures that all appropriate personnel have handouts.
.19	Briefs mission go/no go criteria; i.e. aircraft, personnel. and other mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a timeline, to include L-/H-hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs inadvertent IMC/loss of visual contact.
.28	Briefs fuel requirements. (KI)
.29	Briefs ROE/window conditions.
.30	Briefs NVG operational considerations.
.31	Briefs launch conditions. (KI)
.32	Briefs ingress procedures. (KI)
.33	Briefs LE procedures. (KI)
.34	Briefs caress procedures. (KI)
.35	Briefs downed aircraft procedures for overwater and overland.
.36	Briefs TRAP procedures. (See MPS 3B.14 TRAP OPERATIONS.)
.37	Briefs concurrent operations.
.38	Briefs FARP procedures. (See MPS 3B.15 FARP OPERATIONS.)
.39	Briefs deception plan.
.40	Briefs special considerations.
.41	Briefs all safety matters.
.42	Briefs timehack.
.43	Briefs location/time of debriefs.
.44	Briefs goggle/degoggling procedures.
.45	Briefs controlling agencies.

III-B-40

FRIENDLY FORCES 1. Infantry, to include scheme of maneuver. 2. Artillery. 3. Air support. 4. Naval gunfire (NGF). 5. Fire support coordination measures. ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	EVALUAT provide detaile	Briefs ground signals. OR INSTRUCTIONS: Brief uses NWP 55-9; ASH Manual. Flight leaders navigation cards, maps, aircraft configurations and gross weights, defined figures, checkpoints, IP's, and TOS calculations when do by the evaluator.
1. Infantry, to include scheme of maneuver. 2. Artillery. 3. Air support. 4. Naval gunfire (NGF). 5. Fire support coordination measures. ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	KEY IND	DICATORS:
2. Artillery. 3. Air support. 4. Naval gunfire (NGF). 5. Fire support coordination measures. ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.		FRIENDLY FORCES
3. Air support. 4. Naval gunfire (NGF). 5. Fire support coordination measures. ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	1.	Infantry, to include scheme of maneuver.
4. Naval gunfire (NGF). 5. Fire support coordination measures. ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	2.	Artillery.
ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	3.	Air support.
ENEMY FORCES 1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	4.	Naval gunfire (NGF).
1. Operations area. 2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	5.	Fire support coordination measures.
2. Ability to reinforce. 3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.		ENEMY FORCES
3. Infantry, MA. SAN, and air threat locations known. 4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	1.	Operations area.
4. Expected movement. 5. EEI's. SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	2.	Ability to reinforce.
SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation.	3.	Infantry, MA. SAN, and air threat locations known.
SERE 1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	4.	Expected movement.
1. ISOPREP cards. 2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	5.	EEI's.
2. Passwords. 3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41		SERE
3. Barter kits/blood chits. 4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	1.	ISOPREP cards.
4. Safe area. 5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	2.	Passwords.
5. Designated area for rescue. EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	3.	Barter kits/blood chits.
EW 1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	4.	Safe area.
1. EMCON condition. 2. Deception/meaconing. 3. MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	5.	Designated area for rescue.
 Deception/meaconing. MIJI reporting. WEATHER Astronomical data. RF Propagation. III-B-41		<u>EW</u>
 MIJI reporting. WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41 	1.	EMCON condition.
WEATHER 1. Astronomical data. 2. RF Propagation. III-B-41	2.	Deception/meaconing.
1. Astronomical data. 2. RF Propagation. III-B-41	3.	MIJI reporting.
2. RF Propagation. III-B-41		WEATHER
III-B-41	1.	Astronomical data.
	2.	RF Propagation.
FINAL COURT (1)		III-B-41
ENCLOSURE (1)		ENCLOSURE (1)

.46 ____ Briefs EMCON procedures.

.47 ____ Briefs DRIADS.

- 3. Current weather.
- 4. Forecast weather.

HANDOUTS

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wine.
- 2. Helicopter, including go/no go criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location. cell sign, and frequency should be briefed far the following:

- 1. Overall mission commander.
- 2. Air mission commander/Alternate.
- 3 HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations. call signs. and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phaselines. IP's, etc.
- 3. Primary end alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

III-B-42

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitudes.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing disarm.

III-B-43

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's. RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of Last enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3B.6.3 EXECUTE HELICOPTERBORNE ASSAULT MISSION

 $\underline{\text{CONDITION}(S)}$: After completing mission planning and briefing execute assigned mission, given the required assets from the MAGTF commander while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the S-2.

STANDARDS: EVAL: Y: N: NE

.1 _	 All aircrew are qualified and are current for assigned mission.
.2 _	 Aircraft are configured to conduct preplanned missions.
.3 _	 Conducts preflight activities within prescribed timeframe.
.4 _	 Conducts a last minute liaison with supported unit for any changes.
.5 _	 Conducts start-up ontime with systems checks ontime ready for launch.
.6 _	 Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
.7 _	 Conducts launch activities (execute bump plan, if required), as briefed.
.8 _	 Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9 _	 Confirms go/no 80 exist before continuing with mission.
.10 _	 Execute COMM procedures/plans. as briefed.

III-B-44

.11	Formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent IMC/loss of visual contact.
.15	Exercises COMM discipline during mission.
.16	Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination (i.e., look-out doctrine). (KI)
.20	Flight navigat55 and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Remains constantly aware of aircraft systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	Changes to route are made by proper authority.
.25	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Performs penetration checklist at the appropriate time/place.
.28	Reports to controlling agency progress of mission, as required
to	update weather, enemy situation, and go/no go criteria.
.29	Flight receives clearance at the IP to proceed to the LZ and ensures $go/no\ go\ criteria\ exists.$ (KI)
.30	Executes deception plan.
.31	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.32	Employs proper approach techniques to LZ.
.33	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.34	Allows escort to be in position in time for prep fires.
.35	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.36	Ensures change to LZ is done by proper authority.
.37	Contacts controlling agency upon reaching/departing LZ' a.
.38	Ensures minimum time in zone.
	Flights arrive in LZ ontime.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.

III-B-45

.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
45	Flights land at correct LZ.
.46	Within 1,000 meters of LZ.
.47	Within 400 meters of LZ.
.48	Within 200 meters of LZ.
.49	Within 100 meters of LZ.
.50	Executes waveoffs, as briefed.
.51	If carrying external load, drops load in spot as directed by ${\tt HST/LZ}$ control team.
.52	During paraops, flies correct altitude, airspeed, and heading providing information to crewchief/jumpmaster.
.53	Executes proper departure techniques to reduce exposure to threat.
.54	Executes downed aircraft procedures, as briefed.
.55	Executes RTF procedures.
.56	Executes FARP procedures.
.57	Continues contact with controlling agency concerning flight status.
.58	Executes EW procedures.
.59	Performs recovery procedures.
.60	Executes post landing deployment of helicopters.
.61	Performs postflight of aircraft.
	<u>INSTRUCTIONS</u> : Evaluator shall be familiar with Assault elicopter Tactical Manual.

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the control., remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.

III-B-46

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LE.
- 4. Marking of the LE.
- 5. Other matters of special interest.

TASK: 3B.6.4 CONDUCT HELICOPTERBORNE ASSAULT MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The mission has been completed and a debrief is held with emphasis on lessons learned for future use. All participants shall be present.

.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP $55-9$.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	S-2 collects all classified/sensitive materials.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.

EVALUATOR INSTRUCTIONS: None.

III-B-47

- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

33.7 RESUPPLY OPERATIONS

TASK: 33.7.1 CONDUCT RESUPPLY MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct resupply operations as part of a MAGTF. All liaison has been performed, end initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged). the squadron should perform as many standards as required. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS:	EVAL: Y: N: NE
.1	Establishes early liaison with the supported commander.
.2	Issues warning order to squadron staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Provides aviation supportability estimates to MAGTF commander.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (HAT) information to the supported commander.
.8	5-2 initiates planning to provide environmental data.
.9	Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).
.10	Provides air support requirements to MAGTF.
.11	Plans and/or requests reconnaissance information of the ADA.
.12	Reconciles any aviation shortfalls with the MAGTF commander.
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, firs support, or EW support.
.14	Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).
.15	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 33.15: Forward Arming and Refueling Point Operations.)

.16	Integrates available fire support capability (i.e., NGF, CAS. CIFS, artillery), with planned aviation tactics during ingress/egress, as well as in the objective area.
.17	plans/coordinates primary and alternate LZ's. (KI)
.18	Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.19	Recommends priority of targets for prep fires.
.20	Plans and coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.24	Coordinates mutual support of weapons systems in the terminal objective area.
.25	Coordinates communications needs (electronic and visual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.26	Coordinates shipboard refueling/rearming cycles, if necessary.
.27	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.28	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required by mission assignment.
.29	Plans in conjunction with the supported unit a viable deception plan, if required.
.30	Coordinates the development of "smart packs" (kneeboard handouts).
.31	handouts). Plans smallest maneuver element for tactical controllability in
.31	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go
.31	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria.
.31	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan.
.31 .32 .33 .34 .35	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan.
.31 .32 .33 .34 .35 .36	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures.
.31 .32 .33 .34 .35 .36	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel.
.31 .32 .33 .34 .35 .36 .37	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel. Assists the supported unit commander in the preparation of the
.31 .32 .33 .34 .35 .36 .37 .38	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel. Assists the supported unit commander in the preparation of the heloteam wave and serial assignment table (HWSAT). Considers low altitude air defense (LAAD) assets to support
.31323334353637383940	handouts). Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel. Assists the supported unit commander in the preparation of the heloteam wave and serial assignment table (HWSAT). Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence. Coordinates contingency plans for rapid withdrawal or
.3132333435363738394041	Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel. Assists the supported unit commander in the preparation of the heloteam wave and serial assignment table (HWSAT). Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence. Coordinates contingency plans for rapid withdrawal or extraction. Plans and coordinates return to force procedures (RTF) with the
.3132333435363738404142	Plans smallest maneuver element for tactical controllability in and flf, both day and night. Establishes plans for both operational and weather go/no go criteria. Establishes a bump plan. Establishes a scatter plan. Coordinates and integrates command and control procedures. Schedules rehearsal for evaluating the plan, if time allows. Schedules mission briefings for all flightcrews and necessary personnel. Assists the supported unit commander in the preparation of the heloteam wave and serial assignment table (HWSAT). Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence. Coordinates contingency plans for rapid withdrawal or extraction. Plans and coordinates return to force procedures (RTF) with the supported unit. Utilizes light level planning calendar for night missions and

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manual., NATOPS instruction., and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain end proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach end retirement routes.
- 7. Ease of identification.
- 8. Size end number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

RIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvouses, approaches, end landings at night.
- $\ensuremath{\mathsf{6}}\xspace.$ Slower end more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

1. Rapid and efficient.

III-B-50

- 2. Reduced threat exposure time
- 3. No loading/unloading delay

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4 Ho slings requirements.
- 5. NO cargo net requirements.
- 6. Ho airspeed/maneuverability restrictions.
- 7. Permits HOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smeller than external loads.
- 5. Excludes out size cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. Ho offloading delays.
- 5. Reduced threat exposure time.

III-B-51

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3B.7.2 CONDUCT RESUPPLY MISSION BRIEFING

STAND	ARDS	EVAL: Y: N: NE
.1 _		Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2 _		All participating aircrews are present.
.3 _		Allows questions to ensure tactical/safety of flight information is understood by all.
.4 _		Systematically prioritizes teaks.
.5 _		Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.6 _		Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.7 _		Maximizes use of tactical SOP's.
.8 _		Uses kneeboard cards and tactical checklists to consolidate information.
.9 _		Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.10 _		Ensures the mission statement is understood by all participants.
.11 _		Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration.
.12 _		Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.13 _		Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
.14 _		Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
.15 _		Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.16 _		Briefs radio/KY-58 communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controllers.

.17	Briefs alternate target(s) or mission(s).
.18	Briefs friendly location of air defense assets and any changing ${\tt MEZ/FEZ}$ requirements.
.19	Briefs any known changes to TACP control procedures or communications requirements.
.20	Briefs all mission assets.
.21	Briefs availability of oncall electronic warfare (EW), obscuring smoke, or illumination missions.
.22	S-2 briefs local populace reaction capabilities.
.23	Briefer uses appropriate maps, charts. and aerial photographs, as required.
.24	Briefs encryption procedures, both internal and external to the flight.
.25	Briefs SERE procedures. (KI)
.26	Briefs EW considerations, (KI)
.27	Briefs weather, to include go/no go criteria. (KI)
.28	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.29	Briefs mission go/no 80 criteria; i.e., aircraft. personnel and other mission essential equipment.
.30	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.31	Briefs actions required if attacked by SAM/AAA and corresponding RWR gear operation/displays.
.32	Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats.
.33	Briefs mission precedence.
.34	Briefs a timeline, both into and out of the AOA.
.35	Briefs call signs/event numbers.
.36	Briefs shipboard operating procedures. if necessary.
.37	Briefs chain of responsibilities. (KI)
.38	Briefs inadvertent IMC/loss of visual contact.
.39	Briefs fuel/ordnance requirements. (KI)
.40	Briefs NVG operational considerations.
.41	Briefs launch conditions. (KI)
.42	Briefs ingress procedures. (KI)
.43	Briefs LZ procedures/considerations. (KI)
.44	Briefs egress procedures. (KI)
.45	Briefs downed aircraft procedures for overwater and overland.
.46	Briefs TRAP procedures.
.47	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.48	Briefs TARP procedures.
.49	Briefs deception plan.

III-B-53

.50	Briefs	timehack.
.51	Briefs	location/time of debriefs.
.52	Briefs	controlling agencies.
.53	Briefs	EMCON procedures.
.54	Briefs	DRIADS.
.55	Briefs	flightdeck ground signals.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measure:.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM, SAM, and air threat locations known.
- 5. Expected movement.
- 6. Essential elements of information.

SUE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

III-B-54

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. propagation.
- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs. and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.
- 7. Timeline.
- 8. Aerial refueling.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.

III-B-55

- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds end altitudes.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Lending direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Lending diagram.
- 8. Retraction plan (retrograde. withdrawal, emergency extraction).

EGRESS

1. Primary end alternate routes.

III-B-56

- 2. Control measure. (CF's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost communication, chattermark, codewords, end RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3B.7.3 EXECUTE RESUPPLY MISSION

CONDITION(S): The squadron is in receipt of a warning order to execute resupply mission(s) in support of the MAGTF. All liaison, planning. and briefing have been performed. Unit S()P's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged). the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE

.1	Ensures all aircrew are qualified end are current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed timeframe.
.4	Conducts a final liaison with supported unit for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Ensures all personnel/equipment are properly secured prior to launch. (Safety equipment for personnel is included).
.7	Conducts launch activities (execute bump plan, if required), as briefed.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	Confirms go/no go exists before continuing with mission.

III-B-57

	Executes communications procedures/plans, as briefed.
.11	Ensures formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	<pre>_ Employs appropriate flight tactics/profile to minimize enemy detection. (KI)</pre>
.13	_ Employs smallest maneuver element capable of accomplishing mission.
.14	_ Executes procedure. properly upon inadvertent IMC entry/loss of visual contact.
.15	_ Exercises communications discipline during mission.
.16	_ Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measure. to adequately control the flight.
.18	_ Employs proper tactical response to any pop-up immediate threat.
.19	Demonstrates aircrew coordination; e.g., look-out doctrine. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	_ Applies proper course corrections, if needed, in a timely manner.
.22	Remains constantly aware of aircraft systems and performance.
.23	_ Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	_ changes to route are made by proper authority.
.25	Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Executes deception plan, if appropriate.
. 28	
	_ Allows escort to be in position in time for prep fires.
	_ Allows escort to be in position in time for prep fires Performs penetration checklist at the appropriate time/place.
	_ Performs penetration checklist at the appropriate time/place.
.29	Performs penetration checklist at the appropriate time/place.Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria.
.29 .30	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ
.29 .30	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority.
.30	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the
.30	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ.
.29303132333435	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and
.2930313233343536	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches. Performs landing as briefed, in sequence, and in proper position
.2930313233343536	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches. Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures. Contacts controlling agency upon reaching/departing LZ's.
.29303132333435363738	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches. Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures. Contacts controlling agency upon reaching/departing LZ's.
.2930313233343536373839	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches. Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures. Contacts controlling agency upon reaching/departing LZ's. Ensures minimum time in zone.
.29	Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) Ensures any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the helicopter will land. Employs proper approach techniques to LZ. Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches. Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures. Contacts controlling agency upon reaching/departing LZ's. Ensures minimum time in zone. Flights arrive in LZ ontime.

.43	Within 2 minutes of planned time.
.44	Within 1 mink Eye of planned time.
.45	Flights land at correct LZ.
.46	Within 500 meters of LZ.
.47	Within 200 meters of LZ.
.48	Within 100 meters of LZ.
.49	Within 50 meters of LZ.
.50	Executes waveoffs, as briefed.
.51	If carrying external load, drops load in spot as directed by HST/LZ control team.
.52	During paraops, flies correct altitude. airspeed, and heading while providing information to crewchief/jumpmaster.
.53	Lands in correct extraction site LZ.
.54	Flights arrive at the extraction LZ on time.
.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.
.59	Within 1 minute of planned time.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures, as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly, if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.
.66	Executes post landing dispersion of helicopters, cc required.
.67	Performs postflight of aircraft.
Ε.Υ.Δ.Ι.ΙΔ.Υ.Θ	INSTRUCTIONS: Evaluator shall be familiar with Assault

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The squadron shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is ontime, all subordinate standards will be marked "Yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

III-B-59

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and report5 terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- 5. Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/ limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 33.7.4 CONDUCT RESUPPLY MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The resupply mission(s) is complete and a debriefing. with emphasis on lessons learned for future use. is conducted.

STANDARDS	S: EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55 9 .
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps. serial photos, sketches. or other training aide when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.

III-B-60

.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's. contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	S-2 collects all classified/sensitive materials.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS:
	DEBRIEFING ASPECTS
1. C	hanges from original brief.
2. C	ommand and control.
3. C	ommunications.
4. S	upport/escort.
5. C	oordination.
6. N	avigation.
7. S	afety.
8. T	actics used/effectiveness.
9. R	ecommendations.
10. Sh	ipboard operating procedures.
	31.8 NONCOMBATANT EVACUATION OPERATIONS (NEO)
TASK: 3	B.8.1 CONDUCT NEO MISSION PLANNING
NEE) miss initial p unit SOP' ashore, e higher au squadron may be ut	(S): The squadron is in receipt of a warning order to conduct ion(s) as part of a MAGTF. All Liaison has been performed, and lanning has begun. An operations order has been developed' and s are available. The mission can be conducted while shipboard or ither day or night. Given a mission scenario as developed by thority (realistic contingency scenarios are encouraged), the should perform as many standards as required. Additional assets ilized if available to include other helicopters, fixed-wing, air lements, and MWSS support to enhance battlefield realism.
STANDARDS	: EVAL: T: N: NE
.1	Establishes early liaison with the NEO commander.
.2	Issues warning order to squadron staff planners to prepare for imminent missions,
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Provides aviation supportability estimates to MAGTF commander.

III-B-61

.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (HAT) information to the supported commander.
.8	S-2 initiates planning to provide environmental data.
.9	Develops aviation support requirements (ordnance, fuel. special equipment, personnel, etc.).
.10	Provides air support requirements to the MAGTF commander.
.11	Plans and/or rousts reconnaissance information of the area of operations.
.12	Reconciles any aviation shortfalls with the MAGTF commander.
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.14	Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).
.15	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 31.15: Forward Arming and Refueling Point Operations.)
.16	Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics, during ingress/egress, as well as in the objective area.
.17	Plans/coordinates primary and alternate LZ's. (KI)
.18	Plans/coordinates ingress/egress routes to the primary and alternate ${\tt LZ's.}$
.19	Recommends priority of targets for prep fires, if applicable.
.20	Plans and coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.24	Coordinates manual support of weapons systems in the terminal objective area.
.25	Coordinates communications needs (electronic and visual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.26	Plans shipboard refueling/rearming cycles with the MAGTF, if necessary.
.27	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.28	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required by mission assignment.
.29	Plans in conjunction with the MAGTF, a viable deception plan, if required.
.30	Coordinates the development of "smart packs" (kneeboard handouts).
	Plane smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
	Establishes plans for both operational and weather go/no go criteria.
.33	Establishes a bump plan.
.34	Establishes a scatter plan.

.35	Coordinate. and integrates command and control procedure
.36	Schedules rehearsal for evaluating the plan, if time allow
.37	Schedules mission briefing. for all flightcrews and necessary personnel.
.38	Assists the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.39	Considers low altitude sir defense (LAAD) assets to support operations baled on available threat intelligence.
.40	Coordinate. contingency plan. for rapid withdrawal or extraction.
.41	Plans and coordinates return to force procedures (RTF) with the $\mathtt{MAGTF}\text{.}$
.42	Considers NVG's and establishes priorities for issue and testing, if required.
.43	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.44	Briefs ROE.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities. predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

III-B-63

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - h. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Smell items/Loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4. No slings requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outside cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

1. Small items/loads.

III-B-64

- 2. Permits NOE.
- 3. No slings requirements.
- 4. No Off delays.
- 5. Reduced threat exposure tine.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - c. Pilot technique.

TASK: 3B.8.2 CONDUCT NIGHT NEO MISSION PLANNING

<u>CONDITION(S)</u>: The squadron has been tasked to execute a night NEO mission in support of MAGTF operations. Due to additional constraints imposed by night operations, the following standards must be considered in the planning stage.

STANDARDS: EVAL: Y: N: NE

.1	Utilizes light level planning calendar for night missions and understands limitations. (KI)	k
.2	Plans aircraft lighting and flight formations to be employed.	

. 3	Allocates	NVG's to	support	the NEO,	and	establishes	priorities
	for issue	and test	ing, if 1	required.			

.4 ____ Plans ITG landing gone procedures including LE and load identification lighting and communication procedures.

5 So	chedules	training	rehearsal	during	darkness,	if	time	permits.
------	----------	----------	-----------	--------	-----------	----	------	----------

.6 ____ Plans for contingencies and emergency procedures.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvouses, approaches, and landings at night.

III-B-65

- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

TASK: 3B.8.3 EXECUTE NEO MISSION

CONDITION(S): The squadron is in receipt of a warning order to conduct NEO mission(s) in support of the MAGTF. All liaison, planning, and briefing have been performed. Unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STAN	NDARDS	EVAL: Y: N: NE
.1		Configures aircraft to conduct preplanned mission (troops, internal cargo, external lift).
.2		Conducts final ZIPPO brief to ensure last minute details requiring coordination are discussed face-to-face between air and ground element.
.3		Confirms with NEO commander at RP that NEO force is embarked.
. 4		Flight tactics reflect METT-T considerations.
.5		Maintains communication discipline, as briefed.
.6		Continuous coordination is maintained with supported unit commander as to the progress of the mission.
. 7		Receives timely update concerning deployment of enemy forces in the area. \ensuremath{C}
.8		Uses appropriate procedures for effectively utilizing fire support assets.
.9		Ensures aircrews observe ROE/ROC.
.10		Effectively Utilizes ITG procedures and LZ lighting to position aircraft into LZ. $$
.11		Arrives at NEO site with sufficient ground and aviation assets to accomplish the mission. $ \\$
.12		Inserts NEO force into correct LZ at the desired time.
.13		Appropriately positions aircraft in LZ to provide coverage while supported unit deploys from aircraft.
.14		Confirms with NEO commander that all elements of NEO have been withdrawn prior to departure from objective area.
.15		Uses tactically sound procedures to expedite return to base.
EVAI	LUATOR	<u>INSTRUCTIONS</u> : None.
KEY	INDICA	ATORS: None.

III-B-66

TASK: 3B.8.4 CONDUCT NEO MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The NEO mission is complete and a debriefing is being held for all participants. The emphasis is an lessons learned and how to apply them on future operations.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: Hone.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. shipboard operating procedures.

III-B-67

3B.9 RAID OPERATIONS

TASK: 3B.9.1 CONDUCT RAID MISSION PLANNING

<u>CONDITION(S)</u>: The squadron is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as required. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism. Mission planning has begun.

STAI	NDARDS	S: EVAL: Y: N: NE
.1		Establishes early liaison with the supported commander.
. 2		Issues warning order to squadron staff planners to prepare for imminent missions.
.3		Analyzes mission tasking to determine specific tasks, stated and implied.
. 4		Provides aviation supportability estimates to MAGTF commander.
.5		Requests combat information and EEI's in concert with METT-T.
.6		Establishes a time schedule delineating completion times for all phases of planning.
.7		Provides helicopter availability table (HAT) information to the supported commander.
.8		Develops aviation support requirements (ordnance, fuel, special equipment, personnel. etc.).
.9		Provides air support requirements to the MAGTF commander.
.10		Plans and/or requests reconnaissance information of the area of operations.
.11		Reconciles any aviation shortfalls with the MAGTF commander.
.12		Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.13		Allocates assets to support assault force concept of operations and coordinates an air tasking order CATO).
.14		Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 3B.16 Forward Arming and Refueling Paint Operations.)
.15		Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics during ingress/egress, as well as in the objective area.
.16		Plans/coordinates primary and alternate LZ's. (KI)
.17		Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.18		Recommends priority of targets for prep fires.
.19		Plans and coordinates control points. (KI)
.20		Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.21		Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.22		Coordinates communications needs (electronic and visual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.23		Plans shipboard refueling/rearming cycles with the MAGTF, if necessary.
.24		Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.

.25	Ensures knowledge of forward arming and refueling point (FARP) procedures. if required by mission assignment.
.26	Plans a viable deception plan in conjunction with the supported unit, if required.
.27	Coordinates the development of "smart packs' (kneeboard handouts).
.28	Establishes plans for both operational and weather go/no go criteria.
.29	Establishes a bump plan.
.30	Establishes a scatter plan.
.31	Coordinates and integrates command and control procedures.
.32	Schedules rehearsal for evaluating the plan, if time allows.
.33	Schedules mission briefings for all flightcrews and necessary personnel.
.34	Assists the MAGTF commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT), $$
.35	Considers low altitude sir defense (LAAD) assets to support operations based on available threat intelligence.
.36	Coordinates contingency plans for rapid withdrawal or extraction.
.37	Plans and coordinates return to force procedures (RTF) with the MAGTF.
.38	Utilizes light level planning calendar for night missions and understands limitations. (KI)
.39	Considers NVG's and establishes priorities for issue and testing, if required.
.40	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arm's requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.

III-B-69

- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvouses, approaches, and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - C. Pilot technique.

INTERNAL

Advantages

- 1. Smell items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4. No slings requirements.

III-B-70

- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/bade.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3B.9.2 CONDUCT RAID MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	Briefs all items per published NATOPS, briefing guides. SOP's, and NWP-55-9.
.2	All participating aircrews are present.
.3	Allocates time to ensure all tasks assigned are completed prior to mission briefing.

III-B-71

.4	Maximizes use of tactical SOP's.
.5	Uses kneeboard cards and tactical checklists to consolidate information.
.6	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.7	Ensures the mission statement is understood by all participants.
.8	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.9	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description. enemy defenses, and reattack procedures, if required.
.10	Briefs friendly locations of air defense assets and any changing $\ensuremath{\text{MEZ/FEZ}}$ requirements.
.11	Briefs all mission assets.
.12	Briefs availability of oncall electronic warfare (EW), obscuring smoke, or illumination missions.
.13	S-2 briefs local populace reaction capabilities.
.14	Briefer uses appropriate maps. charts, and aerial photographs, as required.
.15	Briefs weather. (KI)
.16	Briefs mission go/no go criteria; i.e., aircraft, personnel. and mission essential equipment.
.17	Briefs mission precedence.
.18	Briefs go/no go weather criteria.
.19	Briefs inadvertent INC/loss of visual contact.
.20	Briefs fuel/ordnance requirements. (KI)
.21	Briefs NVG operational considerations.
.22	Briefs LZ procedures/considerations. (KI)
.23	Briefs FARP procedures, if applicable.
.24	Briefs timehack.
.25	Briefs EMCON procedures.
EVALUATOR	INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual. Flight leaders

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints. IP's, end TOS/TOT calculations when required.

KEY INDICATORS:

AIRCREW FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground, AAA, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

WEATHER

- 1. Data.
- 2. Propagation.
- 3. Current and forecast weather.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.
- 7. Timeline.
- 8. Aerial refueling.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde. withdrawal, emergency extraction).

TASK: 3B.9.3 EXECUTE RAID MISSION

CONDITION(S): The squadron is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the squadron should perform Ca many standards ac necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

III-B-73

STANDARDS: EVAL: Y; N; NE All aircrew are qualified and are current for assigned mission. _ Aircraft are configured to conduct preplanned missions. Conducts preflight activities within prescribed timeframe. .3 _ .4 _ Conducts a final liaison with supported unit for any changes. .5 _ Conducts start-up ontime with systems checks ontime and ready for launch. Ensure. all personnel/equipment are properly secured prior to launch and that safety equipment for personnel is onboard. .6 _ Conducts launch activities, including bump plan if required, as briefed. Accomplishes rendezvous procedures as briefed or as directed by .8 controlling agencies. _ Confirms go/no 80 criteria exists before continuing with mission. Execute communications procedures/plans, as briefed. .10 Ensures formation facilitates support by escort, control, maneuverability manual support, and collision avoidance. .11 __ Employs appropriate flight tactics/profile to minimize enemy detection. (KI) .12 _ (KI) _ Employs smallest maneuver element capable of accomplishing .13 __ mission. Executes procedures properly upon inadvertent IMC entry/loss of .14 visual contact. _ Exercises communications discipline during mission. .16 Ensures aircrews observe ROE and ROC. Uses appropriate flight control measures to adequately control .17 the flight. _ Employs proper tactical response to any pop-up immediate threat. .18 _ Demonstrates aircrew coordination, i.e., look-out doctrine. .19 __ (KI) .20 ____ Flight navigates and remains oriented throughout mission. Applies proper course corrections, if needed, in a timely .21 _ manner. Remains constantly aware of aircraft systems and performance. .22 _ Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) .24 __ _ changes to route are made by proper authority. _ Ensures fire support plan is responsive and covers all perceived .25 __ vulnerable areas. _ Ensures crewmen comply with weapons conditions, as briefed. .26 _ Executes deception plan, if appropriate. .28 Allow. escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place. .29 Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LE .31 ensures go/no go criteria exists. (KI) Ensures any change to LE is made by proper authority.

.33	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.34	Employs proper approach techniques to LE.
.35	Makes consistent use of cover, concealment, altitude. and airspeed to minimize exposure to the enemy during approaches.
.36	Performs landing as briefed, in sequence, and in proper positions utilizing ITG procedures.
.37	Contact controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LZ ontime.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LE.
.46	Within 500 meters of LE.
.47	Within 200 meters of LE.
.48	Within 100 meters of LZ.
.49	Within 50 meters of LZ.
.50	Executes waveoffs, as briefed.
.51	If carrying external load, drops load in spot as directed by HST/LZ control team.
.52	Lands in correct extraction site LE.
.53	Flights arrive at the extraction LE ontime.
.54	Within 5 minutes of planned time.
.55	Within 4 minutes of planned time.
.56	Within 3 minutes of planned time.
.57	Within 2 minutes of planned time.
.58	Within 1 minute of planned time.
.59	Lest extraction aircraft does not depart the LZ until raid force leader accounts for all raid force personnel.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures. as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly, if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.

66	Executes	post	landing	dispersion	οf	helicopters.
	112CC a CCD	PODC	Tanaring	GIDPCIDION	\circ	iiciicopecib.

.67 ____ Performs postflight of aircraft.

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The squadron shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is ontime, all subordinate standards will be marked "Yes.'

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the control: of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- 5. Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

III-B-76

TASK: 3B.9.4 EXECUTE RAID WITHDRAWAL

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \texttt{Raid force has conducted either a point destruction raid and/or a harassing raid, and has proceeded to the withdrawal site.}$

STANDARDS	: EVAL: Y: N: NE
.1	Locates withdrawal aircraft to provide immediate, timely response to raid force signal.
.2	Close-in fire support (CIFS) aircraft provide effective point and area target interdiction to prevent enemy from reacting to raid.
.3	Uses fire support coordination measures to ensure safety of raid force.
.4	Raid force at night is easily identified through use of discrete lighting (infrared chemlites) or other means.
.5	Assault and CIFS aircraft react swiftly and appropriately to any change of situation in the ${\tt LZ}.$
.6	Assault aircraft conduct rapid, sequenced withdrawal of raid force.
.7	CIFS aircraft provide final protective fires when planned 55 last elements of the raid force are embarked.
.8	Assault aircraft commanders reconfirm accountability with raid force team leaders and report to raid force commander.
.9	Attempts to recover Marines left behind are per the alternate pick-up points and times designated in the order.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	B.9.5 CONDUCT RAID MISSION DEBRIEFING
the missi	(S): A raid mission has been completed. A debrief is held for on with all participants present if possible. A major emphasis e debrief is on lessons learned for future use.
STANDARDS	: EVAL: Y: N: NE
1	Ensures all aviation mission essential personnel are present. if possible.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, end lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, end aircrew knowledge.
.8	Ensures intelligence information received before the mission was

III-B-77

.9 ____ Uses the debrief as a constructive training tool.

.10	Debriefs ROE and	ROC effects on mission execution.
.11	S-2 collects all	classified/sensitive materials.
EVALUATOR	INSTRUCTIONS:	None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

31.10 SECURITY/REINFORCEMENT OPERATIONS

TASK: 3B.10.1 CONDUCT SECURITY/REINFORCEMENT MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct security/reinforcement mission(s) to protect a key area'. e.g., U.S. Embassy, downed aircraft, etc. Antigovernment forces are organized and capable of interfering militarily with the security forces. Minimal assistance is expected from the host national forces for additional security. All liaison has been performed and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N7: NE

.1	Establishes early liaison with the supported commander.
. 2	Issues warning order to squadron staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
. 4	Provides aviation supportability estimates to MAGTF commander, if required.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (HAT) information to the supported commander.

III-B-78

.8	S-2 initiates planning to provide environmental data.
.9	Develops aviation support requirements (ordinance, fuel, special equipment, personnel, etc.).
.10	Provides air support requirements to MAGTF, if required.
.11	Plane and/or requests reconnaissance information of the area of operations.
.12	Reconciles any aviation shortfalls with the MAGTF commander, as required. $$
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.14	Allocates assets to support assault force concept of operations and coordinates an air tasking order CATO).
.15	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 3A.16 Forward Arming and Refueling Point Operations.)
.16	Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics during ingress/egress, as well as in the objective area,
.17	Plans/coordinates primary and alternate LZ's. (KI)
.18	Plans/coordinates ingress/egress routes to the primary and alternate LZ 's.
.19	Recommends priority of targets for prep fires.
.20	Plans and coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.24	Coordinates manual support of weapons systems in the terminal objective area.
.25	Coordinates communications needs (electronic and visual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.26	Plans shipboard refueling/rearming cycles, if necessary.
.27	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.28	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required by mission assignment.
.29	Plans in conjunction with the MAGTF, a viable deception plan, if required.
.30	Coordinates the development of "smart packs" (kneeboard handouts).
.31	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.32	Establishes plans for both operational and weather go/no go criteria.
.33	Establishes a bump plan.
.34	Establishes a scatter plan.
.35	Coordinates and integrates command and control procedures.
.36	Schedules rehearsal for evaluating the plan, if time allows.
.37	Schedules mission briefings for all flightcrews and necessary personnel.

.38	Assists the supported commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.39	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.40	Coordinates contingency plane for rapid withdrawal or extraction.
.41	Plans and coordinates return to force procedures (RTF) with the MAGTF, if necessary.
.42	Utilizes light level planning calendar for night missions and understands limitations. (KI) $$
.43	Considers NVG's and establishes priorities for issue and testing, if required.
.44	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

FLIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.

III-B-80

- 5. Problems inherent in conducting rendezvouses. approaches. and landings at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time
- 3. No loading/unloading delay

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4. No slings requirements.
- 5. No Cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. Nay require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outside cargo that may be necessary for mission.

III-B-81

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. Na offloading delays.
- 5. Reduced threat exposure time.

Disadvantages


- 1. Loading delay.
- 2. May require mare sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3B.10.2 CONDUCT SECURITY/REINFORCEMENT MISSION BRIEFING

STANDARDS: EVAL: Y; N; NE

.1	Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2	All participating aircrews are present.
.3	Allows questions to ensure tactical/safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.6	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
10	Ensures the mission statement is understood by all participants.
11	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery. and any joint integration. (KI)

III-B-82



.42	Briefs launch conditions. (KI)
.43	Briefs ingress procedures. (KI)
.44	Briefs LZ procedures/considerations. (KI)
.45	Briefs egress procedures. (KI)
.46	Briefs downed aircraft procedures for overwater and overland.
.47	Briefs TRAP procedures.
.48	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.49	Briefs FARP procedures.
.50	Briefs deception plan.
.51	Briefs timehack.
.52	Briefs location/time of debrief.
.53	Briefs controlling agencies.
.54	Briefs EMCON procedures.
.55	Briefs DRIADS.
.56	Briefs flight deck/ground signals.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Infantry, AAA, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

III-B-84

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for re5cue.
- 6. Radio communications.

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. FIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. Propagation.
- 3. Current/forecast weather.

CHAIN OF RESPONSIBILITY

The location. call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefs

- 1. HCC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.

III-B-85

- 7. Timeline.
- 8. Aerial refueling.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitudes.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LE brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.

III-B-86

- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CF's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals. lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3B.10.3 EXECUTE SECURITY/REINFORCEMENT MISSION

CONDITION(S): The squadron is in receipt of a warning order to execute security/reinforcement mission(s) as part of a MAGTF. All liaison, planning. and briefing have been performed. Unit SOP'S are available. The mission can be conducted while Shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters. fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: T: N: NE

1	All aircrew are qualified and are current for assigned mission.
2	Configures aircraft to conduct preplanned missions.
3	Conducts preflight activities within prescribed timeframe.

III-B-87

.4	Conducts a final liaison with the supported commander for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Ensures all personnel/equipment are properly secured prior to launch and that safety equipment for personnel is onboard.
.7	Conducts launch activities as briefed, including bump plan, if required.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	Confirms $50/\text{no}$ go criteria exists before continuing with mission.
.10	Executes communications procedures/plans, as briefed.
.11	Ensures formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent LZ entry/lose of visual contact.
.15	Exercises communications discipline during mission.
.16	Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactical response to any pop-up immediate threat.
.19	Demonstrates aircrew coordination; e.g., lookout doctrine. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Applies proper course corrections, if needed, in s timely manner.
.22	Remains constantly aware of aircraft systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) $$
.24	Changes to route are made by proper authority.
.25	Ensures fire support plan is responsive and covers all perceived vulnerable areas,
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Executes deception plan, if appropriate.
.28	Allows escort to be in position in time for prep fires.
.29	Performs penetration checklist at the appropriate time/place.
.30	Reports progress of mission to controlling agency 55 required to update weather, enemy situation, and go/no go criteria.
.31	Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) $$
.32	Ensures any change to LE is made by proper authority.
.33	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.34	Employs proper approach techniques to LZ.
.35	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.

.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Contacts controlling agency upon reaching/departing LZ's.
.38	Ensures minimal time in zone.
.39	Flights arrive in LZ ontime.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LZ.
.46	Within 500 meters of LZ.
47	Within 200 meters of LZ.
.48	Within 100 meters of LZ.
.49	Within SC meters of LZ.
.50	Executes waveoffs, as briefed.
.51	If carrying external Load, drops load in spot as directed by HST/LZ control team.
.52	During paraops, flies correct altitude, airspeed. and heading while providing information to
.53	crewchief/jumpmaster. Lands in correct extraction site LZ.
.54	Flights arrive at the extraction LZ ontime.
.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.
.59	Within 1 minute of planned time.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures, as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly. if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.
.66	Executes post landing dispersion of helicopters, as applicable.
.67	Performs postflight of aircraft.

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The squadron shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is ontime, all subordinate standards will be marked "Yea.

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance Survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls. remains oriented at all times and inform the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IN CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

III-B-90

TASK: 3B.10.4 CONDUCT SECURITY/REINFORCEMENT MISSION DEBRIEFING

 ${\hbox{\tt CONDITION(S)}}\colon$ The security/reinforcement mission is complete and a debriefing is being held with emphasis on lessons learned for future use.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	5-2 collects all classified/sensitive materials.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-B-91

31.11 RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

TASK: 31.11.1 CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct reconnaissance patrol/reaction force mission(s) in support of the MAGTF. All liaison has been performed and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (reel world contingencies are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing. air control elements, and MWSS support to enhance battlefield realism.

STAN	NDARDS	: EVAL: Y: N: NE
.1		Establishes early liaison with the supported commander.
. 2		Issues warning order to squadron staff planners to meet.
.3		Analyzes mission tasking to determine specific tasks, stated and implied.
. 4		Request. combat information and EEI's concerning METT-T.
.5		Establishes a time schedule delineating completion times for all phases of planning.
.6		Provides HAT information to the supported commander.
.7		S-2 initiates planning to provide environmental data.
.8		Develops aviation support requirements (ordnance. fuel, special equipment, personnel, etc.).
.9		Provides aviation supportability estimates to the supported commander.
.10		Reconciles any aviation shortfalls with the supported commander.
.11		Provides air support requirements to MAGTF commander.
.12		Helicopter unit commander provides guidance to staff members throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.13		Plans and/or requests reconnaissance information of the area of operations.
.14		Requests support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15		Allocates assets to support concept of operations and coordinates an ATO.
.16		Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 31.16 Forward Arming and Refueling Point Operations).
.17		Integrates available fire support capability (NGF, CAS, CIFS, artillery), with planned aviation tactics, during ingress/egress, as well as in the objective area.
.18		Plans primary and alternate LZ's. (KI)
.19		Plans ingress/egress routes to the primary and alternate LZ' a.
.20		Recommends priority of targets for zone prep.
.21		Plans and coordinates control points. (KI)
.22		Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23		Establishes and coordinates ITG procedures with the reconnaissance element.
.24		Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.

.25	Coordinates manual support of weapons systems in the LZ.
.26	Develops COMM plan (electronic and visual) to establish the communications link. to include air control agencies, COMSEC, deception, chattermark. NON conditions, NORDO. codewords, prowords, and frequencies (environmental effects, jamming capabilities). and coordinates with the MAGTF.
.27	Plans shipboard refueling/rearming cycles with the MAGTF, if necessary.
.28	Plans TRAP procedures.
.29	Plans FARP procedures.
.30	Plans in conjunction with the MAGTF a viable deception plan. (KI) $$
.31	Coordinates the development of "smart packs" (kneeboard handouts).
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes. plans for both operational and weather go/no go criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allows.
.38	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.39	Schedules mission briefings for all flightcrews and necessary personnel.
.40	Assists the supported commander in the preparation of the HWSAT.
.41	Considers LAAD assets to support operations based on available threat intelligence.
.42	Formulates contingency plans for rapid withdrawal or extraction. $(\ensuremath{\mathtt{KI}})$
.43	Plans and coordinates RTF with the MAGTF.
.44	Submits plan to the MAGTF for approval, if required.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS II HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities. predicted intentions. and dispositions.
- 3. Terrain end proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

DECEPTION PLANS

Due to the covert nature of reconnaissance operations, every attempt shall be made to conceal intentions, mislead the enemy, and perform the unexpected. Supporting arms and helicopter support should be employed in a manner that does not compromise the location of the insertion point. If LZ preparation fires must be employed, multiple LZ preparations and simulated patrol insertions can be used to deceive the enemy as to the actual insertion point.

CONTINGENCY PLANS

Because RECON patrols and reaction forces are in most instances small forces with limited combat staying power, contingency plans shall be fully coordinated and capable of being executed with speed and precision to ensure success and safety of personnel involved.

TASK: 31.11.2 CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION BRIEFING

 $\frac{\text{CONDITION(S)}}{\text{support missions in support of the MAGTF.}} \text{ All liaison has been performed and mission planning is complete.} \text{ Mission commanders have been assigned and the squadron holds a brief prior to each mission.} \text{ Terminal controllers, FAC(A)} \text{ and HC(A)} \text{ attends brief when possible.}$

STANDARDS: EVAL: Y: N: NE .1 ____ Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9. _ All participating aircrews are present. _ Allows questions to ensure safety of flight information is understood by all. _ Systematically prioritizes tasks. ___ Allocates time to ensure all task. assigned are completed prior to mission briefing. .6 _ Assigns planning responsibilities to appropriate flight billets. Maximizes use of tactical SOP's. . 7 .8 ____ Uses kneeboard cards and tactical checklists to consolidate information. Briefs the general situation in the area of operations. . 9 Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, any joint integration. ingress/egress routes, and the latest aerial imagery. (KI) Briefs enemy detection and reaction capabilities, type and .11 _ location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI) 5-2 briefs local populace reaction capabilities. .12

1 2	Drief uses appropriate mans shorts, and sorial photographs
.13	Brief uses appropriate maps charts, and aerial photographs. as required.
.14	Briefs encryption procedures, both internal and external to the flight. \ensuremath{E}
.15	Briefs SERE procedure. (KI)
.16	Briefs EW consideration. (KI)
.17	Briefs weather, to include go/no 80 criteria. (KI)
.18	Ensures that all appropriate personnel have handouts.
.19	Briefs mission go/no 80 criteria, i.e., aircraft, personnel, and mission essential equipment.
.20	Briefs mission precedence.
.21	Ensures the mission statement is understood by all participants.
.22	Briefs a timeline, to include L hour/B hour.
.23	Briefs mission assets. (KI)
.24	Briefs call signs/event numbers.
.25	Briefs chain of responsibilities. (KI)
.26	Briefs general scheme of maneuver. (KI)
.27	Briefs inadvertent IMC/loss of visual contact.
.28	Briefs fuel requirements. (KI)
.29	Briefs ROE/window conditions.
.30	Briefs NVG operational considerations.
.31	Briefs launch conditions. (KI)
.32	Briefs ingress procedures. (KI)
.33	Briefs LZ procedures. (KI)
.34	Briefs caress procedures. (KI)
.35	Briefs downed aircraft procedures for overwater and overland.
.36	Briefs TRAP procedures.
.37	Briefs concurrent operations.
.38	Briefs FARP procedures.
.39	Briefs deception plan.
.40	Briefs special considerations.
.41	Briefs all safety matters.
.42	Briefs timehack.
.43	Briefs location/time of debriefs.
.44	Briefs goggle/degoggling procedures.
.45	Briefs controlling agencies.
.46	Briefs EMCON procedures.

. 47	Briefs	DRIADS.

.48 ____ Briefs flight deck/ground signals.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights. detailed fuel figures, checkpoints, IP's, and TOS calculations when required by the evaluator.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operations area.
- 2. Ability to reinforce.
- 3. Infantry. AM, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

EN

- 1. ECON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Date.
- 2. RF propagation.

III-B-96

- 3. Current weather.
- 4. Forecast weather.

<u>HANDOUTS</u>

- 1. Kneeboard cards.
- 2. Maps/charts.
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including go/no go criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/Alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call sign., and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phaselines, IP's, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

III-B-97

<u>LAUNCH</u>

- 1. Aircraft mannin5 time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/formations/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

Ingress

- 1. Primary and alternate routes.
- 2. Control measures CRP's. CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitudes.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.

III-B-98

- 7. Landing diagram.
- 8. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7 Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

TASK: 3B.11.3 EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

 $\underline{\text{CONDITION}(S)}$: Given the required assets while shipboard or shorebased in support of the MAGTF, during day or night hours against a threat as briefed by the S-2 and after completing mission planning and briefing; execute assigned mission.

STANDARDS: EVAL: Y: N: NE

.1	All aircrew are qualified and are current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed timeframe.
.4	Conducts a last minute liaison with supported unit for any changes.
.5	Conducts start-up ontime with systems checks ontime ready for launch.
.6	Supported unit boards helicopters with minimum delay, ensuring all personnel/equipment are properly staged.
.7	Conducts launch activities including bump plan, if required, as briefed.

III-B-99

.8	Accomplishes rendezvous procedures, as briefed, or as directed by controlling agencies.
.9	Confirms go/no go criteria exist before continuing with mission.
.10	Execute COMM procedures/plans, as briefed.
.11	Formation facilitates support by escort, control, maneuverability, manual support. and collision avoidance.
.12	Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent IMC/loss of visual contact.
.15	Exercises COMM discipline during mission.
.16	Ensures aircrew observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactics response to any pop-up immediate threat.
.19	Aircrew demonstrates crew coordination; e.g., look-out doctrine. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Members of the flight provide course correction, if needed.
.22	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.23	Changes to route are made by proper authority.
.24	Ensures fire support plan covers all perceived vulnerable areas and is responsive.
.25	Ensures crewmen comply with weapons conditions, as briefed.
.26	Receives clearance at the IP to proceed to the LZ.
.27	Performs penetration checklist at the appropriate time/place.
.28	Reports progress of mission as required to update weather, enemy situation, and $go/no\ go\ criteria$.
.29	Flight receiving clearance at the IP to proceed to the LZ ensures go/no 80 criteria exists. (KI)
.30	Executes deception plan.
.31	Allows escort to be in position in time for prep fires.
.32	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.33	Employs proper approach techniques to LE.
.34	Makes consistent use of cover, concealment. altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	Performs landing as briefed, in proper sequence and proper position utilizing ITG procedures.
.36	Ensures change to LZ is done by proper authority, if applicable.
.37	Contacts controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LZ ontime.
.40	Within 5 minutes of planned time.

.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LZ.
.46	Within 1.000 meters of LZ.
.47	Within 400 meters of LZ.
.48	Within 200 meters of LZ.
.49	Within 100 meters of LZ.
.50	Executes waveoffs, as briefed.
	If carrying external load, drops load in spot as directed by HST/LZ control team.
.52	During paraops, flies correct altitude, airspeed, and heading while providing information to crewchief/jumpmaster.
	Executes proper departure techniques to reduce exposure to threat.
.54	Executes downed aircraft procedures, as briefed.
.55	Executes RTF procedures.
.56	Executes FARP procedures.
.57	Continues contact with controlling agency concerning flight status.
.58	Executes EW procedures.
.59	Performs recovery procedures.
.60	Executes post landing deployment of helicopters.
.61	Performs postflight of aircraft.
	INSTRUCTIONS: Evaluator shall be familiar with Assault elicopter Tactical Manuel.

RET INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATE IOU

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- The pilot not at the controls, remains oriented at all times end informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.

III-B-101

- 3. Weapons employment.
- 4. Maintenance of situational awareness.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3B.11.4 EXECUTE EMERGENCY EXTRACTION

 $\underline{\text{CONDITION}(S)}$: The extraction flight is in the objective area. The RECON patrol is in enemy contact or contact is imminent and it requires immediate extraction.

STANDARDS: EVAL: Y: N: NE

.1	The HTC commander ensures each helicopter aircraft commander (HAC) is briefed on the situation and adopted course of action.			
.2	Flight coordinator positioned to support the extraction of aircraft.			
.3	Requests close air support and/or other supporting arms to aid in the extraction.			
.4	Tactical situation permitting, the extraction aircraft receives an LE briefing from flight coordinator or RECON patrol per the ASH/TAC manual.			
.5	Helicopter transport commander (HTC) selects a scheme of maneuver based on information received from the flight coordinator.			
.6	The extraction aircraft makes proper use of screening.			
.7	The extraction aircraft keeps flight coordinator informed of its intended flight maneuvers to facilitate fire suppression support.			
.8	Properly identifies extraction zone. (KI)			
.9	Departing aircraft uses a tactical egress.			

III-B-102

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LANDING ZONE MARKING

The importance of proper LZ identification through either radio communication and/or visual signals to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to smoke/panel color until the smoke/panel has been deployed and lighted by the helicopter flight. Subsequent to such sighting, the color of the smoke/panel shall be confirmed via radio communication with the ground unit.

TASK: 31.11.5 EXECUTE ROPE SUSPENSION OPERATIONS

 $\begin{tabular}{ll} \hline $CONDITION(S)$: & The preferred techniques for RECON insertion/extraction is utilizing LZ's. If the situation requires hovering operations, then rappelling, fastrope, or SPIE system should be used. \\ \hline \end{tabular}$

STANDARDS	EVAL: Y: N: NE
.1	Conducts joint briefing to ensure complete understanding of procedures and in-flight emergencies.
.2	HAC ensures equipment is rigged and inspected per applicable directives. (KI)
.3	Hovering out of ground effect (HOGE) computation ensures power available/power required ratio is sufficient for safe operations.
.4	\ensuremath{HAC} ensures a helicopter rope suspension training master (HRST) is assigned to each station.
.5	The pilot establishes a stable hover slightly above tree top/obstacle height while the SPIE rope is lowered and team members hookup.
.6	When HRST master indicates the team is ready, the extraction helicopter lifts vertically until SPIE rope clears all obstacles.
.7	Intensifies suppressive fires as the extraction commences.
.8	In the event of an emergency, does not release/cut the SPIE rope until all teem members are on the ground or tangled in trees, brush, or other supporting structure.
.9	Flight techniques are per NATOPS flight manual.
.10	Crewchief effectively performs his duties. (KI)
.11	Successfully inserts/extracts all patrol members successfully.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

EQUIPMENT RIGGING INSPECTION

- 1. Fraying.
- 2. Excessive oil.
- 3. Free of splices.
- 4. Padding to protect rope from damage.

III-B-103

Fastrope frame:

- 1. Frame free of excessive corrosion, cracks, and deformation.
- 2. Mounting security.
- 3. Rope mounted securely.

CREWCHIEF DUTIES AND RESPONSIBILITIES

In addition to normal aircrew duties, the crewchief shall:

- 1. Ensure all HRST master and crewmembers wear gunners belts when operating near suspension stations.
- 2. Ensure rope cutting device is available at each suspension station.
- 3. Pass voice instructions to pilots for assistance in maintaining a steady hover.
- 4. Keep pilot informed of progress of the operation.
- 5. Ensure HRST master retrieves/secures insertion/extraction equipment prior to the helicopter transitioning to forward flight.

TASK: 3B.11.6 CONDUCT RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}} \colon \quad \text{The mission is complete and a debrief is held with emphasis on lessons learned. All participants should be present.}$

STANDARDS:	EVAL:	Υ:	N:	NE

.1	Ensures all aviation mission essential personnel are present, if possible.
.2	Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debrief. all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans. and aircrew knowledge.
.8	5-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.

III-B-104

- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

31.12 SEARCH AND AIR RESCUE (SAR) OPERATIONS

TASK: 31.12.1 CONDUCT SAR PLANNING

STANDARDS	EVAL: Y: N: NE
.1	Designates required SAR support aircraft and crews per LOT/Op Plan.
.2	Reviews all factors which effect the search. (KI)
.3	Analyzes METT-T factors including time of day, and if applicable, sea conditions.
.4	Requests information on description of personal and aircraft/vehicle; e.g., number of people, signal aids of survivors, SERE, shape and color of aircraft/vehicle, estimated location, etc.
.5	Threat zones are identified.
.6	If aircraft is overdue, determines the reason; e.g., lost, crashed, ditched, etc.
.7	Calculates the endurance of search aircraft.
.8	Reviews downed aircrew procedures.
.9	Determines armed escort requirement.
.10	Designates marshal areas, if needed.
.11	Conducts coordinated planning with flight coordinator. (KI)
.12	Decides what type of rescue equipment will be needed.
.13	In conjunction with other agencies, selects Safe area and pick-up schedule.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

SEARCH FACTORS

- 1. Integrity of coverage, preliminary, or concentrated.
- 2. Search area, Location, and size.

III-B-105

- 3. Search pattern: Route search, expanding square search, creeping line low altitude search, sector search, parallel search, or contour search.
- 4. Tracking spacing never greater than twice the detection image $({\tt TACAN})$.
- 5. Review downed aircrew authenticator cards.
- 6. Altitude.
- 7. Airspeed.
- 8. Bingo.

FLIGHT COORDINATOR

- 1. Routes.
- 2. Evasive maneuvering.
- 3. Scatter plan.
- 4. Marshal areas.
- 5. ROE.
- 6. Fire support.
- 7. C3.

TASK: 33.12.2 CONDUCT SAR BRIEF AND EXECUTE MISSION

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \texttt{A flight is notified that there is a downed plane/aircrew and directs a SAR mission. Mission can be "scrambled" to the SAR or completed in conjunction with, or diverted from, another MCCRES mission.}$

STANDARDS: EVAL: Y: N: NE

.1	Briefs crew on mission and duties. (KI)
.2	Briefs aircrew on situations and adopted CA.
.3	Ensures flight is equipped with appropriate mission essential equipment.
.4	Employs proper altitudes based on given information of personnel/aircraft/vehicle and threat capabilities. (KI)
.5	Aircrew utilizes proper scanning techniques. (KI)
.6	Executes appropriate sighting procedures. (KI)
.7	Utilizes flight coordination correctly should a SAR effort be opposed.
.8	Establishes radio contact with ground personnel. if necessary.
.9	Decides whether to continue, attempt recovery, or abort mission based on mission precedence, weather conditions, and enemy activity.
.10	Determines approach direction for pickup based upon recommendations of flight coordinator.
.11	Finalizes scheme of maneuver for recovery.
.12	Successfully lands in the pick-up zone if tactical situation permits.

.13 Recovers personnel and successfully lifts out of pick-up zone14 Notifies flight coordinator of intended departure route and flight techniques15 Expeditiously returns to baa. using appropriate flight tactics16 Informs controlling agency of required medical assistance at home base, if necessary17 Debriefs aircrew and disseminate intelligence information. EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manual NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency. 6. Deploy rescue personnel.			
flight techniques. .15 Expeditiously returns to baa. using appropriate flight tactics16 Informs controlling agency of required medical assistance at home base, if necessary17 Debriefs aircrew and disseminate intelligence information. EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	.13 _		Recovers personnel and successfully lifts out of pick-up zone.
.16 Informs controlling agency of required medical assistance at home base, if necessary17 Debriefs aircrew and disseminate intelligence information. EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	.14 _		
home base, if necessary. .17 Debriefs aircrew and disseminate intelligence information. EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	.15 _		Expeditiously returns to baa. using appropriate flight tactics.
EVALUATOR INSTRUCTIONS: None. KEY INDICATORS: AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	.16 _		
AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	.17 _		Debriefs aircrew and disseminate intelligence information.
AIRCREW BRIEFINGS 1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	EVALU.	<u>ATOR</u>	INSTRUCTIONS: None.
1. Objective of search. 2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	KEY I	NDIC	ATORS:
2. Weather. 3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.			AIRCREW BRIEFINGS
3. Plan of operation for search 4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	1	. 0	bjective of search.
4. Other aircraft involved 5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	2	. W	eather.
5. Position reporting. RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	3	. P	lan of operation for search
RECOMMENDED SEARCH ALTITUDE See ASH Manuel NWP-55. SCANNING TECHNIQUES SEE ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	4	. 0	ther aircraft involved
See ASH Manuel NWP-55. SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	5	. P	osition reporting.
SCANNING TECHNIQUES See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.			RECOMMENDED SEARCH ALTITUDE
See ASH Manual NWP-55. SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.	See A	SH M	anuel NWP-55.
SIGHTING PROCEDURES 1. Keep target in sight at all times. 2. Mark with dye marker/smoke. 3. Turn in direction of target with observer calling out target using clock code. 4. Switch IFF to appropriate code. 5. Report sighting to appropriate agency.			SCANNING TECHNIQUES
 Keep target in sight at all times. Mark with dye marker/smoke. Turn in direction of target with observer calling out target using clock code. Switch IFF to appropriate code. Report sighting to appropriate agency. 	See A	SH M	anual NWP-55.
 Mark with dye marker/smoke. Turn in direction of target with observer calling out target using clock code. Switch IFF to appropriate code. Report sighting to appropriate agency. 			SIGHTING PROCEDURES
 Turn in direction of target with observer calling out target using clock code. Switch IFF to appropriate code. Report sighting to appropriate agency. 	1	. K	eep target in sight at all times.
clock code.4. Switch IFF to appropriate code.5. Report sighting to appropriate agency.	2	. M	ark with dye marker/smoke.
5. Report sighting to appropriate agency.	3		
	4	. S	witch IFF to appropriate code.
6. Deploy rescue personnel.	5	. R	eport sighting to appropriate agency.
	6	. D	eploy rescue personnel.

III-B-107

3B.13 MEDICAL EVACUATION (MEDEVAC) OPERATIONS

3B.13.1 CONDUCT MEDEVAC MISSION PLANNING AND BRIEFING TASK:

CONDITION(S): Throughout the evaluation, the squadron should be tasked
to provide and plan the employment of a dedicated MEDEVAC support package consisting of one of more assault support helicopters and escorts. In addition to fast reaction launch of the dedicated MEDEVAC package. the evaluator should cause the diversion of airborne flights from other missions of lower priority.

STANDARDS:	EVAL: Y: N: NE
.1	Squadron designates required MEDEVAC support aircraft and crews per LOI/OPLAN.
.2	Conducts coordinated planning by MEDEVAC flight leader and flight coordinator.
.3	The mission commander receives brief regarding duties as MEDEVAC flight leader. (KI)
.4	Briefs all aircrew members on assigned mission and flight procedures.
.5	Ensures flight is equipped with the appropriate medical and rescue equipment.
.6	Launches within the required time period.
.7	Executes airborne diverts as briefed by higher agency.
EVALUATOR	INSTRUCTIONS: None.

KEY INDICATORS:

MEDEVAC FLIGHT LEADER

- 1. Responsible for mission accomplishment.
- 2. Decides whether to attempt the evacuation based on mission precedence, weather conditions, and enemy activity.
- 3. The determination of the sequence of medical evacuation from any particular location is a function of the supported unit commander and is accomplished normally by his assignment of precedence based upon medical and tactical factors known to him.
- 4. Requests additional helicopter support. if required.
- 5. Designates flight coordinator.
- 6. Requests air support requirements from higher headquarter..

TASK: 3B.13.2 EXECUTE EN ROUTE PROCEDURES

<u>CONDITION(S)</u>: The ingress/egress portions may be flown against a variety of threats, both air and ground. Formations will vary in size from sections to divisions. Low level ingress and egress may be required. EMCON procedures should be considered and employed, when necessary.

III-B-108

STANDARDS: E	VAL: Y: N: NE
	ains clearance from controlling agency for all aircraft to ceed to MEDEVAC pick-up location.
	es routes and altitude that are expeditious and medically and tically sound.
Use	s tactically sound en route formations.
	ablishes radio contact with supported ground unit as soon as sible to receive LZ brief.
mis	ides whether to attempt the evacuation or to abort the sion based on assigned mission precedence. weather ditions, and enemy activity.
	ures that aircrew is briefed on the situation. the adopted and enemy activity. (KI)
	ermines the approach direction based upon recommendations of flight coordinator and/or supported ground unit.
EVALUATOR INS	TRUCTIONS: None.
KEY INDICATOR	<u>s</u> :
	AIRCREW BRIEF
1. Frien	dly positions.
2. Enemy	positions.
3. ROE/w	eapons conditions.
	se of direction/clock/distance codes and smoke grenades to end identify the location of enemy fire.
TASK: 3B.13	.3 EXECUTE APPROACH AND DEPARTURE PROCEDURES
<pre>CONDITION(S): has received</pre>	The MEDEVAC package has arrived in the pick-up area and an LZ brief.
STANDARDS: E	VAL: T: U: NE
.1 Cho whi	oses approach and departure corridors and flight techniques ch afford greatest protection to the evacuation helicopter.
	orms the flight coordinator of the intended approach route flight techniques
	ifies the flight commander of his intentions to position orts for maximum coverage/effectiveness.
.4 Ide	ntifies the proper LZ through radio communications and/or ored smoke/panels. (KI)
	a smoke screen is employed, positions aircraft to make proper of screening.
.6 Lan	ds in the correct pick-up zone.
COO	le evacuee is being loaded, the halo lead informs the flight rdinator of the intended departure route and flight hniques.
	ing the return flight, the medical facility is informed of: , type wound, injury, or illness.
	ifies medical facility of evacuee category (urgent, priority, tine).

.10 ____ Aircrew are debriefed and any intelligence information is disseminated.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LANDING ZONE MARKING

The importance of proper LZ identification through either radio communication and/or coded smoke/panels to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to smoke/panel color until the smoke/panel has been deployed and sighted by the helicopter flight. Subsequent to such sighting, the color of the smoke/panel shall be confirmed via radio communication with the ground unit.

3B.14 TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP) OPERATIONS

TASK: 3B.14.1 CONDUCT AVIATION PLANNING FOR TRAP

STANDARDS: EVAL: Y: N: NE		
.1		Establishes early liaison.
. 2		Plane weather criteria.
.3		Provides aviation supportability estimates and asset availability information to the MAGTF commander.
. 4		Requests information and intelligence to develop enemy, terrain, and weather data base. $ \\$
.5		Develops aviation TRAP support requirements (parts, tools, ordinance, fuel, special equipment, personnel, etc.).
.6		Plans for RECCE of TRAP site, if tactically feasible.
.7		Reconciles any aviation shortfalls with higher headquarters.
.8		Requests MW support from theater aviation assets, if required, for fixed-wing escort, airborne early warning platform, and/or EW support.
.9		Requests close air support aircraft, if required.
.10		Requests EW support and/or smoke screening to suppress enemy air defense efforts and to deny enemy us. of EW.
.11		Plans for escort aircraft.
.12		Allocates assets to support TRAP force concept of operations.
.13		Determines distance and fuel requirements, and identifies aerial refueling or FARP requirements. (See MPS 38.16 FARP.)
.14		Coordinates primary and alternate LZ's with the supported commander and recommends them to higher headquarters.
.15		Plans ingress/egress routes, to include alternates, based on METT-T.

III-B-110

.16	Identifies obstacles on ingress/egress routes and in vicinity of LZ's, and ensures adequate clearance is maintained.
.17	Integrates available fire support capabilities with planned aviation tactics.
.18	Coordinates control points.
.19	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.20	Establishes and coordinates ITG procedures.
.21	Plane flight formations which ensure tactical dispersion of aircraft.
.22	Considers LAAD assets to support the TRAP plan based on available threat intelligence.
.23	Establishes the weapons control and ROE.
.22	Requests and coordinates with airborne control agencies, if required.
.25	Provides input for the communications plan.
.26	Plans for codewords.
.27	Ensures aviation mission commander and TRAP commander are in the same aircraft, if feasible.
.28	Develops timeline.
.29	Plans standby crews and bump plan.
.30	Coordinates shipboard troop loading and refueling/rearming cycles with the MAGTF.
.31	Integrates and coordinates aviation communications support requirements with higher headquarters, TRAP force, and air control agencies.
.32	Plans additional downed aircraft procedures; e.g., maintenance.
.33	Considers requirement to resupply TRAP force as well as identifying additional equipment (slings, hoist, litters, etc.).
.34	Identifies explosive requirements in the event contingencies arise requiring the destruction of the downed aircraft.
.35	Schedules mission briefings for all flight crewmembers and air control personnel, if possible.
.36	Plans for alternate mission commander.
.37	Develops, in conjunction with supported commander, a viable deception plan.
.38	Develops manifesting procedure that will account for all personnel during all phases of the mission.
appl	UATOR INSTRUCTIONS: The evaluator should be familiar with all icable FMFM's, tactical manuals, NATOPS instructions, and squadron

sop's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS: None.

III-B-111

TASK. 38.14.2 CONDUCT TRAP NIGHT PLANNING

 $\underline{\text{CONDITION(S)}}$: The TRAP is to be conducted at night or during periods of limited visibility. The following items will be added to the planning.

TANDARDS	EVAL: Y: N: NE
.1	Utilizes light level planning calendar.
.2	Plans aircraft lighting and flight formations to be employed.
.3	Allocates NVG's to support the TRAP and establishes priorities for use, if required.
.4	Plans ITG landing area procedures and initial orientation for debarked troops.
.5	Ensures availability of LZ and load identification lighting; e.g., chemical lights.
.6	Schedules training/rehearsal during darkness if time permits.
.7	Plans contingencies and emergency procedures.

EVALUATOR INSTRUCTIONS: None

KEY INDICATORS: None

TASK: 3B.14.3 EXECUTE TRAP MISSION

 $\underline{\text{CONDITION}(S)}$: Aircrew should be prepared to direct the rescue effort during any mission whether in combat or during peacetime. The primary concern on a TRAP mission is the safe and rapid extraction of survivors and recovery of the aircraft, if possible.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Aircraft arrive at TRAP site with sufficient assets to accomplish the mission.
- .2 ____ Flight tactics reflect METT-T considerations.
- .3 ____ Maintains communication discipline, as briefed.
 - 4 ____ Maintains continuous coordination with supported unit commander informing him of TRAP progress.
- 5 ____ Receives timely update of enemy forces deployment in the area.
- .6 ____ Ensures crew coordination during external recovery of downed aircraft.
- .7 ____ Effectively utilizes LZ lighting and illumination for recovery of aircraft and/or personnel.
- .8 ____ Successfully retrieves downed aircraft or extracts personnel from TRAP site.
- .9 ____ Accounts for all TRAP personnel and equipment before departing the objective area.
- .10 ____ Uses appropriate ingress/egress routes.
- .11 ____ Executes deception plan, if required.
- .12 ____ Conducts timely debrief of all key personnel including 5-2 debrief.

III-B-112

EVALUATOR INSTRUCTIONS: External loading manual was utilized.

KEY INDICATORS: None.

TASK: 3B.14.4 EXECUTE SERE MISSION

CONDITION(S): A simulated mishap will be conducted involving a major accident with the aircrew condition unknown. At least one complete crew of the squadron's aircrew shall be selected at random as a "Downed Aircrew" either immediately prior to or after a scheduled flight. The Downed Aircrew" will be inserted into the SERE area with appropriate flight equipment end clothing which the crew is wearing at the time of selection. A SERE evaluator end corpsman should accompany the downed aircrew. This task should be done in conjunction with SAR.

STANDARDS	EVAL: Y: N: NE
.1	Briefs aircrew prior to flight on the location of friendly end enemy forces.
.2	Briefs aircrew on SAR safe areas and pick-up procedures.
.3	Provides downed aircrew with appropriate survival end protective equipment.
	Demonstrates knowledge of correct use of survival end protective equipment.
.5	Exhibits knowledge of day end night visual recognition signals.
.6	Communicates via radio with rescue aircraft.
.7	Responds appropriately to conditions encountered while attempting evasion end recovery.
.8	Takes proper measures to evade capture, if required.
.9	Seventy percent of squadron aircrew are SERE school trained.
.10	Eighty percent of squadron aircrew are SERE school trained.
.11	Ninety percent of squadron aircrew are SERE school trained.
.12	One hundred percent of squadron aircrew are SERE school trained.
EVALUATOR	<pre>INSTRUCTIONS: The evaluator should evaluate the mishap plan.</pre>
KEY INDICA	ATORS: None.

3B.15 FORWARD AIMING AND REFUELING POINT (FARP) OPERATIONS

TASK: 3B.15.1 PLAN FARP FOR MISSION SUPPORT

<u>CONDITION(S)</u>: The MAST? is in receipt of a mission which, due to distances and/or the tactical situation, requires the en route rearming and/or refueling of mission aircraft. The decision has been made to deploy a FARP. The intelligence scenario and operational scheme of maneuver reflect the basic mission that is being supported. The TARP is an enabling objective of the mission that has bean assigned.

III-B-113

STANDARDS	: EVAL: Y: N: NE	
.1	Utilizes NWP-55 (ASH Manual) checklist.	
.2	Assigns a MAGTF/FARP coordinator.	
.3	Plan. timeline and specifies duration of FARP operation.	
.4	Identifies the number and type of aircraft to he supported.	
.5	Identifies mission essential equipment/logistics based on requirements.	
.6	Develops threat plan from available intelligence/combat information.	
.7	Coordinates security requirements.	
.8	Develops communications plan to include frequencies and EMCON procedures.	
.9	Coordinates ITG requirements with the ground element, if required.	
.10	Plans for codewords and prowords and informs control agencies of their use, if necessary.	
.11	Plans for appropriate number and types of support personnel, e.g., HST, ORD, TAFDS, ATC.	
.12	Recommends go/no 80 criteria in coordination with the supported elements.	
.13	Compares essential equipment assets with those available, considering backup requirements as well, and plans for their movement to the FARP area.	
.14	Considers weather criteria.	
.15	Plans alternate contingencies.	
.16	Considers EW assets/procedures.	
.17	Plans downed aircraft procedures, and aircraft recovery requirements to include necessary standby personnel.	
.18	Plans arming/dearming procedures.	
.19	Ensures ROE, weapons statue, and alert conditions are established and understood by all.	
.20	Plans and schedules mission and flight briefings.	
<u>EVALUATOR INSTRUCTIONS</u> : The evaluator should be familiar with all applicable FMFM's, Tactical Manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives participate in the planning.		

KEY INDICATORS: None.

TASK: 3B.15.2 PLAN FARP EN ROUTE PHASE

 $\underline{\text{CONDITION}(S)}$: To be conducted once initial planning has established the location of the FARP. The threat information and tactical considerations mirror those required to support the basic mission. Additional sequencing and control measures are added for FARP specific tasks.

III-B-114

STANDARDS: EVAL: Y: N: NE	
.1 Plane for tactical dispersion of aircraft to ensure the phased arrival at the FARP location is consistent with the size of th landing area.	
.2 Plans flight formations with reference to the refueling sequen and the tactical situation.	ce
.3 Integrates available fire support capabilities to provide protection.	
Plans communications for oncall fixed-wing support. as required	d.
.5 Plans scatter procedures and control points/communications tha allow for in-flight contingencies.	t
<pre>EVALUATOR INSTRUCTIONS: This planning is to be conducted with all key participants.</pre>	
<u>KEY INDICATORS</u> : None.	
TASK: 3B.15.3 PLAN FARP AREA OPERATIONS	
$\underline{\text{CONDITION}(S)}$: The FARP location has been determined and planning for operations has begun.	
STANDARDS: EVAL: Y: N: NE	
.1 Assigns an onsite MAGTF/FARP coordinator.	
.2 Assigns tasks to onsite ground control personnel.	
.3 Bases location of the FARP on METT-T.	
.4 Plans alternate location(s).	
.5 Plans visual signals for both day and night uses, and attempts to eliminate unnecessary voice communications.	
.6 Plans for specific number and types of aircraft.	
.7 Plane marking of FARP area,	
.8 Plans FARP layout and refueling/rearming staging areas.	
9 Plans refueling/rearming areas for safe separation of aircraft	
.10 Plans replenishment method; i.e., external bladders, truck, CH 53, Kc-130.	-
.11 Coordinates plans for use of specific fuel pumps. plus backups	
.12 Identifies mission fuels and fuel amounts.	
.13 Coordinates/plans specific number of refueling points.	
.14 Plans refueling heading.	
.15 Calculates pumping times.	
.16 Plans total time of refueling.	
.17 Calculates ordnance buildup times.	
.18 Plans arming/dearming headings of aircraft to increase safety,	
if possible.	
.19 Plans for emergencies in the refueling/rearming areas.	

.20	Plans movement of aircraft in the FARP area, and sequencing of services.
.21	Plans ground safety equipment.
.22	Considers drainage in FARP locations.
.23	Considers EPA requirements, if necessary.
.24	Considers location of LAAD teams for short range ground-to-air missile defense protection at the FARP site.
.25	Publishes FARP diagram.
<u>EVALUATOR</u> participa:	<u>INSTRUCTIONS</u> : This planning is to be conducted with all key nts.
KEY INDIC	ATORS: None.
TASK: 3	B3.15.4 PLAN NIGHT FARP
darkness. planning	(S): Due to mission requirements. the FARP will be used during Therefore, the following requirements must be considered in the operation. : EVAL: Y: N: NE
	Utilizes light level planning calendar.
	Plans landing area lighting and flight formations to be employed.
.3	Allocates NVG to support the operation.
.4	Plans ITG and coordinates with appropriate elements.
.5	Plans aircraft lighting.
.6	Provides taxi directors with appropriate wands.
.7	Plans for contingencies and emergency procedures.
.8	Plans training during darkness, if possible.
<u>EVALUATOR</u>	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.

TASK: 3B.15.5 PLAN FARP LOGISTICS

 $\underline{\text{CONDITION}(S)}$: Due to mission consideration.. the FARP will remain in place for an extended period of time. Additional logistics considerations must be planned. Liaison with the CSSE is accomplished.

III-B-116

STANDARDS: EVAL: Y: N: NE	
.1 Plans and identifies mission supplies.	
.2 Considers resupply.	
.3 Plans for the retrograding of supplies and personnel after FAN use.	۲P
.4 Determines the requirement for EOD support.	
EVALUATOR INSTRUCTIONS: None.	
KEY INDICATORS: None.	
TASK: 3B.15.6 BRIEF FARP MISSION	
<u>CONDITION(S)</u> : The decision to employ a FARP has been made. All liaison has been performed and mission planning is complete. All participants are present for the brief.	nc
STANDARDS: EVAL: Y: N: NE	
.1 Briefs all items per published NWP-55-9 ASH Manual/unit SOP.	
.2 Briefs FARP area diagram.	
.3 Briefs location of ground safety equipment.	
.4 Briefs visual signals for day/night.	
.5 Briefs procedures for ordnance, HST, and ATC.	
.6 Briefs the number of refueling points.	
.7 Briefs refueling and rearming headings.	
.8 Briefs arming/dearming procedures.	
9 Briefs flight formations with reference to the refueling/rearming sequence.	
.10 Briefs movement of aircraft in the FARP area.	
.11 Briefs general scheme of maneuver for the basic mission.	
.12 Briefs FARP security plan.	
.13 Briefs communications plan and provides handouts.	
.14 Briefs weather criteria.	
.15 Briefs go/no go criteria.	
.16 Briefs deception plan, if necessary.	
.17 Briefs threat intelligence, to include escape and evasion procedures.	
.18 Briefs downed aircraft procedures in the FARP area.	
.19 Briefs disengagement procedures from the refueling points in case of emergency/attack.	
.20 Briefs codewords.	
.21 Briefs alternate FARP location(s).	

III-B-117

.22 Briefs timeline.
.23 Briefs rules of engagement/weapons status and conditions.
24 Briefs special considerations.
25 Briefs obstacle clearance for FARP area.
26 Briefs receiver aircraft on the amount of fuel to be taken.
27 Briefs contingency actions and emergency procedures.
<u>EVALUATOR INSTRUCTIONS</u> : This brief is to be conducted by the mission commander or his designee. All participants attend.
KEY INDICATORS: None.
TASK: 3B.15.7 BRIEF NIGHT FARP OPERATIONS
$\underline{ ext{CONDITION(S)}}$: Night TARP operations are required to effectively support the MAGTF. This brief is to be conducted in conjunction with other briefings as applicable.
STANDARDS: EVAL: Y: N: NE
.1 Briefs ambient illumination.
.2 Briefs illumination plan.
.3 Briefs night vision device procedures.
Briefs ITG.
.5 Briefs aircraft lighting, TARP lighting, and ground directors lighting.
.6 Briefs contingencies and emergency procedures at the TARP.
EVALUATOR INSTRUCTIONS: This brief is to be conducted by the mission commander or his designee. All participants attend.
KEY INDICATORS: None.
TASK: 3B.15.8 EXECUTE FARP EN ROUTE PHASE
CONDITION(S): A mission has been assigned which requires an en route TARP, and the squadron has completed all required liaison. planning, and briefing. Orders have been issued and all preparations have been checked.
STANDARDS: EVAL: Y: N: NE
.1 Executes mission, as briefed.
.2 Executes mission communications plan. as briefed.
.3 Planned and briefed assets are available.
.4 Appropriate number and types of personnel are 5vailable.
III-B-118
FNCLOSIDE (1)

.5	Executes mission security plan, as briefed.
.6	Tactically disperses aircraft.
.7	Flies flight formations, as briefed.
.8	Control points allow for flexibility.
.9	Flight leaders respond to emergencies immediately.
.10	Understands scatterplan and implements it without undue communications.
.11	Aircraft arrive at the FARP as planned.
.12	Adheres to ROE.
.13	Adheres to timeline.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	B.15.9 EXECUTE FARP AREA OPERATIONS
CONDITION	I(S): Assigned aircraft arrive at the FARP site.
STANDARDS	: EVAL: Y: N: NE
.1	Executes FARP per brief.
.2	Configures FARP per brief.
.3	Refueling/rearming area allow. for safe separation of aircraft.
.4	Onsite FARP coordinator and support personnel are present in the zone and are in control.
.5	Movement of aircraft in the FARP area is par brief.
.6	Executes visual signals per brief.
.7	Aircrews adapt to changes without sacrificing mission accomplishment.
.8	Sufficient fuel is available for receiver aircraft.
.9	Set. up FARP site in sufficient time to support the mission.
.10	Aircraft receive proper ordnance.
.11	Refueling/rearming heading. are per brief.
.12	Refueling sequence is per brief.
.13	Total time of refueling is per brief.
.14	Available number of refueling points is per brief.
EVALUATOR	None.

III-B-119

KEY INDICATORS: None.

TASK: 3B.15.10 EXECUTE FARP NIGHT OPERATIONS

 $\underline{\texttt{CONDITION(S)}} \colon$ The task requires night FARP operations to be conducted in support of MAGTF operations.

STANDARDS: EVAL: Y: N: NE

. 1	FARP	lighting	is	sufficient
• -	 1 1111	T T 911 C T119		Darrectic

- 2 ____ Taxi directors use appropriate lighting.
- 3 ____ ITG methods are successful.
- .4 ____ Aircraft lighting is per brief.

EVALUATOR INSTRUCTIONS: Hone.

KEY INDICATORS: None.

3B.16 NIGHT OPERATIONS

TASK: 3B.16.1 CONDUCT NIGHT MISSION PLANNING

CONDITION(S): This MPS should be considered in conjunction with other missions as required and concerns specific considerations that are addressed should an operation be conducted under the cover of darkness. As such, the execution of a mission at night should not be considered as a special operation but as another option available to the tactical commander to achieve mission accomplishment. Accordingly, while the employment of a night operation may not ensure mission success. failure to apply basic techniques in planning and execution when using darkness will almost surely result in tactical degradation that will be the genesis for mission failure.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Determines if mission is to be conducted using unaided night vision techniques or NVG's. (KI)
- .2 ____ Considers the slower tempo and limitations that characterize night operations. (KI) $\,$
- .3 ____ Establishes procedures for night vision adaptation and preservation.
- 4 ____ Bases aircraft lighting on forecast light conditions and current directives.
- .5 ____ Considers the advantsge5/di55dvant5ge5 of artificial illumination vs. natural lighting. (KI)
- .6 ____ Plans the methods of employment and delivery of artificial illumination. (KI) $\,$
- .7 $_$ Incorporates oncall illumination for emergency situations, if required.
- .8 ____ Considers possibility of lighting aids to assist in locating/identifying the LE and in accomplishing landings at night. (KI)
- .9 ____ Ensures liaison is made with supported/supporting unit to coordinate use of light in LE to ensure night adaptation, preservation, or NVG compatibility. (KI)
- .10 ____ Ensures flight formation maintains proper balance between safety and maneuverability.

III-B-120

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Need for positive aircraft control procedures.
- 3. The slower tempo of activity.
- 4. Smaller helicopter waves.
- Problems inherent in conducting rendezvouses, approaches, and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the LZ.

NIGHT OPERATIONS CONSIDERATIONS

- 1. Mission and requirements.
- 2. Threat and effect of low visibility on enemy operations.
- 3. Ambient light level available (both natural and artificial).
- 4. Weather.
- 5. Terrain/distance.
- 6. Use of light level planning calendar.
- 7. Rising and setting of the sun/moon.
- 8. Usage of NVG manual.
- 9. Shadowing.

NATURAL AND ARTIFICIAL ILLUMINATION CONSIDERATIONS

Natural Lighting Advantages:

- 1. Element of surprise is maintained longer.
- 2. Night vision capabilities are maximized and conserved.
- 3. Helicopters are difficult to acquire and engage by visual means.
- 4. Ground fire is easy to see.

Natural Lighting Disadvantages:

- 1. Navigation is difficult.
- 2. LZ's are more difficult to identify.
- 3. Depth perception is greatly reduced.
- 4. Escort support capabilities are restricted.

III-B-121

ARTIFICIAL LIGHTING ADVANTAGES:

- 1. Permits navigation by terrain reference.
- 2. Aids in LZ identification.
- 3. Provides a visual horizon.
- 4. Permits "see and avoid" procedures for safe separation of aircraft and flights.
- 5. Permits use of daylight operation procedures, flight techniques, and escort support procedures.

ARTIFICIAL LIGHTING DISADVANTAGES:

- 1. Flying through illumination (flare) debris.
- 2. Silhouetting of aircraft.
- 3. Enables optical tracking by the enemy.
- 4. Obscures visible horizon.
- 5. Minimum lighting level accepted; i.e., safety possibly degraded.
- Aircraft flight pattern, downwind path of expended flares. and extended gun line of artillery-delivered illumination f)are canisters.

ILLUMINATION DELIVERY METHODS

Should Consider:

- Aircraft delivery is most effective, versatile, and easiest to control.
- Long endurance, large flare capacities of cargo-type (C-130) aircraft.
- 3. Minimum exposure time of close air support and attack helicopters.
- Ambient light level fluctuations and gaps in illumination caused by threat evasive maneuvers.
- 5. Adjustment time for artillery and NGF flares.
- 6. Less light production and shorter burn time of artillery and NGF.
- Effectiveness of artillery and NGF are reduced in poor weather conditions.
- 8. Enemy sir defense capabilities.
- 9. Range capabilities and limitations of artillery and NGF.

LANDING ZONE LIGHTING

Types of Lighting Aids:

- 1. Terminal guidance systems (Glide Angle Indicator Light (GAIL)).
- 2. Expeditionary lights.
- 3. Flare illumination.
- Field expedients (vehicle lights, flashlights, blinking lights, bonfires, smudge pots, chemical light sticks, etc.).

Landing Zone Lighting Should:

1. Be visible to the pilot.

III-B-122

- 2. Identify an area free of obstacles that is safe for hovering and/or landing.
- Employ three or more separate lights to preclude effects of autokinesis.
- Provide orientation along obstacle free approach and take-off corridors.

NVG COMPATIBLE LZ LIGHTING RESOURCES

Landing Zone Lighting:

- 1. NVG compatible LZ lighting.
- 2. IR lights.
- 3. Chemical light sticks.
- 4. Shielded flashlights.
- 5. Any light source sufficiently dimmed so as not to interfere with NVG operation.

GROUND UNIT CONSIDERATIONS

- 1. Increased time for embarkation/debarkation.
- 2. Light discipline requirements for NVG operations.
- 3. HST requirements for NVG utilization.
- 4. FARP requirements for NVG operations.

TASK: 3B.16.2 CONDUCT NIGHT MISSION BRIEFING

CONDITION(S): The ATO has been issued and the squadron is assigned a variety of night missions in support of the MAGTF. Multiple divisions/sections may be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers attend briefs when possible. Flight leaders provide navigation cards, maps, aircraft configurations, and gross weights. detailed fuel figures, checkpoints, IP's, and TOT calculations when required by the evaluator.

STANDARDS: EVAL: Y: N: NE

1	Ensures that maps are prepared and are NVG/night compatible.
2	Briefs night vision adaptation and preservation and ensures procedures are followed by aircrew.
.3	Issues NVG in adequate numbers and with appropriate accountability.
4	Ensures that all aircrew members have required night flying equipment.
5	Briefs aircrew coordination to include NVG considerations. (KI)
6	Flight schedule allows sufficient time for aircrew to thoroughly preflight aircraft and lighting systems.
7	Briefs flight coordinator on CA. friendly positions, approach and retirement lanes, and flight techniques to be used.
8	Briefs transition procedures for NVG use.

III-B-123

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

AIRCREW COORDINATION

- 1. Procedures for NVG failures.
- 2. Inadvertent entry into INC.
- 3. Light discipline.

TASK: 3B.16.3 EXECUTE NIGHT MISSION

 $\underline{\text{CONDITION(S)}}$: The squadron conducts night support missions. All liaison has been performed and mission planning and briefing is completed. Navigation is required to the IP/LZ and timing for L-Hour/TT/TOT has been established.

STANDARD	S: EVAL: Y: N: NE
.1	Aircrew execute their duties, as briefed. (KI)
.2	Ensures that cockpit lighting is configured for night flying or NVG compatibility, if necessary.
.3	Employs proper procedures, as applicable.
.4	Ensures that all crewmembers are wearing NVG's at all times during flight when NVG's are required.
.5	During taxi, ground crew utilizes appropriate signals for directing aircraft.
.6	Take-off heading is in the direction of the first lea of flight to ensure positive orientation whenever possible.
.7	Tactical formations are limited to the smallest number of aircraft in order to maintain a balance between safety, tactical maneuverability. and mission accomplishment.
.8	Minimum aircraft lighting is used commensurate with safety and NVG compatibility.
.9	Demonstrates proficiency in the in-flight utilization of NVG, when required.
.10	Ensures that wingman stays close enough to be able to recognize any altitude. attitude, or airspeed changes.
.11	Avoids continuous flight at the 6 o'clock position.
.12	Does Dot descend below the altitude established for safe terrain and obstacle clearance.
.13	Immediately takes steps to reorient if deviation observed from planned flight route.
14	Executes inadvertent IFR procedures, as briefed.
.15	Ensures coordination with the flight coordinator for an external lights out approach to preclude loss of or hindrance to escorts.
.16	If feasible, uses terminal guidance to acquire and approach the ${\tt LZ}$.
.17	Properly executes GAIL approaches.
.18	Makes approaches that minimize aircraft maneuvering and provide sufficient altitude and straight away for a safe rate of descent.

.19	Appropriately utilizes external lighting.
.20	Uses spotlight momentarily and intermittently to clear obstacles and locate the LZ as necessary.
.21	Extinguishes spotlight after touchdown.
.22	If artificial illumination is employed, positions aircraft to maximize utilization of light.
.23	\ensuremath{LZ} lighting is in compliance with NATOPS, ASH Manual, or STANAG guidelines.
.24	Lands aircraft at designated spot indicated by LE lighting.
.25	Departures obtain safe terrain and obstacle clearance altitude.
.26	Uses appropriate number of crewmembers to conduct NVG externals.

EVALUATOR INSTRUCTIONS: None.

AIRCREW MEMBER'S RESPONSIBILITIES

Pilot at the Controls:

KEY INDICATORS:

- 1. Primary responsibility of flying the helicopter and observing outside the cockpit.
- 2. Correlates his visual cues with flight instrument information relayed by the other pilot.
- 3. Employs NVG scanning techniques for navigational landmarks, obstacle end aircraft avoidance, formation flying, and monitoring helicopter performance.
- 4. Avoids cockpit related distractions and tendency to focus on only one external visual or sensory cue.
- Retains control of helicopter during aircraft/system emergencies and executes those emergency procedures agreed upon at the briefing.

Pilot not at the Controls:

- 1. Monitors the flight instruments to determine aircraft performance and to detect unsafe conditions.
- Provides airspeed, radar altitude, and as required, rate of descent/climb information to pilot at the controls.
- Monitors aircraft and pilot performance and, if unsafe situation arises, advises and, if required, assists the pilot in taking necessary corrective actions.
- 4. Prepares to take control of the aircraft at all times.
- 5. Monitors mechanical functioning of the aircraft, performs cockpit duties (e.g., operates switches, tunes radios, etc.) navigates, and monitors performance of crewchief/gunner.
- 6. During aircraft/system emergencies, executes those emergency procedures agreed upon at the briefing.
- 7. Remains oriented along the flight route

Crewchief and Gunner:

- 1 Monitor mechanical functioning of helicopter.
- 2. Perform look-out duties to warn of aircraft and obstacles.
- 3. Monitor positions of other aircraft inflight.

III-B-125

- $4.\ \mbox{Assist}$ in terrain recognition and provide obstacle clearance and LZ condition information during hovering and landing operations.
 - 5. Provide positional directions to pilot during external operations.

3B.17 COLD-WEATHER OPERATIONS

TASK: 3E.17.1 CONDUCT COLD-WEATHER OPERATIONS PLANNING

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}}: \quad \text{The squadron has been assigned a mission to support a tactical operation.} \quad \text{The commander is directed to establish liaison with the supported unit for planning.} \quad \text{This task should be considered in conjunction with other missions as required.}$

STANDARDS	EVAL: Y: N: NE
.1	Reviews information on terrain and climatology including snow conditions, snow depth, ice thickness, and wind velocity and direction.
.2	Considers equivalent chill factor and effects on Marine's physical and mental efficiency.
.3	Planning reflects that work requires up to four times longer to accomplish in cold weather.
.4	Fire support plan considers the limitations in ground mobility of artillery weapons.
.5	Allows extra time for preflight, engine warmup, ground checks, rotor engagement. and taxiing of aircraft.
.6	Utilizes prominent terrain features for navigation to offset difficulties associated with snow-covered and featureless terrain.
.7	Considers the use of mobile navigation aids/ASRT to aid in navigation.
.8	Coordinates with HST for LZ prep.
.9	Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold-weather environment in event of mishap or heater failure.
.10	Emphasizes adherence to assigned mission routes to enhance SAR effort. $ \\$
.11	Plans extensive use of warming tents and stoves to assure Marines ability to work and live.
.12	Considers what reduced visibility from snow will have on tactical plan and aircraft operations.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

HELICOPTER SURVIVAL KIT

- 1. 5 man arctic tent.
- 2. Rations.
- 3. Waterproof matches.
- 4. Sleeping bags.
- 5. Axes.

- 6. Entrenching tool.
- 7. Line..
- 8. Radio batteries.
- 9. Candles.
- 10. Snowknife.
- 11. Snowsaw.
- 12. Sunglasses.
- 13. Water purification tables.
- 14. Flashlight/lanterns.
- 15. Snowshoes.

TASK: 3B.17.2 EXECUTE MAINTENANCE TASK

 $\underline{\text{CONDITION}(S)}$: The squadron is deployed to an expeditionary airfield with all necessary ground support equipment available.

STANDARDS: EVAL: Y: N: NE

.1	Ensures	that	sup	ervisory	ре	ersonnel	are	present	to	monitor	the
	effects	of c	old	weather	on	maintena	ance	personne	≥1.		

- .2 ____ Employs buddy system when working on aircraft to prevent coldweather casualties.
- .3 ____ Ensures that all people wear cold-weather gear, particularly gloves, when working near metal during freezing temperatures.
- .4 ____ Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather.
- .5 ____ Stores batteries in warm areas when not in use.
- .6 ____ Uses auxiliary power units whenever possible.
- .7 ____ checks aircraft fuel for water contamination before engine start.
- .8 $_$ Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement.
- .9 ____ Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication systems.
- .10 ____ Uses protective covers whenever possible.
- 11 ____ obtains fluid level readings when fluids are warm.
- Demonstrates awareness of what cold soaking will do to control rods and other malleable metal surfaces.

EVALUATOR INSTRUCTIONS: None.

III-B-127

KEY INDICATORS: None.

TASK: 3B.17.3 EXECUTE COLD-WEATHER MISSIONS

 ${\hbox{\hbox{\tt CONDITION}(S)}}\colon$ The squadron conducts cold-weather support missions. All liaison has been performed and mission planning and briefing is completed.

STAN	DARDS	EVAL: Y: N: NE
.1		All aircrew wear appropriate cold-weather equipment.
.2		Aircraft attain normal operating limitations before taxiing.
.3		Takes proper precaution. when taxiing on $snow/ice$ covered areas.
. 4		If taking off from water. wet snow, or slush covered area. operates landing gear through several cycles to prevent gear from freezing in retracted position.
.5		Does not operate aircraft beyond NATOPS limitations when flying in icing conditions.
.6		Demonstrates proper snow landing techniques.
.7		Uses landing point indicators (e.g., sled, panel, colored snow, etc.) to prevent drift during landing.
.8		Land aircraft far enough apart in LE to prevent blowing snow from reducing visibility to/from other aircraft during approach.
.9		During external operations. with snow in the landing area, lands adjacent to the load and uses a sling extension for sling operations.
.10		When resting in snow, maintains power to the head to prevent settling.
.11		Crewchief ensures sufficient tail rotor clearance when landing on snow before allowing egress of personnel and equipment.
.12		Crewchief prevents accumulation of snow inside cabin section of aircraft.
.13		Maintains cabin temperature below 4D degrees Fahrenheit to prevent buildup of condensation on equipment and weapons.
.14		Utilizes maximum performance takeoff to minimize IFR conditions caused by blowing snow induced by rotor wash.
EVAL	UATOR	<u>INSTRUCTIONS</u> : None.
KEY	INDIC	ATORS: None.

III-B-128

35.18 DESERT OPERATIONS

TASK: 35.18.1 CONSIDER DESERT OPERATIONS EFFECTS ON AIRCRAFT

 $\underline{\text{CONDITION}(S)}$: This MPS should be considered in conjunction with other missions as required. The mission should include TERF, navigation, and night evolutions.

STAN	IDARD:	S: EVAL: Y: N: NE
.1		Thoroughly considers the affect of ambient weather conditions (e.g., temperature, humidity, density altitude, dust/sand storms, etc.) on aircraft performance and assigned mission.
. 2		Plans to utilize easily identifiable terrain features as checkpoints during en route navigation.
.3		Considers alternatives for reducing effect of sand and duet in cress where aircraft will be operating.
. 4		Ensures that aircraft are properly configured with survival equipment for desert survival. (KI)
.5		Covers windscreens when not in use to prevent possible bubbling.
.6		When possible, keeps windscreen from receiving direct sunlight.
.7		Covers or closes all possible openings when aircraft is not in use. (KI)
.8		During engine start, rotor engagement and taxi, minimizes ground time to reduce effects of blowing sand, dust, and high temperatures on engines and gear boxes.
.9		Ensures that all ground crew use proper protective clothing and equipment to reduce effects of rotor wash on personnel. (KI)
.10		Supervisor monitors conditions of maintenance personnel for dehydration, heat exhaustion, and other heat related injuries. (KI)
.11		Remains constantly aware of available aircraft power at all times.
.12		Avoids flying into sand or dust storms.
.13		Executes briefed inadvertent IFR procedures, if necessary'.
.14		Uses minimum power approaches into LE. (KI)
.15		Plans waveoff per NATOPS.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

SAND/DUST MAINTENANCE PRECAUTIONS

- Blowing sand and dust will seep into any opening. Buildup of sand/dust in unobserved spaces can cause mechanical failure or malfunction.
- 2. Overall maintenance is severely degraded by blowing sand and dust. System contamination is a constant problem as work is interrupted by the arrival and departure of aircraft. Prolonged operation in a sand based environment at home field will result in significantly degraded aircraft availability.
- 3. Check for presence of sand and dust in control hinges and actuating linkages.
 - 4. Check tires for proper inflation.

- 5. Check proper extension of struts.
- Check for accumulation of dust and sand in avionics and navigation compartments, engine intakes, cockpit, corrosion on rotor blades, etc.

PROTECTIVE CLOTHING/EQUIPMENT

Blowing sand and debris associated with desert aircraft operations and the intense heat buildup associated with desert sunlight requires specialized equipment by aircrew and HST personnel. All ground aircrew and HST personnel working in close proximity to operating aircraft must have appropriate eye protection, cranial protectors, sound attenuators, and gloves in addition to the required desert protective clothing.

SURVIVAL KITS

Survival kits are available and up to date.

APPROACHES

Despite engine air particle separators (EAPS) installed on every engine, hovering close to the ground will lead to sand ingestion by the engines (which will result in engine damage and power loss), and possible observation of dust clouds by the enemy. It also can cause disorientation of the pilots due to flying sand, particularly at night. Blowing debris from landing and departing aircraft creates a hazard to all personnel and a visibility problem for the aircrew.

3B.19 NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) OPERATIONS

TASK: 3B.19.1 PREPARE FOR NBC OPERATIONS

STANDARDS: EVAL: Y: N: NE .1 ____ Establishes an SOP which outlines procedures for enemy NBC strikes and reports required. .2 ___ Issues all individual NBC defense equipment authorized by the unit table of equipment to each individual and ensures equipment is serviceable. .3 ___ Makes operationally ready and distributes all unit defense equipment T/E's to designated and trained/knowledgeable operators. .4 ___ Identifies shortages and takes replacement actions. 5 ___ Assembles and prepares decontamination equipment and bulk decontaminates for ready transport to a decontamination area. .6 ___ Fills Mll decontamination equipment units (water used for training). .7 ___ Establishes MOPP level by the TAC/appropriate staff member and personnel at or above the required MOPP level.

.8	Ensures personnel are familiar with the Operational Exposure Guide (FMFM 11-8) and Mission Oriented Protective Posture (FMFM 11-9) for the control of exposure of personnel to radiation or chemical hazards.
.9	Ensures Marines properly identify NATO or enemy NBC contamination markers.
.10	Emplacement of equipment maximizes utilization of terrain features for cover, concealment, and topographic shielding.
imminent normal as NBC Defen	INSTRUCTIONS: Provide the unit information to expect an nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as part of 's School.
KEY INDIC	ATORS: None.
TASK: 3	1.19.2 PREPARE FOR NUCLEAR ATTACK
used in o	(S): The squadron is informed that nuclear weapons have been ffensive operations. SOP's/operations orders are onhand to hecklists, sequence of actions, and guidance.
<u>STANDARDS</u>	: EVAL: Y: N: NE
.1	Identifies backup/alternate command, control, and communications procedures.
.2	Alerts subordinate/displaced elements.
.3	squadron continues the mission while implementing actions to minimize casualties and damage.
.4	Protects vehicles and equipment from heat, blast, and radiation.
.5	Initiates periodic monitoring using available survey instruments.
.6	Personnel identify/prepare shelters from heat. blest, and radiation.
.7	Protects/secures all loose items, flammable/explosive items. and food and water from heat, blast, and radiation.
.8	Familiarizes Marines with standard first aid procedures to provide self/buddy aid for nuclear blast and thermal effects.
<u>EVALUATOR</u>	INSTRUCTIONS: None.
ZEZ TNDTO	AUODC: None

None. KEY INDICATORS:

TASK: 3B.19.3 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK

CONDITION(S): Nuclear attack is simulated by the detonation of an artillery or nuclear blast simulator or by other appropriate means.

III-B-131

STANDARDS:	EVAL: Y: N: NE
.1	Upon recognizing the attack, all personnel take immediate action to shield themselves from blast/heat of detonation.
.2	Maintains or reestablishes chain of command and communications. Squadron resumes mission, if possible.
.3	Submits NBC-1 initial and follow-up reports rapidly to higher headquarters as required, by personnel designated or responsible for collecting the information. Forwards reliable and complete reports rapidly. by secure means, when possible.
.4	Gives first aid and evacuates casualties to a medical treatment station as the mission permits.
.5	Evacuates fatalities to a graves registration collection point.
.6	Submits damage assessment by secure means to higher supported headquarters per SOP.
.7	Initiates continuous monitoring, using available survey instruments.
EVALUATOR :	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3B	.19.4 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK
The squadre radiologica gets effect report is prepared by detonation	S): A surface or subsurface nuclear detonation has occurred. On location is within the predicted fall-out zone. An M5AZ al fall-out predictor, or substitute, is available. The unit tive downwind messages at least once every 3 hours. NBC-2 furnished to the unit about 15 minutes after the detonation, or y the unit; NBC-3 report is furnished about 45 minutes after; NBC-5 report and/or contamination overlay is provided about 4 r the detonation.
STANDARDS:	EVAL: Y: N: NE
.1	Performs squadron mission concurrently with all other actions.
.2	Advises supervisors of estimated time of fallout arrival and notifies subordinate units.
.3	Maintains continuous monitoring using available survey instruments.
.4	Protects equipment, munitions, POL, food, and water from fallout.
.5	Personnel take protective measures to minimize fallout effects as mission permits.
.6	Forwards NBC-4 reports, as required, to the higher headquarters by secure means.
.7	Records and reports unit total dose information to higher headquarter using available secure means.
.8	Minimizes exposure while the CO determines if relocation to a clean area is necessary or possible Calculate' optimum time of exit.
.9	Personnel provide first aid treatment to casualties in a nuclear environment, as required.
.10	Assesses casualties and fatalities.
	INSTRUCTIONS: Squadron commander is advised of estimated llout arrival.

KEY INDICATORS: None.

TASK: 33.19.5 PERFORM RADIOLOGICAL DECONTAMINATION

CONDITION(S): Fallout has ceased, and personnel and equipment are
contaminated. The hazard to personnel does not allow time for radiation to
decay to a minimum level. Time and tactical situation permits
decontamination. Decontamination support is not available.

STANDARDS	EVAL: Y: N: NE
.1	Establishes decontamination priorities.
.2	Establishes decontamination point.
.3	Decontamination personnel wear appropriate protective clothing and equipment.
. 4	Decontaminates equipment, personnel, individual weapons, and electronic systems using appropriate decontamination kits.
.5	Decontaminates unit equipment and vehicles using appropriate expedient devices.
.6	Marks contaminated areas with NATO standard NBC markers.
.7	Determines adequacy of decontamination using available personned and equipment monitoring instruments.
.8	Discards contaminated materials according to tactical SOP, marks as contaminated, and provides location to the higher headquarters.
.9	Decontaminates decontamination personnel, as necessary.
.10	Does not exceed OEG.
.11	Records and reports total dose information to the MAGTF command element.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3B.19.5 CROSS A RADIO LOGICALLY CONTAMINATED AREA

 $\frac{\texttt{CONDITION(S)}\text{:}}{\texttt{ractical situation forces a squadron to cross a}} \\ \text{radiologically contaminated area while moving to C new site.} \\ \textbf{Unit receives an NBC-S report or contamination overlay from the MAGTF command element.} \\ \\$

STANDARDS: EVAL: Y: N: NE

.1	Establishes new site is			to cont	tinue the	mission	while a	ı
.2	Posts NBC-S and determin	-	•	ination	overlay	to situat	cion map)

.3 ____ Obtains route clearance and approval, if necessary.

4 $_$ Provides turn back dose and dose rate to advance party and/or reconnaissance team.

5 ____ Provides vehicles with additional shielding and personnel with all available protection from dust.

6 ____ Dispatches advance party and/or recon team to reconnoiter new areas.

III-B-133

.7	Crosses suspected contaminated area while employing contamination avoidance techniques.
.8	Does not exceed operational exposure guidance.
.9	After clearing the contaminated area. determines the degree of personnel and equipment contamination. using available personnel and equipment monitoring instruments.
.10	Establishes decontamination priorities and performs decontamination, as required.
.11	Records and reports unit total dose information, using available total dose instruments, to higher headquarters.
EVALUATOR I	INSTRUCTIONS: None.
KEY INDICAT	CORS: None.
TASK: 3A.	19.7 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
	3): Unit receives a friendly NUCWARN per FMFM 11-8. s located within minimum safe distance (MSD) 2 to 3.
STANDARDS:	EVAL: Y: N: NE
.1	Personnel accurately and completely apply the NUCWARN to the situation map within 5 minutes after message receipt.
.2	Pertinent information regarding the planned detonation (time of burst, ground zero, fallout coverage, MSD, etc.) is available to the TAC.
.3	Advises TAC of the vulnerability of the unit to the burst (within MSD 1, 2, or 3) and residual contamination (within predicted fallout Zone).
.4	Advises TAC of the measures needed to prevent casualties, damage, and extended interference with the mission.
.5	squadron implements protective measures, as directed, by higher headquarters, consistent with the mission.
.6	Personnel minimize exposure by rolling down sleeves, buttoning collars, and wearing additional clothing equal to
a	two layer uniform.
.7	Personnel take cover in foxholes, bunkers, armored vehicles, existing shelters (basements, culverts, caves, tunnels, etc.), or lie prone on open ground.
.8	Places vehicles behind masking terrain.
.9	Deactivates duplicate electronic devices. disassembles erected antennas, and ties down antennas. Erects minimum radio equipment only.
.10	Places all loose items (small weapons, tools, etc.) and highly flammable/explosive items (POL. propellants, missiles, etc.) in armored vehicles or shelters.
.11	Squadron acknowledges the warning before the expected time of burst. Implements all protective measures.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator simulates nuclear detonation with an artillery or nuclear blast simulator, or informs the unit that nuclear blast has occurred. Evaluator assesses casualties and damage to unprotected personnel and equipment.

<u>KEY INDICATORS</u>: None.

TASK: 3B.19.8 PREPARE FOR A CHEMICAL AGENT ATTACK

 ${\hbox{\tt CONDITION(S)}}\colon$ Squadron is informed that chemical weapons have been used in the theater of operations and that a chemical attack is imminent.

STANDARDS	EVAL: Y: N: NE
.1	Squadron has and uses a chemical defense SOP which addresses chemical defense/decontamination procedures.
.2	Directs squadron to increase MOPP consistent with mission, temperature, work rate, and TAC guidance.
.3	Identifies unit tasks that require a high degree of manual dexterity or physical strength, and are difficult to perform in MOPP 4. Plane alternate methods, such as rotating or assigning additional personnel.
.4	Marines identify criteria for and demonstrate the capabilities for donning the protective mask and chemical protective ensemble.
.5	Uses the buddy system to facilitate monitoring/treatment for chemical agent poisoning and emergency decontamination of team members.
.6	Squadron performs its mission while implementing all actions to minimize casualties and damage.
.7	Personnel wear the appropriate level MOPP equipment for the condition set.
.8	Covers portions of essential equipment, munitions, POL, food, and water supplies that cannot be placed in a shelter with expendable or readily decontaminated tarps. shelter halves, or ponchos.
.9	Affixes detector paper to visible, horizontal surfaces of protective clothing and on equipment, munitions, etc.
.10	Checks squadron equipment to ensure the Mll is filled, individuals have complete M13 and M256 kits, and there is an available water source with a supporting road network.
.11	Reports potential decontamination sites to higher headquarters.
.12	Installs and monitors available chemical agent alarms.
.13	Uses protective NBC equipment and supplies properly and maintains them in a high state of serviceability.
.14	Marines demonstrate a knowledge of chemical agent symptoms.
	<pre>INSTRUCTIONS: Squadron is informed that chemical weapons have in theater and that attack is imminent.</pre>

III-B-135

KEY INDICATORS: None.

TASK: 3B.19.9 RESPOND TO A CHEMICAL AGENT ATTACK

 $\underline{\text{CONDITION}(S)}$: Squadron is subjected to a chemical agent attack. Site should support the type of activities being conducted and permit the safe use of simulators and devices.

STANDARDS:	EVAL: Y: N: NE
.1	Upon hearing a chemical alarm, personnel take immediate protective measures followed by treatment/decontamination of casualties. (KI)
.2	Personnel automatically mask upon notification of any enemy artillery, rocket, or air attack/overflight.
.3	Personnel automatically mask upon perceiving a suspicious odor, airborne droplets/mist, or smoke from unknown source.
.4	Marines do not unmask until authorized. (KI)
.5	Squadron personnel perform mission for at least 4 hours while in APP 4 .
.6	Identifies type of chemical agent using available detector kit.
	1. If Persistent Agent:
.7	Locates contamination and marks with NATO standard markers.
.8	Reports location and type of contamination to the higher headquarters.
.9	CO determines if immediate relocation to a clean area is necessary or possible and advises MAGTF/NAG commander.
.10	Determines priorities for decontamination. Requests decontamination support, if required.
.11	Wraps WIA's, marks as contaminated, and evacuates as mission permits. Warns medical treatment facility.
.12	Wraps KIA's, marks as contaminated, and evacuates as mission permits. Warns graves registration collection point.
	1. If Nonpersistant Agent:
.13	Follows unmasking procedures. (KI)
.14	Evacuates WIA's to the medical treatment facility as mission permits.
.15	Evacuates KIA's to the graves registration collection point as mission permits.
.16	Services and returns detector units to operation.
.17	Replaces expended chemical defense items, as required.
.18	CO adjusts MOPP level, as required.
.19	Squadron provides first aid treatment to casualties in a chemical environment.

<u>EVALUATOR INSTRUCTIONS</u>: Selected personnel are presented decontamination training kits and first aid treatment training devices to "treat designated casualties." Every attempt must be made to provide a realistic situation through devices, scenarios, or other aids. A believable. well-supported situation shall be developed by the trainer/evaluator.

KEY INDICATORS:

CHEMICAL CASUALTIES

Chemical casualties are described as:

- Personnel without mask and hood within arms reach, without decontamination kits, or not wearing chemical protective clothing.
- Personnel not taking immediate corrective actions upon perceiving the attack. hearing a chemical agent alarm, being ordered to mask, or using incorrect masking procedures (not masking within 9 seconds), or making incorrect use of decontamination kits/first aid treatment items.
- Marines who unmask or otherwise assume a lesser degree of MOPP without being authorized to do so.

UNMASKING PROCEDURES

When a detector kit is available, the following unmasking procedures will be adhered to:

- 1. After determining absence of agents, two or three Marines unmask for 5 minutes.
- 2. Marines remask and are examined in a shady area for symptoms for $10\ \mathrm{minutes}$.
- 3. If no symptoms appear. remainder of unit may unmask.

When no detector kit is available, the following unmasking procedures will be adhered to:

- 1. Two or three Marines take a deep breath, hold it, break the seal on their masks, and keep their eyes open for 15 seconds.
 - 2. Then they clear their masks, reestablish the seal and wait 10 minutes.
 - If no symptoms appear, the same Marines break the seal of their masks, take two or three deep breaths, clear and reseal their masks
 - 4. If after 10 minutes no symptoms have appeared, the same Marines unmask for 5 minutes and then remask.
 - 5. If after 10 more minutes no symptoms have appeared, the rest of the unit may unmask.

TASK: 3B.19.10 PERFORM PARTIAL DECONTAMINATION

CONDITION(U): Personnel and equipment have been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is not available for complete decontamination. The hazard is such that partial decontamination is required. All personnel maintain a maximum MOPP level. Extent of decontamination is determined and decontamination priorities are established.

STANDARDS: EVAL: Y: N: NE

Personnel decontaminate individual weapons and squadron equipment using appropriate decontamination kits.

Determines extent of decontamination and establishes decontamination priorities.

Removes and decontaminates or discards contaminated protective covers.

Ensures decontamination procedures are appropriate to items being decontaminated. (KI)

Decontaminates squadron equipment and vehicles using appropriate expedient devices.

. (6	Squadron conducts hasty decontamination of its personnel, if necessary.
	7	Determines adequacy of decontamination. (KI)
. 8	8	Discards contaminated materials according to tactical SOP, marks as contaminated, and provides location to the MAGTF command element.
	9	CO reduces MOPP Level, if required.
EVZ	ALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

DECONTAMINATION PROCEDURES

Initial decontamination of unit equipment, vehicles, and weapons may be accomplished by:

- 1. Removing all gross liquid contamination with sticks or other improvised devices, which are buried after use.
- Utilizing Nil decontamination apparatuses filled with DS2 to spray areas frequently used or touched. (Water is used to simulate DS2 in a training environment.)

Contaminated items that may need special decontamination treatment are:

- 1. POL, Food, Water Containers, and Munitions: Washed with soapy water, rinsed, and thoroughly sir dried.
- 2. Communications Equipment, Vans, and Other Electronic Equipment:
 Decontaminated with hot air, by weathering, or by wiping all metal
 parts with rags soaked with DS2. (Water is used for training
 purposes.)
- 3. Optical Instruments: Blotted with rags and then wiped with lens cleaning solution or organic solvent.

Adequacy of decontamination is determined using the chemical agent detector kit. If contamination is still present, decontaminate again.

ADEQUACY OF DECONTAMINATION

If inadequate:

- a. Procedures are repeated.
- b. Decontamination support is requested or:
- c. Risk of using equipment is accepted.

III-B-138

TASK: 31.19.11 COORDINATE FOR COMPLETE DECONTAMINATION OF EQUIPMENT

<u>CONDITION(S)</u>: Squadron equipment has been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is available for complete decontamination. Decontaminat2on support from a decontamination unit is available upon request

STANDARDS: EVAL: Y: N: NE
.1 Coordinates with the decontamination unit as to time of arrival, supplies, equipment, and personnel support to be furnished by the contaminated unit, and estimates time of completion.
.2 Squadron receives route clearance to personnel decontamination station/equipment decontamination station (?DS/EDS) assembly area. Dispatches advance party (personnel to augment decontamination operation and establish security) to PDS/EDS.
.3 Main body arrives at ?DS/EDS assembly area and organizes for processings.
.4 Decontamination begins as scheduled.
.5 Squadron personnel reorganize in a clean area upwind of residual effects for the resumption of their mission.
.6 CO adjusts MOPP level, as required.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS: None.
TASK: 33.19.12 EXCHANGE PROTECTIVE CLOTHING
CONDITION(S): The protective clothing is contaminated and a suitable uncontaminated area is available.
STANDARDS: EVAL: Y: N: NE
.1 Individuals don new protective clothing.
.2 Removes contaminated clothing without transfer of contamination.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS: None.
TASK: 33.19.13 CONDUCT SIC AERIAL SURVEY
CONDITION(S): An NBC aerial survey must be conducted to determine the extent of contamination. Safety of aircraft and aircrew's remains a primary consideration in the conduct of aerial radiological and chemical surveys.
STANDARDS: EVAL: Y: N: NE
.1 Wears appropriate level MOPP gear for condition that is Set.
.2 Monitor has internal communications with aircrew.
.3 Aircrew knows course leg technique of radiological Survey.
III-B-139

.4	_ Aircrew knows point technique of radiological survey. (KI)
.5	Upon completion of the flight. squadron monitor, survey, and decontamination teams check for and remove contamination from aircraft.
EVALUAT	OR INSTRUCTIONS: None.
KEY IND	DICATORS:
COURSE	LEG TECHNIQUE
1.	Pilot locates the starting checkpoint of a course leg to be flown and either locates the end checkpoint or determines the azimuth of the course leg.
2.	Pilot flies aircraft on the proper course to pass over the checkpoint on a straight path to the end - checkpoint. When on course, he alerts the monitor and gives the altitude above the ground.
3.	Pilot commands "Mark" when the aircraft is over the starting checkpoint and flies the course maintaining a constant altitude and speed above ground.
4.	Pilot alerts the monitor when aircraft nears the end checkpoint. When the aircraft is over the end checkpoint, the pilot commands "Mark."
POINT T	PECHNIQUE
1.	When the situation permits. the aircraft lands near the point of interest and the monitor dismounts and proceeds to the selected point and takes e meter reading or tests for the presence of chemical agents.
2.	If the situation does not allow for a landing, an aerial radiological reading will be taken.
TASK:	3B.1.le SCORE THE NBC EXAM
wing/br	$\frac{ON(S)}{S}$: Classroom atmosphere. An exam will be prepared at the significant significant control of the significant control
<u>STANDAR</u>	DS: EVAL: Y: N: NE
.1	_ Unit averages 70 percent or higher.
.2	_ Unit averages 80 percent or higher.
.3	_ Unit averages 90 percent or higher.
.4	_ Unit averages 100 percent.
example	OR INSTRUCTIONS: Standards will be marked either Y or N. As an if the team average was 86 percent, standards 3B.19.14.1 and 4.2 would be marked Y (Yes) and the remainder would be marked N
REQUIRE	<u>ID DATA</u> :
a.	No. of personnel in unit:
b.	No. of personnel taking exam:
C.	Unit average:
	TTT D 140

III-B-140

KEY INDICATORS: None.

III-B-141

SECTION 3C

MARINE LIGHT/ATTACK HELICOPTER SQUADRON (HMA/L)

TABLE OF CONTENTS

PAGE INTRODUCTIONIII-C-	
MPS 3C.1 - GENERAL KNOWLEDGE	
	0
TASK 3C.1.1III-C-2 ADMINISTER NATOPS IMMEDIATE ACTION EMERGENCIES EXAN TASK 3C.1.2III-C-2	M
CONDUCT TACTICAL MANUAL EXAMINATION	۷
TASK 3C.1.3III-C-2 CONDUCT AIRCRAFT OR EQUIPMENT RECOGNITION EXAMINAT:	ION
TASK 3C.1.4III-C-1 CONDUCT RULES OF ENGAGEMENT (ROE) EXAMINATION	3
MPS 3C .2 - GENERAL SQUADRON PLANNING	
TASK 3C.2.1III-C-3	3
TASK 3C.2.2III-C-4 CONDUCT LOGISTICS PLANNING	
TASK 3C.2.3III-C-6	6
TASK 3C.2.4III-C-	7
TASK 3C.2.5III-C-9 CONDUCT OPERATIONS PLANNING	9
MPH 3C.3 - CONTINUING ACTIONS BY MARINES	
TASK 3C.3.1III-C-I	12
TASK 3C.3.2III-C-1	13
TASK 3C.3.3III-C-1	14
TASK 3C.3.4III-C-1	15
TASK 3C.3.5III-C-: DEMONSTRATE SELF PROTECTION ELECTRONIC COUNTERMEASU	
(ECM) CREW KNOWLEDGE TASK 3C.3.6III-C-1	
DEMONSTRATE PREDISASTER PLAN PREPARATION AND TRAIN:	ING
TASK 3C.3.7III-C-1 DEMONSTRATE CREWCHIEF COORDINATION	
TASK 3C.3.8III-C-1	
TASK 3C.3.9III-C-I	18
TASK 3C.3.10III-C-1 DEMONSTRATE ELECTRONIC WARFARE (EW) PROCEDURES	19
TASK 3C.3.11	20
TASK 3C.3.12III-C-2	21
TASK 3C.3.13III-C-2 EXECUTE TOW/HELLFIRE MISSILE SHOOT BY CREW GUNNER	21
TASK SC.3.14III-C-2	22
TASK 3C.3.15III-C-2 DEMONSTRATE PROPER DISPERSION OF VEHICLES AND EOUIPMENT	23
TASK 3C.3.16III-C-2	23
TASK 3C.3.17III-C-2	24
TASK 3C.3.18III-C-2	24
TASK 3C.3.19III-C-2 DEMONSTRATE CORRECT RESPONSE TO ENEMY EW CAPABILITY	

TASK 3C.3.20
MPS 3C.5 - SUBSEQUENT OPERATIONS ASHORE GENERAL PLANNING
TASK 3C.5.1
MPS 3C.6 - MISSION EXECUTION: GENERAL PLANNING
TASK 3C.6.1
MPS 3C.7 - ONSCENE COMMAND AND CONTROL
TASK 3C.7.1
MPS 3C.8 - SUPPORTING ARMS COORDINATION, AIRBORNE (SAC(A))
TASK 3C.8.1
CONDUCT CIFS/ANTIARMOR MISSION PLANNING TASK 3C.9.2

MDG 36	. 10		AGE
		- ESCORT	
		3C.10.1	
		3C.10.2	
		3C.10.3	
		3C.10.4	
		3C.10.5	
Γ	rask	3C.10.6III CONDUCT MISSION DEBRIEFING	-C-55
MPS 30	2.11	- RECONNAISSANCE	
п	רא כיצי	3C.11.1III	-C-56
		CONDUCT RECONNAISSANCE PLANNING	
		3C.11.2III CONDUCT RECONNAISSANCE MISSION BRIEFING 3C.11.3	
1	AGK	EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS	-C-02
Γ	TASK	3C.11.4III EXECUTE ROUTE, POINT, AND/OR AREA/LINE	-C-63
Т	TASK	RECONNAISSANCE MISSIONS 3C.11.5	-C-64
-	171010	CONDUCT RECON MISSION DEBRIEFING	C 01
MPS 30	2.12	- MILITARY OPERATIONS IN URBAN TERRAIN (MOUT)	
Γ	TASK	3C.12.1III CONDUCT MOUT INITIAL PLANNING	-C-65
Γ	TASK	3C.12.2	-C-69
Γ	TASK	3C.12.3III EXECUTE MOUT MISSION	-C-74
T	TASK	3C.12.4	-C-77
MDC 20	ר ד	- RAID	
		3C.13.1	
		3C.13.2	
	-	3C.13.3	
		3C.13.4	
Τ	rask	3C.13.5	-C-88
MPS 30	C. 14	4 - NONCOMBATANT EVACUATION OPERATIONS (NEO)	
Т	TASK	3C.14.1	-C-89
Γ	TASK	CONDUCT NEO MISSION PLANNING 3C.14.2III	-C-92
T	TASK	CONDUCT NIGHT NEO MISSION PLANNING 3C.14.3III	-C-93
T	ΓASK	EXECUTE NEO MISSION 3C.14.4	-C-94
		CONDUCT NEO MISSION DEBRIEFING	

III-C-iii

		PAGE
MPS	3C.15	- NIGHT OPERATIONS
	TASK	3C.15.1III-C-95 CONDUCT NIGHT MISSION PLANNING
	TASK	3C.15.2III-C-98
	TASK	CONDUCT NIGHT MISSION BRIEFING 3C.15.3III-C-99
	TASK	EXECUTE NIGHT MISSION 3C.15.4III-C-101
		CONDUCT NIGHT MISSION DEBRIEFING
MPS	3C.16	- COLD-WEATHER OPERATIONS
	TASK	3C.16.1III-C-102
	TASK	CONDUCT COLD-WEATHER PLANNING 3C.16.2III-C-103
	TZSK	PERFORM MAINTENANCE TASK IN COLD WEATHER 3C.16.3III-C-104
	IADIC	EXECUTE SUPPORT MISSION IN COLD WEATHER
MPS	3C.17	- DESERT OPERATIONS
	TASK	3C.17.1III-C-104
		CONSIDER DESERT FLIGHT OPERATIONS REQUIREMENTS
MPS	3C.18	- MEDICAL EVACUATION (MEDEVAC)
	TASK	3C.18.1
	TASK	CONDUCT MEDEVAC PRELAUNCH PROCEDURES 3C.18.2III-C-106
	TASK	EXECUTE MEDEVAC EN ROUTE PROCEDURES 3C.18.3III-C-107
	-	EXECUTE APPROACH AND DEPARTURE PROCEDURES
MPS	3C.19	- TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP)
	TASK	3C.19.1III-C-108
	TASK	CONDUCT TRAP MISSION PLANNING 3C.19.2III-C-109
		CONDUCT TRAP NIGHT MISSION PLANNING 3C.19.3III-C-110
		CONDUCT TRAP MISSION BRIEFING
	TASK	3C.19.4III-C-115 EXECUTE TRAP MISSION
MPS	3C.20	- FORWARD ARMING AND REFUELING POINT (FARP)
	TASK	3C.20.1III-C-116
		PLAN FARP FOR MISSION SUPPORT
		3C.20.2III-C-117 PLAN FARP EN ROUTE PHASE
	TASK	3C.20.3III-C-117 PLAN FARP AREA OPERATIONS
	TASK	3C.20.4III-C-118
	TASK	3C.20.5III-C-119
	TASK	PLAN FARP LOGISTICS 3C.20.6III-C-119
	TASK	BRIEF FARP MISSION 3C.20.7III-C-120
		BRIEF NIGHT FARP OPERATIONS 3C.20.8III-C-121
		EXECUTE FARP EN ROUTE PHASE
	IASK	3C.20.9III-C-121 EXECUTE FARP AREA OPERATIONS

	TASK	3C.20.10III-C-122 EXECUTE FARE NIGHT OPERATIONS
MPS	3C.21	- NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) OPERATIONS
	TASK	3C.21.1III-C-122 PREPARE FOR NBC OPERATIONS
	TASK	3C.21.2III-C-123 PREPARE FOR NUCLEAR ATTACK
	TASK	3C.21.3III-C-124 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK
	TASK	3C.21.4III-C-124 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK
	TASK	3C.21.5III-C-125
	TASK	3C.21.6
	TASK	3C.21.7III-C-126
	TASK	3C.21.8III-C-127
	TASK	3C.21.9III-C-128 RESPOND TO A CHEMICAL AGENT ATTACK
	TASK	3C.21.10III-C-129
	TASK	PERFORM PARTIAL DECONTAMINATION 3C.21.11III-C-130
	TASK	COORDINATE FOR COMPLETE DECONTAMINATION OF EQUIPMENT 3C.21.12III-C-131
	TASK	EXCHANGE PROTECTIVE CLOTHING 3C.21.13III-C-131
	TASK	CONDUCT NBC AERIAL SURVEY 3C.21.14III-C-132 SCORE THE NBC EXAM

III-C-v

MARINE LIGHT ATTACK HELICOPTER SQUADRON (HML/A)

INTRODUCTION:

The mission of the HML/A is to provide combat utility helicopter support, attack helicopter fire support, and fire support coordination during amphibious operations and subsequent operations ashore. The enclosed standards cover the operational tasks that may he assigned to the unit in a combat environment. They are grouped to allow the unit to utilize any or all of the portions that are applicable to the specific scenario or exercise being evaluated. The MPS's, tasks, and standards are derived from Marine Corps doctrine, tactics, techniques, and field recommendations from Marine Corps commands.

It is recommended that commanders use MCCRES MPS's to establish training objectives, and take every opportunity to informally evaluate their units against these standards. The system provides the commander with a tool to formally or informally evaluate the combat readiness and training of his unit; to identify strengths and weaknesses; and to prioritize the unit's future training requirements.

One of the primary responsibilities of an HML/A squadron commander and his unit is to plan and execute support of the MAGTF commander's scheme of maneuver. Accordingly, it is recommended and preferred that evaluations be conducted and measured with regard to support of a Marine Air Ground Task Force (MAGTF). This approach maximizes training opportunities and creates a meaningful tactical orientation to facilitate learning and training feedback.

A squadron normally has pilots undergoing training in the Combat Ready (CR), Combat Qualification (CQ), and Full Combat Qualified (FCQ) phases per the aviation Training and Readiness (T&R) Manual. Accordingly, MCCRES evaluations should be tailored to include sorties from each of the three phases of training based on aircrew combat ready percentage (CRP). The evaluation should evaluate all assigned aircrews in a simulated combat environment coincident with squadron training and safety requirements. Aircrews will not be evaluated on sorties they haven't previously completed without prior approval of the squadron commander or higher command elements.

As the MCCRES evaluation procedures are intended to provide feedback to the commander on unit trends, and highlight necessary future training goals, it is preferred that multiple sorties be scheduled in each flight phase so that as many squadron aircrew as possible may participate in the MCCRES. Simply stated, one "special" aircrew flying a sortie does not give an adequate indication of the unit's training readiness.

It is understood that the number of MCCRES tasks that can be evaluated will be influenced by available training areas, environmental restrictions, units to be supported, external support, time available, and scenarios. MCCRES tasks for squadrons presupposes that personnel and logistic support are sufficient to achieve minimum acceptable standards; however, it is acknowledged that sufficient people, supplies and equipment are not always available. Portions of the standards may be utilized as they fit a particular scenario or operation without prejudice to the evaluated unit for not attempting all standards. When external factors contribute to limiting the unit's combat readiness, it should be noted in the comments portion of the evaluation sheet, and recorded in the overall report.

In order to allow the planner to focus on the special characteristics inherent to each operation, separate MPS's have been established for the planning phases of amphibious and subsequent operation ashore (MPS's 3E.4 and 3E.5). These particular MPS's are designed to stand alone and incorporate all considerations with regard to applicable operations.

III-C-l

3C.1 GENERAL KNOWLEDGE

TASK: 3C.1.1 ADMINISTER NATOPS IMMEDIATE ACTION EMERGENCIES EXAM

STANDARDS: EVAL: Y: N: NE

- .1 ____ Squadron averages 90-95 percent.
- .2 ____ Squadron averages 96-100 percent.

 $\overline{\text{EVALUATOR INSTRUCTIONS}}$: The squadron must average 90 percent on this exam. Debrief the exam as soon as everyone is finished to reinforce correct responses end correct any wrong responses.

KEY INDICATORS: None.

TASK: 3C.1.2 CONDUCT TACTICAL MANUAL EXAMINATION

 $\underline{\text{CONDITION}(S)}$: Questions for the tactical examination will be requested from higher command/MAWTS-1 by the Senior Evaluator. Local publications that address tactical operations may be used as a source for supplementary questions for the examination.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Squadron averages 85 percent on Tactical Manual Exam.
- .2 ____ Squadron averages go percent.
- .3 ____ Squadron averages 95 percent.
- .4 ____ Squadron averages 100 percent.

EVALUATOR INSTRUCTIONS: The squadron will be provided with a reasonable notice of what will be evaluated by the examination, and a listing of appropriate references. When scoring, mark the appropriate standard and all standards below that one with a "Y." Standards not achieved will be marked with an "N." This procedure is used throughout the document.

KEY INDICATORS: None.

TASK: 3C.1.3 CONDUCT AIRCRAFT OR EQUIPMENT RECOGNITION EXAMINATION

CONDITION(S): The examination will include examples of the major ground, air, and naval weaponry and systems currently employed by western, Communist, and third world nations. as well as recognition of hospital ships. MEDEVAC aircraft, and other medical transports marked with the Red Cross and other distinctive emblems provided for in the Geneva Conventions. The examination should include such additional regional features as fin flashes, national ensigns, etc. All available squadron aircrews will take the examination. S-2 will provide realistic views from an aircraft perspective.

III-C-2

STANDARDS: EVAL: Y; N; NE
.1 Squadron averages 85 percent on Recognition exam.
.2 Squadron averages 90 percent.
.3 Squadron averages 95 percent.
.4 Squadron averages 100 percent.
<u>EVALUATOR INSTRUCTIONS</u> : None,
KEY INDICATORS: None.
TASK: 3C.1.4 CONDUCT RULES OF ENGAGEMENT (ROE) EXAMINATION
<u>CONDITION(S)</u> : The examination will consist of actions required in relation to actual squadron contingencies to include classified briefing information, as appropriate.
STANDARDS: EVAL: Y: N: NE
.1 Squadron averages 85 percent on published standard ROE exam.
.2 Squadron averages 90 percent.
.3 Squadron averages 95 percent.
.4 Squadron averages 100 percent.
EVALUATOR INSTRUCTIONS: The evaluator must provide the ROE is the contingencies indicate: i.e., JCS Peacetime Rules of Engagement (PROE), and local ROE, both classified and unclassified.
KEY INDICATORS: None.
3C.2 GENERAL SQUADRON PLANNING
TASK: 3C.2.1 CONDUCT ADMINISTRATION PLANNING
<u>CONDITION(S)</u> : The squadron is in receipt of an operations order requiring it to deploy and support tactical operations of a MAGTF. The S-l commences planning and liaison with outside units, as directed.
STANDARDS: EVAL: Y: N: NE
.1 Identifies any personnel shortages and requests augmentation.
.2 Submits orders request with sufficient lead time.
.3 Screens individual records for deployability.
4 Arranges for advance per diem.
.5 Identifies advance party and rear det personnel.
.6 Coordinates forwarding of mail for deployed personnel.
III-C-3

. 7		Reviews casualty reporting procedures.
.8		Arranges provisions for payment of deployed personnel.
.9		Coordinates for the availability of a flight surgeon and corpsmen for the deployment.
.10		Arranges for endorsement of orders at all detachment sites.
.11		Issues meal cards, as appropriate.
.12		Ensures comrats and BAS are reflected on the unit diary.
.13		Makes the appropriate entries for accumulated deployed time and sea duty on unit diary.
.14		Arranges for COMM shift and message releasing authority at the deployed site.
.15		Prepares personnel affair briefs for dependents.
.16		Plan. special services requirements at deployed site.
.17		Arranges for PAO augmentation.
.18		Arranges for hometown news releases.
.19		Ensures that wills. record of emergency data (RED's), allotments, dependents power of attorney, expiring I.D. cards, SGLI, etc., are updated.
.20		Identifies advance/trail maintenance personnel to S-1 for the coordination of paychecks, order., health records, etc.
.21		Establishes procedures to properly issue and document security clearances and accesses.
KEY	INDIC	ATORS: None.
TASI	χ: 30	C.2.2 CONDUCT LOGISTICS PLANNING
requ	uiring	(S): The squadron is in receipt of an operations order it to deploy and support tactical operations of a MAGTF. The notes planning and liaison with outside units, as directed.
STA1	NDARDS	: EVAL: Y: N: NE
.1		Receives higher command guidance and attends any planning conferences.
. 2		Accomplishes planning per published SOP's end deployment checklists.
. 3		Coordinates SAAM requests with ACE/MALS S-4.
. 4		Coordinates the loading plan with ACE/MALS S-4.
. 5		Ensures that certified hazardous cargo personnel are available.
.6		Plans for material handling equipment (MHE) at the point of embarkation and debarkation.
. 7		Plans for the provision and use of special equipment to support the MAC airlift of disassembled helicopters (main gear box/rotor stand, main rotor blade stand sets, wheel chocks, hydraulic jacks, NT-4 equivalent towbars, specified quantities/dimensions of plywood for parking shoring).
.8		Coordinates with the Embarkation Chief, AMO, and 3-3, as appropriate, the schedule and procedures for helicopter disassembly, preparation for loading, unloading reassembly, and operational flight testing upon reassembly, during airlift operations.

.9	Plans far all squadron transportation requirements; i.e., to and from billeting and workspaces, messhall, ordnance areas, duty vehicles, refuel/defuel drivers, buses for PAX, and trucks far baggage/large cargo.
.10	Coordinates with the 53 far the LOI outlining the timetable far embarkation, including weight allowances and staging areas.
.11	Plans for squadron packup to be staged and weighed in advance, to include supply packup end GSE gear.
.12	Coordinates for working parties to assist in loading/unloading, and to accompany the lift aircraft.
.13	Coordinates procedures with ACE/MALS IMA far acquiring and transporting aircraft parts not currently onhand to the deployed site.
.14	Coordinates with ACE/MALS supply for generators, tents, sleeping bags, cots, blankets, heaters, lights, and water trailers if barracks will not be used.
.15	Coordinates with ACE/MALS S-4 for any special equipment (e.g., 782 gear, NBC MOPP gear, cold weather/desert equipment, T/O weapons) to be issued to individuals.
.16	Plans heed/shower/laundry facilities, if required, and submits requirements to the ACE/MALS $5-4$.
.17	Establishes a point of contact at the deployment site, if available.
.18	Coordinates location of office spaces and maintenance areas for all squadron departments.
.19	Plans billeting and submits requirements to ACE/MALS 5-4.
.20	Coordinates the availability of electrical power and pressurized air for maintenance spaces at the deployed site.
.21	Coordinates any food service requirements; i.e., messmen, cooks, and hours of operation at deployed site.
.22	Identifies medical/dental capabilities at the deployed site.
.23	Coordinates with the CEO for communications requirements, to include telephones/intercoms/radios.
.24	Coordinates the amount and types of fuel required at the deployed site.
.25	Coordinates security requirements for billeting and working areas.
.26	Coordinates the ordering of ordnance and expendables with 5-3.
.27	Coordinates for explosive device transportation and storage at the deployed site.
.28	Coordinates disposal of hazardous waste at the deployed site.
.29	Ensures coordination with CSSD for personnel and equipment for the TARP. (See TASK 3C.20, TARP.)
.30	Determines Class I and III requirement.
.31	Ensures HST has required equipment for conducting operations, if necessary.
<u>EVALUATOR</u>	<pre>INSTRUCTIONS: None.</pre>

III-C-5

KEY INDICATORS: None.

TASK: 3C.2.3 CONDUCT MAINTENANCE PLANNING

 $\frac{\text{CONDITION(S)}}{\text{MAGTF as part of an ACE/MAG.}} \text{ A variety of missions can be anticipated requiring sections, divisions, and multiple division strength.} \text{ Liaison is being conducted with the IMA.}$

STANDARDS	EVAL: Y: N: NE
.1	Coordinates with the $5-3$ to determine the number of sorties anticipated/required, aircraft configurations, and scheduling of the launches that beat utilize the available assets.
.2	Ensures currency of, and updates, as required, the weight and balance information on each aircraft.
.3	Informs ${\rm CO/S3}$ of any shortfalls of assets available to meet the operational requirements.
.4	Coordinates with supply to ensure sufficient blue-light kits are available.
.5	Coordinates the ordnance requirements with $8-3/8-4$ in a timely manner to allow the request to be conveyed to ACE/MALS ordnance.
.6	Coordinates with the $5\text{-}2/3$ for security forces augmentation requirements.
.7	Plans for maintenance area security of any required classified material/equipment.
.8	Identifies/coordinates any personnel shortages with the S-1, for forwarding to the ACE/MAG for assistance.
.9	Reviews after action reports, lessons learned, etc.
.10	Screens aircraft logs to ensure that no aircraft inspections will interfere with the operational requirements (i.e., phase inspection, appropriate day inspection, and the changing of high time components, CAD's, etc).
.11	Identifies necessary test equipment and ground support equipment (GSE); i.e., engine stands, nitrogen carts, jacks, NC units, lights units, hydraulic jenny, NVG support equipment. etc., for use at the deployed site.
.12	Coordinates with IMA to make available ${\tt XRAY/NDI}$ equipment, if necessary.
.13	Ensures the preexpend bins (PEI's) are stocked.
.14	Ensures that all calibrated equipment is up-to-date; i.e., gauges, torque wrenches, jacks, tire changing kits, and avionics equipment.
.15	Coordinates with INA GSE for any predeployment licensing needed.
.16	Coordinates with IMA to make available high use items; i.e., brakes, tires, black boxes, and replacements for high time items.
.17	Coordinates with the squadron 5-4 for the necessary transportation of aircraft parts and other supplies.
.18	Coordinates with the squadron 8-4 for transportation of maintenance personnel to and from billeting, workspaces, and dining facilities, if required.
.19	Coordinates disposal of hazardous waste with the 8-4,.
.20	Coordinates vehicle requirements with the 8-4.
.21	Coordinates with 8-4 special arrangements for food services, if required, to accommodate unusual work schedules.
.22	Ensures key maintenance personnel (shop NCOIC's, shop expertise) are available and, if not, makes the appropriate adjustments to work schedules.

.23	Reviews the number of licensed personnel to ensure that appropriate personnel are available for each working crew (i.e., GSE personnel, tow qualified personnel, crewchiefs, driver and CDI's).
.24	Rehearses the emergency reclamation team and inventories equipment for serviceability, per SOP.
.25	Coordinates with the appropriate section for the establishment of communications between ready room and maintenance control, to include monitoring squadron bale frequency.
.26	Identifies the advance/trail maintenance packup and the prepositioning of components (i.e., engines, struts, etc.) to supply.
.27	Plans advance and trail maintenance party personnel and any special equipment needed for embarkation if movement to a new support base is required.
.28	Ensure. that advance/trail maintenance designated supervisory personnel have message releasing authority.
	Coordinates with the S-3 for a conference at the deployed site to include representatives from supply, base operations. ATC, IMA, ordnance, fuel farm, billeting, and security to ensure coordinated efforts for aircraft support.
.30	Ensures that clearance for routine and classified message pickup by maintenance personnel is delivered to the message center.
.31	Ensures that all maintenance personnel are aware of the enemy alert conditions. the method used by the squadron to signal enemy attacks, and individual actions to take place.
.32	Ensures briefings are held to keep maintenance personnel abreast of the tactical situation.
.33	Determines hand tool requirements.
.34	Identifies and provides report. required.
.35	Coordinates with S-4 for aircraft wash facilities.
.36	Coordinates flight deck/flightline spotting
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
TASK: 3	C.2.4 CONDUCT INTELLIGENCE PLANNING
requiring The S-2 c the intel	(S): The squadron is in receipt of an operations order them to deploy and support the tactical operations of a MAGTF. ommences planning and liaison immediately. It is imperative that ligence planning/gathering be completed in a timely manner so it seful to the aircrews during their later mission planning.
<u>STANDARDS</u>	EVAL: Y: N: NE
.1	Receives commander's planning guidance and intent.
.2	Requests a current intelligence estimate and Essential Elements of Information (EEI's) from the higher command element. If not otherwise provided by higher headquarters, the squadron should request information regarding the enemy and the target; type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities, weather conditions in the target area/along routes to and from the target/at the recovery or home base upon return, prominent terrain in the AOR, and safe areas. (KI)
.3	Ensures the preparation of a preliminary aviation intelligence estimate to furnish the squadron commander with sufficient intelligence to formulate basic decisions and assist in issuing planning guidance to squadron personnel.

III-C-7

.4	Makes early distribution of the intelligence estimate to all staff officers to allow them to proceed with their planning functions.
.5	Determines, based on the assigned missions and the commander's guidance, additional EEI's, and other intelligence requirements (OIR's) of the squadron.
.6	Phrases the additional EEI's for forwarding to higher command elements in the form of simple, concise statements which include positive direction, qualifying questions, and items requiring special attention.
.7	Inventories on hand assets and then determines and requests squadron requirements for maps, charts, aerial imagery, photographs, and other graphic aids.
.8	Coordinates communications requirements with the CEO for the sending and receiving of intelligence information.
.9	Incorporates intelligence and electronic warfare information into mission planning. (KI)
.10	Participates in all briefings of aircrews and provides updated intelligence information prior to each launch.
.11	Plans and conducts an intelligence debrief for appropriate aircrew.
.12	Records information gathered from aircrews systematically for ease of study and comparison, and immediately forwards information gathered to higher command elements.
.13	Maintains appropriate Enemy Order of Battle (EOB), to include Air, SAM/AM, and Electronic Order of Battle.
14	Updates all staff members on newly acquired intelligence information as it becomes available.
.15	Provides appropriate intelligence reports to higher/adjacent elements, as required, in the operations order.
.16	Provides input to S-3 on weather and climatological data, including appropriate light-level calendar.
.17	Establishes procedures to properly issue and document security clearances and accesses.
.18	Updates the enemy situation contained in the Tactical Aviation Mission Planning System (TAMPS).

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

INTELLIGENCE COLLECTION MANAGEMENT

- 1. Prepare and maintain a squadron collection plan.
- 2. Coordinate the development of squadron EEI's.

ELECTRONIC WARFARE

EW incorporated into EW mission planning should include:

- 1. Target significance.
- 2. Enemy disposition, to include early warning and GCI radars, Al, ${\sf SAM/AM},$ and EW capabilities.
- 3. Enemy capabilities, to include early warning and GCI radars, ${\tt A'}\,, {\tt SAM/AM}\,,$ and EW capabilities.

- 4. Mission ECM/ECCM capabilities.
- 5. Application of enemy information in influencing route selections, target attack tactics. EW support requirements, and suppression (SEAD) tactics planning.
- 6. Preparation of detailed intelligence maps and charts, and plotting of radar horizons.

TASK: 3C.2.5 CONDUCT OPERATIONS PLANNING

<u>CONDITION(S)</u>: The squadron has received an initiating directive informing them of impending operations. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. Day and night operations will be assigned, and will require integration with supported units as well as adjacent aviation elements.

STAN	<u>IDARDS</u>	EVAL: Y: N: NE
.1		ACE/squadron commander's guidance and intent have been received
. 2		Ensures that squadron staff officers become thoroughly familiar with the operations order and ensures delivery of warning order
.3		Plans aircrew assignments to the level of the crews qualifications; i.e., combat ready (CR), combat qualified (CQ), and fully combat qualified (FCQ).
. 4		Sufficient TERF qualified crews are available to man all assigned aircraft. primary aircraft authorization (PAA).
.5		Sufficient NVG qualified crews are available to man PM aircraft $% \left(1\right) =\left(1\right) \left(1\right) $
.6		Sufficient ACM qualified crews are available to man PM aircraft
.7		Sufficient safety observers/aerial gunners are available to man PAA aircraft.
.8		Disseminates all necessary information, graphic aids/smart packs" to aircrews, as required, in time for mission planning.
.9		Sufficient crewchiefs are available to man PM aircraft.
.10		Sufficient aircrew are available to carry troops while on, missions.
.11		Coordinates the development of the EEI's with the S-2.
.12		Establishes early liaison with the \mbox{ACE}/\mbox{MAG} staff operations planners.
.13		Makes initial estimate of squadron capabilities as they pertain to the assigned $mission(s)$.
.14		Provides projected aircraft availability to the ACE/MAG commander/staff. based on the assigned mission.
.15		Develops planning figures for a surge effort and its maintenance.
.16		Establishes operational plans using unit SOP's and tactical manuals. (KI)
.17		Coordinates with adjacent staff members (S-4, Maintenance, Supply, etc.) to ensure the availability of squadron support assets (i.e full systems aircraft, EW equipment. secure voice equipment, fuel, GSE, etc.).
.18		Assigns liaison operations team to supported unit.
.19		Involves appropriate command and control agencies; i.e., DASC, TAOC, ATC. in initial planning and briefings.
.20		Establishes briefing time and location.

21	Institutes EW procedures by SOP to include MIJI reports. IFF/SIF authentication, and EMCON procedures.
.22	Employs assets available per doctrine.
.23	Establishes supporting plan to accomplish the MAGTF commander's C3 strategy. (KI) $$
.24	Establishes divert criteria caused by weather minimums.
.25	Aids in preparation of a deception plan that is believable, consistent with tactical doctrine, SOP's, and enemy analysis.
.26	Develops an emergency Tactical Recovery of Aircraft and Personnel (TRAP) contingency plan which includes guidance as to the authority to destroy aircraft, if required.
.27	Identifies type and initiates planning for reconnaissance mission, (KI)
.28	Uses SOP for procedures of enemy and friendly NBC strikes, reports required, equipment issued, promulgation of MOPP levels, and serial radiological and chemical surveys.
.29	Coordinates aerial observer support.
.30	Develops post assault aviation employment plan to include staging of aircraft, resupply, and reinforcements.
.31	Provides guidance on security and land delivery of prisoners of war by aviation units. $$
.32	Formulates scatter plans.
33	Plans location of the FARP.
.34	Plans air defense of the FARP, if required.
35	Plans for MEDEVAC as contained in the SOP. (See MPS 3C.18 MEDEVAC.) (KI)
.36	Coordinates with maintenance personnel requirements for changes to airframe configurations required to support missions.
.37	Coordinates and provides input to the Loading plan.
.38	If paraops are planned, coordinates marking of LE with LZ control teem. $$
.39	Establishes command and control procedures for LZ's as contained in the SOP.
.40	Updates any changes to Return to Force (RTF) procedures or routes.
.41	Plans for standby crews, when necessary.
.42	Plans use of TERPES/TAMPS for mission planning.
43	Plans Class V(A) requirement.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

INTELLIGENCE ESTIMATE

- Analysis of AOR; to include analysis of military geography (topography/hydrography). and, if appropriate. climate and weather.
- Analysis of Enemy Capabilities; to include, type and location of air defense weapons, capability to detect and react, capabilities of enemy aircraft. and enemy tactics.
- Conclusions; most likely enemy courses of action and enemy weaknesses.

OVERALL DECEPTION PLANNING

- 1. Determines if enemy's capabilities warrants use of deception.
- Determines if there is sufficient time to formulate, write, organize, and carry out the deception.
- 3. Analyzes courses of action available to the enemy.
- 4. Identifies logical opportunity to integrate deception plan with ground scheme of maneuver.
- 5. Plane for flexibility to counter any unexpected enemy reaction.
- 6. Coordinates with higher units and agencies that will participate or be affected by implementation of the plan.
- 7. Develops deception events that support the plan.

СЗСН

- 1. Enemy analysis.
- 2. Protect C3.
 - a. Make use of secure communications.
 - b. Utilize alternate means of communications.
 - c. Exercise emission control.
- 3. Counter C3.
 - a. Identify enemy critical modes.
- 4. Electronic Warfare (EW).
 - a. Electronic Support Measures (ESM).
 - b. Electronic Countermeasures (ECM).
 - c. Electronic Counter-Countermeasures (ECCM).
 - d. Physical Destruction.

RECONNAISSANCE MISSIONS

- 1. Route reconnaissance.
- 2. Area reconnaissance.
- 3. Point reconnaissance.
- 4. Line reconnaissance.

TACTICAL STANDING OPERATING PROCEDURES (SOP's)

Tactical SOP should include established procedures for recurring planning and briefing factors to include:

- 1. Rapid Planning Responsibilities.
- 2. Aircraft Lighting (day/night).
- 3. Tactical Formations.
- 4. Communications.

III-C-11

- 5. Electronic Countermeasures.
- 6. FARP Procedures.
- 7. NVG Operations.
- 8. Ordnance Procedures.

3C.3 CONTINUING ACTIONS IT MARINES

TASK: 3C.3.1 DEMONSTRATE MAINTENANCE PERFORMANCE

 $\underline{\text{CONDITION(S)}} \colon \text{ Aircraft availability, response reliability, and maintenance effectiveness are evaluated throughout the scenario. As closely as possible, combat operations and tempo shall be simulated, but must not interfere with current safety regulations and standards.}$

STANDARDS	: EVAL: Y: N: NE
.1	Aircraft availability - 50 to 59 percent or higher.
.2	Aircraft availability - 60 to 69 percent or higher.
.3	Aircraft availability - 70 to 79 percent or higher.
.4	Aircraft availability - 80 to 89 percent or higher.
.5	Aircraft availability - 90 to 100 percent.
.6	Response reliability - less than 70 percent. (KI)
.7	Response reliability - 70 to 79 percent or higher.
.8	Response reliability - 80 to 89 percent or higher.
.9	Response reliability - 90 to 100 percent.
.10	Maintenance effectiveness - less than 70 percent.
.11	Maintenance effectiveness - 70 to 79 percent or higher.
.12	Maintenance effectiveness - 80 to 89 percent or higher.
.13	Maintenance effectiveness - 90 to 100 percent.
.14	Seventy percent of tested Mode IV units were operational.
.15	Eighty percent of tested Mode IV units were operational.
.16	Ninety percent of tested Mode IV units were operational.
.17	One hundred percent of tested Mode IV units worked successfully.
.18	Seventy percent of tested secure voice units worked successfully.
.19	Eighty percent of tested secure voice units worked successfully.
.20	Ninety percent of tested secure voice units worked successfully.
.21	One hundred percent of tested secure voice units worked successfully.
.22	Processing of discrepancies basins immediately following aircrew return to squadron/maintenance area.

EVALUATOR INSTRUCTIONS: Evaluator must comment in detail as to the reasons for the scores given, to include NRS, MRS. "Onhand" aircraft are defined as assigned aircraft minus SDE aircraft minus deployed aircraft. "Up" aircraft are defined as "mission capable. aircraft per OPNAVINST 4790.2E, Vol. II. Aircraft availability is defined as "up" aircraft divided by "onhand" aircraft. Response reliability is defined as sorties scheduled minus combat aborts divided by sorties scheduled. Maintenance effectiveness is defined as sorties scheduled minus maintenance aborts divided by sorties scheduled.

KEY INDICATORS:

ABORTS

WEATHER ABORTS:

Scheduled missions which are launched end not completed due to weather conditions shall not be counted in the computations.

COMBAT ABORTS:

- 1. Scheduled missions which are not launched as scheduled due to the lack of aircraft or pilots. An aircraft shall also be considered a combat abort if it is "up" but launched too late to complete the assigned mission. No abort shell be assessed when a replacement aircraft is launched in place of a downed aircraft provided the replacement aircraft fulfills the required mission.
- 2. A launched mission that, because of mechanical malfunction or pilot error, was unable to complete the mission.
- 3. A mission launched unarmed or otherwise not configured for the assigned mission.

NOTE: Authorized additions to the flight schedule after its publication are considered scheduled sorties.

TASK: 3C.3.2 DEMONSTRATE SAFETY AWARENESS

 $\underline{\text{CONDITION}(S)}$: Safety of aircraft and crews shall be an important consideration throughout any evaluation, therefore aviation and ground safety shall also be evaluated continuously.

STANDARDS: EVAL: Y: N: NE

.1	 Each crewmember wears required flight/survival clothing and equipment.
. 2	 Requires safety devices as the mission dictates.
. 3	 Maintenance practices conform with current safety regulations: i.e., Group/Wing.
. 4	 Seats and restraining devices are available end used by emplaned personnel.
. 5	 Secures cargo properly prior to takeoff.
	 Sound suppressors and safety goggles are available and are used. $({\tt KI})$
. 7	 Crewmembers do not exceed crew day/flight-time limitations without authorization.
. 8	 Unsafe practices are immediately corrected and/or are addressed in flight debriefings by flight leaders.

III-C-13

KEY INDICATORS:

SAFETY EQUIPMENT

Safety equipment will be per local directives.

TASK: 3C.3.3 EXECUTE OPERATIONS DUTY OFFICER (ODO) TASKS

CONDITION(S): The ODO is a key link to the effective control of squadron aircraft and as such should be evaluated throughout flight operations.

STANDARDS	EVAL: Y: N: NE
.1	Is capable of, or has access to information for assisting pilots during airborne emergencies.
	Ensures the squadron common net is monitored during flight operations.
.3	Continually monitors the flight schedule.
.4	Establishes priority for assignment of available aircraft.
.5	Monitors aircrew's day and flight-time limitations.
.6	Ensures essential information is available to flightcrews and weight and balance forms are filled out.
.7	Ensures the TACC is kept informed of current flight operations.
.8	Ensures availability and readiness of standby aircrews and aircraft.
.9	Knows, and executes, the necessary procedures for overdue aircraft per the premishap plan.
.10	Reacts to a staged mishap per squadron SOP.
	INSTRUCTIONS: Evaluator should be familiar with squadron

KEY INDICATORS:

ODO ESSENTIAL INFORMATION

The duty officer should ensure the following information is available and briefed to the flightcrews:

- 1. Current weather and forecast.
- 2. Deck spot or parking spot.
- 3. Divert fields/decks.
- 4. Frequencies/call signs.
- 5. NAVAIDS ID/status.
- 6. Nearest land (shipboard).
- 7. Recovery time/schedule.
- 8. NOTAM's.
- 9. BRC/PIM.

III-C-14

11. Updated tactical admin read and initial board.

TASK: 3C.3.4 CONDUCT INTELLIGENCE UPDATE

<u>CONDITION(S)</u>: The operations order has been issued and the squadron is assigned missions in tactical support of a MAGTF. All liaison has been performed and initial intelligence information has been disseminated. Mission commanders have been assigned and hold a brief prior to each mission during which designated s-2 representatives give an intelligence update.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Updates briefing on detailed ground scheme of maneuver, forces and weapons involved, enemy concentrations control points. ingress/egress routes, and the latest aerial imagery.
- 2 ____ Updates EEI's for visual reconnaissance by squadron aircrews.
- .3 ____ Updates any enemy capabilities, changes to tactics. or weaknesses.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3C .3.5 DEMONSTRATE SELF PROTECTION ELECTRONIC COUNTERMEASURES (ECM) CREW KNOWLEDGE

<u>CONDITION(S)</u>: Aircrews display adequate knowledge of available countermeasures and compatible onboard EW equipment throughout the exercise.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Aircrews demonstrate proper employment and capabilities of onboard radar homing and warning (RHAW) equipment.
- 2 _____ Aircrews demonstrate proper employment and capabilities of onboard expendables; e.g., chaff, flares, and jammers. (KI)
- .3 ____ Demonstrate familiarity with currently recommended defensive formations to include mutually supportive alignment, spacing. and ECM support aircraft integration.
- 4 ____ Exhibit familiarity with currently recommended offensive/defensive maneuvers for SAM, AAA, and airborne threats.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ If available, ground test equipment will be used to simulate ECM operation.

KEY INDICATORS:

RHAW AND MISSILE WARNING RECEIVERS

1. Operation: Cockpit switchology. preoperations checks, interference limitations (internal and external interference sources), display indications.

III-C-15

- 2. Capabilities: Enemy correlations. threats covered, display ambiguities, threats not covered.
- 3. employment: Reactions to displays.

ONBOARD EXPENDABLES

- 1. Operation: Dispenser loading and program, cockpit switchology for manual and programmed expenditure.
- Capabilities: General knowledge of chaff-type correlation with enemy, decoy flare IR effectiveness, current jammer enemy coverage.
- Employment: Timing/interface with enemy activity and aircraft maneuvers, use in high/low altitude profiles, etc.

TASK: 3C.3.6 DEMONSTRATE PREDISASTER PLAN OPERATION AND TRAINING

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}} \colon \quad \text{During operations a simulated disaster will occur on the flightline.} \quad \text{An aircraft will be "destroyed" by fire and casualties will be inflicted.} \quad \text{Once informed that the incident has taken place, the maintenance and operations personnel will make appropriate calls and prepare the flash message.}$

STANDARDS:	EVAL:	Υ:	N:	NE
------------	-------	----	----	----

.1	Uses a current disaster plan or SOP covering accidents on the flightline, in working spaces, and am the hangar deck.
. 2	Plans briefings for all personnel on flightline disaster, e.g., get personnel clear of aircraft, know where the fire bottles are and how to use them, towing adjacent aircraft away from accident site, where the phone numbers are to contact fire department, medical department, base ODO, Squadron CO, XO, and AMO.
. 3	Random sampling of maintenance personnel indicates clear understanding of the plan and each work center's required actions.
. 4	Proper firefighting, first aid equipment, and gas masks are onhand.
.5	Executes orderly and positive immediate action to cope with the $incident/accident/disaster$.
.6	Keeps damage injuries at a minimum level.
.7	Leadership is demonstrated by SNCO's/NCO's in coping with the incident/accident/disaster.

.8 ____ Prepares required messages concerning casualties and disaster occurrences within required time period.

EVALUATOR INSTRUCTIONS: Evaluator reviews squadron's plan and ascertains general knowledge of plan by random sampling of personnel. Evaluator creates an incident, accident, or disaster on the flightline, working spaces, or hangar deck,' e.g., fire, ordnance detonation, etc. The Senior Evaluator will act as the "message center" for processing of OPREP-3/Report of Mass Casualty messages, if the participation of the 5-3 and S-1 administrative personnel is to be evaluated.

KEY INDICATORS: None.

III-C-16

TASK: 3C.3.7 DEMONSTRATE CREWCHIEF COORDINATION

STANDARDS	: EVAL: Y: N: NE
.1	Covers lookout sectors, as briefed.
.2	Communicates promptly, consistently, and accurately using appropriate terminology.
.3	Monitors the mechanical functioning of the aircraft.
. 4	Keeps pilots advised of position of other aircraft in the flight.
.5	Provides obstacle clearance and landing zone information during hovering and landing operations.
.6	Understands and complies with commands for control of weapons employment procedures. (KI)
.7	Ensures all passengers are seated, have Seat belts on, and are wearing appropriate safety equipment.
.8	During external operations, uses standard terminology for positioning aircraft over the load.
.9	During external operations advises pilot of conditions of the load; e.g., load is off the deck, load is released, etc.
.10	Keeps the pilots informed of progress of internal load and personnel during all operations either airborne or on the ground.
.11	Does not release or cut the SPIE rig unless directed by the $\ensuremath{\text{PQM/HAC}}.$
.12	Performs all safety and mechanical checks during refuel/transfer of fuel with range extension tanks installed.
.13	Uses correct arm and hand signals during taxiing or positioning of the aircraft.
.14	Crewchief passes on signals between the pilot and jumpmaster, if jumpmaster is not on ICS.
.15	Crewchiefs demonstrate thorough knowledge of ordnance procedures and weapons proficiency.

EVALUATOR INSTRUCTIONS: None.

NET INDICATORS:

WEAPONS CONTROL

BASIC COMMANDS SHOULD BE:

- 1. Lock and load.
- 2. Weapons free.
- 3. Weapons tight.
- 4. Weapons hold.
- 5. Clear your weapons.
- 6. Countermeasures employed.

III-C-17

TASK: 3C.3.8 DEMONSTRATE COMMUNICATIONS DISCIPLINE

<u>CONDITION(S)</u>: The squadron is conducting flight operations in support of a MAGTF in an environment where communication's discipline is required in order to coordinate elements of the operation. Communications discipline should be evaluated on as many missions as possible.

TANDARDS	: EVAL: Y: N: NE
.1	Complies with emission control procedures.
.2	Makes prompt, concise, and accurate radio transmissions.
.3	Avoids unnecessary transmissions and unnecessary testing of equipment. $\ensuremath{(\text{KI})}$
.4	Aircrews properly employ Automated Communications Electronics Operation Instructions (ACEOI).
.5	Detects imitative messages.
.6	Makes no response to fraudulent or imitative messages.
.7	Recognizes, counters properly, and reports per the briefing. all jamming activities.
.8	Does not reveal effectiveness of enemy jamming efforts.
.9	Reports all enemy electronic countermeasure activity to higher headquarters.
10	Does not provide "Beadwindow" information to the enemy.
11	Makes appropriate "Beadwindow" call
12	Makes maximum use of covered communication equipment.
13	Briefs radio discipline and employs visual signals for intraformation communication to the maximum extent possible.
14	Employs visual signals ,wherever possible for ground-to-air communication.
15	Executes chattermark procedures, as briefed.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ C3 agencies provide debrief with regard to MIJI attempts.

KEY INDICATORS:

- 1. Avoids unnecessary maintenance radio operation during ${\tt EMCON}$ conditions.
- 2. Considers radio operations for deception plan.

TASK: 3C.3.9 MONITOR FLIGHT OPERATIONS

III-C-18

STANDARDS:	EVAL: Y; N; NE
.1	Designates flight leads, as required.
.2	Supervises the conduct of operations while maintaining tactical communications with the MAG/ACE commander.
.3	Disseminates any changes of procedures, tactics, or communications to subordinates as dictated by the operational situation.
.4	Provides updated advice and planning considerations to the HAG/ACE as to how assets can assist the MAGTF in their current tactical situation.
.5	Monitors any delays to assigned missions, and/or mission aborts, and provides recommendations for alternative actions to higher headquarters.
.6	Coordinates continuous updating of fire support coordination measures with the ACE/MAG/GCE.
.7	Ensures procedures for updating all source (AOA, theater) intelligence information are established and disseminated to sir crews for planning.
.8	Ensures contingency requirements and emergencies are handled according to plans, and SOP procedures are tactically sound.
.9	Ensures early warning information and alert conditions are passed in a timely manner.
.10	Monitors designated alert/broadcast nets and responds to data such as nuclear flash warnings transmitted thereon.
.11	Effectively operates a squadron common net as a means of communications between in-flight aircraft and/or squadron headquarters.
.12	Establishes a means of effective coordination with HDC, DASC, and/or MAG headquarters, including EMCON.
13	Adheres to planned flight schedule.
.14	Conducts a post operation debriefing as to lessons learned, and uses positive points to update contingency plans and SOP's.
.15	While the commending officer is absent during flight operations, required squadron staff action and decision process is continued uninterrupted.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS: None.
TASK:	3C.3.10 DEMONSTRATE ELECTRONIC WARFARE (EW) PROCEDURES
): The squadron is conducting flight operations in an N environment. Aircrews apply EN mission planning requirements ions.
STANDARDS:	EVAL: Y: N: NE
.1	Uses EN considerations and tactics effectively.
.2	Conducts airfield departures, as briefed.
.3	Optimizes tactics, including route utilized, altitudes, and EN support for the enemy EW considerations.
.4	Employs appropriate RTF procedures.
	III-C-19

.5	Demonstrates proper air command and control procedures within tactical area of responsibility (TAOR), including entry/exit points and corridors, IFF/SIF and covered end coded communications.
.6	Gathers EW intelligence within limits of capability.
.7	Seventy percent of tested Mode IV units worked successfully.
.8	Eighty percent of tested Mode IV units worked successfully.
.9	Ninety percent of tested Mode IV units worked successfully.
.10	One hundred percent of tasted Mode IV units worked successfully.
.11	Seventy percent of tested secure voice units worked successfully.
.12	Eighty percent of tested secure voice units worked successfully.
.13	Ninety percent of tested secure voice units worked successfully.
.14	One hundred percent of tested secure voice units worked successfully.
.15	Demonstrates proper tactical utilization of radar warning receiver.
.16	Demonstrates proper tactical utilization of expendable countermeasure equipment.
.17	Utilizes alternate communication nets (e.g., HF).
.18	Responds to EEI's by collecting information through aircrew observation.
mode IV ch attempted	INSTRUCTIONS: Indicate the following data; sorties flown. lecks attempted, mode IV checks successful. secure voice measures and secure voice measures successfully used on tactical Fifty percent of squadron assets shall be tested.
KEY INDICA	ATORS: None.
TASK: 3	3C.3.11 DELIVER ORDNANCE USING ROCKETS AND GUNS
capabiliti aircrews. the squadr proficienc	S): Reliance of MAGTF forces on the antipersonnel/soft target es of the AH-1/UH-1 requires superior accuracy from all Completion of this task by multiple sections/divisions within on will provide en indication of aircrew level of training and ey. Rockets and guns firings should be at static and moving aring both day and night hours.
STANDARDS:	EVAL: Y: N: NE
.1	Conducts briefing as per all applicable directives.
.2	Demonstrates proper switchology prior to launch.
.3	Achieves 100 foot CEP for rockets with gunner accuracy control panel (GACP).
	Achieves 50 foot CEP for rockets with GACP.
.5	Achieves 15 percent accuracy with GACP (Guns).
.6	Achieves 30 percent accuracy with GACP (Guns).
.7	Conducts debriefing as per all applicable directives to include lessons learned.
.8	Complies with rules of engagement/rules of conduct (ROE/ROC) and range safety regulations, if applicable.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3C.3.12 EXECUTE AIR-TO-AIR MISSILE SHOOT

 $\begin{array}{lll} \underline{\text{CONDITION(S)}} \colon & \text{The squadron ii conducting flight Operations in support of the MAGTF. The enemy has numerous aircraft equipped with an antiair capability. Completion of this task by squadron aircrews will give an indication of current aircrew proficiency. The missile shoot can be against maneuvering or nonmaneuvering drones or on a TACTS range. \\ \end{array}$

STANDARDS: EVAL: Y: N: NE		
.1	Conducts required briefing. (KI)	
.2	Completes combat checklist prior to commencing intercept.	
.3	Makes mandatory voice calls.	
.4	Demonstrates proper switchology prior to launch.	
.5	Fox-2 launch within parameters.	
.6	Reattack, if applicable, was accomplished from a successful firing position.	
.7	Complies with ROE, safety procedures, and range regulations.	
.8	Debrief is per all applicable directives and includes lessons learned.	

<u>EVALUATOR INSTRUCTIONS</u>: The initial setup by GCI/range control must be satisfactory or a "skip it' call will be made by the evaluator and the missile run will be reattempted.

KEY INDICATORS:

BRIEFING

- 1. Weapons conditions.
- 2. Hangfire procedures.
- 3. Weapon systems management.
- 4. Missile capabilities/limitations/launch parameters.
- 5. Switchology.
- 6. Telemetry checks (if required).
- 7. Drone profile.
- 8. Drone capabilities/range requirements.
- 9. Intercept procedures/tactics.
- 10. Communications transmissions.
- 11. Reattack.

III-C-21

TASK: 3C.3.13 EXECUTE TOW/HELLFIRE MISSILE SHOOT BY CREW GUNNER

 $\begin{array}{ll} \underline{\text{CONDITION(S)}} \colon & \text{Reliance of MAGTF forces on the antiarmor capabilities of the AH-1 and soft target capabilities of the UH-1 requires superior accuracy from all aircrews/gunners. Completion of this task by multiple \\ \end{array}$ sections/divisions within the squadron will provide an indication of aircrew level of training and proficiency. Missile firings should be at static and moving targets during both day and night hours.

STANDARDS:	EVAL: Y: N: NE
.1	Conducts briefing per all applicable directives. (KI)
.2	Demonstrates proper switchology prior to Launch.
.3	Achieves 70 percent accuracy with gunner accuracy control panel $(GACP)$.
.4	Achieves 80 percent accuracy.
.5	Achieves 90 percent accuracy.
.6	Achieves 100 percent accuracy.
.7	Missile impacts target.
.8	Conducts debriefing as per all applicable directives to include Lessons learned.
.9	Complies with rules of engagement/rules of conduct (ROE/ROC) and range safety regulations, where applicable.
EVALUATOR :	INSTRUCTIONS: None.
KEY INDICA	<u>rors</u> :

K

BRIEFINGS

- 1. Station loading.
- 2. Cockpit procedures.
- 3. Switchology.
- 4. Command and control.

TASK: 3C.3.14 DEMONSTRATE INDIVIDUAL DISCIPLINE

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron has been given a mission to conduct tactical operations from a forward area. Enemy forces are in the area. possessing weapons capable of direct and indirect fire, rotary— and fixed—wing$ aircraft, end EW capabilities.

STANDARDS: EVAL: Y: N: NE Demonstrates unit discipline by individual members being in control of themselves and contributing to mission accomplishment. Marines take care to safeguard and clean their weapons, bath individual and crewserved, daily. Vehicles, generators, etc., are given regular maintenance by the Marines assigned to operate them. Marines employ fire control and fire discipline when engaged. Random waste of ammunition is not tolerated by unit leaders.

III-C-22

.5	Marines do not waste or abuse unit supplies or material.
.6	Safeguards supplies from the enemy and from the weather and does not scatter as litter on the terrain.
.7	Marines operating radios do not expose themselves to radio direction finding (RDF) by unnecessary, wordy, or repetitious message traffic. Uses standard prowords and limits communication checks. All personnel using radios adhere to required standards of performance regardless of grade.
.8	Leaders actively promote field sanitation and personal hygiene by policing the area, inspecting feet and body sores, and enforcing use of designated heads and good personal health habits.
.9	Unit leaders actively enforce rules of engagement and the law of war: individual Marines exercise appropriate discipline in this regard.
<u>EVALUATOR INSTRUCTIONS</u> : With exceptions, evaluators will use the 90 percent rule (90 percent of the Marines 90 percent of the time) to determine whether requirements are being met.	
KEY INDIC	ATORS: None.
TASK: 3	C.3.15 DEMONSTRATE PROPER DISPERSION OF VEHICLES AND EQUIPMENT
$\underline{\text{CONDITION(S)}}$: The squadron is conducting tactical flight operations. The enemy is reported to be in the area possessing direct and indirect fire weapons, rotary- and fixed-wing aircraft, and EW capabilities.	
STANDARDS	: EVAL: Y: N: NE
.1	Places tentage. equipment, aircraft, vehicles, and radios in such a manner as to reduce their vulnerability to bursting munitions.
.2	Separates firing positions for crew-served weapons by a minimum of $30-35\ \mathrm{meters}$.
.3	Disperses all vehicles and aircraft and takes advantage of terrain features to the maximum degree possible to seek cover and concealment, yet avoids positions that will cause difficulty in exiting.
EVALUATOR INSTRUCTIONS: This task is applicable throughout the exercise. Evaluator reaches a YES evaluation based on his observation that 90 percent of the Marines in the unit participate throughout the exercise with the quality of performance defined by the requirements.	
KEY INDIC	ATORS: None.
TASK: 3	C .3. 16 DEMONSTRATE PROPER USE OF COVER
<u>CONDITION(S)</u> : The squadron is conducting tactical flight operations. The enemy is reported to be in the area possessing direct and indirect fire weapons. rotary- and fixed-wing aircraft, and EW capabilities.	
STANDARDS: EVAL: Y: N: NE	
.1	Individual Marine., including vehicle drivers, demonstrate by tactical and personal example an understanding of use of covered routes and covered positions.
.2	Aircraft and vehicles do not remain in exposed locales but move immediately to the nearest cover.
.3	Sites equipment, tentage. radios, aircraft. and vehicle parking areas to take advantage of cover provided by natural terrain features.

.4 Establishes individual and crew-served weapons firing positions in areas that permit use of natural cover while still allowing observation and adequate fields of fire.	
.5 All individual Marines and crew-served weapons elements make use of available material to improve cover.	
<u>EVALUATOR INSTRUCTIONS</u> : This task is applicable throughout the exercise. Evaluator reaches a YES evaluation based on his observation that 90 percent of the Marines in the unit participate throughout the exercise with the quality of performance defined by the requirements.	
<u>KEY INDICATORS</u> : None.	
TASK: 3C.3.17 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT	
<u>CONDITION(S)</u> : The squadron is conducting tactical flight operations. The enemy is reported to be in the area possessing direct and indirect fire weapons, rotary- and fixed-wins aircraft, and EW capabilities.	
STANDARDS: EVAL: Y: N: NE	
.1 Ensures that the principles of camouflage siting, discipline, and construction are employed continuously throughout the operations.	
.2 Uses natural materials and camouflage screen support systems to conceal positions, aircraft, and vehicles from enemy ground observation to a distance of 200 meters.	
.3 Camouflages all positions to prevent identification by enemy aircraft by employing soil, fresh foliage, and netting.	
EVALUATOR INSTRUCTIONS: None.	
KEY INDICATORS: None.	
TASK: 3C.3.18 CONDUCT LOCAL SECURITY OPERATIONS	
<u>CONDITION(S)</u> : Enemy reconnaissance units have been sighted in close vicinity to squadron positions. These forces possess direct and indirect fire, rotary and fixed-wing aircraft, and EW capabilities.	
STANDARDS: EVAL: Y: N: NE	
.1 Briefs and inspects Marines assigned local forward security missions.	
.2 Emplaces Marines and weapons in positions which offer good observation, fields of fire, concealment, and cover and which control enemy avenues of approach.	
.3 Employs local security measures which provide for early warning, continual observation, and counterreconnaissance screening and avoid the element of enemy surprise.	
.4 Individual weapons are available and ready for use at all times.	
.5 Individual Marines are aware of signals for lifting or shifting fires.	
.6 Individual weapon shooters provide immediate well-aimed volume of fire at the sectors of fire assigned to each weapon.	
.7 Hand grenades are available and Marines are proficient in their use.	
III-C-24	

.8	Considers active and passive OPSEC measures to prevent surprise and to provide greater security.
.9	Positions elements to allow for their mutual support. emphasizing coordinated surveillance, exchange of information, coordinated fires, final protective fires, and patrolling.
.10	Organizes defensive positions to allow for all-round defense.
.11	Plans primary and supplementary positions.
.12	Maintains the dispersion of units and individuals throughout the operation to avoid excessive casualties. $ \\$
.13	Makes maximum use of surveillance devices in order to detect enemy movement.
.14	Uses available time effectively in the planning and preparation of defensive positions.
.15	Disseminates combat information acquired by security elements throughout the unit and, as required, to higher command elements.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS: None.
TASK: 30	C .3.19 DEMONSTRATE CORRECT RESPONSE TO ENEMY EW CAPABILITY
CONDITION (while the	(S): The squadron is conducting tactical flight operations enemy is known to have an EW capability.
STANDARDS:	EVAL: Y: N: NE
.1	Operates all radio nets specified as covered circuits in the communications plan in the covered mode.
.2	Observes CEOI instructions for daily changing of frequencies and call signs.
.3	Observes emission control (EMCON) procedures.
4	Chooses communication sites that provide for terrain masking to minimize enemy probability of intercept.
.5	Marines authenticate when operating unsecure radio and wire nets.
.6	CEOI allocates alternate frequencies for critical radio nets.
.7	Marines operating radios recognize enemy jamming (as opposed to equipment malfunctions), do not reveal effectiveness of enemy jamming efforts, and continue to attempt to communicate.
.8	Reports proven or suspected enemy electronic activity to the supported unit by an MIJI report via wire, messenger, or other secure means in a timely manner.
.9	Relays communications by alternate means when radio nets are effectively jammed.
.10	Marines operating radios and officers transmitting on those radios do not compromise unit locations, strength, or commit other "Beadwindow" security lapses.
.11	Uses expedient directional antennas to the maximum extent possible.
.12	Makes uncovered transmissions in such a way as to discourage radio direction finding.
.13	Safeguards communications security material of all types.

.14 radio	Sends low-priority and routine messages by means other then
Iadio	communications.
.15	Employs brevity codes promulgated by the appropriate

<u>EVALUATOR INSTRUCTIONS</u>: The task is applicable in .11 instances in which the aggressor force described as the enemy in the published scenario has an electronic warfare capability. Evaluator should determine in Concert with the TEC the degree of application prior to start of the exercise.

KEY INDICATORS: None.

TASK: 3C.3.20 DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITIES

 $\underline{\text{CONDITION(S)}}$: The squadron is conducting tactical flight operations. The enemy, in addition to direct and ind,lrect fire and EW capabilities, has a fixed-wing and rotary-wing aircraft capability.

STANDARDS: EVAL: Y: N: NE

.1	Unit has established procedures for both passive end active air defense.
.2	Designates air guards. (KI)
.3	Unit has an alarm system to warn of air attack.
.4	Makes Marines within the unit aware of the meaning of the alarm.
.5	If given advance warning of approaching hostile aircraft, Marines react by dispersing per established passive measures end by taking appropriate active defensive actions when attacked.
.6	Unit machinegun teams engage enemy aircraft when under attack.
.7	Small unit leaders demonstrate ability to concentrate small arms fire against attacking aircraft.
.8	Unit reports attack by enemy air to higher headquarters using a

EVALUATOR INSTRUCTIONS: None.

flash message.

KEY INDICATORS:

AIR GUARDS

Air guards within each subordinate element are designated to watch for the approach of hostile aircraft. These Marines are not specially trained beyond careful instruction by their immediate leader. They are able to:

- 1. State the nature of the enemy; i.e., fixed-wing jet, fixed-wing prop, or rotary-wing.
- 2. Describe the signal established as the alarm for attack.
- 3. Identify friendly aircraft that are in support of the unit.

III-C-26

TASK: 3C .3.21 DEMONSTRATE CORRECT TREATMENT OF ENEMY PRISONERS OF WAR (EPW)

 $\underline{\text{CONDITION}(S)}$: The squadron has taken EPW's and has designated a EPW collection point.

STANDARDS: EVAL: Y: N: NE		
.1	The squadron has and uses SOP for processing EPW's.	
.2	Searches EPW's immediately upon capture; tags and evacuates weapons and items of potential intelligence value at the same time as EPW; returns personal items and protective clothing and equipment to EPW. (KI)	
.3	Individual Marines handling EPW's segregate them by type; i.e., officers, NCO's, troops, civilian combatants, etc. (KI)	
.4	Allows EPW's to retain personal protective equipment; i.e., e.g., helmet, gas mask, etc. (KI)	
.5	Requires EPW's to remain silent and does not permit them to converse among themselves. (KI)	
.6	processes EPW's quickly to obtain maximum intelligence benefits. $(\mbox{\tt KI})$	
.7	Safeguards EPW's from abuse and from hazards of enemy fire.	
.8	Reports perishable information obtained from EPW's immediately to higher headquarters. (KI)	
.9	Enemy casualties receive same medical care and MEDEVAC priority as unit casualties with any difference in treatment based solely on medical considerations. (KI)	
.10	Escorts EPW's under guard to the designated collection point as soon as possible. (KI) $$	
.11	Transfers EPW's and all recovered equipment/documents to higher command element as soon as possible. (KI)	
EVALIIATOR	INSTRUCTIONS: Evaluator ensures that EPW's are not mistreated	

KEY INDICATORS:

SEGREGATION

The segregation of EPW's requires that individual EPW's be identified as belonging to 5 particular category. While time and combat conditions may not permit the detailed interrogation of EPW's to make all such determinations, it should be possible to readily identify and separate EPW's into groups by sex and into subgroups such as enlisted, officer, civilians, and political figures. This keeps the leaders from promoting escape efforts, and will assist in maintaining discipline.

SEARCHING

EPW's should be disarmed and searched for concealed weapons, equipment. and documents of particular intelligence value immediately upon capture, unless the number of EPW's captured, enemy action, or other circumstances make such a search impracticable. Until each EPW is searched, Marines suet be particularly alert to prevent the use of concealed weapons or the destruction of documents or equipment.

SILENCE

Silence EPW's and do not let them talk to each other. Should a EPW be heard or observed doing anything unusual, note and report this information for interrogation purposes.

III-C-27

SAFEGUARD

The handling of EPW's will be per the 1949 Geneva Convention and they will be safeguarded at all times. While evacuating EPW's to the rear, do not let them bunch up, spread out too far, or start diversions. Before evacuating a EPW, attach a tag to him which reflects date/time of capture, place of capture, capturing unit, and circumstances of capture.

SPEED

Evacuate EPW's to the designated battalion/regimental collection point as soon as possible.

EOUIPMENT

Items of personal or individual equipment which are new or appear to be of a type not previously seen may be of intelligence value and should be processed via intelligence channels.

DOCUMENTS

A captured document is any piece of recorded information which has been in the hands of the enemy. When such documents are taken from a EPW for safekeeping and delivery to intelligence personnel, care must be taken to assure that they can later be identified with the individual EPW from whom they were taken. Documents and records of a personal nature must be returned to the EPW from whom they were taken. In no instance should the personal identity card of a EPW be taken.

PERSONAL EFFECTS

EPW's should be permitted to retain protective equipment such as helmets, protective masks, and like items; effects and articles used for clothing or eating, except knives and forks; rations; identification cards or tags; and badges of grade and nationality. When items of equipment issued for personal protection are taken, they must be replaced with equivalent items serving the same purpose. Although money and other valuables may be taken from EPW's as a security measure, they must be receipted and a record must be maintained.

MEDICAL CARE

STANDARDS:

. 2

EVAL:

 ${\tt EPW's}$ are entitled to the same medical care as friendly casualties, to include MEDEVAC priority. Any difference in treatment must be based solely on medical considerations.

TASK: 3C.3.22 DEMONSTRATE PROPER TREATMENT OF CASUALTIES

Y: N: NE

<u>CONDITION(S)</u>: The squadron is conducting tactical flight operations and has taken casualties that require evacuation. The squadron has designated a medical collection point.

.1 ____ Marines dealing with casualties prior to arrival of corpsmen demonstrate buddy aid knowledge in treatment of fractures, penetrating wounds, and sucking chest wounds.

Marines tagged as lightly wounded apply self aid.

- .3 ____ Transports Marines who must be evacuated by man carry, litter, vehicle, or helicopter to the collection point or treatment site in a tactically sound and expeditious manner that still shows regard for the type of wound of the casualty.
- .4 ____ Casualty reporting begins immediately after a Marine is tagged, starting at the level of the junior leader and terminating at the unit headquarters.

III-C-28

EVALUATOR INSTRUCTIONS: Marines, including officers, who are tagged with incapacitating wounds drop when 'hit." Marines tagged as incapacitated do not move under their own power, relying on other Marines to move them.

KEY INDICATORS: None.

3C.4 AMPHIBIOUS OPERATIONS: GENERAL PLANNING

TASK: 3C.4.1 CONDUCT CONCEPT OF OPERATIONS PLANNING

CONDITION(S): The BML/A is located afloat conducting flight operations to support an amphibious operation and subsequent operations ashore, The potential exists for the squadron to be based ashore upon the establishment of the force beachhead. The squadron has access to additional helicopter. fixed-wing, air control elements. and MWSS support via the ACE. The squadron is given reasonable time to conduct necessary mission planning, coordination, and flight scheduling with both the ACE and the supported unit. However, the mission scenario during the evaluation may be altered to simulate real world contingencies requiring some reprioritization. These changes should be considered as complementary to the evaluation of the squadrons response to operational evolutions by negating the affects of 5 "canned" problem. The mission may include day and night evolutions.

STAN	NDARDS	: EVAL: Y: N: NE
.1		Reviews the commander's planning guidance and intent.
.2		Establishes early liaison with the higher headquarters to ensure aviation coordination and integration with the supported unit's requirements.
.3		Integrates Bump Plan with supported unit.
. 4		Establishes go/no go criteria with the supported unit commander.
.5		Analyzes the mission to begin specific planning. (KI)
.6		Examines mission objectives in terms of precedence and METT-T. (KI)
.7		Determines if there are particular mission(s) which need special equipment and/or training that must be accomplished prior to attempting the mission. If so, makes higher headquarters aware of these requirements.
.8		Provides input for the aviation estimate of supportability to the higher headquarters. (KI)
.9		Identifies squadron shorebasing or FARP requirements. if any.
.10		Considers rapid refueling/rearming requirements.
.11		Forwards additional aviation support requirements (aircraft, ordnance, fuel. special equipment, and personnel. etc.) to the higher command.
.12		Determines capability to continue subsequent operations.
.13		If tactically feasible, schedules aerial reconnaissance of objective area with appropriate tactical leaders.
.14		Time permitting. plans/schedules a rehearsal of as many supporting units as possible which addresses the scheme of maneuver and timing.
.15		Begins preparation of the Helicopter Availability Table.
.16		Presents the squadron concept of operations to the higher headquarters for approval.
.17		Coordinates with Combat Cargo/Flight Deck Control for the spotting and loading of aircraft as per the GCE Load Plan.

EVALUATOR INSTRUCTIONS: The focus of this task is on the squadron as it fulfills its basic responsibilities to the supported unit and execution of proper planning procedures. This task is evaluated through all phases of the exercise. The evaluator should note that some of the requirements are onetime actions and some are repetitive actions that will reoccur as the tactical situation dictates. Availability of assets may dictate that some support be constructive.

KEY INDICATORS:

MISSION TASK

A mission may be general or specific in nature or have an implied mission that must be accomplished in conjunction with the stated mission. The helicopter planners must discuss these aspects of the mission with the supported unit commanders. At this time, the tasks to be accomplished should begin to emerge as being either preplanned or immediate; the two categories of assault helicopter missions. As these categories begin to unfold, both the helicopter planner and the supported unit commander will also develop a conceptual reference within which to identify parameters for the precedence of missions during the operations.

AVIATION ESTIMATE OF SUPPORTABILITY

The following areas discussed in FMfl4 5-3 should be addressed:

- 1. Enemy situation and capabilities.
- 2. Requirements for aviation support.
- 3. Topography.
- 4. Weather; regarding the target area, routes to and from the target, probable weather at the recovery or home base upon return, and the effect of the weather upon the enemy's capability.
- 5. observation and surveillance.
- 6. Communications.
- 7. Logistics.
- 8. Hydrographic conditions.
- 9. Specific commitments.

TASK: 3C.4.2 CONDUCT EN ROUTE PLANNING

 $\frac{\texttt{CONDITION(S)}}{\texttt{Continuous}} : \qquad \texttt{Continuous} \text{ and concurrent planning must be demonstrated} \\ \text{with all applicable agencies during this planning evolution.}$

STANDARDS: EVAL: Y: N: NE

.1	E'Dploy5 the smallest maneuver element capable of accomplishing the mission.
.2	Uses formations that ensure controllability during marginal weather conditions; e.g., execution of inadvertent IFR procedures.
.3	Coordinates and integrates control points with control agencies throughout the operation.
. 4	Incorporates time, distance, altitude, and airspeed factors in route selections.
.5	Submits approach/retirement lanes/routes to the CLF/CATF for approval.
.6	Plans for en route air defense of helicopterborne force, if required.

.7	Establishes EMON and alternate communications plan.
.8	Develops codewords to identify completion of critical mission phase. and informs C3 agencies of codewords.
.9	provides input to the timing end integration of fire support plans to include delivery of preparatory fires, request for SEAD. and primary and alternate means of actuating fire control procedures.
.10	Develops fire support coordination measures with GCE to integrate and deconflict fires.
.11	provides assistance to the supported unit commander in his preparation of the helo wave and serial S5signment table.
.12	Completes the preparation of the Helicopter Availability Table and the Helicopter Landing Diagram and ensures subsequent distribution.
.13	Coordinates with airborne control agencies for the entire operation.
14	If feasible, ensures aviation and supported unit commanders are in the same aircraft during critical mission phases.
.15	Ensures procedures are established for safe flight separation during approach/retirement and deconfliction with around units during the delivery of supporting arms (NGF, artillery. CAS).
.16	Reconnaissance mission planning considers minimizing potential enemy reaction and not compromising the forthcoming mission.
all suppor	<pre>INSTRUCTIONS: Evaluator ensures that SPINS are distributed to t agencies. TORS: None.</pre>
all support KEY INDICATION: TASK: 30 CONDITION:	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an
TASK: 3C CONDITION(helicopter assault du	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an
TASK: 30 CONDITION(helicopter assault du made for condition)	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an aborne borne arphibious operations. Appropriate provisions should be
TASK: 30 CONDITION(helicopter assault du made for condition)	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an borne cring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE
TASK: 30 CONDITION(helicopter assault dumade for constant)	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an aborne borne aring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack
TASK: 30 CONDITION(helicopter assault dumade for constant) STANDARDS:	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP
all suppor KEY INDICA TASK: 30 CONDITION(helicopter assault du made for conditions STANDARDS: .1	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP inbound. Selects in conjunction with the supported unit, clearly
all suppor KEY INDICA TASK: 3C CONDITION(helicopter assault du made for co STANDARDS: .123	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support and borne ring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP inbound. Selects in conjunction with the supported unit, clearly identifiable landing sites and points in the LE. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of
all support KEY INDICA TASK: 30 CONDITION(helicopter assault du made for condition) STANDARDS: .1	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an aborne ring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP inbound. Selects in conjunction with the supported unit, clearly identifiable landing sites and points in the LE. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aids. Ensures that the authority and procedures to change LZ's and/or
all support KEY INDICA TASK: 30 CONDITION(helicopter assault du made for condition) STANDARDS: .1 .2 .3 .4 5	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an borne ring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP inbound. Selects in conjunction with the supported unit, clearly identifiable landing sites and points in the LE. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aids. Ensures that the authority and procedures to change LZ's and/or approach/retirement lanes/routes are clearly understood. Coordinates tactical formations with the flight coordinator
all support KEY INDICA TASK: 30 CONDITION(helicopter assault du made for constant) STANDARDS: .1 .2 .3 .4 5 .6 .7	TORS: None. 2.4.3 CONDUCT TERMINAL ASSAULT PLANNING S): The squadron has been tasked to support an borne ring amphibious operations. Appropriate provisions should be coordination with CATF agencies to accomplish shipboard planning. EVAL: Y: N: NE Recommends primary and alternate landing zones. attack positions. and holding areas on the basis of METT-T. (KI) Recommends approach and retirement lanes/routes on the basis of enemy analysis, terrain, and commander guidance from the IP inbound. Selects in conjunction with the supported unit, clearly identifiable landing sites and points in the LE. Makes liaison with units providing terminal guidance and develops procedures for helicopter insertion to include use of visual and electronic aids. Ensures that the authority and procedures to change LZ's and/or approach/retirement lanes/routes are clearly understood. Coordinates tactical formations with the flight coordinator for approach and retirement from the LZ.

.9		_ Determines requirements for and submits requests for additional support.
.10		Recommends priority of targets for zone prep and ROE.
.11		Coordinates timing, integration, and chaining of responsibilities of air, NGF, and other supporting arms to ensure SEAD and responsive fire support throughout the terminal phase.
.12		_ Coordinates and integrates command and control. (KI)
EVA]	LUAT	OR INSTRUCTIONS: None.
KEY	IND	ICATORS:
		FACTORS IN HELICOPTER LANDING ZONE SELECTION
	1.	MAGTF concept of Operations.
	2.	Enemy capabilities, predicted intentions, and dispositions.
	3.	Terrain and proximity to objective.
	4.	Logistic support requirements.
	5.	Supporting arms requirements.
	6.	Approach and retirement routes.
	7.	Ease of identification.
	8.	Size and number required.
		CONTROL POINTS
	1.	Rendezvous point.
	2.	Departure point.
	3.	Checkpoint.
	4.	Penetration control point.
	5.	Initial point.
	6.	Break-up point.
TASI	ζ:	3C.4.4 CONDUCT EXTRACTION PLANNING
suppref.	port lect	ON(S): Close coordination with the supported unit commander, air, and fire support agencies is required. The plan should clearly the fact that this extraction may be conducted against serious ion by enemy air and ground forces.
STAI	NDAR!	DS: EVAL: Y: N: NE
.1		Ensures the extraction plan is as detailed and complete as the helicopterborne assault plan.
. 2		_ Coordinates lift requirements with the ground element and maximizes use of available assets.

.3 $_$ Uses METT-T factors in development of the extraction plan.

.4	Collects all known intelligence on the enemy situation to include air defense threat. gun and troop positions. EW, and enemy capabilities.
.5	Selection of LZ's and alternates based on terrain and loading plan based on METT-T.
.6	Coordinate: input for fire support plan.
.7	Coordinates CIFS and escort requirements to include immediate request procedures and onsite coordination and communication methods.
.8	Develops a flexible and responsive load plan with the ground commander.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None -
	3C. 5 SUBSEQUENT OPERATIONS ASHORE: GENERAL PLANNING
TASK: 3	C.5.1 CONDUCT CONCEPT OF OPERATIONS PLANNING
force bear fixed-wing squadron coordinat units. He to simula These charthe squad	(S): The squadron has based ashore upon the establishment of the chhead. The squadron has access to additional helicopter. g. air control elements, and MWSS support via the ACE. The is given reasonable time to conduct necessary mission planning, ion, and flight scheduling with both the ACE and the supported owever, the mission scenario during the evaluation may be altered te real world contingencies requiring some reprioritization. nges should be considered as complementary to the evaluation of rons response to operational evolutions by negating the affects ned problem. The mission may include day and night evolutions.
STANDARDS	: EVAL: Y: N: NE
.1	Reviews the commander's planning guidance and intent.
.2	Establishes early liaison with the higher headquarters to ensure aviation coordination and integration with the supported unit's requirements.
.3	Analyzes the mission to begin specific planning. (KI)
.4	Examines mission objectives in terms of precedence and METT-T. (\ensuremath{KI})
.5	Determines if there are particular mission(S) which need special equipment and/or training that must be accomplished prior to attempting the mission. If so, makes higher headquarters aware of these requirements.
.6	Provides input for the aviation estimate of supportability to the higher headquarters. (KI)
.7	Identifies squadron shorebasing or FARP requirements. if any.
.8	Considers rapid refueling/rearming requirements.
9	Forwards additional aviation support requirements (aircraft, ordnance, fuel, special equipment, and personnel, etc.) to the higher command.
.10	Determines capability to continue subsequent operations.
.11	Time permitting, plans/Schedules a rehearsal of as many supporting units as possible which addresses the scheme of maneuver and timing.
.12	Begins preparation of the Helicopter Availability Table.
.13	Presents the squadron concept of operations to the higher headquarters for approval.

EVALUATOR INSTRUCTIONS: The focus of this task is on the squadron as it fulfills its basic responsibilities to the supported unit and execution of proper planning procedures. This task is evaluated through all phases of the exercise. The evaluator should note that some of the requirements are onetime actions and some are repetitive actions that will reoccur as the tactical situation dictates. Availability of assets may dictate that some support may be constructive.

KEY INDICATORS:

MISSION TASK

A mission may be general or specific in nature or have en implied mission that must be accomplished in conjunction with the stated mission. The helicopter planners must discuss these aspects of the mission with the supported unit commanders preplanned or immediate During these discussions the tasks to be accomplished should be identified as being either preplanned or immediate; the two categories of assault helicopter missions. As these categories begin to unfold, both the helicopter planner and the supported unit commander will also develop a conceptual reference within which to identify parameters for the precedence of missions during the operations.

AVIATION ESTIMATE OF SUPPORTABILITY

The following areas discussed in FMFM S-3 should be addressed:

- 1. Enemy situation and capabilities.
- 2. Requirements for aviation support.
- 3. Topography.
- 4. Weather.
- 5. Observation and surveillance.
- 8. Communications,
- 7. Logistics.
- 8. Hydrographic conditions.
- 9. Specific commitments.

TASK: 3C.5.2 CONDUCT EN ROUTE PLANNING

 $\underline{\text{CONDITION}(S)}$: Continuous end concurrent planning must be demonstrated with all air control end fire support agencies during this planning evolution.

STANDARDS: EVAL: Y: N: NE

. 1	Employs the smallest maneuver element capable of accomplishing the mission.
. 2	Uses formations that ensure controllability during marginal weather conditions; e.g., execution of inadvertent IFR procedures.
.3	Coordinates and integrates mission control points with control agencies.
. 4	Incorporates time, distance, altitude, and airspeed considerations into route selection.
.5	Submits approach/retirement lanes/routes to MAGTF commander.
.6	Establishes emission control end alternate communications plans.

.7	Develops codewords to identify completion of critical mission phases and informs C3 agencies of codewords.
.8	Provide input to the timing end integration of fire support plans to include delivery of preparation fires, request for SEAD, and activation of command and control procedures.
.9	Completes the Helicopter Availability Tables end Helicopter Lending Diagrams end ensures subsequent distribution.
.10	Coordinates with airborne control agencies for the entire operation.
.11	If feasible, ensures aviation end supported unit commanders are in the same aircraft during critical mission phases.
.12	Ensures procedures are established for safe flight separation during approach/retirement (NGF, artillery, CAS aircraft), with regard to established FSC measures.
	<pre>INSTRUCTIONS: Evaluator ensures that codewords are d to all support agencies.</pre>
KEY INDICA	TORS: None.
TASK: SC	. 3.3 CONDUCT TERMINAL ASSAULT PLANNING
assault du	S): The squadron has been tasked to support a helicopterborne ring subsequent operations. Appropriate provisions should be oordination with supported unit.
STANDARDS:	EVAL: Y: N: NE
.1	Recommends primary end alternate lending zones, attack positions, end holding areas on the basis of METT-T. (LZ)
.2	Recommend approach end retirement lanes/routes on the basis of enemy analysis. terrain, end commander guidance from the IP inbound.
.3	Coordinates primary end alternate approach/retirement lanes/routes end submits them to higher headquarters for approval.
	Begins coordination end preparation of the helicopter lending diagram for subsequent submission to the MAGTF commander.
5	Selects in conjunction with the supported unit, clearly identifiable lending sites and points in the LZ.
.6	Makes liaison with units providing terminal guidance end develops procedures for helicopter insertion to include use of visual end electronic aids.
.7	Ensures that the authority and procedures to change LZ's end/or approach/retirement lanes/routes are clearly understood.
.8	Coordinates tactical formations with flight coordinator for approach end retirement from the LZ.
.9	Ensures procedures are established for safe flight separation during approach end retirement with regard to established fire support coordination measures.
.10	Reconnaissance mission planning considers minimizing potential enemy reaction end not compromising the forthcoming mission.
.11	Coordinates mutual support of weapons system in the LZ.
.12	Recommends priority of targets for zone prep end ROE.

.13	Coordinates timing. integration, and chaining of responsibilities of air, NGF, and other supporting arms to ensure SEAD and responsive fire support throughout the terminal phase.
14	Coordinates and integrates command and control. (KI)
EVALUATOR	INSTRUCTIONS: None.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operations.
- 2. Enemy capabilities, predicted intention., and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirement..
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

TASK: 3C.5.4 CONDUCT EXTRACTION PLANNING

 ${\hbox{\tt CONDITION}(S)}\colon$ Close coordination with the supported unit commander, air support, and fire support agencies is required. The extraction plan should clearly reflect the fact that this operation may be conducted against serious opposition by enemy air and ground forces.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Ensures the extraction plan is as detailed and complete as the helicopterborne assault plan.
- .2 ____ Coordinates lift requirements with the ground element and maximizes use of available assets.
- .3 ____ Uses METT-T factors in development of the extraction plan.
- .4 ____ Collects all known intelligence on the enemy situation to include air defense threat, gun and troop positions, and enemy capabilities.
- .5 ____ Selection of primary and alternate LZ's is based on the loading plan and METT-T.

III-C-36

.6 Coordinates input for fire support plan.
.7 Coordinates CIFS and escort requirements to include immediate request procedures and onsite coordination and communication methods.
.8 Develops a flexible and responsive load plan with the around commander.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS: None.
3C.6 MISSION EXECUTION: GENERAL PLANNING
TASK: 3C.6.1 EXECUTE REHEARSAL PROCEDURES
<u>CONDITION(S)</u> : The rehearsal will test the major components of the mission plan. Changes that enhance the potential of success are encouraged and are considered an extension of the planning process.
STANDARDS: EVAL: Y: N: NE
.1 Tests timing factors of the actual assault.
.2 Teats communication plan.
.3 Exercises fire and air control agencies.
.4 Debriefs aircrews and supporting/controlling agencies.
.5 Recommends improvements to the plan to the higher headquarters.
EVALUATOR INSTRUCTIONS: None.
KEY INDICATORS: None.
TASK: 3C .6.2 EXECUTE DEPARTURE PROCEDURES
CONDITION(S): The squadron conducts MAGTF support missions. All liaison has been performed and mission planning and briefing are complete.
STANDARDS: EVAL: Y: N: NE
.1 Man and preflight aircraft within prescribed timeframe.
.2 Load. taxi. and launch aircraft. as briefed.
.3 If aboard ship. start-up aircraft, load, and launch aircraft per brief and ship directives.
.4 Provide planned number of aircraft for initial and subsequent launches/waves.
.5 Executes bump plan, as briefed.
.6 Accomplishes rendezvous procedures. as briefed, or, as directed, by control agencies.
TTT 0 27

.7	EMCON procedures correspond to the brief.	
.8	Complies with go/no go criteria.	
EVALUATOR	INSTRUCTIONS: None.	
KEY INDICA	ATORS: None.	
TASK: 30	C.6.3 EXECUTE TACTICAL FORMATION PROCEDURES	
as possib	(S): Formation flying should be evaluated on as many missions le. Enemy information shall be given the squadron in sufficient llow mission planning.	
STANDARDS	EVAL: Y: N: NE	
.1	Ensures the tactical formation provides a balance between control, mutual support, maneuverability, flexibility, unity of effort, and collision avoidance.	
.2	Employs the smallest maneuver element capable of accomplishing the mission. (KI) $$	
.3	Ensures controllability of the formation during night operations.	
.4	Ensures controllability of formation during marginal weather.	
.5	Executes procedures, as briefed, for inadvertent entry into instrument meteorological conditions (KI).	
.6	Ensures that helicopters observe altitude restrictions.	
.7	Uses appropriate flight control measures to adequately control the flight during all phases of the mission.	
.8	Employs basic tactical formations per applicable tactical/NATOPS flight manuals.	
.9	Flies formations as planned or modified by the flight leader.	
.10	Executes scatter plan as briefed, if required.	
EVALUATOR INSTRUCTIONS: None.		
KEY INDICATORS:		
SIZE OF MA	ANEUVER ELEMENT	
Determined	d by:	
1. So	cheme of maneuver.	
2. MI	ETT-T considerations.	
3. Re	equirement for maneuverability.	
4. Re	equirement for control.	

TASK: 3C.6.4 DEMONSTRATE TACTICAL PROFICIENCY

 $\underline{\text{CONDITION(S)}} \colon \text{ Flight techniques should be evaluated on as many squadron missions as possible. Enemy information shall be given to the squadron in sufficient time to allow mission planning. The air threat scenario should allow for evaluation of terrain flying (TERF).}$

STAN	DARDS	: EVAL: Y: N: NE
.1		Flies TERF profiles, as briefed.
.2		Uses appropriate profile to prevent enemy from visually, optically. or electronically detecting or locating the flight. (KI)
.3		Mans cockpit with TERF qualified aircrew during TERF flight.
. 4		Aircrew demonstrates cockpit coordination and division of labor. $(\ensuremath{\mathtt{KI}})$
.5		Each crewman accomplishes assigned look-out duties.
.6		Uses identifiable terrain features such as stream beds, draws, ridgelines, roads, vegetation, etc., throughout the flight.
.7		Flight navigates and remains oriented throughout the mission. $(\ensuremath{\mathtt{KI}})$
.8		Members of the flight provide course correction, as required.
.9		Remains constantly aware of aircraft gross weight and performance limitations; e.g., hovering out of around effect information and single/dual engine capability.
.10		Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) $$
.11		Executes divert, as briefed. upon reaching bingo fuel.
.12		Ensures that all aircraft comply with briefed weather minimums.
.13		changes to the flight route are made by appropriate authority only.
.14		Ensures $3/SEA)$ and offensive momentum by appropriate use of air and fire support.
.15		Executes evasive maneuvers properly to include appropriate use of defensive weapons countermeasures.
.16		Ensures that crewmen comply with weapons conditions, as briefed, during ingress.
.17		Executes the penetration checklist at appropriate checkpoint/phaseline during ingress.
.18		Mission commander makes timely, coordinated decision with the HUC to determine if supporting arms preparation has been effective.
.19		Reports, as required, at the control points to the appropriate air control agency for report on weather and enemy situation along the approach route. (KI)
.20		Joins with assault helicopters at planned time and location.
.21		Ensures that attack helicopters provide tactically sound escort.
.22		If tactically feasible, the attack helicopters conduct reconnaissance of the area ahead and on flanks of the flight.
.23		If tactically feasible the attack helicopter employs bounding overwatch techniques to recon forward and escort flight.
.24		Prevents attack helicopters from becoming preoccupied with enemy positions that are no longer a enemy to the convoy.
.25		Correct LZ is identified and inspected by the flight coordinator. (KI)

.26	Establishes communications with the ground element.
.27	Flight coordinator controls supporting arms.
.28	Appropriately positions attack helicopters to provide coverage of escort assault helicopters into the LZ.
*29	Receives LZ brief and clearance at the IP to proceed to the LZ. $(\ensuremath{\text{KI}})$
.30	Updates heloteam leader on approach to LZ and immediately prior to landing of the direction which the helicopter will be heading on touchdown.
.31	Mission commander positions aircraft to allow HUC to make timely decisions. $(\ensuremath{\mathrm{KI}})$
.32	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.33	Lands in LZ in formation/configuration briefed to the helicopterborne unit commander.
.34	Ensures that attack helicopters provide close-in support of aircraft in the zone and/or established landing zone coverage pattern for oncall fires.
.35	Flights arrive at LZ ontime.
.36	Within 1 minute.
.37	Within 2 minutes.
.38	Within 3 minutes.
.39	Within 4 minutes.
.40	Within 5 minutes.
.41	Flights land at LZ.
.42	Within 100m of LZ.
.43	Within 500m of LZ.
.44	Within 1,000m of LZ.
.45	changes to LZ are made by appropriate authority only.
.46	Executes deception plan, if required.
.47	Executes waveoffs, as briefed.
.48	Positions aircraft in LZ to ensure mutual support by aircraft defensive armament.
.49	If carrying external load, drops load safely in LZ on spot directed by ${\tt HST/LZ}$ control teams.
.50	Minimizes ground time in LZ.
.51	During rappelling, SPIE rig, or fast rope operations, establishes a stable hover.
.52	Successfully delivers all troops during rappelling operations.
.53	During SPIE operations, successfully and safely extracts all troops.
.54	During an emergency, does not release the SPIE rig until all team members are on the ground or on a supporting obstacle.
.55	During paraops, flies aircraft at correct speed and altitude and provides crewchief/jumpmaster with timing marks.
.56	Bases tactical departure techniques on safety and enemy avoidance.

.57	Positions attack helicopters to provide protection for assault helicopters departing LZ until clear of enemy fire area.
.58	Ensures that crewmen comply with weapons conditions. as briefed, during egress.
.59	Executes penetration checklist at appropriate point during egress.
.60	Executes extraction plan. if required.
.61	During egress, properly employs air and fire support.
.62	Executes TRAP procedures, if required.
	INSTRUCTIONS: Evaluator shall be familiar with Assault Support

Helicopter Tactical Manual and AH-1 TACMAN.

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting system. to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons system employment.
- Maintenance of situational awareness,

SAFETY CONSIDERATIONS

Shall emphasize:

- Compliance with safety guidance to include ROE.
- 2. . Aircraft performance/limitations.
- If external load is being carried, respond to appropriate position calls by crewchief during pickup/drop-off. 3,
- 4. Obstacle/hazard identification and avoidance.
- 5. Reduction of reaction time to aircraft emergencies.

IN BRIEF

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.

III-C-41

- 4. Marking of the LZ.
- 5. Other matters of special interest

MISSION COMMANDER'S POSITIONING

- 1. Observe landing tones to make changes end recommendations to higher echelons.
- 2. Observe initial helicopter waves.
- 3. Coordinate and influence the attack of subordinate units in the lending zones.
- 4. Allow supported unit to observe the development of the attack.
- 5. Flight Coordinator/Alternate Authority to change route/LZ's should be specifically addressed.

GENERAL SCHEME OP MANEUVER

- 1. Overall ingress end egress routes.
- 2. Control measures. boundaries, phaselines, IP's, etc.
- 3. Primary end alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Take-off load.
- 2. Minimum.
- 3. Bingo.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. TIC time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

11GRE35

- 1. Primary end alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds end altitude.
- 5. Formations.

III-C-42

- 6. Escort.
- 7. Supporting am..
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedure. including visual signals, lost comm chattermark, codewords, and RIO.
- 11. En route, terrain.
- 12. Probable point of first enemy contact.
- 13. ACM
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate.
- 2. Grid coordinates.
- 3. LZ brief.
- 4. Landing direction/wave-off instructions.
- 5. Escort.
- 6. Supporting arms.
- 7. Take-off instructions.
- 8. Weapons conditions.
- 9. Landing diagram.
- 10. Retraction plan.

EGRESS

- 1. Primary and alternate routes.
- Control measures (CP's, PP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- a. Weapons conditions.
- 9. Penetration checklist.

III-C-43

- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. &SC considerations.
- 16. NVG considerations.

3C .7 ONSCENE COMMAND AND CONTROL

TASK: 3C.7.1 CONDUCT ON-SCENE COMMAND AND CONTROL (C&C) MISSION PLANNING

CONDITION(S): Command and Control (C&C) missions should be planned, briefed, and executed in conjunction with helicopterborne assaults or ground operations. The assault missions should support activities where quick reaction, tactical flexibility, and mobility are required to exploit a fast changing situation. The AN/ASC-26 radio package should be installed in the aircraft.

STANDARDS:	EVAL:	Υ:	N:	NE
------------	-------	----	----	----

.1	Ensures earliest possible liaison and detailed coordinated planning is conducted with the ground unit commander to enable effective and efficient employment of the C&C helicopter.
.2	Briefs the helicopterborne unit commander/HC(A) on the proper operation of the AN/ASC-26 package.
.3	Analyzes correctly intelligence information for accurate identification of enemy capabilities and air defense positions.
.4	Makes the ground commander aware of the communication difficulties/limitations associated with low altitude terrain following flight.
.5	Plans logistics support requirements (fuel, maintenance, etc.)
.6	Plans aircrew replacements to ensure ${\tt C\&C}$ support to the ground commander.
.7	C&C helicopter aircraft commander requests and receives specific mission requirements from the $HC(A)/HUC$.
.8	$\ensuremath{\text{C\&C}}$ helicopter aircraft commander analyzes METT-T during mission planning.
.9	Plans flight altitudes/techniques based on safety, enemy threat, and mission accomplishment.
10	Considers formal airspace coordination areas for the C&C aircraft to ensure traffic separation.
11	Plans for covered communications usage.
12	Makes NVG considerations for the ground element commander and staff.

EVALUATOR INSTRUCTIONS:
None.

III-C-44

KEY INDICATORS: None.

TASK: 3C.7.2 BRIEF ON-SCENE C&C MISSION

CONDITION(S): A briefing is held to ensure tactical and safety of flight
information is given widest dissemination to aircrew. The sequence and
conduct of the mission is explained to and understood by all concerned.

STANDARDS: EVAL: Y: N: NE

- .1 ____ C&C helicopter aircraft commander attends the overall mission briefing.
- 2 $___$ C&C helicopter aircraft commander is thoroughly familiar with the air and ground scheme of maneuver.
- .3 ____ Deconflicts the briefed C&C aircraft scheme of maneuver with all participating units (aviation and ground supporting arms.).

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3C.7.3 EXECUTE ON-SCENE C&C MISSION

 $\underline{\text{CONDITION}(S)}$: The tactical situation is changing rapidly and it is necessary to launch the C&C aircraft in order to provide the commander with an update on the progress of the operation.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Provides the C&C aircraft to the ground unit commander/HC(A) at the assigned location and time.
- 2 ____ Bases the airborne positioning of the C&C aircraft upon safety. enemy threat. and requests of the ground unit commander/HC(A).
- 3 ____ Flight techniques reflect tactical requirements of the mission.
- .4 ____ Crew coordination is per mission requirements.
- 5 ____ Communications discipline is per current squadron/ship SOP.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

III-C-45

3C.8 SUPPORTING ARMS COORDINATION, AIRBORNE (SAC(A))

TASK: 3C.8.1 EXECUTE CONTROL OF ARTILLERY AND NAVAL GUNFIRE

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The squadron has been tasked to plan and execute airborne fire support and fire support coordination missions in support of the MAGTF which has phased ashore and anticipates contact with the enemy. The fire support missions will include control of artillery and NGF.}$

STANDARDS	EVAL: Y: N: NE
.1	Makes early liaison and effects coordination with the supported unit. $ \\$
.2	Identifies possible targets to include location, size, type, hardness, proximity to friendly troops, enemy threat, and relative importance to tactical plan.
.3	Recommends proper weapons and fuses based on type target, location, and proximity to friendly positions.
.4	Understands the capabilities and limitations of artillery and naval gunfire support as applicable to his mission; e.g., accuracy vs. rate of fire, flat trajectory vs. arcing trajectory, mobility vs. fixed position, etc.
.5	Knows the location of the fire support coordination line (FSCL), coordinated fire line (CFL), no fire area (NAN), and supporting arms firing positions.
.6	Coordinates fires which are in close proximity to friendly troops with supported, and supporting, units.
.7	Includes all necessary elements in "call for fire" per 7-1.
.8	Receives and understands "message to observer" message from ship or fire direction center. $$
.9	Maintains appropriate position to observe rounds impact.
.10	Adjusts fire mission until desired effect on target is obtained.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	C.8.2 EXECUTE CONTROL OP CLOSE AIR SUPPORT AIRCRAFT
operation been task	(S): The GCE has phased ashore and is anticipating combat s which will necessitate requests for fire support. The ACE has ed to plan and execute necessary fire support coordination in support of the ground combat element, including control of CAS
STANDARDS	EVAL: Y: N: NE
.1	Makes early liaison and effects coordination with the supported unit.
.2	Identifies possible targets to include location, size, type, hardness, proximity to friendly troops, enemy threat, and relative importance to tactical plan.
.3	Verifies CAS control features.
.4	Establishes communications with the air control element/TACC(A). supported ground unit, and/or other supporting aircraft.
.5	Coordinates any attack mission with the supported ground unit,

.6	Requests CAS aircraft from the air control element/TACC(A) per FMFM 5-4A procedures, when required.			
.7	Establishes communications with CAS aircraft per FMFM 5-4A.			
.6	Provides target briefing utilizing the 9 line CAS brief per FMFM $5-4A$.			
.9	Obtains clearance to conduct mission from air control element/TACC(A). supporting arms agencies, and affected ground units.			
.10	Marks the target with some type of visual around reference or ordnance per FMFM $5-4\mathrm{A}$.			
.11	Uses standard terminology per FMFM 5-4A, and maintains a positive control position.			
.12	Adjusts ordnance impacts using cardinal headings and meters to the next desired weapons impact, as required.			
.13	Debriefs aircrew and ensures any intelligence information is disseminated through the controlling agency (TACC, SAC, TADC. DASC, etc.)			
EVALUATOR	INSTRUCTIONS: None.			
KEY INDIC	ATORS: None.			
	3C.9 CLOSE-IN FIRE SUPPORT (CIFS)/ANTIARMOR			
TASK: 3	C.9.1 CONDUCT CIFS/ANTIARMOR MISSION PLANNING			
expects o	(S): The MAGTF staff is planning an amphibious assault and apposition from enemy forces. Artillery, NGF. and CAS aircraft fort the scheme of maneuver. Additionally, AH-1/UH-1 helicopters tack targets utilizing CIFS/antiarmor tactics.			
STANDARDS	EVAL: Y: N: NE			
	Understands commander's guidance and intent.			
	Makes early liaison with supporting arms and supported units to determine extent of attack			
.3	helicopter support.			
.3	Incorporates time, distance, altitude, and airspeed factors in ingress/egress route selections.			
.4	Coordinates approach/retirement lanes/routes with the CLF/CATF control agencies for deconfliction.			
.5	Plans for smallest maneuver element capable of accomplishing the mission.			
.6	Plans formations that optimize mission success and controllability during high intensity flight operations.			
.7	Plans ordnance loads based on a fragmentation patterns, accuracy, and expected enemy threat.			
.8	Plans for en route air defense of helicopterborne force, if required.			
	Ensures procedures are established for safe flight separation and mutual support during approach/retirement.			
.10	Ensures deconfliction with other supporting arms (NGF, artillery, CAS) during delivery of fires.			
.11	Develops fire support coordination measures with supported unit to integrate and deconflict fires.			

	III-C-48
EVALUATOR	<u>INSTRUCTIONS</u> : None.
.12	Properly employs appropriate attack patterns end formations. $(\ensuremath{\mathrm{KI}})$
	Upon termination of attack, remasks and departs the attack position, as briefed.
.10	Engages all targets within individual sectors. (KI)
.9	Properly utilizes covering points. (KI)
.8	Occupies and vacates attack positions on order of the flight leader.
	Minimizes time in attack positions to prevent detection and engagement.
	intentions, and location.
	METT-T analysis accurately identifies threat capabilities,
	Confirms targets as enemy prior to engagement.
. 4	target (TTT) or time on target (TOT) information. (KI) Appropriately deploys to primary and alternate firing points.
.3	control information prior to arrival in the target area. Selects firing points and remains masked while awaiting time to
.2	Receives updated FAC briefing on location of attack positions, targets, sectors of fire, and other essential command and
	Conducts, if tactically feasible, aerial reconnaissance to confirm attack positions identified during map reconnaissance. (KI)
Supporting artillery.	ing resistance from enemy forces as the Marines move inland. arms fire is requested by the commander, including NGF, fixed-wing CAS, and attack helicopters. The attack helicopters IFS/antiarmor fire support tactics.
	(S): The amphibious assault has begun and the supported unit is
TASK: 30	C.9.2 EXECUTE CIFS/ANTIARMOR MISSION
KEY INDICA	ATORS: None.
	<pre>INSTRUCTIONS: Evaluator ensures that SPINS are distributed to rt agencies.</pre>
.17	Utilizes target lists, if available.
.16	Plans proper use of AP's.
	Plane for airborne coordination with applicable control agencies; i.e., TACP, TAC(A).
	Develops codewords to identify completion of critical mission phases and informs C3 agencies of codewords.
.13	Establishes EMCON and alternate communications plan.
.12	Provide. input to the timing and integration of fire support plane to include delivery of preparatory fires, request for SEAD, and primary and alternate mean. of actuating fire control procedures.

KEY INDICATORS:

ATTACK POSITIONS

When determining the location of attack positions, at least the following factors must be considered:

- 1. Attack position to target range.
- 2. Nature of target; i.e., hard, soft, etc.
- Potential effects of rotor wash on surrounding terrain; e.g., duet.
- 4. Adequate area for proper dispersion between helicopters with multiple firing points.
- 5. Obstacle clearance; e.g., wires.

FIRING POINTS

When determining the location of firing points, at least the following factors must be considered:

- 1. Firing point to target range.
- 2. Adequate field of fire for weapons employment.
- 3. Firing point to target altitude difference.
- 4. Target visibility (background contrast, shadow/sunlight).
- 5. Effect of rotor wash on surrounding terrain.
- 6. Adequate firing helicopter maneuver area.
- 7. Effective helicopter concealment.
- 8. Helicopter inflight visibility.

TARGET ENGAGEMENT

- 1. Highest priority is assigned to enemy air defense weapons.
- 2. Conducts firing from an altitude just above the terrain.
- 3. Continue firing until:
 - a. Enemy is destroyed.
 - b. Ammo is expended.
 - c. Attack position becomes unfavorable.
 - d. Flight leader directs termination of attack or redeployment to alternate position.
 - e. Flight is relieved on station.

COVERING POINTS

The following are considerations in the selection of covering points:

- 1. Used by covering element in support of TOW attack.
- 2. Mission control.
- 3. Control of supporting arms.

III-C-49

- 4. Performance of deceptive maneuvers.
- 5. Providing flank/rear security for attacking element.
- 6. Allows observation of kill zone and approaches to kill zone.

ATTACK PATTERNS

The flight leader shall adjust each attack pattern to take advantage of the terrain and weather, exploit enemy weakness, and employ his aircraft to gain the maximum advantage. Considerations in selection of attack patterns include:

- 1. Number of attacking aircraft.
- 2. Target characteristics.
- 3. Weapon5 capabilities.
- 4. Friendly forces in the immediate area.
- 5. Disposition of enemy forces.
- 6. Requirement for a change in direction of subsequent attack passes.

ATTACK FORMATIONS

Considerations in the selection of attack formations include:

- 1. Racetrack pattern.
- 2. Butterfly pattern.
- 3. Cloverleaf pattern.
- 4. L pattern.
- 5. 45 degree attack.
- 6. Circular pattern.
- 7. Hover fire.
- 8. Running fire.
- 9. Pulloff.

3C.10 ESCORT

TASK: 3C.10.1 CONDUCT ESCORT MISSION PLANNING

 $\begin{array}{lll} \underline{CONDITION(S)} \colon & \text{General conditions apply. The squadron will be required} \\ \text{to plan end provide escort for a ground or helicopter unit.} & \text{The attack helicopter flight leader shall perform the duties of a flight coordinator} \\ \text{and may be required to perform additional duties as } & \text{HC}(A) & \text{and } & \text{TAC}(A) . \\ \end{array}$

III-C-50

STANDARDS	EVAL: Y: N: NE				
.1	Establishes liaison with supported unit to determine support requirements. (KI)				
.2	Considers basic principle applicable to escort support. ('CI)				
.3	Recommends primary and alternate routes to supported unit based on $\ensuremath{\mathtt{METT-T}}$.				
.4	Bases tactical formations and cover patterns on enemy and modifies formations due to number of attack helicopters available.				
.5	Determines ordnance loads with regard to JMEMS, fragmentation patterns. accuracy, end expected enemy threat.				
.6	Develops scatter plan.				
.7	Considers availability of air and fire support in development of plan.				
.8	Plans for LZ/around identification/marking procedures.				
.9	Ensures that air-to-around/air-to-air control measures and communications/signals are planned.				
.10	Develops flight coordinator/escort brief with supported unit.				
	INCUDICULONS: None				

EVALUATOR INSTRUCTIONS:

KEY INDICATORS:

ESCORT MISSIONS

- 1. Assault support.
- 2. Resupply.
- 3. MEDEVAC.
- 4. Reaction/reconnaissance team.
- 5. Utility surface force.

ESCORT SUPPORT PRINCIPLES

ATTACHED ESCORT:

- 1. Ensures escort helicopters have sufficient flexibility to react rapidly to hostile fire.
- 2. Provides maximum protection far escorted helicopters.
- 3. Plans for mutual support of escort helicopters, when possible.
- 4. Facilitates ease of control by the flight Leader.

DETACHED ESCORT:

- Careful explanation to supported unit of routes, phaselines, and predetermined checkpoints.
- 2. Position awareness.
- 3. Scatter plan.
- 4. Brevity codes.
- 5. Distance limitations placed upon escorted unit.

III-C-51

- Civilization of air and supporting arms.
- 2. Route management.
- 3. Attack helicopters responsible for safe separation.

FLIGHT COORDINATORS ESCORT PLAN

- 1. Rendezvous points.
- 2. Navigation points.
- 3. Communications.
- 4. Assets.
- 5 LZ position.
- 6. Escort codewords.
- 7. Go/no go criteria.
- 8. Tactics.
- 9. Routing.
- 10. Enemy.

TASK: 3C.10.2 CONDUCT MISSION BRIEFING

 $\underline{\text{CONDITION}(S)}$: This task will be evaluated throughout the evaluation. operational conditions may limit the length of the brief but no portion of the brief may be omitted that jeopardizes the safe conduct of the operation.

STANDARDS: EVAL: Y: N: NE

.1	Briefs all items per published NATOPS, briefing guides, and SOP's. (KI) $$
.2	All participating aircrew are present.
.3	Allows questions to ensure safety of flight information is understood by all.
.4	Systematically prioritizes teaks.
.5	Allocates time to ensure all teaks assigned are completed prior to mission briefing.
.6	Assigns planning responsibilities to appropriate flight billets.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Conducts ZIPPO brief with supported unit commander and aviation mission commander.
10	Time permitting, rehearses the brief.
11	Conducts mission brief with all flight personnel in attendance.
12	Briefs ROE.

III-C-52

.13	Addresses shipboard operation procedures, if necessary.
	Respective flight billet holder: brief their flights, divisions, etc.
.15	PQM's/HAC's brief their aircrews.
	If an NBC survey is conducted. schedules aircrew and monitoring personnel for a joint briefing to ensure proper techniques and procedure: are employed.
EVALUATOR I	NSTRUCTIONS: None.
KEY INDICAT	ORS:
	BRIEFING GUIDES
1. Mis	sion brief.
2. Fli	ght coordinator's brief.
3. Clo	se in fire support/antiarmor brief.
4. Lan	ding zone brief.
5. HC(A) brief.
6. ZIP	PO brief.
7. Air	crew brief.
8. Nig	ht operations brief.
9. SPI	E brief.
10. Rapp	elling brief.
11. Feat	rope brief.
TASK: 3C.	10.3 CONDUCT TACTICAL MISSION BRIEFING
missions in required. complete. brief prior): The ATO he: been issued and the ACE is assigned support support of the MAGTF. Multiple divisions/sections may be All liaison has been performed and mission planning is Mission commanders have been assigned and the squadron holds a to each mission. Terminal controllers. FAC(A) and HC(A) ef when possible.
STANDARDS:	EVAL: Y: N: NE
.1	Briefs ordnance loads on all escort aircraft.
.2	Briefs timeline and rendezvous procedures for escorts.
	Briefs radar warning receiver (ALR) indications and proper responses.
.4	Briefs escort procedures.
	Briefs flight reaction to enemy fixed-wing and rotary-wing aircraft.
	Briefs supporting arms coverage en route to, and in the objective area.
	Briefs communications procedures for contacting fixed-wing escort/CAP.

.8 Briefs fire support coordination measures in objective area. (KI)
.9 Briefs fire support coverage in the objective area.
.10 Briefs transport gunner's procedures.
.11 Briefs ordnance utilization.
<u>EVALUATOR INSTRUCTIONS</u> : Flight leaders provide navigation cards, maps aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS calculations, when required, by the evaluator
KEY INDICATORS: Fire support coordination measures should include:
1. Location, time, and duration of artillery/naval gunfire (NGF) preparatory fires.
2. Time and location of fixed-wing close-air support (CAB).
 Time of activation, establishing agency, location of all fire coordination lines, as well as all restrictive fire support measures.
4. Live fire deconfliction covered in detail.
TASK: 3C.10.4 EXECUTE ESCORT MISSION
$\underline{\text{CONDITION(S)}}$: The squadron Should be required to execute an assault helicopter mission involving a minimum of 2 division. of aircraft and including fixed-wing and artillery/naval gunfire support. The attack helicopter flight leader shall perform the duties of flight coordinator and may be required to perform duties as the $\operatorname{HC}(A)$ and/or $\operatorname{FAC}(A)/\operatorname{TAC}(A)$.
STANDARDS: EVAL: Y: N: NE
.1 Rendezvous with assault helicopters at planned time and location.
.2 Flies tactically sound escort cover patterns.
.3 Correctly identifies LZ.
.4 Ensures preparation fires are conducted, if necessary.
.5 Ensures aircrews observe ROE/ROC.
.6 Time and EMCON condition permitting, passes LZ brief to assaul aircraft.
.7 Correctly' positions attack helicopters to escort assault helicopters into LZ.
.8 As assault helicopters approach LE, provide close-in fire support and/or establish LZ coverage pattern for oncall fires.
.9 Provides timely and effective protection for assault helicopters, from the time they depart the LE until they are clear of the enemies fire.
<u>EVALUATOR INSTRUCTIONS</u> : None.

ENCLOSURE (1)

KEY INDICATORS: None.

TASK: 3C.10.5 EXECUTE CONVOY ESCORT MISSION

<u>CONDITION(S)</u>: The ACE, in support of the MAGTF, is tasked with convoy escort duty. The mission may require the escort of around or waterborne units during day or night evolutions.

units during day or night evolutions.
STANDARDS: EVAL: Y: N: NE
.1 Rendezvous with convoy at planned time and location.
.2 Establishes communication with convoy.
.3 If not briefed and EMCON condition permits, escort flight lead informs convoy of ordnance loads and time on station.
.4 If tactically feasible, employs appropriate overwatch techniques to recon ahead and escort convoy through a cleared area.
.5 Reacts, as briefed, during enemy contact.
.6 Ensures aircrews observe ROE/ROC.
.7 Maintains communications with the convoy.
.8 Ensures escort helicopters don't become preoccupied with enemy positions that are no longer a threat to the convoy.
EVALUATOR INSTRUCTIONS: None.
<u>KEY INDICATORS</u> : None.

TASK: 3C.10.6 CONDUCT MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: Debriefs will be held after every flight with all participating aircrews present. Emphasis is placed on any information gathered that can be used by the entire MAGTF, constructive criticism to improve all facets of the mission. and lessons learned to pass to all other aircrews or air control agencies.

STANDARDS: EVAL: Y: N: NE

.1	 Debriefs all aspects of the flight with all participants.
.2	 Records post mission debrief to discuss lessons learned, and uses positive points to update contingency plans, SOP's, and individual aircrew knowledge.
.3	 Passes visual reconnaissance/intelligence information to the S-2.
.4	 5-2 or ODD collects all classified materials, to include authentication cards and any kneeboard cards that may have sensitive information on them.
.5	 Uses lessons learned information in planning for future operations.

.6 ____ Uses the debrief as a constructive training tool.

EVALUATOR INSTRUCTIONS: None.

III-C-55

WET INDICATORS: None.

3C. 11 RECONNAISSANCE

TASK: 3C.11.1 CONDUCT RECONNAISSANCE PLANNING

<u>CONDITION(S)</u>: The squadron has been tasked by the MAGTF commander to prepare far possible reconnaissance operations against the enemy. The squadron commences planning far the employment of utility and attack helicopters as well as support by other fixed-wing aircraft and artillery/naval gunfire.

STANDARDS:	EVAL:	Υ:	N:	NE
------------	-------	----	----	----

.1	Formulates contingency plans for rapid withdrawal/extraction of the supported around unit. (KI)
.2	Conducts an aerial photo/map reconnaissance of the objective area by the $HC(A)/HTC$, flight coordinator, and the support patrol/force leader using recent aerial photographs and photographic maps.
.3	Considers deception plans. (KI)
. 4	Accomplishes night operation planning requirements, if applicable.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

CONTINGENCY PLANS

Because recon patrols and reaction forces are usually small farces with limited combat staying power contingency plans shall be fully coordinated and be capable of being executed with speed and precision to ensure access and the safety of personnel involved.

DECEPTION PLANS

Due to the covert nature of reconnaissance operations, every attempt shall be made to conceal intentions, mislead the enemy, and perform the unexpected when conducting reconnaissance patrol insertions and extractions. Supporting arms and helicopter support should be employed in a manner that does not compromise the location of the insert. If landing zone preparation fires must be employed, multiple landing zone preparations and simulated patrol insertions can be used to deceive the enemy as to the actual insertion point.

TASK: 3C.11.2 CONDUCT RECONNAISSANCE MISSION BRIEFING

III-C-56

STANDARDS: EVAL: Y: N: NE ___ Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9. _ All participating aircrews are present. _ Allows questions to ensure tactical/safety of flight information is understood by all. _ systematically prioritizes tasks. .4 _ __ Allocates time to ensure all tasks assigned are completed prior to mission briefing. Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle. Maximizes use of tactical SOP's. .7 _ _ Uses kneeboard cards and tactical checklists to consolidate information. _ Briefs current ROE, ROC, and alert conditions and/or weapons conditions information. _ Ensures the mission statement is understood by all participants. .10 _ .11 ____ Briefs commander's scheme of maneuver and intent, weapons involved: i.e., NGF, artillery, and any joint integration. .12 ____ Briefs enemy' detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI) Briefs tactics in the target area, friendly positions, commander's intent with respect to planned schema of maneuver, FSCL, phaselines. target description, enemy defenses and reattack procedures, if required. _ Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications. .15 __ __ Briefs integrated fire support/J-SEA) tactics and responsibilities. if required. .16 ____ Briefs radio/KY-58 communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a comm jamming environment, and alternate procedures/frequencies for contacting terminal controllers. Briefs alternate target(S) or mission(s). .17 _ Briefs friendly locations of air defense assets and any changing MEZ/FEZ requirements. .19 ____ Briefs any known changes to TACP control procedures or communications requirements. .20 __ Briefs all mission assets. S-2 briefs local populace reaction capabilities. .21 __ Briefer uses appropriate maps, charts, and aerial photographs, as required. .23 ____ Briefs encryption procedures, both internal and external to the _ Briefs SERE procedures. (KI) .24 Briefs EW consideration. (KI) .26 _ _ Briefs weather. (KI) Ensures that all appropriate personnel have handouts; i.e.. kneeboard cards, maps, charts, etc. _ Briefs mission go/no go criteria; i.e.. aircraft, personnel and other mission essential equipment. .29 _____ Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.

.30	Briefs actions required if attacked by SAM/AAA and RHAW gear operation.
.31	Briefs look-out procedures to include rC5pon5ibilities, radio calls, and tactical maneuvering for threats.
.32	Briefs clearance to drop method (by voice. other signal, or silence is consent).
.33	Briefs laser designation procedures and codes, and visor/filter usage for pilot safety in a laser environment.
.34	Briefs mission precedence.
.35	Briefs a timeline, both into and out of the AOA.
.36	Briefs call signs/event numbers.
.37	Briefs flightdeck/ground signals.
.38	Briefs shipboard operating procedures.
.39	Briefs chain of responsibilities. (KI)
.40	Briefs go/no go weather criteria.
.41	Briefs inadvertent IMC/loss of visual contact.
.42	Briefs fuel/ordnance requirements. (KI)
.43	Briefs NVG operational considerations.
.44	Briefs launch conditions. (KI)
.45	Brief. ingress procedures. (KI)
.46	Brief. LZ procedures/considerations. (KI)
.47	Briefs egress procedures. (KI)
.48	Briefs downed aircraft procedure. for overwater end overland.
.49	Briefs TRAP procedures.
.50	Briefs any concurrent operations, to include deconfliction, with other participating aviation units.
.51	Briefs FARP procedures.
.52	Briefs deception plan.
.53	Briefs time hack.
.54	Briefs location/time of debriefs.
.55	Briefs controlling agencies.
.56	Briefs EMCON procedures.
.57	Briefs DRIADS.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, attack and weapons release perameters, end TOS/TOT calculations, when required.

III-C-58

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2 Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM threat locations known.
- 5 SAN threat locations known.
- 6. Air threat locations known.
- 7. Expected movement.
- 8. EEI's

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. RP propagation.

III-C-59

- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The Location. call sign $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

- 1. Overall mission commander.
- 2. Air miesion commander/alternate.
- 3. ETC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

FUEL

- 1. Take-off load.
- 2. Minimum/bingo.
- Refueling/rearming.
- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline.
- 7. Aerial refueling.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary end alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.

III-C-60

- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Lending diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.

III-C-61

- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15 NBC considerations.
- 16 NVG considerations.
- 17 RTF.

TASK: 3C.11.3 EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS

 $\underline{\text{CONDITION}(S)}$: The squadron has been tasked by the MAGTF commander to insert a reconnaissance patrol/reaction force into enemy territory. Important considerations en route are evading enemy and maintaining operational secrecy.

STANDARDS	EVAL: Y: N: NE
.1	Reaction force aircraft are preflighted and aircrew are available for immediate launch.
.2	METT-T permitting, the flight coordinator inspects the objective area and recommends a final scheme of maneuver to the $NC(A)$.
.3	Flight coordinator, $\mbox{HC}(\mbox{\sc A})$, and heloborne unit commander confirm landing zone (LZ).
. 4	Control of supporting arms is as briefed and per CAS, NGF, and/or artillery supporting arms coordination MPS's.
.5	Ensures aircrews observe ROE/ROC.
.6	while assault aircraft are in the LZ, escorts are alert for oncall fire support requirements.
.7	Utilizes smoke screen effectively to provide protection to assault aircraft, if planned.
.8	Transport and escort aircraft displace from the LZ immediately but maintain communications contact until the inserted element reports its status secure.
.9	Executes immediately and effectively emergency reaction/extraction operations, if required.
.10	Extracts recon patrol/reaction force successfully in one wave, if feasible.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.

III-C-62

TASK: 3C.11.4 EXECUTE ROUTE, POINT, AND/OR AREA/LINE RECONNAISSANCE MISSIONS

 $\underline{\text{CONDITION}(S)}$: The squadron has been tasked to plan and execute reconnaissance missions in support of amphibious operations and the MAGTF scheme of maneuver.

STAN	DARDS	: EVAL: Y: N: NE
.1		Ensures that recon aircraft carry adequate firepower to conduct armed reconnaissance.
*2		Assigns sufficient armed aircraft to reconnoiter the main route. $(\ensuremath{\mathtt{KI}})$
.3		Chooses flight path that offers the best observation, manual fire support. and avoidance of detection based on METT considerations.
. 4		Immediately reconnoiters the dominant terrain to prevent enemy advantages.
.5		Employs easily recognizable checkpoints.
.6		Produces an acceptable recording of reconnaissance information.
.7		Starting with the line of departure systematically reconnoiters
.8		each area while adhering to a planned pattern. Uses appropriate sector search patterns to ensure coverage.
.9		Reports immediately all evidence of enemy forces, changes from serial imagery or maps, routes conditions, and any other information requested.
.10		Takes rebreed proper actions or response upon enemy contact.
.11		Coordinates with ground reconnaissance elements for area searches which cannot be checked by air.
.12		En route, allows for encounters with the threat to be developed only enough to ensure that reconnoitering elements can bypass and continue to reconnoiter the objectives.
.13		Employs appropriate flight formation techniques.
.14		Limits time in the objective area.
.15		Provides supported unit with rapid and reliable information.
.16		Utilizes effective communications to pass updated information to the supported force.

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ Timeliness of reporting is essential in order to consider the reconnaissance mission successful.

KEY INDICATORS:

ROUTE RECONNAISSANCE PURPOSES

- To provide detailed information on a specific routes and all adjacent terrain from which the enemy can influence movement along the route.
- 2. To obtain information on enemy forces moving generally along a specified route.
- 3. To develop the enemy situation ahead of a friendly force.
- $4\,.$ To locate sites for construction of hasty obstacles to impede enemy movement.
- 5. To support movement of supply or other type units.

III-C-63

TASK: 3C.11.5 CONDUCT RECON MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The aircraft have returned from multiple reconnaissance missions. A debrief is held for all participating personnel.

~				
STANDARDS:	EVAL:	Υ:	N:	NE

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP's, NATOPS, and briefing/debriefing guides.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspect. of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief, execution phases, and lesson. learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was

.9 ____ Uses the debrief as a constructive training tool.

10 ____ Debriefs ROE and ROC effects on mission execution.

.11 ____ S-2 or ODD collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Coordination.
- 5. Navigation.
- 6. Safety.
- 7. Tactics used/effectiveness.
- 8. Recommendations.
- 9. Shipboard operating procedures.

III-C-64

3C.12 MILITARY OPERATIONS IN URBAN TERRAIN (MOUT)

TASK: 3C.12.1 CONDUCT MOUT INITIAL PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct MOUT mission(s) in support of the MAGTF. The enemy forces have no known fixed-wing aircraft: however, they are supplied with Soviet bloc weapons to include hand-held antiair missiles, heavy machineguns, and light antiaircraft artillery. The use of fixed-wing launched precision munitions and guided weapons can be approved by CATF/MAGTF. The use of NAPALM or other incendiary devices is prohibited by ROE. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Additional assets may be utilized. if available, to include other helicopters. fixedwing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	S: EVAL: Y: N: NE
.1	Establishes early liaison with the supported commander.
.2	Issues warning order to squadron staff planners to prepare for imminent missions.
.3	Analyses mission tasking to determine specific tasks, stated and implied.
.4	Provides aviation supportability estimates to ACE commander.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (HAT) information to the supported commander.
.8	6-2 initiates planning to provide environmental data.
.9	Develops aviation support requirements (ordnance. fuel. special equipment, personnel, etc.).
.10	Provides air support requirements to ACE.
.11	ACE provides guidance throughout planning phase by issuing SOP's, operations orders. plans, and informal briefings.
.12	Plans and/or requests reconnaissance information of the ADA.
.13	Reconciles any aviation shortfalls with the ACE commander.
.14	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform. fire support, or EW support.
.15	Allocates assets to support assault force concept of operations and coordinates an ATO.
.16	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See TASK: 3C.20 Forward Arming and Refueling Point.)
.17	Integrates available fire support capability (i.e., NGF, CAS, artillery), with planned aviation tactics, during ingress/egress, and in the objective area.
.18	Plans/coordinates primary and alternate LZ's. (KI)
.19	Plans/coordinates ingress/egress routes to the primary and alternate ${\tt LZ's.}$
.20	Recommends priority of targets for preparatory fires.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.

.24	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.25	Coordinates mutual support of weapons systems in the terminal objective area.
.26	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.28	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required, by mission assignment.
.29	Plans in conjunction with the ACE, a viable deception plan, if required. $$
.30	Coordinates the development of "smart packs" (kneeboard handouts).
.31	Plans smallest maneuver element for tactical controllability in VMC and INC, both day and night.
.32	Establishes plans for both operational and weather go/no go criteria.
.33	Establishes a bump plan.
.34	Establishes a scatter plan.
.35	Coordinates and integrates command and control procedures,
.36	Schedules rehearsal for evaluating the plan, if time allows,
.37	Schedules mission briefings for all flight crews and necessary personnel, $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right$
.38	Assists the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.39	Considers low altitude air defense (LAAD) assets to support operations based en available threat intelligence.
.40	Coordinates contingency plans for rapid withdrawal or extraction.
.41	Plans and coordinates RTF procedures with the ACE/GCE.
.42	Utilizes light level planning calendar for night missions and understands limitations. (KI) $$
.43	Considers NVG's and establishes priorities. for issue and testing, if required.
.44	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.45	Submits plans to the ACE commander for approval.

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal, The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's, All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LAUDING ZONE SELECTION

- 1. MAGTF concept of operation,
- 2. Enemy capabilities, predicted intentions, and dispositions,
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.

- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1 Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedure..
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- Problem inherent in conducting rendezvouses, approaches, and landing at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

INTERNAL/EXTERNAL AERIAL DELIVERY

Advantages:

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. Mo loading/unloading delay.

Disadvantages:

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

III-C-67

INTERNAL

Advantages:

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced cargo loss.
- 4. No sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages:

- 1. Loading/unloading delay..
- 2. Reduced load per mission.
- 3. Increased threat exposure time.
- 4. Requires working parties.
- 5. Small pellets only.

AERIAL DELIVERY (NO LANDING)

Advantages:

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. Na offloading delays.
- 5. Reduced threat exposure time.

Disadvantages:

- 1. Loading delay.
- 2. Reduced load per mission.
- 3. Cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

III-C-68

TASK: 3C.12.2 CONDUCT MOUT MISSION BRIEFING

STANDARDS:	EVAL: Y: N: NE
.1	Briefs all items per published NATOPS, briefing guides, SOP's, and Tactical Manuals.
.2	All participating aircrews are present.
.3	Allows questions to ensure tactical/safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.6	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.7	Maximizes use of tactical SOP's.
.8	Uses kneeboard cards and tactical checklists to consolidate information.
.9	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
10	Ensures the mission statement is understood by all participants.
11	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration. (KI)
12	Briefs enemy detection and reaction capabilities, type and locations of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
13	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines. target description, enemy defenses, and reattack procedures, if required.
14	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
15	Briefs integrated fire support/J-SEAD tactics and responsibilities. if required.
16	Briefs radio/KY-58 communication procedures with terminal controllers and/or control agencies, including authentication procedures. burn-through or chattermark procedures in a comm jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
17	Briefs alternate target(s) or mission(s).
18	Briefs friendly locations of air defense assets and any changing $\mbox{MEZ/FEZ}$ requirements.
19	Briefs any known changes to TACP control procedures or communications requirements.
20	Briefs all mission assets.
21	Briefs availability of oncall Electronic Warfare (EW), obscuring smoke, or illumination missions.
22	S-2 briefs local populace reaction capabilities.
23	Briefer uses appropriate maps. charts, and aerial photographs. as required.
24	Briefs encryption procedures. both internal and external to the flight.
25	Briefs SERE procedures. (KI)

.26	Briefs EW consideration. (KI)
.27	Briefs weather. (KI)
.28	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.29	Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.30	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.31	Briefs actions required if attacked by SAM/AAA and RHAW gear operation.
.32	Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats.
.33	Briefs laser designation procedures and codes, and visor/filter usage for pilot safety in a laser environment.
.34	Brief. mission precedence.
.35	Briefs a timeline, both into and out of the AOA.
.36	Briefs call signs/event numbers.
.37	Briefs shipboard operating procedures.
.38	Briefs chain of responsibilities. (KI)
.39	Briefs go/no go weather criteria.
.40	Briefs inadvertent IMC/loss of visual contact.
.41	Briefs fuel/ordnance requirements. (KI)
.42	Briefs NVG operational considerations.
.43	Briefs launch conditions. (KI)
.44	Briefs ingress procedures. (KI)
.45	Briefs LZ procedures/considerations. (KI)
.46	Briefs egress procedures. (KI)
.47	Briefs downed aircraft procedures for overwater and overland.
.48	Briefs TRAP procedures.
.49	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.50	Briefs FARP procedures.
.51	Briefs deception plan.
.52	Briefs time hack.
.53	Briefs location/time of debriefs.
.54	Briefs controlling agencies.
.55	Briefs EMCON procedures.
.56	Briefs DRIADS.
.57	Briefs flightdeck/ground signals.

III-C-70

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses Tactical Manuals for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS/TOT calculations. when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operations area.
- 2. Ability to reinforce.
- 3. Infantry. AAA, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

EN

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. RP propagation.
- Current/forecast weather.

III-C-71

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Take-off load.
- 2. Minimum/bingo.
- 3. Refueling/rearming.
- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline.
- 7. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.

III-C-72

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3 MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. RF propagation.
- 3. Current/forecast weather.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1 Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Take-off load.
- 2. Minimum/bingo.
- 3. Refueling/rearming.
- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline
- 7. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.

III-C-72A

- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals. lost corn, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort.
- S. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost cam, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. AMO.

III-C-73

- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3C.12.3 EXECUTE MOUT MISSION

CONDITION(S): The squadron is in receipt of a warning order to conduct MOUT missions in support of the MAGTF. All liaison, planning, and briefing have been performed. Unit SOP's are available. The missions can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized, if available, to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	S: EVAL: Y: N: NE
.1	All aircrew are qualified and current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed timeframe.
.4	Conducts a final liaison with ACE for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Ensures all personnel/equipment is properly secured prior to launch (safety equipment for personnel is included).
.7	Conducts launch activities (execute bump plan, if required), as briefed. $ \\$
.8	Accomplishes rendezvous procedures, as briefed, or as directed, by controlling agencies.
.9	Confirms go/no go exists before continuing with mission.
.10	Executes communications procedures/plans as briefed.
.11	Ensures formation facilitates support by escort, control, maneuverability, manual support, and collision avoidance.
.12	Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent INC entry/loss of visual contact. $$
.15	Exercises communications discipline during mission.
.16	Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactical response to any pop-up immediate threat.
.19	Demonstrates aircrew coordination. (KI)
.20	Flight navigates and remains oriented throughout mission.
.21	Applies proper course corrections, if needed, in a timely manner.

.22	Remains constantly aware of aircraft Systems and performance.
.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	Changes to route are made by proper authority.
.25	Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Executes deception plan, if appropriate.
.28	Allows escort to be in position in time for preparatory fires.
.29	Performs penetration checklist at the appropriate time/place.
.30	Reports progress of mission to controlling agency, as required, to update weather, enemy situation, and $go/no\ 80$.
.31	Flight receiving clearance at the IP to proceed to the LE ensures go/no 80 criteria exists.
.32	Ensures any change to LZ is made by proper authority.
.33	Updates heloteam leader on approach to LE giving direction the helicopter will land.
.34	Employs proper approach techniques to LE.
.35	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.36	Performs landing, as briefed, in sequence, and in proper positions utilizing ITG procedures.
.37	Contact controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LE ontime.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LE.
.46	Within 500 meters of LZ.
.47	Within 200 meters of LE.
.46	Within 100 meters of LE.
.49	Within 50 meters of LE.
.50	Executes waveoffs, as briefed.
.51	If carrying external load. drops load in spot, as directed, by ${\tt UST/LE}$ control team.
.52	During paraops. flies correct altitude, airspeed, and heading while providing information to crewchief/jumpmaster.
.53	Lands in correct extraction site LE.
.54	Flights arrive at the extraction LZ ontime,

.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.
.59	Within 1 minute of planned time.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures, as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly, if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.
.66	Execute. poet landing dispersion of helicopters.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, FMFM 5-3, TACMAN's, NATOPS instructions, and SOP's. The squadron shall perform as many standards, as necessary, for the completion of the mission. If execution at the LZ is ontime, all subordinate standards will be marked "yes."

RET INDICATORS:

EN ROUTE

Aircraft shell utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- a. The pilot at the controls. avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- b. The pilot not at the controls of the aircraft to remain oriented at all times and inform the actual pilot of direction and route corrections. In addition, he monitors the cockpit instruments.
- c. Weapons employment.
- d. Maintenance of situational awareness.
- e. Lookout and weapons station duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shell emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- $2. \quad \hbox{Aircraft performance/limitations.} \\$

III-C-76

- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3C.12.4 CONDUCT MOUT MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The MOUT mission is complete and a debrief for all participants is being held. The emphasis is on lessons learned for future use and reference.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, guides, and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps. aerial photos, sketches, or other training aids, when debriefing the overall mission. $ \\$
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief a. a constructive training tool.
.10	Debriefs ROE and ROC effects on miesion execution.
.11	S-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Charges from original brief.
- 2 Command and control.
- 3 Communications.

III-C-77

- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating prQcedure5.

3C.13 RAID

TASK: 3C.13.1 CONDUCT RAID MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP'S are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards as required. Additional assets may be utilized, if available, to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism. Mission planning has begun.

STANDARDS	EVAL: Y: N: NE
.1	Establishes early liaison with the supported commander.
.2	Issues warning order to squadron staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
.4	Provides aviation supportability estimates to MAGTF commander.
.5	Requests combat information and EEI's in concert with METT-T
.6	Establishes a time schedule delineating completion time. for all phases of planning.
.7	Provides Helicopter Availability Table (HAT) information to the supported commander.
.8	Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).
.9	Provides air support requirements to ACE.
.10	ACE provides guidance throughout planning phase by issuing SOP'., operations orders, plans, and informal briefings.
.11	Plans and/or requests reconnaissance information of the AOA.
.12	Reconciles any aviation shortfalls with the ACE commander.
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.14	Allocates assets to support assault force concept of operations and coordinates an sir tasking order (ATO).
.15	Plans distance and fuel requirements and identifies refueling/FARP and serial refueling requirements. (See TASK: 3C.20 Forward Arming and Refueling Point.)

.16	Integrates available fire support capability (i.e., NGF, CAS, CIFS, artillery), with planned aviation tactics, to include ingress/egress. and while in the objective area.
.17	Plans/coordinates primary and alternate LZ's. (KI)
	Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.19	Recommends priority of targets for preparatory fires.
.20	Plans and coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, conditions, NORDO, codewords, prowords, and frequencies.
.24	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.25	Ensures knowledge of forward arming and refueling point (FARP) procedures if required by mission assignment.
.26	Plans in conjunction with the ACE, a viable deception plan, if required.
.27	Coordinates the development of "smart packs" (kneeboard handouts).
.28	Establishes plans for both operational and weather go/no 80 criteria.
.29	E5tabliShC5 a bump plan.
.30	Establishes a scatter plan.
.31	Coordinates and integrates command and control procedures.
.32	Schedules rehearsal for evaluating the plan, if time allows.
.33	Schedules mission briefings for all flight crews and necessary personnel.
.34	Assists the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.35	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.36	Coordinates contingency plans for rapid withdrawal or extraction.
37	Plans and coordinates return to force procedures CRT)') with the ACE/GCE.
.38	Utilizes light level planning calendar for night missions and understands limitations. (KI)
.39	Considers NVG's and establishes priorities for issue and testing, if required.
.40	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
41	Submits plans to the ACE commander for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should he familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron Sip's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvouses, approaches, and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the Landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages:

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

III-C-80

Disadvantages:

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Cargo lass due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - C. Pilot technique.

INTERNAL

Advantages:

- 1 Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced cargo loss.
- 4. No sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages:

- 1. Loading/unloading delays.
- 2. Reduced load per mission.
- 3. Increased threat exposure time.
- 4. Requires working parties.
- 5. Small pallets only.

AERIAL DELIVERY (50 LANDING)

Advantages:

- 1. Small items/loads.
- 2. Permits NOE.
- 3. 50 sling requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure t:555.

Disadvantages:

- 1. Loading delay.
- 2. Reduced load per mission.

III-C-81

- 3. Cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3C.13.2 CONDUCT 'AID MISSION BRIEFING

CONDITION(S): The ATO has been issued and the squadron is assigned raid missions as part of an ACE. Multiple divisions/sections will be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers, FAC(A) and HC(A) attends brief when possible.

STANDARDS:	EVAL: Y: N: NE
.1	Briefs all items per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2	All participating aircrews are present.
.3	Allocates time to ensure all tasks assigned are completed prio to mission briefing.
.4	Maximizes use of tactical SOP's.
.5	Uses kneeboard cards and tactical checklists to consolidate information.
.6	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.7	Ensures the mission statement is understood by all participants.
.8	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.9	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
.10	Briefs friendly locations of air defense assets and any changing MEZ/FEZ requirements.
.11	Briefs all mission assets.
.12	Briefs availability of oncall Electronic Warfare (EW), obscuring smoke, or illumination missions.
.13	3-2 briefs local populace reaction capabilities
.14	Briefer uses appropriate maps, charts, and aerial photographs, as required.
.15	Briefs weather. (KI)
.16	Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.17	Briefs mission precedence.
.18	Briefs go/no go weather criteria.
.19	Briefs inadvertent INC/loss of visual contact.
.20	Briefs fuel/ordnance requirements. (KI)
.21	Briefs NVG operational considerations.

III-C-82

.22	Briefs LZ procedures/considerations. (KI)
.23	Briefs FARP procedures. if applicable.
.24	Briefs time hack.
.25	Briefs EMCON procedures.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, end 105/TOT calculations, when required.

NET INDICATORS:

ENEMY FORCES

- 1. Operations area.
- 2. Ability to reinforce.
- 3. Ground, AM, SAM, and air threat locations known.
- 4. Expected movement.
- 5, Essential elements of information.

<u>WEATHER</u>

- 1. Data.
- 2. RF propagation.
- 3. Current and forecast weather.

FUEL

- 1. Take-off Load.
- 2. Minimum/bingo.
- 3. Refueling/rearming.
- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline.
- 7. Aerial refueling.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave-off instructions.
- 4. Escort
- 5. Take-off instructions.

III-C-83

- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

TASK: 3C.13.3 EXECUTE RAID MISSION

CONDITION(S): The squadron is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies era encouraged), the squadron should perform as many standards as necessary. Additional assets may be utilized, if available, to include other helicopters, fixed-wing, air control elements, and MSS support to enhance battlefield realism.

STANDARDS	: EVAL: Y: N: NE
.1	All aircrew are qualified and current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time-frame.
.4	Conducts a final liaison with MAGTF for any changes.
.5	Conducts start-up ontime with systems checks ontime and reedy for launch.
.6	Ensures all personnel/equipment are properly secured prior to launch (safety equipment for personnel is included).
.7	Conducts launch activities (execute bump plan, if required), as briefed.
.8	Accomplishes rendezvous procedures, as briefed, or as directed by controlling agencies.
.9	Confirms go/no go exists before continuing with mission.
.10	Execute communications procedures/plans, as briefed.
.11	Ensures formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.13	Employs smallest maneuver element capable of accomplishing mission.
.14	Executes procedures properly upon inadvertent IMC entry/loss of visual contact.
.15	Exercises communications discipline during mission.
.16	Ensures aircrews observe ROE and ROC.
.17	Uses appropriate flight control measures to adequately control the flight.
.18	Employs proper tactical response to any pop-up immediate threat.
.19	Demonstrates aircrew coordination. (KI)
.20	Plight navigates and remains oriented throughout mission.
.21	Applies proper course corrections, if needed, in a timely manner.
.22	Remains constantly aware of aircraft systems and performance.

.23	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	changes to route are made by proper authority.
.25	Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.26	Ensures crewmen comply with weapons conditions, as briefed.
.27	Executes deception plan. if appropriate.
.28	Allows escort to be in position in time for preparatory fires.
.29	Performs penetration checklist at the appropriate time/place.
.30	Reports progress of mission to controlling agency, as required. to update weather, enemy situation, and go/no criteria.
.31	Flight receiving clearance at the IP to proceed to the LZ ensures $go/no\ go\ criteria\ exists.$
.32	Ensures any change to LZ is made by proper authority.
.33	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.34	Employs proper approach techniques to LZ.
.35	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.36	Performs landing as briefed, in sequence. and in proper positions utilizing ITG procedures.
.37	Contact controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LZ ontime.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
44	Within 1 minute of planned time.
.45	Flights land at correct LZ.
.46	Within 500 meters of LZ.
.47	Within 200 meters of LZ.
.48	Within 100 meters of LZ.
.49	Within 50 meters of LZ.
.50	Executes waveoffs, as briefed.
51	If carrying external load, drops load in spot. as directed, by ${\tt HST/LZ}$ control team.
.52	Lands in correct extraction cite LZ.
.53	Flights arrive at the extraction LZ ontime.
.54	Within 5 minutes of planned time.
.55	Within 4 minutes of planned time.

Within 2 minutes of planned time. Within 1 minute of planned time. Last extraction aircraft doe. not depart the LZ until raid force leader accounts for all raid force personnel. Executes proper departure techniques to reduce exposure to threat. Executes downed aircraft procedure., a. briefed. Execute. RTF procedure. properly. Execute. FARP procedure. properly, if planned. Continues contact with controlling agency concerning flight status during retrograde. Executes EW procedures. Executes post landing dispersion of helicopters. Performs postflight of aircraft.	.56	Within 3 minutes of planned time.
Last extraction aircraft doe. not depart the LZ until raid force leader accounts for all raid force personnel. 60 Executes proper departure techniques to reduce exposure to threat. 61 Executes downed aircraft procedure., a. briefed. 62 Execute. RTF procedure. properly. 63 Execute. FARP procedure. properly, if planned. 64 Continues contact with controlling agency concerning flight status during retrograde. 65 Executes EW procedures. 66 Executes post landing dispersion of helicopters.	.57	Within 2 minutes of planned time.
leader accounts for all raid force personnel. Executes proper departure techniques to reduce exposure to threat. Executes downed aircraft procedure., a. briefed. Execute. RTF procedure. properly. Execute. FARP procedure. properly, if planned. Continues contact with controlling agency concerning flight status during retrograde. Executes EW procedures. Executes post landing dispersion of helicopters.	.58	Within 1 minute of planned time.
threat. .61 Executes downed aircraft procedure., a. briefed. .62 Execute. RTF procedure. properly. .63 Execute. FARP procedure. properly, if planned. .64 Continues contact with controlling agency concerning flight status during retrograde. .65 Executes EW procedures. .66 Executes post landing dispersion of helicopters.	.59	<u>-</u>
Execute. RTF procedure. properly. 63 Execute. FARP procedure. properly, if planned. 64 Continues contact with controlling agency concerning flight status during retrograde. 65 Executes EW procedures. 66 Executes post landing dispersion of helicopters.	.60	
Execute. FARP procedure. properly, if planned. Continues contact with controlling agency concerning flight status during retrograde. Executes EW procedures. Executes post landing dispersion of helicopters.	.61	Executes downed aircraft procedure., a. briefed.
.64 Continues contact with controlling agency concerning flight status during retrograde. .65 Executes EW procedures. .66 Executes post landing dispersion of helicopters.	.62	Execute. RTF procedure. properly.
status during retrograde. .65 Executes EW procedures. .66 Executes post landing dispersion of helicopters.	.63	Execute. FARP procedure. properly, if planned.
.66 Executes post landing dispersion of helicopters.	.64	
	.65	Executes EW procedures.
.67 Performs postflight of aircraft.	.66	Executes post landing dispersion of helicopters.
	.67	Performs postflight of aircraft.

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The squadron shall perform as many standards, as necessary, for the completion of the mission. If execution at the LZ is ontime, all subordinate standards will be marked Y (yes).

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the control. to avoid obstacles and report terrain/landmark information to the other pilot.
- 2. The pilot not at the control. of the aircraft to remain oriented at all times and inform the actual pilot of direction and route. corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations.

III-C-86

- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3C.13.4 EXECUTE RAID WITHDRAWAL

 $\underline{\text{CONDITION(S)}}$: Raid force has conducted either a point destruction raid and/or a harassing raid, and has proceeded to the withdrawal site.

STANDARDS	EVAL: Y: N: NE
.1	Locates withdrawal aircraft to provide immediate, timely response to raid force signal.
	Close-in fire support (CIFS) aircraft provide effective point and area target interdiction to prevent enemy from reacting to raid.
.3	Uses fire support coordination measures to ensure safety of raid force.
.4	Raid force at night is easily identified through use of discrete lighting (chemlites) or other means.
.5	Assault and CIFS aircraft react swiftly and appropriately to any change of situation in the ${\tt LZ}.$
.6	Assault aircraft conduct rapid. sequenced withdrawal of raid force.
.7	CIFS aircraft provide final protective fires, when planned. as last elements of the raid force are embarked.
.8	Assault aircraft commanders reconfirm accountability with raid force team leaders and report to raid force commander.
.9	Attempts to recover Marines left behind are per the alternate pick-up points and times designated in the order.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDICA	ATOR: None.

III-C-87

TASK: 3C.13.5 CONDUCT RAID MISSION DEBRIEFING

 ${\hbox{\tt CONDITION}(S)}\colon$ A raid mission has been completed. A debrief is held for the mission with all participants present, if possible. A major emphasis during the debrief is on lessons learned for future use.

STANDARDS	EVAL: Y: N: I	<u>NE</u>
.1	Ensures all aviat:	ion mission essential personnel are present.
.2	Debrief is conduct	ted per SOP, NATOPS, guides, and NWP 55-9.
.3		crewmembers immediately upon return for any gence information.
.4	_	rial photos, sketches, or other training side ne overall mission.
.5	Debriefs all aspec	cts of the flight with all participants. (KI)
.6	Records post miss:	ion debrief for future use.
.7		ief, execution phases, and lessons learned to and tactics to improve SOP's, contingency w knowledge.
	Verifies intellige week accurate.	ence information received before the mission
.9	Uses the debrief a	as 5 constructive training tool.
.10	Debriefs ROE and B	ROC effects on mission execution.
.11	5-2 collects all o	classified/sensitive materials.
EVALUATOR	INSTRUCTIONS: 1	None.

KEY INDICATOR:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-C-88

3C.14 NONCOMBATANT EVACUATION OPERATIONS (NEO)

TASK: 3C.14.1 CONDUCT NEO MISSION PLANNING

CONDITION(S): The squadron is in receipt of a warning order to conduct NEO mission(s) as part of an ACE. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP'S are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the squadron should perform as many standards, as required. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDA	RDS: EVAL: Y: N: NE
.1	Establishes early liaison with the NEO commander.
.2	Issues warning order to squadron staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks. stated and implied.
.4	Provides aviation supportability estimates to ACE commander.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides Helicopter Availability Table (HAT) information to the supported commander.
.8	3-2 initiates planning to provide environmental data.
.9	<pre>Develops aviation support requirements (ordnance, fuel. special equipment, personnel, etc.).</pre>
.10	Provides sir support requirements to ACE.
.11	ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Plans and/or requests reconnaissance information of the ADA.
.13	Reconciles any aviation shortfalls with the ACE commander.
.14	Requests support from external aviation 55s5t5, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15	Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).
.16	Plans distance and fuel requirements and identifies refueling/WARP and aerial refueling requirements. (Bee <u>TASK</u> : 3C.20 Forward Arming and Refueling Point.)
.17	Integrates available fire support capability (i.e., NGF, CAB, artillery), with planned aviation tactics, to include ingress/egress, and while in the objective area.
.18	Plans/coordinates primary end alternate LZ's. (KI)
.19	Plane/coordinates ingress/egress routes to the primary and alternate LZ's.
.20	Recommends priority of targets for preparatory fires, if applicable.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.

.24	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.25	Coordinates manual support of weapons systems in the terminal objective area.
.26	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.28	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required, by mission assignment.
.29	Plans in conjunction with the MAGTF, a viable deception plan, if required.
.30	Coordinates the development of "smart packs" (kneeboard handouts).
.31	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.32	Establishes plans for both operational and weather go/no go criteria.
.33	Establishes a bump plan.
.34	Establishes a scatter plan.
.35	Coordinates and integrates command and control procedures.
.36	Schedules rehearsal for evaluating the plan, if time allows.
.37	Schedules mission briefings for all flight crews and necessary personnel.
.38	Assists the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.39	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.40	Coordinates contingency plans for rapid withdrawal or extraction.
.41	Plans and coordinates return to force procedures (RTF) with the \mbox{ACE}/\mbox{GCE} .
.42	Considers NVG's and establishes priorities for issue and testing, if required.
.43	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.44	Submits plans to the ACE commander for approval.
<u>EVALUATOR</u>	<u>INSTRUCTIONS</u> : Estimate of supportability can be either written

<u>EVALUATOR INSTRUCTIONS</u>: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.

- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2 Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Break-up point.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages:

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages:

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Cargo lose due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages:

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced Carlo loss.
- 4. No sling requirements.
- S. No cargo net requirements.

III-C-91

- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages:

- 1. Loading/unloading delays.
- 2. Reduced load per mission.
- 3. Increased threat exposure time.
- 4. Requires working parties.
- 5. Small pallets only.

AERIAL DELIVERY (NO LANDING)

Advantages:

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No sling requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages:

- 1. Loading delay.
- 2. Reduced load per mission.
- 3. Cargo loss due to:
 - a. Equipment failure,
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3C.14.2 CONDUCT NIGHT NEO MISSION PLANNING

STANDARDS: EVAL: Y: N: NE

- .1 ____ Utilizes light level planning calendar for night missions and understands limitations. (KI)

 .2 ____ Plane aircraft lighting and flight formations to be employed.
- .3 ____ Allocates C3's to support the NEO, and establishes priorities for issue and testing, if required.
- .4 ____ Plans ITG landing tone procedures including LZ and load identification lighting and communication procedures.

III-C-92

.5	_ Schedules training rehearsal during darkness if time permits.
.6	_ Plans for contingencies and emergency procedures.
.7	_ Briefs ROE.
EVALUATO	OR INSTRUCTIONS: None.
KEY IND	ICATORS:
NIGHT L	<u>IMITATIONS</u>
1.	Reduction of visual acuity.
2.	Positive aircraft control procedures.
3.	Slower tempo of activity.
4.	Smaller helicopter waves.
5.	Problems inherent in conducting rendezvouses, approaches. and landings at night.
6.	Slower and more complicated troop and cargo loading/unloading operations.
7.	Slower buildup of combat power in the landing zone.
TASK:	3C.14.3 EXECUTE NEO MISSION
briefing be condumission scenarion as necessother he	sion(s) in support of the MAGTF. All liaison, planning, and g have been performed. Unit SOP's are available. The mission can acted while shipboard or ashore, either day or night. Given a scenario as developed by higher authority (realistic contingency os are encouraged). the squadron should perform as many standards ssary. Additional 55sCt5 may be utilized, if available, to include elicopters, fixed-wing, air control elements, and MWSS support to battlefield realism.
STANDARI	DS: EVAL: Y: N: NE
.1	configure aircraft to conduct preplanned mission (troops, internal cargo, external lift).
.2	Conducts final ZIPPO brief to ensure last minute details requiring coordination are discussed face-to-face between air and ground element.
.3	_ Confirms with NEO commander at RP that NEO force is embarked.
.4	Arrives at NED site with sufficient ground and aviation assets to accomplish the mission; i.e., go/no go.
.5	Flight tactics reflect METT-T considerations.
.6	_ Maintains communication discipline, as briefed.
.7	Continuous coordination is maintained with NED commander as to the progress of the mission.
.8	Receives timely update concerning deployment of enemy forces in the area.
.9	Uses appropriate procedures for effectively utilizing fire support assets.
.10	_ Effectively utilizes ITG procedures and LZ lighting to position aircraft into LE.
.11	_ Inserts NED force into correct LZ at the desired time.

.12	Appropriately positions aircraft in LZ to provide coverage while NEO force deploys from aircraft.
.13	Ensures aircrews observe ROE/ROC.
.14	Confirms with NEO commander that all elements of NEO have been withdrawn prior to departure from objective area.
.15	Uses tactically sound procedures to expedite return to base.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

YET INDICATORS: None.

TASK: 3C.14.4 CONDUCT NEO MISSION DEBRIEFING

 $\underline{\text{CONDITION}(S)}$: The NEO mission is complete and a debriefing is being held for all participants. The emphasis is on lessons learned and how to apply them on future operations.

STANDARDS: EVAL: Y: N: NE

. 1	Ensures	all	aviation	mission	essential	personnel	are	present

.2 ____ Conducts debrief per SOP, NATOPS, briefing/debriefing guides, and NWP 55-9.

.3 ____ S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.

4 ____ Utilizes maps. aerial photos. sketches, or other training aids when debriefing the overall mission.

.5 ____ Debriefs all aspects of the flight with all participants. (KI)

.6 ____ Records post mission debrief for future use.

Analyzes plan, brief, execution phases, and lessons learned to develop new. COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.

.8 ____ Verifies intelligence information received before the mission was accurate.

9 ____ Uses the debrief as a constructive training tool.

10 ____ Debriefs ROE and ROC effects on mission execution.

.11 ____ 5-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.

III-C-94

- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. shipboard operating procedures.

3C.15 NIGHT OPERATIONS

TASK: 3C.15.1 CONDUCT NIGHT MISSION PLANNING

CONDITION(S): This MPS concerns specific considerations that are addressed should an operation be conducted under the cover of darkness. As such. the execution of a mission at night should not be considered so much as a special operation as another option available to the tactical commander to achieve mission accomplishment. Accordingly, while the employment of a night operation may not ensure mission success, failure to apply basic techniques in planning and execution when using darkness will almost surely result in tactical degradation that will be the genesis for miesion failure.

STANDARDS	EVAL: Y: N: NE
	Determines if mission is to be conducted using unaided night vision techniques or night vision goggles. (KI)
.2	obtains a thorough night weather brief to facilitate mission planning.
	Considers the slower tempo and limitations that characterize night operations. $(\ensuremath{\text{KI}})$
	Establishes procedures for night vision adaptation and preservation.
.5	Utilizes light level planning calendar.
	Bases aircraft lighting on forecast light conditions and current directives.
.7	Considers the advantages/disadvantages of artificial illumination vice natural lighting and makes a decision. (KI)
.8	Plans the methods of employment and delivery of artificial illumination. $(\mbox{\scriptsize KI})$
.9	Incorporates oncall illumination for emergency situations. if required.
.10	Considers possibility of lighting aids to assist in locating/identifying the landing zone and in accomplishing landings at night. (KI)
.11	Ensures liaison is made with reported/supporting unit to coordinate use of light in LE to ensure night adaptation/preservation or NVG compatibility. (KI)
.12	Bases flight formation to maintain proper balance between safety and maneuverability.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

III-C-95

KEY INDICATORS:

LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Need for positive aircraft control procedures.
- 3. The slower tempo of activity.
- 4. Smaller helicopter wave..
- 5. Problems inherent in conducting rendezvouses approaches. and Landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

NIGHT OPERATIONS CONSIDERATIONS

- 1. Mission and requirements.
- 2. Enemy and effect of low visibility on enemy operations.
- 3. Ambient Light level available (both natural and artificial).
- 4. Weather.
- 5. Terrain/distance.
- 6. Use of Light level planning calendar.
- 7. Rising and setting of the sun/moon.
- 8. Usage of NVG manual.
- 9. Shadowing.

NATURAL AND ARTIFICIAL ILLUMINATION CONSIDERATIONS

NATURAL LIGHTING ADVANTAGES:

- 1. Element of surprise is maintained longer.
- 2. Night vision capabilities are maximized and conserved.
- 3. Helicopters are difficult to acquire and engage by visual means.
- 4. Ground fire is easy to see.

NATURAL LIGHTING DISADVANTAGES:

- 1. Navigation is difficult.
- 2. Landing zones are more difficult to identify.
- 3. Depth perception is greatly reduced.
- 4. Escort support capabilities are restricted.

ARTIFICIAL LIGHTING ADVANTAGES:

- 1. Permits navigation by terrain reference.
- 2. Aids in landing zone identification.

III-C-96

- 3. Provides a visual horizon.
- Permits "see end avoid" procedures for safe separation of aircraft and flights.
- 5. Permits use of daylight operation procedures. flight techniques. and escort support procedures.

ARTIFICIAL LIGHTING DISADVANTAGES:

- 1. Flying through illumination debris.
- 2. Surprise is Lost.
- 3. Silhouetting of aircraft.
- 4. Provides optical tracking by the enemy.
- 5. Need for visible horizon.
- 6. Minimum acceptable level of lighting rather then the maximum to delay advantage to enemy.
- Aircraft flight pattern and downwind path of expended flares end extended gun line of artillery-delivered illumination flare canisters.

ILLUMINATION DELIVERY METHODS

SHOULD CONSIDER:

- Aircraft delivery is most effective, versatile, end easiest to control.
- Long endurance, Large flare capacities of cargo-type (C-130) aircraft.
- Minimum enemy exposure time of close-air support end attack helicopters.
- 4. Ambient light level fluctuations end gaps in illumination caused by enemy evasive maneuvers.
- 5. Adjustment time for artillery and naval gunfire flares.
- Lese light production and shorter burn time of artillery and naval qunfire.
- 7. Effectiveness of artillery end naval gunfire is reduced in poor weather conditions.
- 8. Enemy air defense capabilities.
- 9. Range capabilities/limitations of artillery and naval gunfire.

LANDING ZONE LIGHTING

TYPES OF LIGHTING AIDS:

- 1. Terminal guidance systems (Glide Angle Indicator Light (GAIL)).
- 2. Expeditionary lights.
- 3. Flare illumination.
- 4. Field expedients (vehicle lights. flashlights, blinking lights, bonfires, smudge pots, chemical lights sticks).

LANDING ZONE LIGHTING SHOULD:

- 1. Be visible to the pilot.
- Identify en area free of obstacles that is safe for hovering and/or lending.

III-C-97

- Employ three or more separate lights to preclude effects of autokinesis.
- 4. Provide orientation along obstacle free approach and takeoff corridors.

NVG COMPATIBLE LZ LIGHTING RESOURCES

LANDING ZONE LIGHTING:

- 1. NVG compatible LZ lighting.
- 2. IR lights.
- 3. Chemical light sticks.
- 4. Shielded flashlights.
- 5. Any light source sufficiently dimmed not to effect the NVG's.

GROUND UNIT CONSIDERATIONS

- 1. Increased time for embarkation/debarkation.
- 2. Light discipline requirements for NVG operations.
- 3. HST requirements for NVG utilization.
- 4. FARP requirements for NVG operations.
- 5. Communications: CIR strobe lights/IR chemical lights on border LZ security team positions, if possible.)

TASK: 3C.15.2 CONDUCT NIGHT MISSION BRIEFING

<u>CONDITION(S)</u>: The ATO has been issued and the squadron is assigned a variety of night missions in support of the MAGTF. Multiple divisions/sections may be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the squadron holds a brief prior to each mission. Terminal controllers attend briefs, when possible.

STANDARDS: EVAL: Y: N: NE .1 ____ Ensures maps are NVG/night compatible. .2 ___ Briefs night vision adaptation and preservation, and ensures procedures are followed by aircrew. .3 ___ Issues NVG in adequate numbers and with appropriate accountability. 4 ___ Ensures all aircrew members have required night flying equipment. .5 ___ Briefs aircrew coordination to include NVG considerations. (KI) .6 ___ Flight schedule allows sufficient time for aircrews to thoroughly preflight aircraft and lighting systems. .7 ___ Briefs flight coordinator on course of action, friendly positions, approach and retirement lane., and flight techniques to be used. .8 ___ Briefs procedures for transition to and from NVG.

III-C-98

<u>EVALUATOR INSTRUCTIONS</u>: Flight leader. provide navigation card, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOT calculations, when required, by the evaluator.

KEY INDICATORS:

AIRCREW COORDINATION

- 1. procedures for NVG failures.
- 2. Inadvertent entry into IMC.
- 3. Light discipline.

TASK: 3C.15.3 EXECUTE LIGHT MISSION

 $\underline{\text{CONDITION}(S)}$: The squadron conducts night support missions. All liaison has been performed and mission planning and briefing are complete. navigation is required to the IP/LZ end timing for L-Hour/TT/TOT baa been established.

STANDA	ARDS	EVAL: Y: N: NE
.1		Aircrew execute their duties, as briefed. (KI)
.2		Ensures that cockpit lighting is configured for night flying or NVG compatibility, if necessary.
.3		Employs proper procedures. if necessary.
.4		Ensures all crewmembers are wearing NVG's at all times during flight portion when NVG's are employed.
.5		During taxiing around crew utilize appropriate wand signals for directing aircraft. $ \\$
.6		Take-off heading is in the direction of the first lea of flight to ensure positive orientation, whenever possible.
.7		Limits tactical formations to the smallest number of aircraft in order to maintain a balance between safety, tactical maneuverability, and mission accomplishment.
.8		Uses minimum aircraft lighting commensurate with safety and NBC compatibility.
.9		Demonstrates proficiency in the in-flight utilization of NVG, if applicable.
.10		Ensures wingmen stays close enough to be able to recognize any altitude, attitude, or airspeed changes.
.11		Avoids continuous flight at the 6 o'clock position.
.12		Does not descend below the altitude established for safe terrain and obstacle clearance.
.13		Immediately takes steps to reorient if aircraft deviates from planned flight route.
.14		Executes inadvertent IFR procedures, as briefed.
.15		Ensures coordination with the flight coordinator for external lights out approach to preclude loss of escorts.
.16		If feasible, uses terminal guidance to acquire and land in the ${\tt LE}.$
.17		Properly executes GAIL approaches.

III-C-99

.18	Makes approaches that minimize aircraft maneuvering and provide sufficient altitude and straightaway for a safe rate of descent. $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
.19	Utilizes appropriate external lighting.
.20	Fires aerial flares that effectively illuminate desired area.
.21	If artificial illumination is employed. positions aircraft to maximize utilization of light.
.22	Uses spotlight momentarily and intermittently to clear obstacles and locate the ${\tt LZ}.$
.23	Extinguishes spotlight after touchdown.
.24	\ensuremath{LZ} lighting was in compliance with NATOPS, ASH Manual. or STANAG guidelines.
.25	Lands aircraft at designated spot indicated by LE lighting.
.26	Departures obtain safe terrain and obstacle clearance altitude.
.27	Uses appropriate number of crewmembers to conduct NVG externals.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

AIRCREW RESPONSIBILITIES

PILOT AT THE CONTROLS

- 1. Primary responsibility of flying the helicopter and observing outside the cockpit.
- 2. Correlates his visual cues with flight instrument information relayed by the other pilot.
- 3. Employs NVG scanning techniques for navigational landmarks, obstacle and aircraft avoidance, formation flying. and helicopter performance monitoring.
- 4. Avoids cockpit related distractions and tendency to focus on only one external visual or sensory cue.
- 5. Retains control of helicopter during aircraft/system emergencies and executes those emergency procedures agreed upon at the briefing.

PILOT NOT AT THE CONTROLS

- Monitors the flight instruments to determine aircraft performance and to detect unsafe conditions.
- Provides airspeed, radar altitude, and as required, rate of descent/climb information to pilot at the controls.
- 3. Monitors aircraft and pilot performance and, if unsafe situation crises, he will advise and, if required, assist the pilot in taking necessary corrective actions.
- I. prepared to take control of the aircraft at all times.
- Monitors mechanical functioning of the aircraft, performs cockpit duties (e.g., operates switches, tunes radios, etc.) navigates, and monitors performance of crewchief/gunner.
- 6. During aircraft/system emergencies, executes those emergency procedures agreed upon at the briefing.
- 7. Remains oriented along the flight route.

III-C-100

CREWCHIEF AND GUNNER

- 1. Monitor mechanical functioning of helicopter.
- 2. Perform look-out duties to warn of aircraft and obstacles.
- 3. Monitor positions of other aircraft in flight.
- 4. Assist in terrain recognition and provide obstacle clearance and LZ condition information during hovering and landing operations.
- 5. Provide positional directions to pilot during external operations.

TASK: 3C.15.4 CONDUCT NIGHT MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The night mission is complete and a debriefing is held for that mission, with emphasis on lessons learned for future use.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP. NATOPS, briefing/debriefing guides, and NWP $55-9$.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, excretion phases, and lessons learned to develop new COA's and tactics to improve SOP's. contingency plans, and aircrew knowledge.
.8	5-2 collects all classified/sensitive materials.
.9	Following debrief, members of the aircrew and NEO force (if applicable) are briefed as to what information may be released

EVALUATOR INSTRUCTIONS: None.

about the overall mission.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.

III-C-101

- 8. Tactics used/effectiveness.
- 9. Recommendations.

3C.16 COLD-WEATHER OPERATIONS

TASK: 3C.16.1 CONDUCT COLD-WEATHER PLANNING

 $\underline{\text{CONDITION}(S)}$: The squadron has been assigned a mission to support a MAGTF operation which will take place in the northern latitudes. The commander is directed to establish liaison with the supported unit for planning.

STANDARDS	EVAL: Y: N: NE
.1	Reviews information on terrain and climatology including snow' conditions, snow depth. ice thickness, and wind velocity and direction.
.2	Considers equivalent chill factor and its effect on a Marine's physical and mental efficiency.
.3	Planning reflects that work requires up to four times longer to accomplish in cold weather. $$
.4	Fire support plan considers the ground mobility limitations of artillery weapons.
.5	Allows extra time for preflight, engine warmup, ground checks, rotor engagement, and taxiing of aircraft.
.6	Utilizes prominent terrain features for navigation to offset difficulties associated with snow-covered and featureless terrain.
.7	Considers the use of mobile navigation aide and ASRT to navigate.
.8	Coordinates with HST for LZ preparation.
.9	Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold weather environment in event of mishap or heater failure. (KI)
.10	Emphasizes adherence to assigned mission routes to enhance SAR effort. $ \\$
.11	Plans extensive use of warming tents and stoves to ensure Marines ability to work and live.
.12	Considers input that reduced visibility from snow will have on tactical plan end aircraft operations.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

HELICOPTER SURVIVAL KIT

- 1. 5 man arctic tent.
- 2. Rations.
- 3. Waterproof matches.
- 4. Sleeping bags.
- 5. Axes.

III-C-102

- 6. Entrenching tool.
- 7. Lines.
- 8. Radio.
- 9. Batteries.
- 10. Candles.
- 11. Snow knife.
- 12. Snow saw.
- 13. Sunglasses.
- 14. Water purification tablets.
- 15. Flashlight/ lanterns.
- 16. Snowshoes.

.11 __

.12 _

TASK: 3C.16.2 PERFORM MAINTENANCE TASK IN COLD WEATHER

_ Uses protective covers, whenever possible.

rods and other malleable metal surfaces.

Obtains fluid level readings when fluids are warm.

.13 ____ Demonstrates knowledge of the effects of cold soaking on control

 $\frac{\texttt{CONDITION(S)}}{\texttt{condition(S)}}: \quad \texttt{squadron is deployed to a forward operating bale CEO)} \\ \text{with all necessary ground support equipment available.}$

STANDARDS: EVAL: Y: N: NE

.1	Ensures supervisory personnel are present to monitor the effects of cold weather on maintenance personnel
.2	Employs buddy system when working on aircraft to prevent coldweather casualties.
.3	Ensures all Marines wear cold-weather gear, particularly gloves, when working near metal during freezing temperatures.
4	Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather.
.5	Stores batteries in warm areas when not in use.
.6	Uses auxiliary power units, whenever possible.
.7	Inspects aircraft fuel tanks for water before engine start.
.8	Preheats oil reservoirs. engine intakes, and oil components to aid in engine start and rotor engagement.
.9	Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication systems.
10	Covers rotor blades when aircraft are not in operation. when

III-C-103

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3C.16.3 EXECUTE SUPPORT MISSION IN COLD WEATHER

 $\underline{\text{CONDITION}(S)}$: The squadron conducts cold weather support missions. All liaison has been performed. Mission planning and briefing are completed.

STANDARDS: EVAL: Y: N: NE __ All aircrew wear appropriate cold-weather equipment. _ Aircraft attain normal operating temperatures before taxiing. _ Takes proper precautions when taxiing on snow/ice covered areas. _ Does not operate aircraft beyond NATOPS limitations when flying in icing conditions. _ Demonstrates proper snow landing techniques. __ Uses landing point indicators (sled, panel, colored snow) to prevent drift during landing. .7 ____ Land aircraft far enough apart in LE to prevent blowing snow from reducing visibility to other aircraft during approach. __ During external operations, with snow in the landing area, lands adjacent to the load and uses a sling extension for sling operations. .9 ____ When resting in snow, maintains power to the head to prevent settling. _ Crewchief ensures sufficient tail rotor clearance when landing on snow before allowing egress of personnel and equipment. .11 ____ Crewchief prevents accumulation of snow inside cabin section of aircraft.

.12 _____ Maintains cabin temperature below ,0 degrees Fahrenheit to prevent buildup of condensation on equipment and weapons.
.13 _____ Utilizes maximum performance takeoff to minimize IFR conditions

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

3C.17 DESERT OPERATIONS

TASK: 3C.17.1 CONSIDER DESERT FLIGHT OPERATIONS REQUIREMENTS

caused by rotor wash induced blowing snow.

 $\underline{\text{CONDITION}(S)}$: The squadron has been assigned MAGTF support missions in a desert environment. This MPS is considered in conjunction with other operational MPS's. The mission should include TERF, navigation, and night evolutions.

III-C-104

.1	Thoroughly considers the effect of ambient weather conditions (e.g., temperature. humidity, density altitude, dust/sand storms, etc.) on aircraft performance and assigned mission.
.2	Plans to utilize easily identifiable terrain features as checkpoints during en route navigation.
.3	Considers alternatives for reducing effect of sand and dust in areas where aircraft will be operating.
.4	Ensures aircraft are properly configured with survival equipment for desert survival.
.5	Ensures survival equipment is current.
.6	Covers windscreens when not in use to prevent possible bubbling.
.7	when possible, keeps windscreen from receiving direct sunlight.
.8	Covers or closes all possible openings when aircraft is not in use. (KI) $$
.9	During engine start, rotor engagement, and taxi, minimize ground time to reduce effects of blowing sand, dust. and high temperatures on engines and gear boxes.
.10	Ensures all ground crew use proper protective clothing and equipment to reduce effects of rotorwash on personnel. (KI)
.11	Supervisor monitors conditions of maintenance personnel for dehydration. heat exhaustion, and other heat-related injuries. (KI)
.12	Remains constantly aware of available aircraft power at all times.
.13	Avoids flying into sand or dust storm.
.14	Executes briefed inadvertent IFR procedures, if necessary.
.15	Uses minimum power approaches into LZ. (KI)
.16	Plans waveoff per NATOPS, if required.

EVALUATOR INSTRUCTIONS: None.

STANDARDS: EVAL: Y: N: NE

KEY INDICATORS:

EFFECTS OF SAND/DUST

- Cover all openings when aircraft is not in use because blowing sand end dust will seep into any opening. Buildup of sand/dust in unobserved spaces can cause mechanical failure or malfunction.
- 2. Overall maintenance is severely degraded by blowing sand and dust. System contamination is a constant problem as work is interrupted by the arrival and departure of aircraft. Prolonged operation in a sand based environment will result in significantly degraded aircraft availability.
- Presence of sand end dust in control hinges and actuating linkages.
- Accumulation of dust and sand in avionics end navigation compartments, engine intakes, cockpit, corrosion on rotor blades, etc.

PROTECTIVE CLOTHING/EQUIPMENT

Blowing sand end debris associated with desert aircraft operations and the intense heat buildup associated with the desert sun requires specialized equipment by aircrew and HST personnel. All ground/aircrew and HST personnel working in close proximity to operating aircraft must have appropriate eye protection, cranial protectors, sound attenuators, and gloves in addition to the required desert protective clothing.

APPROACHES

Despite engine air particle separators. which are installed on every engine. hovering close to the ground will lead to sand ingestion by the engines (which will result in engine damage and power loss), and possible observation of dust clouds by the enemy. It also can cause pilot disorientation due to flying sand, particularly at night. Blowing debris from landing and departing aircraft creates a hazard to all personnel and a visibility problem for the aircrews.

3C.18 MEDICAL EVACUATION (MEDEVAC)

TASK: 3C 18.1 CONDUCT MEDEVAC PRELAUNCH PROCEDURES

CONDITION(S): An amphibious assault has taken place and the MAGTF has taken numerous casualties requiring multiple MEDEVAC missions. These mission. are tasked as preplanned or immediate. Preplanned MEDEVAC missions consist of a dedicated support package which includes assault support helicopters and escorts. Immediate missions cannot be planned in advance and are assigned to the dedicated MEDEVAC support package or an airborne flight is diverted from a lower priority mission by the controlling agency, in this case the MCCRES evaluator.

STANDARDS	EVAL: Y: N: NE
.1	Designates required MEDEVAC support aircraft and crews per LOI/Operations Order and NWP 55-9-ASH Manual.
	Designates MEDEVAC helicopter transport commander as MEDEVAC flight leader.
.3	Designates MEDEVAC escort attack helicopter flight leader as MEDEVAC flight coordinator.
.4	Assigns medical corpsman as aircrewman, if possible.
.5	Ensures flight is equipped with the appropriate medical and rescue equipment; e.g., stretchers, external hoist, etc.
	Briefs all aircrew members on assigned mission and flight procedures.
.7	Briefs EMCON procedures, if applicable.
.8	Each MEDEVAC helicopter receives preflight inspection, is turned up, has systems and radio checks complete, and has prestart checks complete.
.9	Launches within the required time period.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

TASK: 3C.18.2 EXECUTE MEDEVAC EN ROUTE PROCEDURES

None.

III-C-106

ENCLOSURE (1)

KEY INDICATORS:

STANDARDS	S: EVAL: Y: N: NE	
.1	MEDEVAC crew ensures that all aircrew are briefed on the situation, the adopted course of action, and enemy activity, if not accomplished before flight. (KI)	
.2	Obtains clearance from controlling agency for all aircraft to proceed to MEDEVAC pick-up location.	
.3	Airborne diverts are executed, as briefed. by appropriate agency.	
.4	Flies routes and altitudes that are expeditious and tactically sound.	
.5	Uses en route formations which are tactically correct.	
.6	Establishes radio contact with supported ground unit as soon as possible to receive LZ brief.	
.7	Verifies position of all ground units in the area and recommends direction of approach for MEDEVAC helicopter.	
EVALUATOR	R INSTRUCTIONS: None.	
KEY INDIC	<u>CATORS</u> :	
	AIRCREW BRIEF	
1. F	riendly positions.	
2. E	Enemy positions.	
3. F	Rules of engagement.	
	The use of clock/distance codes and smoke grenades to mark and dentify the location of enemy fire.	
	riring restrictions for MEDEVAC helicopter gunners to protect ground unit personnel and escort helicopters.	
TASK: 3	3C. 18.3 EXECUTE APPROACH AND DEPARTURE PROCEDURES	
$\underline{\text{CONDITION}(S)}$: The MEDEVAC flight has arrived in the pick-up area and has received a landing zone brief.		
STANDARDS	S: EVAL: Y: N: NE	
.1	chooses approach and departure corridors and flight techniques which afford greatest protection to the MEDEVAC helicopter.	
.2	Informs the flight coordinator of the intended approach route and flight techniques to facilitate escort coverage.	
.3	Escorts properly cover MEDEVAC helicopter using appropriate cover pattern.	
.4	Identifies the proper landing zone through radio communications and/or visual signals. (KI)	
.5	If a smoke screen is employed. positions aircraft to make proper use of screening.	
.6	Lands in the correct pick-up zone.	
.7	While evacuee is being loaded, the MEDEVAC aircrew informs the flight coordinator of the intended departure route and flight techniques.	
.8	During the return flight, the medical facility is informed of: ETA; type wound, injury, or illness; evacuee category (urgent, priority, routine); number of casualties.	

III-C-107

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LANDING ZONE MARKING

The importance of proper landing zone identification through either radio columniation and/or visual signals to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to the visual signal until the visual signal has been deployed and has been sighted by the helicopter flight. Subsequent to such sighting, the visual signal shall be confirmed.

3C.19 TACTICAL RECOVERY OF AIRCRAFT. EQUIPMENT. AND PERSONNEL (TRAP)

TASK: 3C.19.1 CONDUCT TRAP MISSION PLANNING

 $\underline{\text{CONDITION}(S)}$: A warning order has been received requiring ACE support for a TRAP mission. A preliminary ground scheme of maneuver is available, and the 5-2 is gathering information. Air superiority has been gained, though there is a threat from surface fire. Due to the situation, planning time is constrained.

STANDARDS:	: EVAL: Y: N: NE
.1	Establishes early liaison with the supported commander.
.2	Establishes plans for operational and weather so/no go criteria.
.3	Develops, in conjunction with MAGTF commander, a viable deception plan.
.4	Provides input for the communications plan.
.5	Plans for codewords.
.6	Develops timeline.
.7	Integrates and coordinates aviation communications support requirements with higher headquarters, TRAP force, and air control agencies.
.8	Provides aviation supportability estimates and asset availability information to the ACE.
.9	Plans standby crews and bump plan.
10	Requests information and intelligence to develop enemy, terrain, and weather data base (METT-T).
11	Develops aviation TRAP support requirements (parts, tools, ordnance, fuel, special equipment, personnel, etc.).
12	Plane additional downed aircraft procedures; i.e., maintenance, demolition, etc.
13	Considers requirement to resupply TRAP force, as well as identifying additional equipment (slings, hoist, litters, etc.).
14	Identifies explosive requirements in the event contingencies arise requiring the destruction of the downed aircraft.
15	Reconciles any aviation shortfalls with higher headquarters.
16	Plans for RECCE of TRAP site, if tactically feasible.
17	Requests and coordinates with airborne control agencies, if required.
18	Considers LAAD assets to support the TRAP plan based on available enemy intelligence.

.19	Requests AAW support from ACE, if required, for fixed-wing escort. airborne early warning platform, fire support, and/or EW support.
.20	Establishes weapons control and ROE criteria.
.21	Requests close-air support aircraft, if required.
.22	Requests EW support and/or smoke screening to suppress enemy air defense efforts, and to deny enemy use of EW.
.23	Plans for escort aircraft, if required.
.24	Determines distance and fuel requirements, and identifies FARP requirements, if necessary. (see MPS: 3C.20 FARP).
.25	Establishes control points.
.26	Plans ingress/caress routes, to include alternates, based on METT-T.
.27	Identifies obstacles to ingress/caress routes and landing zones and ensures adequate clearance is maintained.
.2a	Integrates available fire support capabilities with planned aviation tactics.
.29	Ensures authority and procedures to change landing zones and/or ingress/egress routes are clearly established.
.30	Establishes and coordinates ITG procedures, if required.
.31	Plans flight formations which ensure tactical dispersion of aircraft.
.32	Ensures aviation mission commander and TRAP commander are in the same aircraft, if feasible.
.33	Plans for alternate mission commander.
.34	Develops manifesting procedure that will account for all personnel for all phases of the mission.
.35	Coordinates shipboard troop loading with the ACE.
.36	Coordinates refueling/rearming cycles with the ACE.
.37	Schedules mission briefings for all aircrew and air control personnel, if possible.
applicabl SOP's. A	INSTRUCTIONS: The evaluator should be familiar with all e FMFM's, tactical manuals, NATOPS instructions, and squadron all key participants and detachment representatives should the in the planning.
KEY INDIC	ATORS: None.
TASK: 3	C.19.2 CONDUCT TRAP NIGHT MISSION PLANNING
CONDITION night.	$\overline{I(S)}$: For tactical reasons, the TRAP is to be conducted at
STANDARDS	EVAL: Y: N: NE
.1	Utilizes light level planning calendar.
.2	Plane aircraft lighting and flight formations to be employed.
.3	Plans NVG considerations end procedures.
	TTT_C_100

III-C-109

.4	Allocates NVG's to support the TRAP, and establishes priorities for issue and testing, if required.
.5	Plans ITG landing area procedures, and initial orientation for debarked troops, if required.
.6	Ensures availability of LZ and load identification lighting; i.e., chemical lights.
.7	Schedules training/rehearsal during darkness if time permits.
.8	Plans contingencies and emergency procedures.
EVALUATOR	INSTRUCTIONS: None
KEY INDIC	ATORS: None
TASK: 3	C.19.3 CONDUCT TRAP MISSION BRIEFING
operation flight op performed assigned	(S): The ATO has been issued and the squadron is assigned al missions as part of a MAGTF. TRAP missions are likely due to erations in a high threat environment. All liaison has been and mission planning is complete. Mission commanders have been and the squadron holds a brief prior to each mission. Terminal rs, FAC(A) and HC(A) attends brief when possible.
STANDARDS	: EVAL: Y: N: NE
.1	Briefs all items per published NATOPS, briefing guides, SOP's, and IMP 55-9.
.2	All participating aircrews are present.
.3	Allows questions to ensure tactical/safety of flight information is understood by all.
.4	Systematically prioritizes tasks.
.5	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.6	Briefs controlling agencies.
.7	Briefs EMCON procedures. if required.
.8	Briefs DRIADS.
.9	Briefs flightdeck/ground signals.
.10	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.11	Briefs deception plan.
.12	Maximizes use of tactical SOP's.
.13	Uses kneeboard cards and tactical checklists to consolidate information.
.14	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.15	Ensures the mission statement is understood by all participants.
.16	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration. (KI)
.17	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy -2 and ECCM capabilities. (KI)

.18	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
.19	Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.20	Briefs radio/KY-SB communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a comm jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
.21	Briefs friendly locations of air defense assets and any changing $\ensuremath{\text{MEZ/FEZ}}$ requirements.
.22	Briefs any known changes to TACP control procedures or communications requirements.
.23	Briefs availability of oncall Electronic Warfare (EW), obscuring smoke, or illumination missions.
.24	Briefer uses appropriate maps, charts, and aerial photographs, as required.
.25	Briefs encryption procedures, both internal and external to the flight.
	Briefs SERE procedures. (KI)
.27	Briefs EW considerations. (KI)
.28	Briefs weather, to include go/no go criteria. (KI)
.29	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.30	Briefs mission go/no go criteria: i.e., aircraft, personnel. and other mission essential equipment.
.31	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.32	Briefs actions required if attacked by SAM/AM and $RHAW$ gear operation.
.33	Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats.
.34	Briefs mission precedence.
.35	Briefs a timeline, both into and out of the ADA.
.36	Briefs call signs/event numbers.
.37	Briefs shipboard operating procedures.
.38	Briefs chain of responsibilities. (KI)
.39	Briefs inadvertent IMC/loss of visual contact.
.40	Briefs fuel/ordnance requirements. (KI)
.41	Briefs NVG operational considerations.
.42	Briefs launch considerations (KI)
.43	Briefs ingress considerations, (KI)
.44	Briefs LZ considerations. (KI)
.45	Briefs egress considerations. (KI)
.46	Briefs downed aircraft procedures for overwater and overland.
.47	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.48	Briefs FARP procedures, if required.

III-C-111

4.

5.

.49	_ Briefs time hack.	
.50	Briefs location/time of debriefs.	
required configur	OR INSTRUCTIONS: External loading manual was utilized, if d. Flight leaders provide navigation cards, maps, aircraft rations and gross weights, detailed fuel figures, checkpoints, and men required.	
KEY INDICATORS:		
	FRIENDLY FORCES	
1.	Infantry, to include scheme of maneuver.	
2.	Artillery.	
3.	Air support.	

Fire support coordination measures.

END FORCES

1. Operation area.

Naval gunfire.

- 2. Ability to reinforce.
- 3. Ground threat Locations known.
- 4. AAA, SAM, and air threat locations known.
- 5. Expected movement.
- 6. Essential elements of information.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

<u>EW</u>

- 1 EMCON condition.
- 2 Deception/meaconing.
- 3 MIJI reporting.

<u>WEATHER</u>

1. Data.

III-C-112

- 2. RF propagation.
- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations. call signs, and frequencies should be $\ensuremath{\operatorname{briefed}}$:

- 1. HC(A).
- 2. TAC(A).

FUEL

- 1. Take-off load.
- 2. Minimum/bingo.
- Refueling/rearming
- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline.
- 7. Aerial refueling.

<u>LAUNCH</u>

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Dump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate route.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.

III-C-113

- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost comm, chattermark. codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LE brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Take-off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.

III-C-114

- 10. Communication procedure, including visual signals, lost comm, chattermark, codewords, and RIO
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3C.19.4 EXECUTE TRAP MISSION

STANDARDS	EVAL: Y: N: NE
.1	Uses appropriate ingress/egress routes.
.2	Executes deception plan, if required.
.3	Plight tactics reflect METT-T considerations.
.4	Maintains communication discipline, as briefed.
.5	Maintains continuous coordination with ACE commander informing him of TRAP progress.
.6	Receives/provides timely update on deployment of enemy forces in the area.
.7	Flight coordination is tactically correct; e.g., suppressive fires, should TRAP effort be opposed.
.8	Arrives at TRAP site with sufficient assets to accomplish the mission.
.9	Ensure. crew coordination during external recovery of personnel (hoist/SPIE rig operations).
.10	Effectively utilizes LZ lighting and illumination for recovery of aircraft and/or personnel, if required.
.11	Successfully retrieves downed aircraft or extracts personnel from TRAP site.
	Accounts for all TRAP personnel and equipment before departing the objective area.

<u>EVALUATOR INSTRUCTIONS</u>: External loading manual was utilized, if required. The primary concern of a TRAP mission is the safe and rapid extraction of survivors and recovery of the aircraft, if possible.

KEY INDICATORS: None.

III-C-115

3C.20 FORWARD MINING AND REFUELING POINT (FARP)

TASK: 3C.20.1 PLAN FARP FOR MISSION SUPPORT

<u>CONDITION(S)</u>: The ACE is in receipt of a mission which, due to distances and/or the tactical situation, requires the en route rearming and/or refueling of mission aircraft. The decision has been made to deploy a FARP. The intelligence scenario and operations scheme of maneuver reflects that of the basic mission being supported. The FARP is an enabling objective of the mission that has been assigned.

STANDARDS:	EVAL: Y: N: NE
.1	Utilizes NWP-55 (ASH Manual). checklist.
.2	Assigns an ACE/FARP coordinator.
.3	Plans timeline, and specifies duration of FARP operation.
.4	Identifies the number and type of aircraft to be supported.
	Identifies mission essential equipment/logistics based on requirements.
	Develops threat plan from available intelligence/combat information.
.7	Coordinates security requirements.
	Develops communications plan to include frequencies and EMCON procedures.
	Coordinates ITG requirements with the around element, if required.
	Plans for codewords and prowords and informs control agencies of their use, if necessary.
	Plans for appropriate number and types of support personnel: e.g., HST, ORD, TAFDS, ATC.
	Recommends so/no go criteria in coordination with the supported elements.
	Compares essential equipment assets with those available, considering backup requirements as well, and plans for their movement to the FARP area.
.14	Considers weather criteria.
.15	Plans alternate contingencies.
.16	Considers EW assets/procedures.
	Plans downed aircraft procedures, and aircraft recovery requirements to include necessary standby personnel.
.18	Plans arming/dearming procedures.
	Ensures ROE, weapons status, and alert conditions are established and understood by all.
.20	Plans and schedules mission and flight briefings.
<u>EVALUATOR INSTRUCTIONS</u> : The evaluator should be familiar with all applicable FMFM's, Tactical Manuals, NATOPS instructions, and squadron SOP's. All key participants and detachment representatives participate in the planning.	
KEY INDICA	TORS: None.

III-C-116

TASK. 3C.20.2 PLAN FARP EN ROUTE PHASE

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{To be conducted once initial planning has established the location of the FARP.} \quad \text{The threat information and tactical considerations mirror those required to support the basic mission.} \quad \texttt{Additional} \quad \text{sequencing and control measures are added for FARP specific tasks.}$

STANDARDS: EVAL: Y: N: NE	
.1 Plans for tactical dispersion of aircraft to enarrival at the FARP location is consistent with landing area.	
.2 Plans flight formations with reference to the reand the tactical situation.	efueling sequence
.3 Integrates available fire support capabilities protection.	to provide
.4 Plans communications for oncall fixed-wing support	ort, as required.
.5 Plans scatter procedures and control points/com allow for in-flight contingencies.	munications that
<pre>EVALUATOR INSTRUCTIONS: This planning is to be conducted participants.</pre>	ed with all key
KEY INDICATORS: None.	
TASK: 3C.20.3 PLAN FARP AREA OPERATIONS	
	planning for
STANDARDS: EVAL: Y: N: NE	
.1 Assigns an onsite ACE/FARP coordinator.	
.2 Assigns tasks to onsite ground control personne	1.
.3 Bases location of the FARP on METT-T.	
.4 Plans alternate location(s).	
5 Plans visual signals for both day and night use to eliminate unnecessary voice communications.	s, and attempts
.6 Plans for specific number and types of aircraft	
7 Plans marking of ?ARP area.	
.8 Provides FARP layout and staging areas.	
.9 Plans refueling/rearming areas for safe separate	ion of aircraft.
.10 Plans replenishment method; i.e., external blade 53, or EC-130.	lers. truck, CH-
.11 Coordinates plans for use of specific fuel pumps	s, plus backups.
.12 Identifies and plans mission fuels.	
.13 Coordinates/plans specific number of refueling	points.
.14 Plans refueling heading.	
.15 Calculates pumping time.	
.16 Plans total time of refueling.	

III-C-117

17	Calculates ordnance buildup times.
.18	Plans arming/dearming headings of aircraft to increase safety,
TT	possible.
.19	Plans for emergencies in the refueling/rearming areas.
.20	Plans movement of aircraft in the FARP area, and sequencing of services. $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$
.21	Plans ground safety equipment.
.22	Considers drainage in FARP locations.
.23	Considers environmental factors, if necessary.
.24	Considers location of LAAD teams for short range ground to air missile defense protection at the FARP site.
.25	Publishes FARP diagram.
<u>EVALUATOR</u> participa	<u>INSTRUCTIONS</u> : This planning is to be conducted with all key nts.
KEY INDIC	ATORS: None.
TASK: 3	C.20.4 PLAN NIGHT FARP
darkness.	(S): Due to mission requirements, the FARP will be used during Therefore, the following requirements must be considered in the operation.
<u>STANDARDS</u>	EVAL: Y: N: NE
.1	Utilizes light level planning calendar.
.2	Plans landing area lighting and flight formations to be employed.
.3	Allocates NVG's to support the operation.
.4	Plans ITG and coordinates with appropriate providing elements.
.5	Plans aircraft lighting.
.6	Provides taxi directors with appropriate wands.
.7	Plans for contingencies and emergency procedures.
.8	Plans training during darkness, if possible.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
ENCLOSUR	III-C-118 E (1)

TASK: 3C.20.5 PLAN FARP LOGISTICS

 $\frac{\texttt{CONDITION(S)}}{\texttt{place}} \texttt{:} \quad \texttt{Due} \ \ \texttt{to} \ \ \texttt{mission} \ \ \texttt{considerations}, \ \ \texttt{the} \ \ \texttt{FARP} \ \ \texttt{will} \ \ \texttt{remain} \ \ \texttt{in} \\ \texttt{place} \ \ \texttt{for} \ \ \texttt{an} \ \ \texttt{extended} \ \ \texttt{period} \ \ \texttt{of} \ \ \texttt{time}. \quad \texttt{Additional} \ \ \texttt{logistics} \ \ \texttt{considerations} \\ \texttt{must} \ \ \texttt{be} \ \ \texttt{planned}. \quad \texttt{Liaison} \ \ \texttt{with} \ \ \texttt{the} \ \ \texttt{CSSE} \ \ \texttt{is} \ \ \texttt{accomplished}.$

STANDARDS: EVAL: Y: N: NE
.1 Plans and identifies mission supplies.
.2 Considers resupply.
.3 Plans for the retrograding of supplies and personnel after FARP use.
.4 Determines the requirement for EOD support.
EVALUATOR INSTRUCTIONS: None.
<u>KEY INDICATORS</u> : None.
TASK: 3C.20.6 BRIEF FARP MISSION
$\underline{\text{CONDITION}(S)}$: The decision to employ a TARP has been made. All liaiso has been performed and mission planning is complete. All participants are present for the brief.
STANDARDS: EVAL: Y: N: NE
.1 Briefs all items per published NWP-55-9 ASH Manual/unit SOP.
.2 Briefs procedures for ordnance. HST, and ATC.
.3 Briefs general scheme of maneuver for the basic mission.
.4 Briefs TARP security plan.
.5 Briefs communications plan and provides handouts.
.6 Briefs weather criteria.
.7 Briefs go/no 80 criteria.
.8 Briefs deception plan if necessary.
.9 Briefs threat intelligence, to include escape and evasion procedures.
.10 Briefs downed aircraft procedures in the TARP area.
.11 Briefs disengagement procedures from the refueling points in case of emergency/attack.
.12 Briefs codewords.
.13 Briefs alternate TARP location(s).
.14 Briefs timeline.
.15 Briefs rules of engagement/weapons status and conditions.
.16 Briefs arming/dearming procedures.
.17 Briefs special considerations.
.18 Briefs obstacle clearance for TARP area.

III-C-119

.19	Briefs flight formations with reference to the refueling/rearming sequence.
.20	Briefs receiver aircraft on the amount of fuel to be taken.
.21	Briefs the number of refueling points.
.22	Briefs refueling and rearming headings.
*23	Briefs movement of aircraft in the FARP area.
.24	Briefs FARP area diagram.
.25	Briefs location of ground safety equipment.
.26	Briefs visual signals for day/night.
.27	Brief. contingency actions and emergency procedures.
EVALUATOR commander	<pre>INSTRUCTIONS: This brief is to be conducted by the mission or his designee. All participants attend.</pre>
KEY INDICA	ATORS: None.
CONDITION(the MAGTF.	C.20.7 BRIEF NIGHT FARP OPERATIONS (S): Night FARP operations are required to support effectively This brief is to be conducted in conjunction with other as applicable.
STANDARDS:	EVAL: Y: N: NE
.1	Briefs ambient illumination.
.2	Briefs illumination plan.
.3	Briefs night vision device procedures.
.4	Briefs ITG.
.5	Briefs aircraft lighting, FARP lighting, end ground directors lighting.
.6	Briefs contingencies and emergency procedures at the FARP.
	<pre>INSTRUCTIONS: This brief is to be conducted by the mission or his designee. All participants attend.</pre>
KEY INDICA	ATORS: None.
	III-C-120
ENCLOSURE	E (1)

TASK: 3C.20.8 EXECUTE FARP EN ROUTE PHASE

STANDARDS: EVAL: Y: N: NE
.1 Executes mission, as briefed.
.2 Executes mission communications plan. as briefed.
.3 Planned and briefed assets are available.
.4 Appropriate number and types of personnel are available.
.5 Adheres to ROE.
.6 Adheres to timeline.
.7 Executes mission security plan, as briefed.
.8 Tactically disperses aircraft.
.9 Plies flight formations, as briefed.
.10 Control points allow for flexibility.
.11 Flight leaders respond to emergencies immediately.
.12 Understands scatter plan, and implements it without undue communications.
.13 Aircraft arrive at the FARP, as planned.
EVALUATOR INSTRUCTIONS: None.
<u>KEY INDICATORS</u> : None.
TASK: 3C.20.9 EXECUTE FARP AREA OPERATIONS
$\underline{\mathtt{CONDITION}(S)}$: Assigned aircraft arrive at the FARP site.
STANDARDS: EVAL: Y: N: NE
.1 Executes FARP, as briefed.
.2 configures FARP, as briefed.
.3 Refueling/rearming area allows far safe separation of aircraft
.4 Onsite FARP coordinator and support personnel are present in the zone and are in control.
.5 Movement of aircraft in the FARP area is as briefed.
.6 Executes visual signals, as briefed.
.7 Aircrews adapt to changes without sacrificing mission accomplishment.
.8 Sufficient fuel is available for receiver aircraft.
.9 Constructs FARP site in sufficient time to support the mission

III-C-121

.10 A	ircraft receive proper ordnance.
.11 Re	efueling/rearming headings are as briefed.
.12 Re	efueling sequence is as briefed.
.13 To	otal time of refueling is as briefed.
.14 Av	vailable number of refueling points is as briefed.
EVALUATOR II	NSTRUCTIONS: None.
KEY INDICATO	ORS: None.
TASK: 3C.2	20.10 EXECUTE FARP NIGHT OPERATIONS
in	The task requires night FARP operations to be conducted MAGTF operations.
STANDARDS:	EVAL: Y: N: NE
.1 FA	ARP lighting is sufficient.
.2 Ta	axi directors use appropriate lighting.
.3 I	TG methods are successful.
.4 A:	ircraft lighting is as briefed.
EVALUATOR II	NSTRUCTIONS: None.
KEY INDICATO	ORS: None.
	3C.21 NUCLEAR. BIOLOGICAL. CHEMICAL (NBC) OPERATIONS
TASK: 3C.2	21.1 PREPARE FOR NBC OPERATIONS
employ NBC r the enemy, r of the unit air) in which the primary masking prodexercised th	Enemy forces, in order to destroy/disrupt operations, can munitions in the area where the squadron is located. Due to passive and active defense measures must be used for survival. This task may be evaluated during any evolution (ground or the squadron participates. Safety of aircraft and crews is consideration when employing actual chemical agents and cedures. As desired by the evaluator, this task may be brough the use of smoke, gas, or a combination thereof at any the evaluation.
STANDARDS:	EVAL: Y: N: NE
	stablishes an SOP which outlines procedures for enemy NBC trikes and reports required.
ur	ssues all individual NBC defense equipment authorized by the nit table of equipment to each individual and ensures equipments serviceable.
ed	akes operationally ready and distributes all unit defense quipment T/E's to designated and trained/knowledgeable perators.
.4 Id	dentifies shortages and takes replacement actions.
	III-C-122

.5	Assembles and prepares decontamination equipment and bulk decontaminates for ready transport to a decontamination area.	
.6	Fills Mll decontamination equipment units (water used for training).	
.7	Establishes MOPP level by the TAC/appropriate staff member and personnel at or above the required MOPP level.	
.8	Ensures personnel are familiar with the Operational Exposure Guide (FMFM 11-8) and Mission Oriented Protective Posture (FMFM 11-9) for the control of exposure of personnel to radiation or chemical hazards.	
.9	Ensures Marines properly identify NATO or enemy NBC contamination markers.	
.10	Emplacement of equipment maximizes utilization of terrain features for cover, concealment, and topographic shielding.	
<u>EVALUATOR INSTRUCTIONS</u> : Provide the unit information to expect an imminent nuclear attack by the enemy, and integrate NBC scenarios with normal assignments. Evaluator(s) should be highly trained in the area of NBC Defense (MOS 57XX) or be thoroughly trained in this area as part of Evaluator's School.		
KEY INDIC	ATORS: None.	
TASK: 3	C.21.2 PREPARE FOR NUCLEAR ATTACK	
$\underline{\text{CONDITION(S)}}$: The squadron is informed that nuclear weapons have been used in offensive operations. SOP's/OP Orders are onhand to provide checklists, sequence of actions, and guidance.		
STANDARDS: EVAL: Y: N: NE		
.1	Identifies backup/alternate command, control, and communications procedures.	
.2	Alerts subordinate/displaced elements.	
.3	Squadron continues the mission while implementing actions to minimize casualties and damage.	
.4	Protects vehicles and equipment from heat, blast. and radiation.	
.5	Initiates periodic monitoring, using available survey instruments.	
.6	Personnel identify/prepare shelters from heat. blast, and radiation. $\label{eq:personnel}$	
.7	Protects/secures all loose items. flammable/explosive items. food and water from heat, blast, and radiation.	
.8	Familiarizes Marines with standard first aid procedures to	
	provide self/buddy aid for nuclear blast and thermal effects.	
EVALUATOR		

III-C-123

TASK: 3C.21.3 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK

 $\underline{\text{CONDITION}(S)}$: Nuclear attack is simulated by the detonation of an artillery or nuclear blast simulator or by other appropriate means.

STANDARDS:	EVAL: Y: N: NE	
.1	Upon recognizing the attack, all personnel take immediate action to shield themselves from blast/heat of detonation.	
.2	Maintains or reestablishes chain of command and communications. Squadron resumes mission, if possible.	
.3	Submits NBC-1 initial and follow-up reports, as required, rapidly to higher headquarters by personnel designated or responsible for collecting the information. Forwards reliable and complete reports rapidly. by secure means, when possible.	
.4	Gives first aid and evacuates casualties to a medical treatment Station as the mission permits; evacuates fatalities to a graves registration collection point.	
.5	Submits damage assessment by secure means to higher/supported headquarters per SOP.	
.6	Initiates continuous monitoring, using available survey instruments.	
EVALUATOR INSTRUCTIONS: None.		
KEY INDICA	TORS: None.	

3C.21.4 RESPOND TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK TASK:

CONDITION(S): A surface or subsurface nuclear detonation has occurred. The squadron location is within the predicted fall-out zone. An MOS radiological fall-out predictor, or substitute, is available. The unit gets effective downwind messages at least once every 3 hours. NBC-2 report is furnished to the unit about 15 minutes after the detonation, or prepared by the unit; NBC-3 report is furnished about 45 minutes after detonation; NBC-S report and/or contamination overlay is provided about 4 hours after the detonation.

ST

CANDARDS:	EVAL: Y: N: NE
.1	Performs squadron mission concurrently with all other actions.
. 2	Advises supervisors of estimated time of fall-out arrival and notifies subordinate units.
.3	Maintains continuous monitoring using available survey instruments.
. 4	Protects equipment, munitions, POL, food, and water from fall-out.
.5	Personnel take protective measures to minimize fall-out effects as mission permits.
.6	Forwards NBC-4 reports. as required, to the higher headquarters by secure means.
.7	Records and reports unit total dose information to higher headquarter using available secure means.
.8	Minimizes exposure while the CO determines if relocation to a clean area is necessary or possible. Calculates optimum time of exit.
.9	Personnel provide first aid treatment to casualties in a nuclear environment, as required.
LO	Assesses casualties and fatalities.

III-C-124

EVALUATOR INSTRUCTIONS: Squadron commander is advised of estimated time of fall-out arrival. **KEY INDICATORS**: None. TASK: 3C.21.5 PERFORM RADIOLOGICAL DECONTAMINATION $\underline{\text{CONDITION}(S)}$: Fallout has ceased, and personnel and equipment are contaminated. The hazard to personnel does not allow time for the radiation to decay to a minimum level. Time and tactical situation permits decontamination. Decontamination support is not available. STANDARDS: EVAL: Y: N: NE __ Establishes decontamination priorities. Establishes decontamination point. __ Decontamination personnel wear appropriate protective clothing and equipment. Decontaminates equipment, personnel. individual weapons. and electronic systems using appropriate decontamination kits. __ Decontaminates unit equipment and vehicles using appropriate .5 __ expedient devices. _ Marks contaminated areas with NATO standard NBC markers. .6 _ Determines adequacy of decontamination using available personnel and equipment monitoring instruments. __ Discards contaminated materials according to tactical SOP, marks as contaminated, and provides location to the higher headquarters. _ Decontaminates decontamination personnel, as necessary. .10 Does not exceed OEG. Records and reports total dose information to the MAGTF command element. **EVALUATOR INSTRUCTIONS:** None. KEY INDICATORS: None. 3C .21.6 CROSS A RADIOLOGICALLY CONTAMINATED AREA Tactical situation forces a squadron to cross a CONDITION(S): radiologically contaminated area while moving to a new site. Unit receives an NBC-S report or contamination overlay from the MAGTF command element. STANDARDS: EVAL: Y: N: NE .1 ____ Establishes temporary facilities to continue the mission while a new site is being constructed. _ Posts NBC-S report and/or contamination overlay to situation map

_ Provide. turn back dose and dose rate to advance party and/or

III-C-125

_ Obtains route clearance and approval. if necessary.

and determines route.

reconnaissance team.

.3 __

.4 __

.5	Provides vehicles with additional shielding and personnel with all available protection from dust.
.6	Dispatches advance party and/or recon team to reconnoiter new areas.
.7	Crosses suspected contaminated area while employing contamination avoidance techniques.
.8	Does not exceed operational exposure guidance.
.9	After clearing the contaminated area, determines the degree of personnel and equipment contamination, using available personnel and equipment monitoring instruments.
.10	Establishes decontamination priorities and performs decontamination, as required.
.11	Records and reports unit total dose information, using available total dose instruments, to higher headquarters.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
TASK: 3	C.21.7 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
	(S): Unit receives a friendly NUCWARN per FMFM 11-8. TAX/TACC d within minimum safe distance (MSD) 2 to 3.
STANDARDS	: EVAL: Y: N: NE
.1	Personnel accurately and completely apply the NUCWARN to the situation map within 5 minutes after message receipt.
.2	Pertinent information regarding the planned detonation (time of burst, around zero, fall-out coverage, MSD, etc.) is available to the TAC.
.3	Advises TAC of the vulnerability of the unit to the burst (within MSD 1, 2, or 3) and residual contamination (within predicted fall-out zone).
.4	Advises TAC of the measures needed to prevent casualties, damage, and extended interference with the mission.
.5	Squadron implements protective measures, as directed, by higher headquarters, consistent with the mission.
.6	Personnel minimize exposure by rolling down sleeves, buttoning collars, and wearing additional clothing equal to a two layer uniform.
.7	Personnel take cover in foxholes, bunkers, armored vehicles, existing shelters (basements, culverts, caves, tunnels, etc.), or lie prone on open ground.
.8	Places vehicles behind masking terrain.
.9	Deactivates duplicate electronic devices, disassembles erected antennas, and ties down antennas. Erects bare minimum radio equipment only.
.10	Places all loose items (small weapons, tools, etc.) and highly flammable/explosive items (POL, propellants, missiles etc.) in armored vehicles or shelters.
.11	Squadron acknowledges the warning before the expected time of burst. Implements all protective measures.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator simulates nuclear detonation with an artillery or nuclear blast simulator, or informs the unit that nuclear blast has occurred. Evaluator a55555C5 casualties and damage to unprotected personnel and equipment.

KEY INDICATORS: None.

TASK: 3C.21.8 PREPARE FOR A CHEMICAL AGENT ATTACK

 $\underline{\text{CONDITION(S)}}$: Squadron is informed that chemical weapons have been used in the theater of operations and that a chemical attack is imminent.

STANDARDS	: EVAL: Y: N: NE
.1	Squadron has and uses a chemical defense SOP which addressee chemical defense/decontamination procedures.
.2	Directs squadron to increase MOPP consistent with mission, temperature, work rate, and TAC 5uidance.
.3	Identifies unit tasks that require a high degree of manual dexterity or physical strength, and are difficult to perform in MOPP 4. Plans alternate methods, such Cs rotating or assigning Additional personnel.
.4	Marines identify criteria for and demonstrate the capabilities for donning the protective mask and chemical protective ensemble.
.5	Uses the buddy system to facilitate monitoring/treatment for chemical agent poisoning and emergency decontamination of team members.
.6	Squadron performs its mission while implementing all actions to minimize casualties and damage. $$
.7	Personnel veer the appropriate level MOPP equipment for the condition set.
.8	Covers portions of essential equipment, munitions, POL, food, and water supplies that cannot be placed in a shelter with expendable or readily decontaminated tarps, shelter halves, or ponchos.
.9	Affixes detector paper to visible, horizontal surfaces of protective clothing and on equipment, munitions, etc.
.10	Checks squadron equipment to ensure the Mil is filled. individuals have complete M13 and M256 kits, and there is an available water source with a supporting road network.
.11	Reports potential decontamination sites to the higher headquarters.
.12	Installs and monitors available chemical agent alarms.
.13	Uses protective NBC equipment end supplies properly and maintains them in a high state of serviceability.
14	Marines demonstrate a knowledge of chemical agent symptoms.

III-C-127

KEY INDICATORS: None.

TASK: 3C.21.9 RESPOND TO A CHEMICAL AGENT ATTACK

 $\underline{\text{CONDITION}(S)}$: Squadron is subjected to a chemical agent attack. Site should support the type of activities being conducted and permit the safe use of simulators and device..

TANDARDS:	EVAL: Y: N: NE
.1	Upon hearing a chemical alarm. personnel take immediate protective measures followed by treatment/decontamination of casualties. (KI)
.2	Personnel automatically mask upon notification of any enemy artillery, rocket, or air attack/overflight.
.3	Personnel automatically mask upon perceiving a suspicious odor airborne droplets/mist, or smoke from unknown source.
.4	Marines do not unmask until authorized. (KI)
.5	Squadron personnel perform mission for at least 4 hours while in MOPP 4.
.6	Identifies type of chemical agent using available detector kit
	1. If persistent agent:
.7	Locates contamination and marks with NATO standard markers,
.8	Reports location end type of contamination to the higher headquarters.
.9	CO determines if immediate relocation to a clean area is necessary or possible and advises MAGTF/MAG commander.
10	Determines priorities for decontamination. Requests decontamination support. if required.
11	Wraps WIA's, marks as contaminated, and evacuates as mission permits. Warns medical treatment facility.
12	Wraps KIA's, marks as contaminated, and evacuates as mission permits. Warns graves registration collection point.
	1. If nonpersistent agent:
13	Follows unmasking procedures. (KI)
14	Evacuates WIA's to the medical treatment facility as mission permits.
15	Evacuates KIA's to the graves registration collection point as mission permits.
16	Services end returns detector units to operation.
17	Replaces expended chemical defense items, as required.
18	CO adjusts MOPP level, as required.
19	Squadron provides first aid treatment to casualties in a chemical environment.

III-C-128

EVALUATOR INSTRUCTIONS: Selected personnel are presented decontamination training kits and first aid treatment training devices to "treat designated casualties." Every attempt must be made to provide a realistic situation through devices, scenarios. or other aids. A believable. well-supported situation shall be imposed by the trainer/evaluator.

KEY INDICATORS:

CHEMICAL CASUALTIES

Chemical casualties are described as:

- 1. Personnel without mask and hood within arms reach, without decontamination kits, or not wearing chemical protective clothing.
- Personnel not taking immediate corrective actions upon perceiving the attack. hearing a chemical agent alarm, being ordered to mask. or using incorrect masking procedures (not masking within seconds), or making incorrect use of decontamination kits/first aid treatment items.
- 3. Marines who unmask or otherwise assume a lesser degree of MOPP without being authorized to do so.

UNMASKING PROCEDURES

When a detector kit is available, the following unmasking procedures will be adhered to:

- After determining absence of agents, two or three Marines unmask for 5 minutes.
- 2. Marines remask and are examined in a shady area for symptoms for $10\ \mathrm{minutes}$.
- 3. If no symptoms appear, remainder of unit may unmask.

When no detector kit is available, the following unmasking procedures will be adhered to:

- 1. Two or three Marines take a deep breath, hold it, break the seal on their masks, and keep their eyes open for 15 seconds.
- Then they clear their masks, reestablish the seal and wait 10 minutes.
- If no symptoms appear. the same Marines break the seal of their masks, take two or three deep breaths, clear and reseal their masks.
- 4. If after 10 minutes no symptoms have appeared, the same Marines unmask for 5 minutes and then remask.
- 5. If after 10 more minutes no symptoms have appeared. the rest of the unit may unmask.

TASK: 3C.21.10 PERFORM PARTIAL DECONTAMINATION

<u>CONDITION(S)</u>: Personnel and equipment have been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is not available for complete decontamination. The hazard is such that partial decontamination is required. All personnel maintain a maximum MOPP level. Extent of decontamination is determined and decontamination priorities are established.

III-C-129

STANDARDS	EVAL: Y: N: NE
.1	Personnel decontaminate individual weapons and squadron equipment using appropriate decontamination kits.
.2	Determines extent of decontamination and establishes decontamination priorities.
.3	Removes and decontaminates or discards contaminated protective covers.
.4	Ensures decontamination procedures are appropriate to items being decontaminated. (KI)
.5	Decontaminates squadron equipment and vehicles using appropriate expedient devices.
.6	Squadron conducts hasty decontamination of its personnel, if necessary.
.7	Determine. adequacy of decontamination. (KI)
.8	Discards contaminated materials according to tactical SOP, mark as contaminated, and provides location to the MAGTF command element.
.9	CO reduces MPP level, if required.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

DECONTAMINATION PROCEDURES

Initial decontamination of unit equipment, vehicles, and weapons may be accomplished by:

- Removing all gross liquid contamination with sticks or other improvised devices, which are buried after use.
- Utilizing Mll decontamination apparatuses filled with DS2 to spray areas frequently used or touched. (Water is used to simulate D52 in a training environment.)

Contaminated items that may need special decontamination treatment are:

- POL. Food. Water Containers. and Munitions: Washed with soapy water, rinsed, and thoroughly sir dried.
- 2. Communications Equipment, Vans, and Other Electronic Equipment:
 Decontaminated with hot air, by weathering, or by wiping all metal
 part. with rags soaked with DS2 (water is used for training
 purposes).
- 3. Optical Instruments: slotted with rags and then wiped with lens cleaning solution or organic solvent.

Adequacy of decontamination is determined using the chemical agent detector kit. If contamination is still present, decontaminate again.

ADEQUACY OF DECONTAMINATION

If inadequate:

- a. Procedures are repeated.
- b. Decontamination support is requested or:
- c. Risk of using equipment is accepted.

III-C-130

TASK: 3C.21.11 COORDINATE FOR COMPLETE DECONTAMINATION OF EQUIPMENT

 $\frac{\texttt{CONDITION(S)}}{\texttt{agent.}}: \quad \texttt{squadron equipment has been contaminated by a chemical agent.} \quad \texttt{Emergency decontamination has been accomplished.} \quad \texttt{Time is available for complete decontamination.} \quad \texttt{Decontamination support from a decontamination unit is available upon request}$

STANDARDS	: EVAL: Y: N: NE
.1	Makes coordination with the decontamination unit as to time of arrival, supplies, equipment, and personnel support to be furnished by the contaminated unit, and estimates time of completion.
.2	Squadron receives route clearance to Personnel Decontamination Station Equipment Decontamination Station (PDS/EDS) assembly area. Dispatches advance party (personnel to augment decontamination operation and establish security) to PDS/EDS.
.3	Main body arrives at PDS/EDS assembly area and organizes for processing.
.4	Decontamination begins as scheduled.
.5	Squadron personnel reorganize in a clean area upwind of residual effects for the resumption of their mission.
.6	CO adjusts MOPP level, as required.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	C.21.12 EXCHANGE PROTECTIVE CLOTHING
	(S): The protective clothing is contaminated and a suitable nated area is available.
STANDARDS	: EVAL: Y: N: NE
.1	Individuals don new protective clothing.
.2	Removes contaminated clothing without transfer of contamination.
EVALUATOR	INSTRUCTIONS: None.

TASK: 3C.21.13 CONDUCT NBC AERIAL SURVEY

KEY INDICATORS: None.

 ${\hbox{\hbox{\tt CONDITION}(S)}}\colon$ An NBC aerial survey must be conducted to determine the extent of contamination. Safety of aircraft and aircrews remains a primary consideration in the conduct of aerial radiological and chemical surveys.

III-C-131

STANDARDS:	EVAL: Y: N: NE
• 1	Wears appropriate level MOPP gear for condition that is set.
.2	Monitor has internal communications with aircrew.
.3	Aircrew knows course leg technique of radiological survey. (KI)
.4	Aircrew knows point technique of radiological survey. (KI)
.5	Upon completion of the flight, squadron monitor, survey, and decontamination teams check for and remove contamination from aircraft.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS:

COURSE LEG TECHNIQUE

- Pilot locates the starting checkpoint of a course leg to be flown and either locates the end checkpoint or determines the azimuth of the course leg.
- Pilot flies aircraft on the proper course to pa.. over the checkpoint on a straight path to the end checkpoint. When on course, he alert. the monitor and gives the altitude above the around.
- 3. Pilot commands "Mark" when the aircraft is over the starting checkpoint and flies the course maintaining a constant altitude and speed above ground.
- 4. Pilot alert. the monitor when aircraft near. the end checkpoint. When the aircraft is over the end checkpoint, the pilot commands "Mark".

POINT TECHNIQUE

- When the situation permits, the aircraft lands near the point of interest and the monitor dismounts and proceeds to the selected point and takes a meter reading or tests for the presence of chemical agents.
- 2. If the situation does not allow for a landing, an aerial radiological reading will be taken.

TASK: 3C.21.14 SCORE THE NBC EXAM

 $\underline{\text{CONDITION}(S)}$: Classroom atmosphere. An exam will be prepared at the wing/brigade level and will take no more than 30 minutes. All available personnel will take the examination.

STANDARDS:	EVA	AT: A: I	1: 1	<u>NE</u>		
.1	Unit	averages	70	percent	or	higher.
.2	Unit	averages	80	percent	or	higher.
.3	Unit	averages	90	percent	or	higher.
.4	Unit	averages	10	0 percent	Ξ.	
ENCLOSURE	(1)			III-C-	-132	2

	REQUIRED DATA:
a. I	No, of personnel in unit:
b. 1	No. of personnel takin5 exam:
c. 1	Unit average:
KEY IND	<u>ICATORS</u> : None.
	III-C-133

SECTION 3D

MARINE EXPEDITIONARY UNIT (SPECIAL OPERATIONS CAPABLE) AVIATION COMBAT ELEMENT (MEU(SOC) ACE)

TABLE OF CONTENTS

INTRODUCTION	<u>PAGE</u> II-D-1
MPS 3D.1 - AVIATION COMSAT ELEMENT (ACE) INITIAL PLANNING	
TASK 3D.1.1	II-D-2
CONDUCT INITIAL PLANNING TASK 3D.1.2	II-D-3
TASK 3D.1.3	II-D-4
TASK 3D.1.4	II-D-5
TASK 3D.1.5I CONDUCT AERIAL RECONNAISSANCE PLANNING	II-D-6
TASK 3D.1.6	II-D-7
TASK 3D.1.7	II-D-7
MPS 3D.2 - GENERAL ACE PLANNING	
TASK 3D.2.1	II-D-9
TASK 3D.2.2	II-D-10
TASK 3D.2.3I CONDUCT MAINTENANCE PLANNING	II-D-11
TASK 3D.2.4	
TASK 3D.2.5	II-D-14
MPS 3D.3 - HELICOPTERBORNE ASSAULT	
TASK 3D.3.1I CONDUCT HELICOPTERBORNE ASSAULT MISSION PLANN	
TASK 3D.3.2I CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEF	
TASK 3D.3.3	II-D-25
TASK 3D.3.4	
MPS 3D.4 - RAID	
TASK 3D.4.1	II-D-30
TASK 3D.4.2	II-D-34
TASK 3D.4.3	II-D-35
TASK 3D.4.4	
TASK 3D.4.5	II-D-39
MPS 3D.5 - MILITARY OPERATIONS IN URBAN TERRAIN (MOUT)	
TASK 3D.5.1	II-D-41
TASK 3D.5.2I CONDUCT MOUT INTITIAL PHANNING TASK 3D.5.2I	II-D-45
TASK 3D.5.3I EXECUTE MOUT MISSION	
TASK 3D.5.4	II-D-53

		<u>PAGE</u>
MPS	3D.6 - NONCOMBATANT EVACUATION OPERATIONS	S (NEO)
	TASK 3D.6.1	
	TASK 3D.6.2	
	TASK 3D.6.3EXECUTE NED MISSION	
	TASK 3D.6.4	
MPS	3D.7 - ONSCENE COMMAND AND CONTROL	
	TASK 3D.7.1	III-D-61
	TASK 3D.7.2	
	BRIEFS COMMAND AND CONTASK 3D.7.3	
	EXECUTES COMMAND AND CO	ONTROL MISSION
MPS	3D.8 - SECURITY/REINFORCEMENT	
	TASK 3D.8.1	
	TASK 3D.8.2	
	CONDUCT SECURITY/REINFO	ORCEMENT MISSION BRIEFING
	EXECUTE SECURITY/REINFO	ORCEMENT MISSION
	TASK 3D.8.4	ORCEMENT MISSION DEBRIEFING
MPS	3D.9 - FORWARD ARMING AND REFUELING POINT	<u>r (farp)</u>
	TASK 3D.9.1PLAN FARP FOR MISSION S	
	TASK 3D.9.2	III-D-77
	PLAN FARP EN ROUTE PHA:	III-D-77
	PLAN FARP AREA OPERATION TASK 3D.9.4	
	PLAN NIGHT FARP	
	TASK 3D.9.5PLAN FARP LOGISTICS	
	TASK 3D.9.6BRIEF FARP MISSION	III-D-79
	TASK 3D.9.7BRIEF NIGHT FARP OPERA	III-D-80
	TASK 3D.9.8	III-D-81
	TASK 3D.9.9	III-D-81
	EXECUTE FARP EN ROUTE I	
	EXECUTE FARP AREA OPERA	ATIONS
	TASK 3D.9.11 EXECUTE FARP NIGHT OPER	
MPS	S 3D.10 - RESUPPLY	
	TASK 3D.10.1	
	TASK 3D.10.2	III-D-87
		III-D-92
	EXECUTE RESUPPLY MISSION	JN

III-D-ii

	TASK	3D.10.4III-D-96 CONDUCT RESUPPLY MISSION DEBRIEFING
MPS	3D.11	- MEDICAL EVACUATION (MEDEVAC)
	TASK	3D.11.1
MPS	3D.12	- RESCUE COMBAT AIR PATROL (RESCAP)
	TASK	3D.12.1
MPS	3D.13	- TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT, AND PERSONNEL (TRAP)
		3D.13.1III-D-101 CONDUCT TRAP MISSION PLANNING 3D.13.2
	TASK	3D.13.3III-D-103
	TASK	3D.13.4III-D-108 EXECUTE TRAP MISSION
MPS	3D.14	- NIGHT OPERATIONS
MPS	TASK	
	TASK TASK TASK	- NIGHT OPERATIONS 3D.14.1
	TASK TASK TASK 3D.15 TASK	- NIGHT OPERATIONS 3D.14.1
	TASK TASK TASK 3D.15 TASK TASK	- NIGHT OPERATIONS 3D.14.1
	TASK TASK 3D.15 TASK TASK TASK	- NIGHT OPERATIONS 3D.14.1
	TASK TASK 3D.15 TASK TASK TASK TASK	- NIGHT OPERATIONS 3D.14.1
MPS	TASK TASK 3D.15 TASK TASK TASK TASK TASK	- NIGHT OPERATIONS 3D.14.1
MPS	TASK TASK 3D.15 TASK TASK TASK TASK TASK TASK TASK TASK	- NIGHT OPERATIONS 3D.14.1

III-D-iii

				<u>PAGE</u>
MPS	3D.1	7 - SUPPORTI	NG ARMS COORDINATION, AIRBORNE (SAC(A))	
	TASK	3D.17.1	EXECUTES CONTROL OF ARTILLERY AND NAVAL GUNFIR	
	TASK	3D.17.2	EXECUTES CONTROL OF CLOSE AIR SUPPORT AIRCRAFT	
MPS	3D.18	8 - ESCORT		
	TASK	3D.1B.1	II PLAN ESCORT MISSION	I-D-128
	TASK	3D.18.2	II	:I-D-129
	TASK	3D.18.3	CONDUCT ESCORT MISSION BRIEFINGII EXECUTE ESCORT MISSION	:I-D-130
	TASK	3D.18.4	CONDUCT ESCORT MISSION DEBRIEFING	:I-D-131
MPS	3D.19	9 - ANTIAIR	WARFARE (MW)	
	TASK	3D.19.1	CONDUCT ANTIAIR WARFARE MISSION BRIEFING	:I-D-132
	TASK	3D.19.2	EXECUTE ANTIAIR WARFARE MISSION	:I-D-134
	TASK	3D.19.3	EXECUTE ANTIAIR WARFARE MISSION II EXECUTE (1v1) ANTIAIR WARFARE MISSION	I-D-134
	TASK	3D.19.4	EXECUTE (2v2) ANTIAIR WARFARE MISSION	I-D-135
	TASK	3D.19.5	EXECUTE (2vx) ANTIAIR WARFARE MISSIONII EXECUTE (2vx) ANTIAIR WARFARE MISSION	:I-D-136
	TASK	3D.19.6	EXECUTE (ZVX) ANTIAIR WARFARE MISSIONII EXECUTE (FW v HELO) ANTIAIR WARFARE MISSION	I-D-136
	TASK	3D.19.7	CONDUCT AAW MISSION DEBRIEFING	I-D-136
MDS	3D 21	O - RECONNAI	SSANCE	
ME D				
			CONDUCT RECONNAISSANCE PLANNING	
			CONDUCT RECONNAISSANCE MISSION BRIEFING	
			EXECUTES INGRESS/EGRESS TO/FROM TARGET	
	TASK	3D.20.4	EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS	:I-D-144
	TASK	3D.20.5	EXECUTE ROUTE, POINT, AND/OR AREA/LINE	I-D-145
	TASK	3D.20.6	RECONNAISSANCE MISSIONSII EXECUTE ARMED RECONNAISSANCE/DEEP AIR SUPPORT	
	TASK		DELIVERS ORDNANCE ACCURATELY/EFFECTIVELY	
	TASK		CONDUCT RECON MISSION DEBRIEFING	I-D-148
MPS	3D.2	1 - ELECTRON	IC WARFARE (EW)	
	TASK	3D.21.1	II	
	m > C**	2D 01 0	DEMONSTRATE CORRECT RESPONSE TO ENEMY ELECTRON WARFARE (EW) CAPABILITY	
			DEMONSTRATE SELF PROTECTION ECM CREW KNOWLEDGE]
	IASK	ა∪.∠⊥.3	EXECUTE CORRECT ELECTRONIC WARFARE FLIGHT PROC	

III-D-iv

MPS	3D.22	- MARINE AIR COMMAND AND CONTROL SYSTEM (MACCS)	<u>PAGE</u>
		-	
		3D.22.1CONDUCT INITIAL MACCS SPECIFIC PLANNING	
	TASK	3D.22.2	. TTT-D-153
	TASK	3D.22.3CONDUCT MACCS DETACHMENT LOGISTIC PLANNING	
		3D.22.4	(RSOP)
	TASK	3D.22.5TRANSFER LAAD ASSETS ASHORE DURING AMPHIBIC OPERATIONS	
	TASK	3D.22.6 ESTABLISH MACCS DETACHMENT AND COMMUNICATION	
	TASK	3D.22.7	.III-D-160
	TASK	3D.22.8	.III-D-161
	TASK	3D.22.9	
	TASK	COORDINATE CONTROL OF PREPLANNED DIRECT AIR 3D.22.10	.III-D-168
	TASK	COORDINATE CONTROL OF IMMEDIATE DIRECT AIR 3D.22.11	
	TASK	EXECUTE/COORDINATE AIR DEFENSE MEASURES 3D.22.12	
MDG	2 22	EXECUTE/COORDINATE INFORMATION/DATA TRANSFI	šK
MPS	3.43 -	- CONTINUING ACTIONS BY MARINES	
	TASK	3D.23.1 DEMONSTRATE INDIVIDUAL DISCIPLINE	.III-D-174
	TASK	3D.23.2 DEMONSTRATE PROPER DISPERSION OF PERSONNEL EQUIPMENT	
	TASK	3D.23.3 DEMONSTRATE PROPER USE OF COVER	.III-D-175
	TASK	3D.23.4 DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALME	
	TASK	3D.23.5	
	TASK	3D.23.6	.III-D-177
	TASK	3D.23.7DEMONSTRATE CORRECT TREATMENT OF PRISONERS	.III-D-178
	TASK	3D.23.8	.III-D-179
	TASK	3D.23.9DEMONSTRATE CORRECT IRLATMENT OF CASUALITIES	.III-D-180
	TASK	3D.23.10DEMONSTRATE CORRECT COMMAND AND STAFF ACTION	
	TASK	3D.23.11	.III-D-182
	TASK	3D.23.12	.III-D-183
	TASK	3D.23.13	.III-D-184
	TASK	DEMONSTRATE COMMUNICATIONS DISCIPLINE 3D.23.14	.III-D-184
	TASK	CONDUCT ACE SHIPBOARD OPERATIONS BRIEFING 3D.23.15	.III-D-185
	TASK	EXECUTE SHIPBOARD OPERATIONS 3D.23.16	.III-D-186
	TASK	EXECUTE INTEGRATED FLIGHT DECK OPERATIONS 3D.23.17	
	TASK	EXECUTE HELICOPTER ROPE SUSPENSION (HRS) OF 3D.23.18	
		CONDUCT INTELLIGENCE UPDATE BRIEFING	

TASK	3D.23.19III-D-188 EXECUTE OPERATIONS DUTY OFFICER (ODO) TASKS
TASK	3D.23.20III-D-169
TASK	MONITOR FLIGHT OPERATIONS 3D.23.21III-D-190
TASK	CONDUCT COLD WEATHER OPERATIONS PLANNING 3D.23.22III-D-191
	EXECUTE COLD WEATHER MAINTENANCE TASK
	3D.23.23III-D-192 EXECUTE COLD WEATHER MISSIONS
TASK	3D.23.24III-D-193 CONSIDER DESERT OPERATIONS EFFECTS ON AIRCRAFT
TASK	3D.23.25III-D-194 CONDUCT FORWARD BASE OPERATIONS (FBO) BRIEFING
TASK	3D.23.26III-D-195 EXECUTE MISSIONS FROM FORWARD BASES
MPS 3D.24	- NUCLEAR, BIOLOGICAL, AND CHEMICAL (NBC) OPERATIONS
TASK	3D.24.1III-D-196
TASK	PREPARE FOR NBC OPERATIONS 3D.24.2III-D-197
	PREPARE FOR NUCLEAR ATTACK
	3D.24.3III-D-198 RESPOND TO THE INITIAL EFFECTS OF A NUCLEAR ATTACK
TASK	3D.24.4III-D-198 RESPONSE TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK
TASK	3D.24.5III-D-199 PERFORM RADIOLOGICAL DECONTAMINATION
TASK	3D.24.6
TASK	3D.24.7III-D-200
TASK	PREPARE FOR A FRIENDLY NUCLEAR STRIKE 3D.24.BIII-D-201
ͲΔςκ	PREPARE FOR A CHEMICAL AGENT ATTACK 3D.24.9III-D-202
	RESPOND TO A CHEMICAL AGENT ATTACK
	3D.24.10III-D-203 PERFORM PARTIAL DECONTAMINATION
TASK	3D.24.11III-D-205 COORDINATE FOR COMPLETE DECONTAMINATION OF EQUIPMENT
TASK	3D.24.12III-D-205 EXCHANGE PROTECTIVE CLOTHING
TASK	3D.24.13III-D-205
TASK	CONDUCT NBC AERIAL SURVEY 3D.24.14III-D-206 SCORE THE NBC EXAM
MPS 3D.25	- GENERAL KNOWLEDGE
TASK	3D.25.1III-D-207
	ADMINISTER NATOPS IMMEDIATE ACTION EMERGENCIES EXAM 3D.25.2
	ADMINISTER TACTICAL MANUAL EXAMINATION
TASK	3D.25.3III-D-20B ADMINISTER AIRCRAFT AND EQUIPMENT RECOGNITION EXAM
TASK	3D.25.4III-D-208 ADMINISTER RULES OF ENGAGEMENT EXAMINATION

III-D-vi

MEU(SOC) ACE INTRODUCTION

The MEU(SOC) ACE represents a considerable portion of the MEU's maneuver and organic firepower. This capability must be brought to bear quickly, effectively, and with force against the enemy. The MEU(SOC) ACE commander and staff must know how best to tactically coordinate, on a given mission, the different aircraft and other aviation assets within the ACE, especially the embarked assets. Accordingly, the MEU(SOC) ACE MPS's were written and organized to emphasize tactical integration and coordination of embarked MEU aviation assets.

The MPS's, tasks, and standards were derived from Marine Corps doctrine, tactics and techniques, other service methodology, and field recommendations from Marine Corp. commands.

Commanders should use MCCRES MPS's to establish training objectives, and take every opportunity to informally evaluate their units against these standards. The system provides the commander with a tool to formally or informally evaluate the combat readiness and training of his unit, to identify the strengths and weaknesses, and to enable the commander to prioritize the unit's future training requirements.

These standards apply to the ACE in support of a MEU, and it is preferred that evaluations be conducted in that manner. The ability of the MEU(SOC) ACE commander to dynamically recommend the employment of aviation elements, and the unit itself to exhibit its efficiency in support of tactical operations will be the basis for a successful demonstration of its combat readiness.

MCCRES tasks for the MEU(SOC) ACE presupposes that personnel and logistic support are ample to achieve minimum acceptable standards, but it is acknowledged that sufficient people and equipment are not always available. The standards are written so that those sections applicable to a particular exercise or training scenario can be selected for evaluation. The unit is not penalized if they cannot attempt all the standards. When external factors contribute to limiting the unit's combat evaluation, it should be noted and recorded in the overall report.

III-D-1

3D.1 AVIATION COMBAT ELEMENT (ACE) INITIAL PLANNING

TASK: 3D.1.1 CONDUCT INITIAL PLANNING

CONDITION(S): The MEU is in receipt of a warning order and has begun planning for an operation. The embarked MEU(SOC) ACE is comprised of a medium helicopter squadron (HMM) reinforced with heavy lift, utility, and attack helicopters, V/STOL attack fixed-wing aircraft, forward antiair defense weapons, and aviation command and control. The MEU(SOC) ACE commander, using his original staff, augmented by representatives from the attached detachments, oversees aviation planning and coordination.

STANDARDS:	EVAL: Y: N: NE
.1	Receives MEU commander's planning guidance and intent.
	Requests EEI's from the MEU S-2 to include: enemy detection and reaction capabilities; type and location of antiaircraft weapons; force concentrations; enemy ECM and ECCM capabilities; enemy aircraft; weather conditions in the AOR; terrain and LE conditions; and safe areas. Passes information down to the subordinate aircraft and air control personnel.
.3	Provides advice to the MEU representatives during the formulation of the aviation requirements which includes calculations for troop lifts, preplanned CAS. DAS, CIFS, aerial reconnaissance, air defense assets, illumination, C&C flights, and logistic support need's.
	Completes an initial estimate of all aviation requirements for the MEU commander.
.5	Convenes an air requirements and coordination conference, and submits for MEU's approval, a prioritized list of requested missions.
	Prepares aviation estimates of supportability for all operations assigned, and identifies any limitations or problem areas. (KI)
	Coordinates with the MEU for procedures to control MEU aviation use during all the phases of advanced operations, emergency defense of the Al's', amphibious assault, and subsequent operations ashore.
	Plans downed aircraft and personnel recovery procedures, and ensures dissemination by operations order or SOP.
.9	Prepares rules of engagement, weapons conditions, and alert conditions criteria for MEU approval, and disseminates them to subordinates after approval.
	Coordinates LAAD employment based on landing force/Al's' requirements and threat intelligence.
	Determines basing options ashore for aviation assets to include the establishment of control facilities and remote sites, if required.
.12	Plans amount of bulk fuel required throughout the operation to include shore-based storage locations, if required.
	Identifies any onshore based security requirements and coordinates with the MEU for personnel or equipment augmentation, if required.
	Determines ordnance/pyrotechnics requirements to support operations and arranges with appropriate agencies for breakout, buildup, and ready access.
	Coordinates all communications requirements with the MEU CEO to include frequencies, encryption hardware/software, and authentication materials.
	Preplans TRAP requirements, and coordinates CSAR augmentation with the Al's', and ground augmentation with the GCE and CSSE if required.
.17	Coordinates mission and weather go/no go criteria with the supported unit and the assigned mission commander for the MEU commander's approval.
	Plans combat intelligence update methods to ensure ACE elements have the latest available information.

.19	Prepares those portions of the operations plans for which the ACE has staff cognizance or staff input.
.20	Provides specific aviation planning considerations to the ATF', MEU, GCE, and CSSE for inclusion into their planning and/or operations orders.
.21	Coordinates NBC policies and procedures for all subordinate aviation elements to include warning, reporting, detection, decontamination, exposure guidance, casualty handling, and required MOPP conditions based on MEU guidance.
.22	Provides continual guidance to subordinate elements throughout the planning phase by issuing sop's, OP orders, directives, memorandums, or outline plane, and hosting staff conferences and informal briefings.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS:
INITIAL ES	STIMATE OF LY AVIATION REQUIREMENTS
the assign include the and the locan be decorated	ial estimate is prepared as soon as preliminary information on ned missions is available. This initial estimate may only ne number and type of aircraft, the control agencies necessary, ogistic support required. Some of the air support allocations duced from the aviation capabilities of the force involved, of enemy air, and the general mission of the LF.
TASK: 3I	0.1.2 CONDUCT COMMAND AND CONTROL PLANNING
aviation a action has	(S): The task organization of the MEU, the expected threat, asset availability, and the commander's probable courses of we been given. Personnel are tasks to develop those portions of tions order that the MEU(SOC) ACE has staff cognizance over.
STANDARDS	EVAL: Y: N: NE
.1	Formulates MEU(SOC) Act aviation planning, and provide. liaison representatives to the MEU subordinate elements as required.
.2	Coordinates with MEU, PHIBRON, TACRON, and ship's Air Department on procedures for fixed-wing and rotary-wing mixed deck operations, to include surge operations during transit to the ADA, deck launched intercepts, and D-day on-cell CAS.
.3	Integrates and coordinate. communications support requirements with the MEU to include frequency requirements, voice security devices, and authentication material.
.4	Plans for aerial radio relay or retransmission, if required.
.5	Recommends control measures for approval and inclusion in EMU operation. orders to include control points, handover points, and return to force procedure.
.6	Ensures requesting units are promptly informed of any missions that cannot be filled due to lack of assets.
.7	Identifies needs for airborne control agencies; i.e., $SAC(A)$, $TAC(A)$. $FAC(A)$, and/or $HC(A)$ as required. Requests outside assistance if none is locally available for a particular mission assignment.
.8	Coordinates procedures with the MEU to mark targets and provide landward terminal control for OAS/assault support aircraft.
.9	Coordinate. and participates in any required FAC party liaison with the supported unit.

.10	Establishes procedures for the coordination of initial terminal guidance (ITG) with reconnaissance/advance elements.
.11	Publishes helicopter landing $\operatorname{diagram}(s)$ and coordinates HST procedures to be used.
.12	Ensures authority and procedures to chance landing zones or ingress/egress routes are clearly established in the operations order or SOP's.
.13	Provides input on sir defense control measures (CAP positions, RTF procedures, MEZ's, etc.), and asset allocations prior to establishing the ADA.
.14	Develops a pilot/controllers handbook which details communication frequencies and color codes, alternate or divert airfields, ordnance codes, codewords, available NAVAID's, control measures, rules of engagement, fire support coordination measures, CAS brief form, abbreviated maps, and airfield diagrams for all aircrews.
.15	Complies with procedures to keep the MEU aware of current operational aviation support efforts
.16	Reconfirms air control measures to be used with the CLF/CATF.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
TASK: 3	D.1.3 CONDUCT ANTIAIR WARFARE PLANNING
assets for imperative to permit prohibiting assets, asstaff, basets.	A CVBG or land based aircraft, will provide additional aviation or the requirements as delineated by the CATF/CLF. It is that air superiority be established in the area of operations the conduct of LF operations at a given time and place without we interference by the opposing force. The ACE tasks organic and coordinates outside requirements with the ATF through the MEU sed on the priorities set by the MEU commander.
<u>STANDARDS</u>	EVAL: Y: N: NE
.1	Participates in emergency defense of the amphibious task force (EDATF) planning and submits recommendations to MEU/GCE for approval. (KI)
.2	Disseminates emergency Al" alert procedures/equipment (sound power phones, radios, sirens) to aircrews and LAAD gunners.
.3	Provides ATF control procedures to assigned aircrews and LAAD gunners for use if the ATF comes under attack.
.4	Provides Al" airborne control frequencies to alert crews prior to launch.
.5	Develops aviation "scatter plan" for use if the Al" comes under attack.
.6	Coordinates with ATF planners for the establishment of AAW rules of engagement, warning conditions, weapons conditions. and ensures dissemination to subordinates.
.7	Ensures essential elements of information (EEI's) concerning the capabilities and locations of enemy sir and antiair facilities in the objective area, as well as their ECM and ECCM capabilities, are requested froes the $S-2$ and passed down to the users.
.8	Plans for any ACE assets established ashore to integrate passive sir defense to include the use of cover, concealment, deception, dispersion, and protective construction.
.9	Calculates numbers of aircraft required for MW mission areas and direct support escort of helicopterborne forces.
.10	Ensures dissemination of emission control (E))C30N) standards to subordinate elements.

.11	Assists in planning ADA airspace control procedure., to include entry/exit points for outside support assets, CAP's, FEZ's, end RTF procedures.
.12	Ensures promulgation of standard procedures and terminology for conduct of carrier controlled intercepts (CCI) and CAP management.
.13	Assists in formulating communication plan for airspace management and mission control.
EVALUATOR	INSTRUCTIONS: None

KEY INDICATORS:

EMERGENCY DEFENSE

Marine Air Ground Task Force assets are not included in the planning for the routine defense of the ATF as that function is provided by the CVBG weapons systems or preplanned CBGV cover. In an emergency, landing force aviation assets may be used as a final option for ATF defense when:

- Increasing tensions, intelligence, or defense conditions indicate an attack is imminent, or the ATF is under actual attack.
- 2. The governing rules of engagement permit the intercept or engagement of aircraft/boats of forces declared hostile.
- Other circumstances or situations occur so that the CATF and CLF agree that an emergency exists.

TASK: 3D.1.4 CONDUCT ASSAULT SUPPORT PLANNING

CONDITION(S): A daily conference is held to coordinate and schedule all MEU air support requirements for the next 24 hours. Assault support includes vertical assault airlift, fixed-wing air delivery of cargo or battlefield illumination, in-flight refueling, and air evacuation. Elements of the MEU are determining their requirements for future operations and have requested support from the MEU(SOC) ACE.

STANDARDS:	EVAL: Y: N: NE
.1	Calculates sorties available for assault support and provides this information to the MEU.
.2	Receives MEU approved assault support requirement. and based of the priorities assigned, begins developing detailed planning.
.3	Develops planning figures for a surge effort, identifying how Ions the surge effort can be sustained, how many days will be required to recover, and the sorties available during recovery
.4	Coordinates requirements for airframe configuration required to support special missions; i.e., litters to meet MEDEVAC tasking, etc.
.5	Recommends LZ's as well as alternates, based on the zone(s) of action and threat analysis.
.6	Determines distance and fuel requirement., and identifies the need for aerial refueling, FARP's, LZSA's, and/or forward sites.
.7	Determines the requirements for navigation/pathfinder aircraft as well as escort aircraft for troop lifts. and requests outside assistance, if required (CVBG or theater land based assets; e.g., E2, E3).
.8	Provides terrain masking and threat avoidance information, based on a detailed terrain analysis and available intelligence, to aircrew for primary/alternate route planning.
.9	Requests forecasted weather and lunar illumination when planning day/night operations.

.10	Coordinates the integration of mission control points.
.11	Develops and coordinates codewords to identify completion of critical mission phases.
.12	Coordinates emergency extraction plan.
.13	Develops contingency plans for landing at alternate airfields in friendly territory adjacent to the AOR or on ships. in an emergency.
.14	Submits details of the tactical recovery of aircraft and personnel (TRAP) contingency plan to the MEU.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDICA	ATORS: None.
TASK: 31	D.1.5 CONDUCT AERIAL RECONNAISSANCE PLANNING
ACE aeria	(S): Landing force objectives have been identified. MEU(SOC) l reconnaissance assets are limited. Timely reconnaissance is for both initial mission planning and follow-on damage ts.
STANDARDS	EVAL: Y: N: NE
.1	Coordinates the aerial reconnaissance and observation plan for the $\ensuremath{\mathtt{MEU}}\xspace.$
.2	Establishes procedures in conjunction with applicable shipboard command and control agencies regarding surface search mission execution by ACE assets. Planners should ensure that missions are deconflicted with outside air assets as well as friendly surface units.
.3	Establishes procedures for collection procedures and timely dissemination of aviation acquired combat information.
.4	Assists the MEU S-Z in planning for aerial emplaced sensors (Aerial Delivered Seismic Intrusion Detectors (ADSID).).
.5	Recommends aerial reconnaissance assets to be used in various multi mission roles; i.e., adjustment of fires, BDA reports. LE studies, route reconnaissance, NAVAID to friendly forces, handheld photography.
.6	Plans measures to support any organic reconnaissance mission; i.e deception, airstrikes, ECM, escort, and/or in-flight refueling.
.7	Plans for surprise. speed, and the avoidance of offensive combat action in order to protect assigned aircraft on reconnaissance missions and ensures the delivery of required information.
.8	Obtains any special equipment (NVG. starlite scopes) required for visual observation at night and during periods of low visibility.
.9	Ensures all pilots are briefed on responsibilities for visual reconnaissance and immediate debrief for all flights.
EVALUATOR	<u>INSTRUCTIONS</u> : None,
KEY INDICA	ATORS: None.

III-D-6

TASK: 3D.1.6 CONDUCT OFFENSIVE AIR SUPPORT (OAS) PLANNING

 $\frac{\texttt{CONDITION(S)}}{\texttt{MEU air support requirements for the next 24 hours.} \quad \texttt{The MEU is} \\ \texttt{determining its requirements for future operations, and has tasked the ACE} \\ \texttt{to assist GCE/CSSE planning.} \\$

STANDARDS:	EVAL: Y: N: NE
.1	Calculates daily sorties available for OAS (CAS, DAS, and CIFS) and provides this information to the MEU.
.2	Develops planning figures for a surge effort, identifying how long the surge effort can be sustained, how many days will be required to recover, and the sorties available during recovery.
.3	Coordinates with MEU to determine initial estimate of DAS (CAS and DAS) requirements.
.4	Assists in the evaluation of potential targets.
.5	Coordinates with the MEU/supported unit to determine CAS allocation priorities for preplanned and immediate missions.
.6	Receives MEU commander's allocation guidance for CAS and, based on the priorities assigned, begins developing detailed planning.
.7	Identifies significant CAS limitations and problem areas to the MEU. $$
.8	Coordinates requirements for airframe configuration required to support special missions (i.e., laser guided weapons, conventional weapons. missiles, etc.).
.9	Ensures appropriate weapons are available consistent with type targets assigned.
10	Provides terrain masking and threat avoidance information, based on a detailed terrain analysis and available intelligence, to the CAS aircrews for their detailed planning.
11	Ensures procedures are established for safety of flight and deconfliction with other supporting arms (NGF, artillery, mortars, and helicopter routes).
12	Coordinates with the MEU/GCE to ensure ground based terminal controllers are briefed on the mission procedures.
13	Coordinates the integration of OAS control points (rendezvous points, contact points, initial points) with the ATF control agencies (HDC, TACC, SACC).

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.1.7 CONDUCT ELECTRONIC WARFARE PLANNING

CONDITION(S): By task organization, MEU assets for airborne electronic warfare are limited. A CVBG, or land based aircraft, will provide the majority of aviation assets for the requirements as delineated by the CATF/CLF. The radio battalion has provided a direct support unit (DSU) to the supported MAGTF for planning and operations. The ACE tasks organic assets, and coordinates outside aviation EW requirements with the AT?, based on the priorities set by the MEU commander.

STANDARDS	: EVAL: Y: N: NE
.1	Receives MEU commander's initial planning guidance and intent.
.2	Prepares an estimate of supportability.
.3	Coordinates with the MEU $5-2$ to establishes a single point of control to coordinate EW within the ADA.
.4	Coordinates with MEU S- $2/DSU$, on how aviation assets can assist in the MEU EW effort (i.e., placement of monitor teams, airbornerelay, etc.).
.5	Ensures SW SOP's are followed and proper procedures are included in the MEU operations order, to include any reports required (MIJI. etc.).
.6	Develops signal security plans to include all phases of communication security; i.e., cryptosecurity, transmission security, emission security, and physical security, and disseminates appropriate procedures to subordinate elements.
.7	Develops inputs to the necessary appendixes for the concept of airborne SW (airborne and/or ground based) for the CATF/CLF. (KI)
.8	Determines and requests SW support augmentation for direct support of specific aviation emissions assigned.
.9	Request aircraft for airborne electronic surveillance with real time reporting over secure tactical communications nets, when required.
10	Ensures all mission plans include both active and passive SW (any aircraft can be used as an airborne listening platform).
11	Conducts OPSEC/COMSEC monitoring and reporting as directed by the MEU.
12	Ensures that all planners. operators, and users of electronic equipment thoroughly understand the EW threat.
13	Ensures aviation self defense ECM/ECCM capabilities are installed and are operable (RHAW gears DECM equipment, chaff, flares) on all aircraft.
14	Coordinates with the MEU for a viable ECCM plan (to include EMCON) which accounts for varying enemy threat capabilities.
15	Develops procedures to ensure ERIM's and ERIR's generated from the CVBG or land based assets are requested through the MEU 5-2.
16	Plans procedures for the emergency extraction of monitoring or radio relay teems, if required.
17	Ensures inclusion of SW plans when conducting rehearsals.
18	Submits SW reports per the established SOP's and/or operations orders in a timely manner.

EVALUATOR INSTRUCTIONS: None.

KEY INITIATORS:

ELECTRONIC WARFARE

EW is the use of electromagnetic energy to determine, exploit, reduce, or prevent hostile use of the electromagnetic spectrum and those actions which retain friendly use of the electromagnetic spectrum. Three categories are included:

1. Electronic Warfare Support Measures (ESM). That division of SW involving actions taken under the direct control of an operational commander to search for, intercept, and identify/locate sources of radiated electromagnetic energy for the purpose of immediate threat recognition.

- Electronic Countermeasures (ECM). Those actions taken to prevent or reduce an enemy's effective use of the electromagnetic spectrum.
 - a. Electronic Jamming. Deliberate radiation, re-radiation, or reflection of electronic energy with the object of impairing the use of electronic devices, equipment, or systems used by the enemy.
 - b. Electronic Deception. Deliberate radiation, alteration, absorption, or reflection of electromagnetic enemy in a manner intended to be received by enemy electronic systems. Both manipulative and imitative deception are included.
- 3. Electronic Counter-Countermeasures (ECCM). That division of EW involving actions taken to retain effective friendly use of the electromagnetic spectrum.

3D.2 GENERAL ACT PLANNING

TASK: 3D.2.1 CONDUCT ADMINISTRATION PLANNING

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}} : \quad \text{The MEU(SOC) ACE is in receipt of an operations order } \\ \text{requiring deployment and support of MEU tactical operations.} \quad \text{The S-1} \\ \text{commences planning and liaison with outside units as directed/required.}$

STANDARD	S: EVAL: Y: N: NE
.1	Coordinates and requisitions administrative supplies as required.
.2	Arranges for ADPE/computer equipment for correspondence and unidiary purposes.
.3	Uses published SOP's in planning and coordinating pre-deployment administrative activities.
.4	Submits orders requests with sufficient lead time.
.5	Screens individual records for deployability.
.6	Identifies any personnel shortages and requests augmentation after coordination with all departments/attachments.
.7	Identifies advance party and rear det personnel.
.8	Arranges provisions for payment of deployed personnel.
.9	Ensures comrats and BAS status are reflected on the unit diary.
.10	Issues meal cards as appropriate.
11	Coordinates forwarding of mail for deployed personnel.
.12	Arranges for endorsement of orders at all detachment sites.
.13	Makes the appropriate entries for accumulated deployed time and sea duty on unit diary.
.14	Arranges for unit communications shift and message releasing authority while deployed.
.15	Reviews casualty reporting procedures.
.16	Ensures that wills. records of emergency data, allotments, dependents power of attorney, expiring I.D. cards. SGLI, etc., are updated.
.17	Coordinates far the availability of a flight surgeon and corpsmen for the deployment.
.18	Prepares personal affairs briefs for dependents.
.19	Plans special services requirements while deployed.

.20	Arranges for PAO augmentation, if required.
.21	Arranges for home town news releases, if appropriate.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
TASK: 3	D.2.2 CONDUCT LOGISTICS PLANNING
requiring	(S): The MEU(SOC) ACE is in receipt of an operations order deployment and support of MEU tactical operations. The 5-4 planning and Liaison as directed/required.
STANDARDS	: EVAL: Y: N: NE
.1	Receives command guidance and attends any planning conferences.
.2	Accomplishes planning per published SOP's and deployment checklists.
.3	Coordinates SAAM requests with MEU/MAG 5-4.
.4	Coordinates the loading plan with MEU/MAG S-,.
.5	Ensures that certified hazardous cargo personnel are available.
.6	Plans for material handling equipment (MHE) at the points of embarkation and debarkation.
.7	Plans for all MEU(SOC) ACE transportation requirements; i.e., to and from billeting and work spaces, messhall, ordnance areas, duty vehicles, refuel/defuel drivers, buses for PAY, and trucks for baggage and large cargo.
.8	Coordinates with the 53 for the LOI outlining the timetable for embarkation, including weight allowances and staging areas.
.9	Plans for MEU(SOC) ACE pack up to be staged and weighed in advance, including supply pack-up and GSE gear.
.10	Coordinates for working parties to accompany and to assist in the loading and unloading of aircraft/attached equipment.
.11	Coordinates procedures with MEU/MALS lb', for acquiring and transporting aircraft parts not currently on hand to the deployed site/ship.
.12	Coordinates with MEU/MAG Marine Corps supply for generators, tents, sleeping bags, cots, blankets, heaters, lights, water buffaloes, and/or required unit property.
.13	Coordinates with MEU/MAG Marine Corps Supply/MALS Supply Department for any special equipment (782 gear, NBC MOPP gear, cold weather/desert equipment) to be issued to individuals.
.14	Plans for head, shower, and laundry facilities, if required, and submits requirements to the MEU/MAG S-4.
.15	Establishes a point of contact at the deployment site/ship, if available.
.16	Coordinates location of office spaces and maintenance areas for all MEU(SOC) ACE departments/attachments.
.17	Plans billeting and submits requirements to MEU/MAG S-4.
.18	Coordinates the availability of electrical power and pressurized air for maintenance spaces.

.19	Coordinates any food service requirements, including messmen and cooks, and hours of operation at deployed site/ship. and any augmentation required.
.20	Identifies medical and dental capabilities at the deployed site.
.21	Coordinates with the MACG DET OIC for communications requirements to include telephones, intercoms, and radios.
.22	Coordinates the amount and types of fuel required at the deployed site/ship.
.23	Coordinates security requirements for billeting and working areas.
.24	Coordinates explosive device storage, including ejection seats, LAAD weapons (Stinger missiles), rocket motors, ordnance/ammunition, and CAD's at the deployed site/ship.
.25	Coordinates disposal of hazardous waste at the deployed site/chip.
.26	Coordinates for storage of individual T/O weapons and aircraft weapons at the deployed site/ship.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3	D.2.3 CONDUCT MAINTENANCE PLANNING
(ATO) requ variety of	<u>S)</u> : The MEU(SOC) ACE is in receipt of an Air Tasking Order iring deployment and support of tactical operations of a MEU. A missions can be anticipated requiring sections, divisions, and ivision strength. Liaison is being conducted with the permanent
STANDARDS:	EVAL: Y: N: NE
.1	Identifies and coordinates any personnel shortages with the 5-1 for forwarding to the MEU/MAG for assistance.
.2	Identifies the advance and trail maintenance pack-up and the prepositioning of components (engines, struts, etc.) to MEU/MALS supply.
.3	Coordinates with S-1 the paychecks, orders, health records, etc., of advance and trail maintenance personnel.
4	Plane advance and trail maintenance parties, ensuring that appropriate licensed personnel are available, (CDI's, high power turn-up personnel, etc.) as well as any special equipment needed for embarkation if movement to C new support base is required.
.5	Ensures that supervisory personnel for advance and trail maintenance parties have message releasing authority.
.6	Ensures that maintenance personnel clearances for routine and classified message traffic are delivered to the message center.
.7	Coordinates with S-l for any request for wills, allotments, dependents power of attorney, expiring I.D. cards, etc.
.8	Coordinates with the $8-3$ to determine the number of sorties anticipated and required, aircraft configurations for specific missions, and scheduling of launches that best utilize available assets.
.9	Informs CO and S-3 of any shortcomings of assets available to meet the operational requirements.
.10	Coordinates the ordnance requirements with 5-3 in a timely manner, to allow the request to be conveyed to MEU/MAG ordnance.

.11 _	 Coordinates with the 5-3 for a conference at the deployed site/ship to include representatives from supply, base operations, ATC, IMA, ordnance, fueling, billeting, and security to ensure coordinated efforts for aircraft support.
.12 _	 Reviews SOP's, lessons learned, etc.
.13 _	 Uses MEU(SOC) ACE SOP in planning briefings on disaster preparedness.
.14 _	 Screens aircraft logs to ensure that no aircraft inspections will interfere with the operational requirements (phase inspection, appropriate day inspection, changing of high time components, CAD's, etc.).
.15 _	 Identifies necessary teat equipment and ground support equipment (engine stands, nitrogen carts, jacks, NC units, light units, SATS loaders, hydraulic jenny, etc.), for use at the deployed site/ship and coordinates this with the 5-4
.16 _	 Coordinates with MALS IMA to make available $\ensuremath{XRAY/NDI}$ equipment, if necessary.
.17 _	 Ensures the pre-expend bins (PEE) are stocked.
.18 _	 Ensures that all calibrated equipment is up to date including gauges, torque wrenches, jacks, tire changing kits, and avionics equipment.
.19 _	 Coordinates with MALS GSE for any predeployment licensing needed.
.20 _	 Coordinates with MALS supply department to make available high use items including brakes, tires, black boxes, and high time items.
.21 _	 Coordinates with the MEU(SOC) ACE S-4 for necessary transportation to replenish aircraft parts and other supplies, if required.
.22 _	 Coordinates with the MEU(SOC) ACE 5-4 for transportation of maintenance personnel to and from billeting, work spaces, and dining facilities, if required.
.23 _	 Coordinates with MEU(SOC) ACE 5-4 for any special personnel equipment requirements (field jackets, 782 gear, cold weather gear, mosquito nets, etc.).
.24 _	 Coordinates disposal of hazardous waste with the s-4.
.25 _	 Coordinates with the 5-4 for required ordnance vehicles.
.26 _	 Plans facilities for storage of ejection seat rocket motors, CAD's, and external fuel tanks if required.
.27 _	 Ensures key maintenance personnel (shop NCOIC's, QAR's) are available during predeployment workup, and if not makes the appropriate adjustments to work schedules.
.28 _	 Reviews the number of licensed personnel to ensure that appropriate personnel are available for each working crew including high power turn up, GSE operators, tow qualified personnel, plane captains, ordnance drivers, and CDI's.
29	 Rehearses the reclamation team and inventories equipment for serviceability, to include a radio for communication, lighting, foul weather gear, and water and rations for several days.
.30 _	 Coordinates with the 5-2 and S-3 for security forces augmentation requirements.
.31 _	 Plans for maintenance area security of any required classified material and coordinates with 8-2 and 8-4.
.32 _	 Makes special arrangements for food services to accommodate unusual work schedules if required.
.33 _	 Plans for the establishment of communications between ready room and maintenance control.
34	 Ensures that maintenance intercom/radio system between working spaces is incorporated and working.
.35 _	 Ensures that maintenance control has communications access to key functions such as security, crash crew, fire department, fuel farm, supply, key maintenance personnel, enlisted billeting, GSE, etc.


KEY INDICATORS: None.

TASK: 3D.2.4 CONDUCT INTELLIGENCE PLANNING

CONDITION(S): The MEU(SOC) ACE is in receipt of an operations order requiring deployment end support of tactical operations of a MEU. The 5-2 commences planning and liaison immediately. It is imperative that the intelligence planning and collection be initiated in a timely manner so it will be useful to the aircrew during their later mission planning.

STANDARDS:	EVAL: Y: N: NE
.1	Receives MEU/MAG commander's planning guidance and intent.
.2	Coordinates with other MEU(SOC) ACE sections for requests of EEI's to include enemy detection and reaction capabilities, target identification and prioritization, type end location of antiaircraft weapons, force concentrations, enemy aircraft capabilities end tactics, enemy ECM and ECCM capabilities, weather conditions in the area of responsibility (AOR), prominent terrain in the AOR, and safe areas and divert fields.
.3	Prepares a preliminary aviation intelligence estimate to furnish the MEU(SOC) ACE commander with sufficient intelligence to formulate basic decisions and assist in issuing planning guidance to MEU(SOC) ACE personnel.
.4	Makes early distribution of the intelligence estimate to all staff officers to allow them to proceed with their planning functions.
.5	Determines, based on the assigned missions and the commander's guidance, additional EEI's end other intelligence requirements COIR) of the MEU(SOC) ACE for forwarding to the MEU.
.6	Phrases the additional EEI's for forwarding in simple, concise statements which include a positive directive, qualifying questions, end items requiring special attention.
.7	Recommends a priority of effort to satisfy the MEU(SOC) ACE's intelligence requirements based on the tactical situation end the mission(s) assigned.
.8	Determines MEU(SOC) ACE requirements for maps, charts, aerial imagery, photographs, other graphic aids, end inventories onhand assets.
.9	Requests any necessary graphic aids not on hand.
.10	Disseminates all necessary information, graphic aide, end "smart packs" to aircrew as required in time for mission planning.
.11	Plans end reviews procedures for requesting satellite intelligence information.

.12		Interfaces with combat information center (CHIC)/N-2 to determine availability of fleet imagery support terminal (FIST) data and specific area of operations (SAO) support in case a contingency arises.
.13		Develops a collection plan to support missions.
.14		Plans communications requirements for sending and receiving intelligence information.
.15		Coordinates with MEU/MAG S-2 to develop collection plan requirements to include visual reconnaissance assignments to MEU(SOC) ACE aircrew.
.16		Participates in all briefings of aircrew and provides updated intelligence information prior to each launch.
.17		Plans and conducts an intelligence debrief for every aircrew,, that completes a mission.
.18		Records information gathered from aircrew systematically for ease of study and comparison, and forwards information gathered immediately to all appropriate command elements.
.19		Develops and maintains a complete enemy order of battle (EOB) to include information on enemy missiles, aviation assets, EW capabilities, naval forces, ground forces, and coordinates dissemination means with the $3-3$.
.20		Updates all staff members on newly acquired intelligence information as it becomes available.
.21		Provides routine intelligence reports to higher and adjacent elements as required in the operations order.
.22		Plans procedures and submits reports on time to higher commands.
.23		Plans for and requests TERPES/TAMPS data.
<u>EVAI</u>	LUATOR	INSTRUCTIONS: None.
KEY	INDICA	ATORS: None.
TASI	ζ: <u>3</u> Ι	D.2.5 CONDUCT OPERATIONS PLANNING
info init unit	orming tial pl	(S): The MEU(SOC) ACE has received an initiating directive it of impending operations. All liaison has been performed, lanning has begun, an operations order has been developed, and are available. Day and night shipboard operations are ed.
STA1	NDARDS	EVAL: Y: N: NE
.1		Receives MEU command guidance and intent.
.2		Establishes timeline for planning and ensures it is understood by all concerned.
.3		Coordinates with the S-2 for EEI support to, include enemy detection and reaction capabilities, type and location of antiaircraft weapons, target identification and prioritization, force concentrations, enemy aircraft capabilities end tactics, weather conditions in the AOR, prominent terrain in the AOR, safe areas, and divert fields. (See TASK: 3D.2.4 Intelligence Planning).
. 4		Establishes early liaison with the MEU staff operations planners to, receive mission tasking guidance. $$
.5		Makes initial estimate of MEU(SOC) ACE capabilities as they pertain to the assigned/expected $mission(s)$.
.6		Develops planning figures for a surge effort, identifying how long the surge effort can be sustained, the time required to recover, and the sorties available during recovery.



.31	Develops a scatter plan. if required.	
.32	Plans a matrix for mission and weather $go/no\ go$ criteria and coordinates it with the MEU.	
.33	Coordinates with S-2 to keep MEU(SOC) ACE personnel updated on all changing intelligence information.	
.34	Plans for return to force (RTF) procedures, ingress/egress routes, daily changing codes, and frequencies.	
.35	Ensures ability to receive air tasking order CATO). and plans procedures for MEU(SOC) ACE flight schedules.	
EVALUATOR	INSTRUCTIONS: None.	
KEY INDICA	ATORS: None.	
	3D.3 HELICOPTERBORNE ASSAULT	
TASK: 3I	0.3.1 CONDUCT HELICOPTERBORNE ASSAULT MISSION PLANNING	
CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct helicopterborne assault mission(s) in support of the MEU. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore. either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.		
STANDARDS	EVAL: Y: N: NE	
	Establishes early liaison with the assault commander.	
	Issues warning order to MEU(SOC) ACE staff planners to prepare for imminent meeting.	
	Analyzes mission tasking to determine specific tasks, stated and implied.	
.4	RCOuC5ts combat information and EEI's concerning METT-T.	
	Establishes a time schedule delineating completion times for all phases of planning.	
.6	Provides helicopter availability table (EAT) information to the assault commander.	
.7	S-2 initiates planning to provide environmental data.	
.8	Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).	
.9	Furnishes air support requirements to MEU/CATF.	
.10	ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.	
.11	Requests reconnaissance information on the area of operations.	
.12	Reconciles any aviation shortfalls with the MEU commander.	
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.	
.14	Allocates assets to support assault force concept of operations and coordinates an Air Tasking Order CATO).	

.15	Plans distance and fuel requirements and identifies refueling/FARP requirements. (See MPS 30.9, Forward Arming and Refueling Point).
.16	Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics during ingress/egress, and while in the objective area.
.17	Plans/coordinates primary and alternate LZ's. (KI)
.18	Coordinates ingress/egress routes to the primary and alternate LZ's with assault commander and/or MEU.
.19	Recommends priority of targets for prep fires.
.20	Plans and coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Plans helicopter landing diagram and landing sequence to ensure any deconfliction and control of assets.
.24	Coordinates mutual support of weapons systems in the LZ.
.25	Coordinates communications needs both electronic and visual. to establish the C3 link (to include air control agencies), COMSEC. deception, chattermark. EMCON procedures, NORDO. codewords, prowords, and frequencies.
.26	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.27	Plane TRAP procedures.
.28	Plans FARP procedures. if required.
.29	Plane in conjunction with the MEU, a viable deception plan.
.30	Coordinates the development of "smart packs" (kneeboard handouts).
.31	Plane smallest maneuver element for tactical controllability in VMC and IMC. both day and night.
.32	Establishes plans for both operational and weather go/no go criteria.
.33	Establishes a bump plan.
.34	Establishes a scatter plan.
.35	Coordinates and integrates command and control procedures.
.36	Schedules rehearsal for evaluating the plan, if time allots.
.37	Establishes procedures for manifesting and accounting for personnel on each aircraft.
.38	Schedules mission briefings for all flightcrews and necessary personnel.
39	Assists the assault commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.40	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.41	Utilizes light level planning calendar for night missions and understands limitations. (KI)
.42	Considers NVG's and establishes priorities for issue and testing, if required.
.43	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.44	Plane and coordinates RTF wits the MEU/GCE.

.45 ____ Submits plan to the MEU commander for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's tactical manuals, NATOPS instructions, and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE CLE) SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent ii' conducting rendezvouses, approaches. and landings at night.
- 6. Slower end more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the LZ.

III-D-18

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loam due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo damage/loss.
- 4, No sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits 110K.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

1. Small items/loads.

III-D-19

- 2. Permits MOE
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish Mission.
- 3. Possible cargo lose due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3D.3.2 CONDUCT HELICOPTERBORNE ASSAULT MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE __ Briefs all items per published NATOPS, briefing guides, SOP's and NWP-55-10. All participating aircrews are present. Systematically prioritizes tasks. .3 _ Allocates time to ensure all tasks assigned are completed prior to mission briefing. _ Assign. planning responsibilities to appropriate flight billets. _ Maximizes use of tactical SOP's. _ Uses kneeboard cards and tactical checklists to consolidate information. Briefs the general situation in the area of operations. __ Briefs friendly forces scheme of maneuver and weapons involved; i.e., NGF, any joint integration, ingress/egress routes, and the latest aerial imagery. (KI) Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM, and ECCM capabilities. (KI) S-2 brief. local populace reaction capabilities. (See TASK 3D.23.18, Intelligence Update Briefing). .12 __ __ Briefer uses appropriate maps, charts, and aerial photographs, as required. _ Briefs encryption procedures, both internal and external to the .13 flight. Briefs SERE procedures. (KI) .14 ___ Briefs EW consideration. (KI)

III-D-20

.16	Briefs weather. including go/no go criteria. (KI)
.17	Ensures that all appropriate personnel have handouts.
.18	Briefs mission 80/no 80 criteria; i.e., aircraft, personnel, and other mission essential equipment.
.19	Briefs mission precedence.
.20	Ensures the mission statement is understood by all participants.
.21	Briefs a timeline, to include L hour/H hour.
.22	Briefs mission assets. (KI)
.23	Briefs cell signs/event numbers.
.24	Briefs chain of responsibilities. (KI)
.25	Briefs general scheme of maneuver. (KI)
.26	Briefs inadvertent IMC/loss of visual contact.
.27	Briefs fuel requirements. (KI)
.28	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.29	Briefs NVG operational considerations.
.30	Briefs launch conditions. (KI)
.31	Briefs ingress procedures. (KI)
.32	Briefs LZ procedures. (KI)
.33	Briefs egress procedures. (KI)
.34	Briefs downed aircraft procedures for overwater and overland.
.35	Briefs TRAP procedures.
.36	Briefs concurrent operations.
.37	Briefs FARP procedures, if applicable.
.38	Briefs deception plan.
.39	Briefs special considerations.
.40	Briefs all safety matters.
.41	Briefs goggle/degoggling procedures.
.42	Briefs controlling agencies.
.43	Briefs EMCON procedures.
.44	Briefs DRIADS.
.45	Briefs ground/flight deck signals.
.46	Briefs location/time of debriefs.
.47	Briefs time back.
.48	Allows questions to ensure safety of flight information is understood by all.

III-D-21

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP-55-10 ASH Manual. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS calculations when required by the evaluator.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire (NGF).
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Infantry, AAA, SAM, and air threat locations known.
- 4. Expected movement.
- 5. EEI's.

SERE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. RF propagation.
- 3. Current weather.
- 4. Forecast weather.

III-D-22

HANDOUTS

- 1. Kneeboard cards.
- 2. Maps/charts
- 3. ACEOI.

MISSION ASSETS

- 1. Fixed-wing.
- 2. Helicopter including 80/no go criteria.
- 3. Supporting arms.
- 4. Ground support.

CHAIN OF RESPONSIBILITY

The location, call sign, and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternates.
- 3. HTC.
- 4. Flight Leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

GENERAL SCHEME OF MANEUVER

- 1. Overall ingress and egress routes.
- 2. Control measures, boundaries, phase lines, IP'S, etc.
- 3. Primary and alternate LZ's.
- 4. CAS prep.
- 5. SEAD.
- 6. Escort.

FUEL

- 1. Takeoff load.
- 2. Minimum.
- 3. Bingo.

LAUNCH

1. Aircraft manning time.

III-D-23

- 2. Turn-up time.
- Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost comm, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/waveoff instructions.
- 4. Escort.
- 5. Takeoff instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan.

III-D-24

EGRESS

- 9. Primary and alternate routes.
- 10. Control measures (CP's, RP's).
- 11. Timing.
- 12. Airspeed and altitude.
- 13. Formations.
- 14. Escort.
- 15. Supporting arms.
- 16. Weapon. conditions.
- 17. Penetration checklist.
- 18. Communication procedure. including visual signals, lost communications, chattermark, codewords, and RIO.
- 19. En route terrain.
- 20. Probable point of last enemy contact.
- 21. Evasive maneuvers.
- 22. Scatter plan.
- 23. NBC considerations.
- 24. NVG considerations.

TASK: 3D.3.3 EXECUTE HELICOPTERBORNE ASSAULT MISSION

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct an helicopterborne assault mission to support the MEU. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore. either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing. air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE

.1	All aircrew are qualified and current for assigned mission.
.2	Aircraft are configured to conduct preplanned missions.
.3	Conducts preflight activities within prescribed timeframe.
. 4	Conducts a last minute liaison with supported unit for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Supported unit boards helicopter. with minimum delay, ensuring all personnel/equipment are properly staged.
.7	Conducts launch activities (execute bump plan, if required), as briefed. $ \\$
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.

. 9	 Confirms go/no go criteria exist before continuing with mission.
.10	 Executes communications procedures/plan as briefed.
.11	 Ensures formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	 Flight(s) employ appropriate tactics/profile to prevent enemy detection. (KI)
.13	 Employ. smallest maneuver element capable of accomplishing mission.
14.	 Executes procedure. properly upon inadvertent IMC/lo of visual contact,
.15	 Exercise. communication discipline during mission.
.16	 Ensure. aircrew. observe ROE and ROC.
.17	 Use appropriate flight control measures to adequately control the flight.
.18	 Employs proper tactics response to any pop-up, immediate threat.
*19	 Aircrew demonstrates crew coordination. (KI)
.20	 Flight navigates and remains oriented throughout mission.
.21	 Members of the flight provide course correction, if needed, in a timely manner.
.22	 Remain. constantly aware of aircraft systems and performance.
.23	 Emphasizes mission accomplishment end safety considerations throughout the flight. (KI) $$
.24	 changes to route are made by proper authority.
.25	 Ensures fire support plan is responsive and covers all perceived vulnerable area.
.26	 Ensures crewmen comply with weapon. conditions as briefed.
.27	 Receives clearance at the IP to proceed to the LZ.
.28	 Perform. penetration checklist at the appropriate time/place.
.29	 Report. to the controlling agency s5 required to update weather, enemy situation, and $go/no\ go\ criteria$.
.30	 Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) $$
.31	 Executes deception plan.
.32	 Updates heloteam leader on approach to LE giving direction the helicopter will land.
.33	 Employs proper approach techniques to LZ.
.34	 Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.35	 Allows escort to be in position in time for prep fires.
.36	 Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	 Ensures any change to LZ is made by proper authority,
.38	 Contacts controlling agency upon reaching/departing LZ's.
.39	 Ensures minimum time in zone.
.40	 Flights arrive in LZ on time.
.41	 Within 5 minutes of planned time.

.42	Within 4 minutes of planned time.
.43	Within 3 minutes of planned time.
.44	Within 2 minutes of planned time.
.45	Within 1 minute of planned time.
.46	Flights land at correct LZ.
.47	Within 1,000 meters of LZ.
	Within 400 meters of LZ.
.49	Within 200 meters of LZ.
.50	Within 100 meters of LE.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by HST/LZ control team.
.53	During paraops, flies correct altitude, airspeed, and heading providing information to crewchief/jumpmaster.
.54	Lands in correct extraction site LZ.
.55	Flights arrive at the extraction LZ on time.
.56	Within 5 minutes of planned time.
.57	Within 4 minutes of planned time.
.58	Within 3 minutes of planned time.
.59	Within 2 minutes of planned time.
.60	Within 1 minute of planned time.
.61	Last extraction aircraft does not depart the LZ until supported force leader accounts for all force personnel.
.62	Executes proper departure techniques to reduce exposure to threat.
.63	Executes downed aircraft procedures, as briefed.
.64	Executes RTF procedures.
.65	Executes FARP procedures.
.66	Continues contact with controlling agency concerning flight status.
.67	Executes EW procedures.
.68	Performs recovery procedures.
.69	Executes post landing deployment of helicopters.
.70	Performs postflight of aircraft.

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The MEU(SOC) ACE shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is on time, all subordinate standards will be marked "Yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic emissions and limit use of aircraft lighting systems to enhance Survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations,
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of Special interest.

TASK: 3D, 3.4 CONDUCT HELICOPTERBORNE ASSAULT MISSION DETERRING

 $\underline{\text{CONDITION(S)}}$: A helicopterborne assault mission has been completed. A debriefing for that mission is held, with emphasis on lessons learned for future use.

III-D-28

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP, NATOPS, guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	S-2 collects all classified/sensitive materials.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-D-29

3D.4 RAID

TASK: 3D.4. CONDUCT RAID MISSION PLANNING

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many standards as required. Additional 5555t5 may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism. Mission planning has begun.

STANDARDS	: EVAL: Y: N: NE
.1	Establishes early liaison with the Supported commander.
.2	Issues warning order to MEU(SOC) ACE staff planners to prepare for imminent missions.
.3	Analyze mission tasking to determine specific tasks, stated and implied.
.4	Provides aviation supportability estimates to MEU commander.
.5	Requests combat information end EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table CHAT) information to the supported commander.
.8	Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).
.9	Provides air support requirements to MEU/CATF.
.10	ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.11	Requests reconnaissance information of the area of operations, as necessary.
.12	Reconciles any aviation shortfalls with the MEU commander.
.13	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support or EW support.
.14	Allocates assets to support assault force concept of operations and coordinates an Air Tasking Order (ATO).
.15	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (see MPS: 3D.09 Forward Arming and Refueling Point).
.16	Integrates available fire support capability (NGF. CAS, CIFS, artillery), with planned aviation tactics, during ingress/egress,. and while in the objective area.
.17	Plans/coordinates primary and alternate LZ's. (KI)
.18	Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.19	Recommends priority of targets for prep fires.
.20	Plans/coordinates control points. (KI)
.21	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.22	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.23	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.

.24	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.25	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.26	Ensures knowledge of forward arming and refueling point (FARP) procedures if required by mission assignment.
.27	Plans in conjunction with the MEU, a viable deception plan. if required.
.28	Coordinates the development of "smart packs' (kneeboard handouts). $ \\$
.29	Establishes plans for both operational and weather go/no 80 criteria.
.30	Establishes a bump plan.
.31	Establishes a scatter plan.
.32	Coordinates and integrates command and control procedures.
.33	Schedules rehearsal for evaluating the plan, if time allows.
.34	Schedules mission briefings for all flight crews and necessary personnel. $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right$
.35	Assist. the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.36	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.37	Coordinates contingency plans for rapid withdrawal or extraction.
.38	Plans and coordinates return to force procedures (RTF) with the $\ensuremath{MEU}\xspace$.
.39	Utilizes light level planning calendar for night missions and understands limitations. (KI)
.40	Consider. NVG's and establishes priorities for issue and testing, if required.
.41	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
42	Submits plans to the MEU commander for approval.
EVALUATOR	<pre>INSTRUCTIONS:</pre> Estimate of supportability can be either

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

EIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- 5. Problems inherent in conducting rendezvous, approaches, and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient,
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeed:.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

1. Small items/loads.

III-D-32

- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo/damage loss.
- 4. ?lo sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

AERIAL DELIVERY (50 LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits MOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - c. Pilot technique.

III-D-33

TASK: 3D.4.2 CONDUCT RAID MISSION BRIEFING

 $\frac{\text{CONDITION(S)}}{\text{condition(S)}}: \quad \text{The ATO has been issued and the MEU(SOC) ACE is assigned raid missions as part of a MEU. Multiple divisions/sections will be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. Terminal controllers. FAC(A) and HC(A) attends brief when possible.$

STANDARDS:	EVAL: Y: N: NE
.1	Briefs all items per published NATOPS, briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.4	Maximizes use of tactical SOP's.
.5	Uses kneeboard cards and tactical checklists to consolidate information.
.6	Briefs current ROE, ROC, and alert conditions and/or weapons-conditions information.
.7	Ensures the mission statement is understood by all participants.
.8	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.9	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phase lines, target description, and enemy defenses and reattack procedures, as required.
10	Briefs friendly locations of air defense assets and any changing MEZ/FEZ requirements.
11	Briefs all mission assets.
12	Briefs availability of on call electronic warfare (EW). obscuring smoke, or illumination missions.
13	5-2 briefs local populace reaction capabilities.
14	Briefer uses appropriate maps, charts, and aerial photographs as required.
15	Briefs weather, including go/no go criteria. (KI)
	Briefs mission go/no go criteria: i.e., aircraft, personnel, and other mission essential equipment.
17	Briefs mission precedence.
18	Briefs inadvertent IMC/loss of visual contact.
19	Briefs fuel/ordnance requirements. (KI)
20	Briefs MVC operational considerations.
21	Briefs LZ procedures/considerations. (KI)
22	Briefs FARP procedures, if applicable.
23	Briefs timehack.
24	Briefs EMCON procedures.

III-D-34

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, attack and weapons release parameters, and TOS/TOT calculations when required.

KEY INDICATORS:

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Infantry, AM, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

WEATHER

- 1. Data.
- 2. RF propagation.
- 3. Current and forecast weather.

FUEL

- 1. Takeoff load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.
- 7. Timeline.
- 8. Aerial refueling.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Take off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

III-D-35

TASK: 3D.4.3 EXECUTE RAID MISSION

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct a raid to destroy a point target or conduct a harassing raid. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (real world contingencies are encouraged), the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	EVAL: Y: N: NE
.1	All aircrew are qualified and current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.
.4	Conducts a final liaison with raid force commander for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Ensures all personnel/equipment are properly secured prior to launch and safety equipment for personnel is aboard.
.7	Conducts launch activities (execute bump plan, if required), as briefed.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	Confirms go/no go criteria exists before continuing with mission.
.10	Executes communications procedures/plan as briefed.
.11	Employs LAAD assets with appropriate command, control, and communications to support the operation.
.12	Ensures formation facilitates support by escort, control, maneuverability, manual support, and collision avoidance.
.13	Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.14	Employs smallest maneuver element capable of accomplishing mission.
.15	Executes procedures properly upon inadvertent IMC entry/loss of visual contact.
.16	Exercises communications discipline during mission.
.17	Ensures aircrews observe ROE and ROC.
.18	Uses appropriate flight control measures to adequately control the flight.
.19	Employs proper tactical response to any, pop-up immediate threat.
.20	Demonstrates aircrew coordination. (KI)
.21	Flight navigates and remains oriented throughout mission.
.22	Applies proper course corrections, if needed, in a timely manner.
.23	Remains constantly aware of aircraft systems and performance.
.24	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) $$
.25	Changes to route are made by proper authority.

.26	Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.27	Ensures crewmen comply with weapons conditions as briefed.
.28	Executes deception plan, if appropriate.
.29	Allows escort to be in position in time for prep fires.
.30	Performs penetration checklist at the appropriate time/piece.
.31	Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria.
.32	Flight receiving clearance at the IP to proceed to the LE ensures go/no go criteria exists. (KI) $$
.33	Ensure any change to LE is made by proper authority.
.34	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.35	Employs proper approach techniques to LZ.
.36	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.37	Performs landing as briefed, in sequence, and in proper positions utilizing ITG procedures.
.38	Contact controlling agency upon reaching/departing LZ's.
.39	Ensure minimum time in zone.
.40	Flights arrive in LE on time.
.41	Within 5 minutes of planned time.
.42	Within 4 minutes of planned time.
.43	Within 3 minutes of planned time.
.44	Within 2 minutes of planned time.
.45	Within 1 minute of planned time.
.46	Flights land at correct LE.
.47	Within 500 meters of LZ.
.48	Within 200 meters of LZ.
.49	Within 100 meters of LE.
.50	Within 50 meters of LZ.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by HST/LZ control team.
.53	Lends in correct extraction site LE.
.54	Flights arrive at the extraction LZ on time.
.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.

.59	Within 1 minute of planned time.
.60	Last extraction aircraft does not depart the LZ until raid force leader accounts for all raid force personnel.
.61	Executes proper departure techniques to reduce exposure to threat.
.62	Executes downed aircraft procedures as briefed.
.63	Executes RTF procedures properly.
.64	Executes FARP procedures properly, if planned.
.65	Continues contact with controlling agency concerning flight status during retrograde.
.66	Executes EW procedures.
.67	Executes post landing dispersion of helicopters.
.68	Performs postflight of aircraft.
Helicopte instructi	<u>INSTRUCTIONS</u> : Evaluator shall be familiar with Assault Support r Tactical Manual, applicable FMFM's, TACMAN's. NATOPS ons, and SOP's. The MEU(SOC) ACE shall perform as many as necessary for the completion of the mission. If execution

<u>Е</u> Н at the LZ is on time, all subordinate standards will be marked "yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. In addition, he monitors the cockpit instruments.
- Weapons employment. 3.
- Maintenance of situational awareness.
- 5. Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- Compliance with safety guidance to include ROE and ROC.
- Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

III-D-38

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

TASK: 3D.4.4 EXECUTE RAID WITHDRAWAL

 $\underline{\text{CONDITION(S)}}$: Raid force has conducted either a point destruction raid and/or a harassing raid, and has proceeded to the withdrawal site.

STANDARDS: EVAL: Y: N: NE

.1	Locates	with	ldrawa	l aird	craft	to	provide	immediate.	timely
	response	e to	raid	force	signa	al.			

- .2 ____ Close-in fire support (CIFS) aircraft provide effective point and area target interdiction to prevent enemy from reactin5 to raid.
- .3 ____ Uses fire support coordination measures to ensure safety of raid force.
- .4 ____ Raid force at night is easily identified through use of discrete lighting (infrared chemlites) or other means.
- .5 ____ Assault and CIFS aircraft react swiftly and appropriately to any change of situation in the LZ.
- .6 ____ Assault aircraft conduct rapid. sequenced withdrawal of raid force.
- 7 ____ CIFS aircraft provide final protective fires when planned as last elements of the raid forces are embarked.
- 8 ____ Assault aircraft commanders reconfirm accountability with raid force team leaders and report to raid force commander.
- 9 ____ Attempts to recover Marines left behind are in accordance with the alternate pick-up points and times designated in the order.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.e.5 CONDUCT RAID MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: A raid mission has been completed. A debrief is held for the mission with all participants present if possible. A major emphasis during the debrief is on lessons learned for future use.

III-D-39

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP. NATOPS, guides and NWP 55-9.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps. aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants, if possible. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief. execution phases. and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	S-2 collects all classified/sensitive materials.
EVALUATOR	INSTRUCTIONS: None.

STANDARDS: EVAL: Y: N: NE

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-D-40

3D.5 MILITARY OPERATIONS IN URBAN TERRAIN (MOUT)

TASK: 3D.5.1 CONDUCT MONUT INITIAL PLANNING

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct key mission(s) in support of the MEU. The enemy forces have no known fixed-wine aircraft; however, they are supplied with various weapons to include hand-held antiair missiles, heavy machineguns, end light antiaircraft artillery. The use of fixed wing launched precision munitions and guided weapons can be approved by CATF/MAGTF. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Additional assets may be utilized if available to include other helicopters, fixedwing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	EVAL: Y: N: NE
.1	Establishes early liaison with the supported commander.
.2	Issues warning order to $\ensuremath{MEU}(\ensuremath{SOC})$ ACE staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks. stated and implied. $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right$
	Provides aviation supportability estimates to MEU commander.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (HAT) information to the supported commander.
.8	5-2 initiates planning to provide environmental data.
.9	Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).
.10	Provides air support requirements to MEU/CATF.
.11	ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Requests reconnaissance information of the area of operations, as necessary.
.13	Reconciles any aviation shortfalls with the MEU commander.
14	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15	Allocates assets to support assault force concept of operations and coordinates an ${\tt AT}$).
.16	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements (See MPS: 3D.09 Forward Arming and Refueling Point).
.17	Integrates available fire support capability (NGF, CAS, CIFS. artillery) with planned aviation tactics, during ingress/egress, and while in the objective area.
.18	Plans/coordinates primary and alternate LZ's. (KI)
.19	Plans/coordinates ingress/egress routes to the primary and alternate ${\tt LZ's.}$
.20	Recommends priority of targets for prep fires.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.

.25	Coordinates manual support of weapons systems in the terminal objective area.
.26	Coordinates communications needs (electronic and vi5ual) to establish the COMM link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.29	Ensures knowledge of forward arming and refueling point (FARP) procedures if required by mission assignment.
.30	Plans in conjunction with the mission commander, a viable deception plan if required.
.31	Coordinates the development of 'smart packs" (kneeboard handouts).
.32	Plans smallest maneuver element for tactical controllability in VMC and INC, both day and night.
.33	Establishes plans for both operational and weather so/no so criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allows.
.38	Schedules mission briefings for all flight crews and necessary personnel.
.39	Assists the mission commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.40	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.41	Coordinates contingency plans for rapid withdrawal or extraction.
.42	Plans and coordinates RTF procedures with the MEU.
.43	Utilizes light level planning calendar for night missions and understands limitations. (KI) $$
.44	Considers NVG's and establishes priorities for issue and testing, if required.
.45	Considers internal/external serial delivery transport advantages/disadvantages. (KI)
.46	Submits plans to the MEU commander for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.

- 6. Approach and retirement routes.
- 7. Ease of identification.
- a. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter wave..
- 5. Problems inherent in conducting rendezvouses. approaches. and landings at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

III-D-43

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo/damage lame.
- 4. Na sling requirements.
- 5. Na cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require mare sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external bade.
- 5. Excludes outsize cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require mare sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - c. Pilot technique.

III-D-44

TASK: 3D.5.2 CONDUCT MOUT MISSION BRIEFING

CONDITION(S): The ATO has been issued and the ACE is assigned MOUT missions as part of a MEU. Multiple divisions/sections will be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. Terminal controllers, FAC(A) and HC(A) attends brief when possible.

STANDARDS	EVAL: Y: N: NE
.1	All items are briefed per published NATOPS. briefing guides, SOP's and NWP-55-9.
.2	All participating aircrews are present.
.3	Systematically prioritizes tasks.
.4	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.5	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.6	Maximizes use of tactical SOP'S.
.7	Uses kneeboard cards and tactical checklists to consolidate information.
.8	Briefs current ROE, ROC. and alert conditions and/or weapons conditions information.
.9	Ensures the mission statement is understood by all participants.
10	Briefs friendly forces scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration. (KI)
11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
12	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
13	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications. $$
14	Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
15	Briefs radio/KY-SB communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
16	Briefs alternate target(s) or mission(s).
17	Briefs friendly locations of air defense assets and any changing $\ensuremath{\mathtt{MEZ/FEZ}}$ requirements.
18	Briefs any known changes to TACP control procedures or communications requirements.
19	Briefs all mission assets.
20	Briefs availability of on call electronic warfare (EW), obscuring smoke, or illumination missions.
21	Briefs delivery and abort parameters per ground attack SOP, to include minimum altitude, airspeed, and dive angle for ordnance releases due to FRAG pattern, terrain, or weather.
22	5-2 briefs local populace reaction capabilities.
23	Briefer uses appropriate maps, charts, and aerial photographs, as required.
24	Briefs encryption procedures, both internal and external to the flight. $\ensuremath{\text{\footnotemath{\text{o}}}}$
25	Briefs SERE procedures. (KI)

.26	Briefs EW consideration. (KI)
.27	Briefs weather, including go/no 80 criteria. (KI)
.28	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.29	Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.30	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.31	Briefs actions required if attacked by SAM/AAA and corresponding RHAW gear operation/displays.
.32	Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats.
.33	Briefs laser designation procedures and codes, and visor/filter usage for pilot safety in a laser environment.
.34	Briefs mission precedence.
.35	Briefs a time line, both into and OUT of the area of operations.
.36	Briefs call signs/event numbers.
.37	Briefs shipboard operating procedures.
.38	Briefs chain of responsibilities. (KI)
.39	Briefs inadvertent INC/loss of visual contact.
.40	Briefs fuel/ordnance requirements. (KI)
.41	Briefs NVG operational considerations.
.42	Briefs launch conditions. (KI)
.43	Briefs ingress procedures. (KI)
.44	Briefs LZ procedures/considerations. (KI)
.45	Briefs egress procedures. (KI)
.46	Briefs downed aircraft procedures for overwater and overland.
.47	Briefs TRAP procedures.
.48	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.49	Briefs FARP procedures.
.50	Briefs deception plan.
.51	Briefs timehack.
.52	Briefs location/time of debriefs.
.53	Briefs controlling agencies.
.54	Briefs EMCON procedures.
.55	Briefs DRIADS.
	Briefs flightdeck/ground signals.
.57	Questions are allowed to ensure tactical/safety of flight information is understood by all.

III-D-46

EVALUATOR INSTRUCTIONS: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards. maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, P's, attack and weapons release parameters. and TOS/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.
- 6. Air defense assets and locations.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Infantry, AAA, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

SUE

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

EW

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. RF propagation.
- 3. Current/forecast weather.

III-D-47

CHAIN OF RESPONSIBILITY

The location, call sign and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Takeoff load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.
- 7. Timeline.
- 8. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

PROGRESS

- 1. Primary and alternate routes.
- 2. Control measures CRP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.

III-D-48

- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Take off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde , withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measure. (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Commutation procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.

III-D-49

- 12. Probable point of last enemy contact.
- 13. ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.

STANDARDS: EVAL: Y: N: NE

17. RTF.

TASK: 3D.5.3 EXECUTE MOUT MISSION

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct MOUT missions in support of the GCE: All liaison, planning, and briefing have been performed. Unit SOP's are available. The missions Can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

.1	All aircrew are qualified and current for assigned mission.
.2	Aircraft are configured to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.
.4	Conducts a final liaison with supported unit for any changes.
.5	Conducts start-up ontime with systems checks ontime and ready for launch.
.6	Ensures all personnel/equipment are properly secured prior to launch and safety equipment for personnel is aboard.
.7	Conducts launch activities (execute bump plan, if required), as briefed.
.8	Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	Confirms go/no go criteria exists before continuing with mission.
.10	Execute communications procedures/plan as briefed.
.11	Employs LAAD assets with appropriate command, control, and communications to support the operation.
.12	Ensures formation facilitates support by escort, control, maneuverability, manual support, and collision avoidance.
.13	Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.14	Employs smallest maneuver element capable of accomplishing mission.
.15	Executes procedures properly upon inadvertent IMC entry/loss of visual contact.
.16	Exercises communications discipline during mission.
.17	Ensures aircrew observe ROE and ROC.
.18	Uses appropriate flight control measures to adequately control the flight.
.19	Employs proper tactical response to any pop-up immediate threat.

	Demonstrates aircrew coordination. (KI)
	Flight navigates and remains oriented throughout mission.
.22	Applies proper course corrections, if needed, in a timely manner.
.23	Remains constantly aware of aircraft systems and performance.
.24	Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.25	Changes to route are made by proper authority.
.26	Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.27	Ensures crewmen comply with weapons conditions as briefed.
.2B	Executes deception plan, if appropriate.
.29	Allows escort to be in position in time for prep fires.
.30	Performs penetration checklist at the appropriate time/place.
.31	Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria.
.32	Flight receiving clearance at the XP to proceed to the LE ensures go/no go criteria exists. (KI)
.33	Ensures any change to LZ is made by proper authority.
.34	Updates heloteam leader on approach to LZ giving direction the helicopter will land.
.35	Employs proper approach techniques to LZ.
.36	Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.
.37	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.38	Contact controlling agency upon reaching/departing LZ's.
.39	Ensures minimum time in sons.
.40	Flights arrive in LZ on time.
.41	Within 5 minutes of planned time.
.42	Within 4 minutes of planned time.
.43	Within 3 minutes of planned time.
.44	Within 2 minutes of planned time.
.45	Within 1 minute of planned time.
.46	Flights land at correct LE.
.47	Within 500 meters of LZ.
.48	Within 200 meters of LZ.
.49	Within 100 meters of LZ.
.50	Within 50 meters of LZ.
.51	Executes waveoffs as briefed.
.52	If carrying external load, drops load in spot as directed by HST/LZ control teem.

III-D-51

.53	During paraops, flies correct altitude, airspeed, and heading while providing information to crewchief/jumpmaster.
.54	Lands in correct extraction site LZ.
.55	Flights arrive at the extraction LZ on time.
.56	Within 5 minutes of planned time.
.57	Within 4 minutes of planned time.
.58	Within 3 minutes of planned time.
.59	Within 2 minutes of planned time.
.60	Within 1 minute of planned time.
.61	Executes proper departure techniques to reduce exposure to threat.
.62	Executes downed aircraft procedures as briefed.
.63	Executes RTF procedures properly.
.64	Executes FARP procedures properly, if planned.
.65	Continues contact with controlling agency concerning flight status during retrograde.
.66	Executes EW procedures.
.67	Executes post landing dispersion of helicopters.
.68	Performs postflight of aircraft.
Support He instruction as necessary	INSTRUCTIONS: Evaluator shall be familiar with Assault elicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS ons, and SOP's. The MEU(SOC) ACE shall perform as many standards ary for the completion of the mission. If execution at the LZ e, all subordinate standards will be marked "yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls, avoids obstacles and reports terrain/landmark information to the pilot not at the controls.
- 2. The pilot not at the controls, remains oriented at all times and informs the pilot at the controls of direction and route corrections. Zn addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness.
- Lookout and weapons stations duties to be assigned to other crewmembers.

III-D-52

SAFETY CONSIDERATIONS

Shall emphasize.

- 1. Compliance with safety guidance to include ROE end ROC.
- 2. Aircraft performance/limitations.
- 3. Ob5tacle/hazsrd identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. physical obstructions in the LZ.
- 4. Marking of the LZ.

EVALUATOR INSTRUCTIONS: None.

5. Other matters of special interest.

TASK: 3D.5.4 CONDUCT MOUT MISSION DEBRIEFING

 $\underline{\text{CONDITION}(S)}$: The key mission is complete and a debrief for all participants is being held. The emphasis is on lessons learned and reference for future use.

<u>TANDARDS</u>	: EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
*2	Debrief is conducted per SOP. NATOPS, guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps. aerial photos. sketches or other training aide when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. if possible. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan. brief. execution phases, and lessons learned to develop new COA's and tactics to improve SOP's contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
10	Debriefs ROE and ROC effects on mission execution.
11	S-2 collects all classified/sensitive materials.

III-D-53

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.

EVAL:

10. Shipboard operating procedures.

3D.6 NONCOMBATANT EVACUATION OPERATIONS (NEO)

TASK: 3D.6.1 CONDUCT NEO MISSION PLANNING

Y: N: NE

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct NEO mission(s) as part of a MEU. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many standards as required. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control detachments, and MWSS support to enhance battlefield realism.

_ Establishes early liaison with the NEO commander. Issues warning order to MEU(SOC) ACE staff planners to prepare for imminent missions. _ Analyzes mission tasking to determine specific task., stated and .3 _ implied. _ Provides aviation supportability estimates to MEU commander. .4 __ Requests combat information and EEI's in concert with METT-T. .5 _ _ Establishes a time schedule delineating completion times for all phases of planning. .7 ____ Provides helicopter availability table (HAT) information to the supported commander. S-2 initiates planning to provide environmental data. _ Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.). Provides air support requirements to MEU/CATF. .10 ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.

III-D-54

ENCLOSURE (1)

STANDARDS:

.12	Requests reconnaissance information of the AOA, as applicable.
.13	Reconciles any aviation shortfalls with the MEU commander.
.14	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support or EW support.
.15	Allocates assets to support assault force concept of operations and coordinates an Air Tasking Order (ATO).
.16	Plans distance and fuel requirements and identifies refueling/FARP and serial refueling requirements (see MPS: 3D.09 forward Arming and Refueling Point).
.17	Integrates available fire support capability. (NGF, CAS, CIFS, artillery) with planned aviation tactics, during ingress/egress, and while in the objective area.
.18	Plans/coordinates primary and alternate LZ's. (KI)
.19	Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
*20	Recommends priority of targets for prep fires, if applicable.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.24	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.25	Coordinates mutual support of weapons systems in the terminal objective area.
.26	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	Plane shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.29	Ensures knowledge of forward arming and refueling point (FARP) procedures if required by mission assignment.
.30	Plans in conjunction with the MEU, a viable deception plan if required.
.31	Coordinates the development of "smart packs" (kneeboard handouts).
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes plane for both operational and weather go/no go criteria.
.34	_ Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allows.
.38	Schedules mission briefings for all flight crews and necessary personnel.
.39	Assists the supported unit commander in the preparation of the Heloteam Wave and Serial Assignment Table (HWSAT).
.40	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.

.41	Coordinates contingency plans for rapid withdrawal or extraction.
.42	Plans and coordinates return to force procedures CRTS) with the $\ensuremath{MEU}\xspace$.
.43	Considers NVG's and establishes priorities for issue and testing, if required.
.44	Consider. internal/external serial delivery transport advantages disadvantages. (KI)
.45	Submits plans to the MEU commander for approval.
.46	Ensures briefing of ROE.
EVALUATOR	<pre>INSTRUCTIONS: Estimate of supportability can be either written</pre>

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM tactical manuals, NATOPS instructions, and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advent ass.

- 1. Rapid end efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

III-D-56

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo/damage loss.
- 4. No sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. Nay require more sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits 11DB.
- 3. NO slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. Nay require more sorties to accomplish mission.

III-D-57

- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3D.6.2 CONDUCT NIGHT NEO MISSION PLANNING

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}\text{:}\quad \text{The ACE has been tasked to execute a night NEO mission in support of MEU operations. Due to additional constraints imposed by night operations, the following MPS's must be considered in the planning stage.}$

STANDARDS: EVAL: Y: N: NE

- .1 ____ Utilizes light level planning calendar for night missions and understands limitations. (KI) $\,$
- .2 ____ Plans aircraft lighting and flight formations to be employed.
- .3 $_$ Allocates NVG's to support the NED, and establishes priorities for issue and testing, if required.
- .4 _____ Plane ITG landing zone procedures including LZ and load identification lighting and communication procedures.
- .5 ____ Schedules training rehearsal during darkness if time permits.
- 6 ____ Plans for contingencies and emergency procedures.
- .7 ____ Ensures briefing of ROE.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter leaves.
- 5. Problems inherent in conducting rendezvouses, approaches, and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

III-D-58

TASK: 3D.6.3 EXECUTE NEO MISSION

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct NEO mission(s) in support of the GCE. All liaison, planning, and briefing have been performed. Unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS	: EVAL: Y: N: NE
.1	Configure aircraft to conduct preplanned mission (troops, internal cargo, external lift).
.2	Conducts final ZIPPO brief to ensure last minute details requiring coordination are discussed face to face between air and ground elements.
.3	Confirms with NEC commander at RP that NEC force is embarked.
4	Arrives at NEC site with sufficient ground and aviation assets to accomplish the mission. $$
.5	Flight tactics reflect METT-T considerations.
.6	Maintains communication discipline as briefed.
.7	Continuous coordination is maintained with NEC commander as to the progress of the mission. $ \\$
.8	Receives timely update concerning deployment of enemy forces in the area.
.9	Employs LAAD assets with appropriate command, control, and communications to support the operation.
.10	Uses appropriate procedures for effectively utilizing fire support assets.
.11	Effectively utilizes ITG procedures and LZ lighting to position aircraft into LZ.
.12	Inserts NEC force into correct LZ at the desired time.
.13	Appropriately positions aircraft in LE to provide coverage "hue NEC element deploys from aircraft.
.14	Ensures aircrews observe ROE/ROC. Confirms with supported unit commander that all elements of NEC have been withdrawn prior to departure from objective area.
.15	Uses tactically sound procedures to expedite return to base.
EVALUATOR	<pre>INSTRUCTIONS:</pre> None,

TASK: 3D.6.4 CONDUCT NEO MISSION DEBRIEFING

KEY INDICATORS: None.

 $\underline{\text{CONDITION(S)}}$: The NEC mission is complete and a debriefing is being held for all participants. The emphasis is cm lessons learned and their applicability for future operations.

III-D-59

STANDARDS: EVAL: Y: N: NE	
.1 Ensures all aviation mission essential personnel are present.	
.2 Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 9.	55-
.3 S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.	
.4 Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.	3
.5 Debriefs all aspects of the flight with ill participants, if possible. (KI)	
.6 Records post mission debrief for future use.	
.7 Analyzes plan. brief. execution phases, end lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.)
.8 Ensures intelligence information received before the mission v accurate.	vas
.9 Uses the debrief as a constructive training tool.	
.10 Debriefs ROE and ROC effects on mission execution.	
.11 S-2 collects all classified/sensitive materials.	
<u>EVALUATOR INSTRUCTIONS</u> : None.	
KEY INDICATORS:	
DEBRIEFING ASPECTS	
1. Changes from original brief.	
2. Command and control.	
3. Communications.	
4. Support/escort.	
5. Coordination.	
6. Navigation.	
7. Safety.	
8. Tactics used/effectiveness.	
9. Recommendations.	

III-D-60

ENCLOSURE (1)

10. Shipboard operating procedures.

3D. 7 ONSCENE COMMAND AND CONTROL

TASK: 3D.7.1 CONDUCT ONSCENE COMMAND AND CONTROL MISSION PLANNING

STANDARDS:	EVAL: Y: N: NE
	Ensures earliest possible liaison and detailed coordinated planning is conducted with the around unit commander to enable effective and efficient employment of the C&C helicopter.
.2	Briefs the helicopterborne unit commander/HC(A) on the proper operation of the AN/ASC-26 package.
.3	Analyzes correctly intelligence information for accurate identification of enemy capabilities and air defense positions.
	Makes the ground commander aware of the communication difficulties/limitations associated with low altitude terrain following flight.
.5	Plans logistics support requirements (fuel, maintenance, etc.).
	Plans aircrew replacements to ensure C&C support to the ground commander.
	C&C helicopter aircraft commander requests and receives specific mission requirements from the Air mission commander/C.
	$\ensuremath{\text{C\&C}}$ helicopter aircraft commander analyzes METT-T during mission planning.
	Plans flight altitudes/techniques based on safety, enemy threat, and mission accomplishment.
	Considers formal airspace coordination areas for the C&C aircraft to ensure traffic separation.
.11	Plans for covered communications usage.
.12	Makes NVG considerations for the ground element commander and staff.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS: None.
TASK: 3I	0.7.2 BRIEFS COMMAND AND CONTROL MISSION
informatio	S): A briefing is held to ensure tactical and safety of flight on is given widest dissemination to aircrew. The sequence and the mission is explained to and understood by all concerned.
STANDARDS:	EVAL: Y: N: NE
.1	$\ensuremath{\text{C\&C}}$ helicopter aircraft commander attends the overall mission briefing.
	C&C helicopter aircraft commander is thoroughly familiar with the air and ground scheme of maneuver.
	Deconflicts the briefed C&C aircraft scheme of maneuver with all participating unite (aviation and ground supporting arms).

III-D-61

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.7.3 EXECUTES COMMAND AND CONTROL MISSION

 $\underline{\text{CONDITION}(S)}$: The tactical situation is changing rapidly and it is necessary to launch the C&C aircraft in order to provide the commander with an update on the progress of the operation.

STANDARDS: EVAL: Y: N: NE

.1	Provides t	the (C&C	aircr	aft	to	the	ground	unit	commander/HC(A)	at
	the assign	ned :	loca	tion	and	tin	ne.				

- 2 ____ Bases the airborne positioning of the C&C aircraft upon safety, enemy threat, and requests of the ground unit commander/HC(A).
- 3 ____ Flight techniques reflect tactical requirements of the mission.
- .4 ____ Crew coordination is in accordance with mission requirements.
- .5 ____ Communications discipline is in accordance with current MEU(SOC) ACE/ship SOP.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

3D.8 SECURITY/REINFORCEMENT

TASK: 3D.8.1 CONDUCT SECURITY/REINFORCEMENT MISSION PLANNING

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct security/reinforcement mission(s) to protect a key area; i.e., U.S. Embassy, downed aircraft, critical avenues, etc. Antigovernment forces are organized and capable of interfering militarily with the security forces. Minimal assistance is expected from the host national forces for additional security. All liaison has been performed, and initial planning has begun. An operations order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many. standards as required. Additional assets may be utilized if available to include other helicopters, fixedwing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE

.1	Establishes early liaison with the supported commander.
.2	Issues warning order to $\ensuremath{MEU}(\ensuremath{SOC})$ ACE staff planners to prepare for imminent missions.
.3	Analyzes mission tasking to determine specific tasks, stated and implied.
. 4	Provides aviation supportability estimates to MEU commander.
.5	Requests combat information and EEI's in concert with METT-T.
.6	Establishes a time schedule delineating completion times for all phases of planning.
.7	Provides helicopter availability table (RAT) information to the supported commander.

III-D-62

. 8	 S-2 initiates planning to provide environmental data.
.9	 Develops aviation support requirements (ordnance, fuel. special equipment, personnel. etc.).
.10	 Provides air support requirements to MEU/CATF.
.11	 ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	 Requests reconnaissance information of the area of operations. if applicable.
.13	 Reconciles any aviation shortfalls with the ME)) commander.
.14	 Requests support from external aviation assets, if required. for fixed-wing escort, airborne early warning platform, fire support, or EW support.
.15	 Allocates assets to support assault force concept of operations and coordinates an air tasking order (ATO).
.16	 Plane distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements (See MPS 3D.09 Forward Arming and Refueling Point).
.17	 Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics, during ingress/egress. and while in the objective area.
.18	 Plans/coordinates primary and alternate LZ's. (KI)
.19	 Plans/coordinates ingress/egress routes to the primary and alternate LZ's.
.20	 Recommends priority of targets for prep fires.
.21	 Plans and coordinates control points. (KI)
.22	 Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	 Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.24	 Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.25	 Coordinates manual support of weapons systems in the terminal objective area.
.26	 Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	 Plans shipboard refueling/rearming cycles with the AT)', if necessary.
.28	 Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.29	 Ensures knowledge of forward arming and refueling point (FARP) procedures, if required by mission assignment.
.30	 Plans in conjunction with the MEU a viable deception plan, if required.
.31	 Coordinates the development of "smart packs" (kneeboard handouts).
.32	 Plans smallest maneuver element for tactical controllability in VMC and INC, both day and night.
.33	 Establishes plans for both operational and weather $go/no\ go$ criteria.
.34	 Establishes a bump plan.
.35	 Establishes a scatter plan.
.36	 Coordinates and integrates command and control procedures.
.37	 Schedules rehearsal for evaluating the plan, if time allows.

.38	Schedules mission briefings for all flight crews and necessary personnel.
.39	Assists the supported unit commander in the preparation of the heloteam wave and serial assignment table (HWSAT).
.40	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.41	Coordinates contingency plans for rapid withdrawal or extraction.
.42	Plans and coordinates return to force procedures (RTF) with the MEU. $$
.43	Utilizes light level planning calendar for night missions and understands limitations. (KI)
.44	Considers NVG's and establishes priorities for issue and testing, if required.
.45	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.46	Submits plans to the MEU commander for approval.

EVALUATOR INSTRUCTIONS: Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions. and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities. predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.

III-D-64

- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.
- Problems inherent in conducting rendezvouses, approaches. and landings at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge while taxiing.
- 3. Reduced danger of cargo/damage lose.
- 4. No sling requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits NOE.

Disadvantages

- 1. Loading/unloading delays.
- 2. Reduced load per mission.
- 3. Increased threat exposure tine.

III-D-65

- 4. Requires working parties.
- 5. Small pellets only.

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/loads.
- 2. Permits NOE.
- 3. No sling requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. Reduced load per mission.
- 3. Cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3D.8.2 CONDUCT SECURITY/REINFORCEMENT MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	Briefs all items per published NATOPS, briefing guides, SOP's end NWP-55-9.
.2	All participating aircrews are present.
.3	Systematically prioritizes tasks.
.4	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.5	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.6	Maximizes use of tactical SOP's.
.7	Uses kneeboard cards and tactical checklists to consolidate information.
.8	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.9	Ensures the mission statement is understood by all participants.

III-D-66

.10	Briefs friendly forces scheme of maneuver, weapons involved, i.e NGF, artillery, and any joint integration. (KI)
.11	Briefs enemy detection and reaction capabilities. type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy EM and ECCM capabilities. (KI)
.12	Briefs tactics in the target area, friendly positions. commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
.13	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
.14	Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.15	Briefs radioJKY-58 communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
.16	Briefs alternate target(s) or mission(s).
.17	Briefs friendly locations of air defense assets and any changing ${\tt MEZ/FEZ}$ requirements.
.18	Briefs any known changes to TACP control procedures or communications requirements.
.19	Briefs all mission assets.
.20	Briefs availability of on call electronic warfare (EW). obscuring smoke, or illumination missions.
.21	S-2 briefs local populace reaction capabilities.
.22	Briefer uses appropriate maps, charts, and aerial photographs, as required.
.23	Briefs encryption procedure., both internal and external to the flight.
.24	Briefs SERE procedures. (KI)
.25	Briefs EW consideration. (KI)
.26	Briefs weather. including go/no go criteria. (KI)
.27	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, chart., etc.
.28	Briefs mission go/no go criteria; i.e., aircraft, personnel and other mission essential equipment.
.29	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.30	Briefs actions required if attacked by SAN/AAA and appropriate RWR gear operation/displays.
.31	Brief. look-out procedures to include responsibilities. radio calls, and tactical maneuvering for threat.
.32	Briefs lacer designation procedures and codes, and visor/filter usage for pilot safety in a lacer environment.
.33	Briefs mission precedence.
.34	Brief. a timeline, both into and out of the area of operations.
.35	Brief. call signs/event numbers.
.36	Briefs shipboard operating procedures.
.37	Brief. chain of responsibilities. (KI)
.38	Briefs inadvertent IMC entry/loss of visual contact.
.39	Brief. fuel/ordnance requirements. (KI)

.40	Briefs NVG operational considerations.
.41	Brief. launch conditions. (KI)
.42	Briefs ingress procedures. (KI)
.43	Briefs LZ procedures/considerations. (KI)
.44	Briefs caress procedures. (KI)
.45	Briefs downed aircraft procedures for overwater and overland.
.46	Briefs TRAP procedure
.47	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.48	Briefs FARP procedures.
.49	Briefs deception plan.
.50	Briefs timehack.
.51	Briefs location/time of debrief.
.52	Briefs controlling agencies.
.53	Briefs NON procedures.
.54	Briefs DRIADS.
.55	Briefs flightdeck/ground signals.
.56	Allows questions to ensure tactical/safety of flight information is underat66d by all.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Infantry, AM, SAM, and air threat locations known.
- 4. Expected movement.
- 5. Essential elements of information.

III-D-68

<u>SERE</u>

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

<u>WEATHER</u>

- 1. Data.
- 2. RF propagation.
- 3. Current/forecast weather.

CHAIN OF RESPONSIBILITY

The location, call sign and frequency should be briefed for the following.

- 1 Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Takeoff load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.

III-D-69

- 7. Timeline.
- 8. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG consideration..

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.

III-D-70

- 5. Take off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and Altitude.
- 5: Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3D.8.3 EXECUTE SECURITY/REINFORCEMENT MISSION

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to execute security/reinforcement mission(s). All liaison, planning, and briefing have been performed. Unit SOP's are available. The mission can be conducted while shipboard or ashore. either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged). the MEU(SOC) ACE should perform as many standards as necessary. Additional assets may be utilized if available to include other helicopters, fixed-wing. air control elements. and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE

.1	All aircrew are qualified and current for assigned mission.
.2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.

III-D-71

. 4	 Conducts a final liaison with mission commander for any changes.
.5	 Conducts start-up ontime with systems checks ontime and ready for launch.
.6	 Ensures all personnel/equipment are properly secured prior to launch and safety equipment for personnel is aboard.
.7	 Conducts launch activities (execute bump plan, if required), as briefed. \ensuremath{C}
.8	 Accomplishes rendezvous procedures as briefed or as directed by controlling agencies.
.9	 Confirms go/no 80 criteria exists before continuing with mission.
.10	 Executes communications procedures/plan as briefed.
.11	 Ensures formation facilitates support by escort, control, maneuverability, manual support, and collision avoidance.
.12	 Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.13	 Employs smallest maneuver element capable of accomplishing mission.
.14	 Executes procedures properly upon inadvertent IMC entry/loss of visual contact. $$
.15	 Exercises communications discipline during mission.
.16	 Ensures aircrews observe ROE and ROC.
.17	 Uses appropriate flight control measures to adequately control the flight.
.18	 Employs proper tactical response (scatter plan, ACM, ECM) to any pop-up immediate threat.
.19	 Demonstrates aircrew coordination; e.g., lookout doctrine. (KI)
.20	 Flight navigates and remains oriented throughout mission.
.21	 Applies proper course corrections, if needed, in a timely
	manner.
. 22	 manner. Remains constantly aware of aircraft systems and performance.
. 23	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
. 23	 Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
. 23	 Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived
.23	 Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas.
. 23 . 24 . 25 . 26	 Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate.
. 23 . 24 . 25 . 26 . 27 . 28	 Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires.
. 23 . 24 . 25 . 26 . 27 . 28	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place.
. 23 . 24 . 25 . 26 . 27 . 28 . 29	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to
. 23 . 24 . 25 . 26 . 27 . 28 . 29 . 30	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LE
. 23 . 24 . 25 . 26 . 27 . 28 . 29 . 30	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LE ensures go/no 80 criteria exists. (KI)
. 23 . 24 . 25 . 26 . 27 . 28 . 29 . 30 . 31	Remains constantly aware of aircraft systems and performance. Emphasizes mission accomplishment and safety considerations throughout the flight. (KI) Changes to route are made by proper authority. Ensures fire support plan is responsive and covers all perceived vulnerable areas. Ensures crewmen comply with weapons conditions as briefed. Executes deception plan, if appropriate. Allows escort to be in position in time for prep fires. Performs penetration checklist at the appropriate time/place. Reports progress of mission to controlling agency as required to update weather, enemy situation, and go/no go criteria. Flight receiving clearance at the IP to proceed to the LE ensures go/no 80 criteria exists. (KI) Ensure any change to LZ is made by proper authority. Updates heloteam leader on approach to LZ giving direction the

.36	Performs Landing as briefed. in sequence, and in proper position
.37	Contacts controlling agency upon reaching/departin8 LZ's.
.38	Ensures minimum time in zone.
.39	Flight. arrive in LZ on time.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LZ.
.46	Within 500 meters of LZ.
.47	Within 200 meter. of LZ.
.48	Within 100 meters of LZ.
.49	Within 50 meters of LZ.
.50	Executes waveoffs as briefed.
.51	If carrying external load. drops load in spot as directed by ${\tt HST/LZ}$ control team.
.52	During paraops, flies correct altitude, airspeed, and heading while providing information to crewchief/jumpmaster.
.53	Lands in correct extraction site LZ.
.54	Flights arrive at the extraction LZ on time.
.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.
.59	Within 1 minute of planned time.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly. if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.
.66	Executes post landing dispersion of helicopters, as applicable.
.67	Performs postflight of aircraft.

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The MEU(SOC) ACE shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is on time, all subordinate standards will be marked "yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade object. to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- The pilot at the controls to avoid obstacles and report terrain/landmark information to the other pilot.
- The pilot not at the controls of the aircraft to remain oriented St all times and inform the actual pilot of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapon. employment.
- 4. Maintenance of situational awareness.
- Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations
- 3. Obstacle/hazard identification and avoidance.
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

III-D-74

TASK: 3D.8.4 CONDUCT SECURITY/REINFORCEMENT MISSION DEBRIEFING

<u>CONDITION(S)</u>: The security/reinforcement mission is complete and a debriefing is being held with emphasis on lessons learned for future use.

STANDARDS	EVAL: Y: N: NE
.1	Ensures all aviation mission essential personnel are present.
.2	Conducts debrief per SOP, NATOPS, briefing/debriefing guides, and NWP 55-9.
.3	S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilizes maps, aerial photos, sketches, or other training aids when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debriefs ROE and ROC effects on mission execution.
.11	3-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-D-75

3D.9 FORWARD ARMING AND REFUELING POINT (FARP)

TASK: 3D.9.1 PLAN FARP FOR MISSION SUPPORT

 $\begin{array}{c} \underline{\text{CONDITION(S)}} \colon \text{ The MEU is in receipt of a mission which, due to distances} \\ \text{and/or the tactical situation, requires the en route rearming and/or} \\ \text{refueling of mission aircraft.} \quad \text{The decision has been made to deploy a} \\ \text{FARP.} \quad \text{The intelligence scenario and operational scheme of maneuver} \\ \text{reflects that of the basic mission that is being supported.} \quad \text{The FARP is} \\ \text{an enabling objective of the mission that has been assigned.} \\ \end{array}$

STANI	DARDS:	EVAL: Y: N: NE
.1		Utilizes NWP 55-9 (ASH Manual), check list.
.2		Assigns an ACE/FARP coordinator.
.3		Plans timeline, and specifies duration of TARP operation.
. 4		Identifies the number and type of aircraft to be supported.
.5		Identifies mission essential equipment/logistics based on requirements.
.6		Develops threat plan from available intelligence/combat information.
.7		Coordinates security requirements.
.8		Develops communications plan to include frequencies and EMCON procedures.
.9		Coordinates ITG requirements with the round element, if required.
.10		Plans for codewords and prowords and informs control agencies of their use, if necessary.
.11		Plans for appropriate number and types of support personnel; e.g., HST, ORD, TAFDS, ATC.
.12		Recommends go/no 80 criteria in coordination with the supported elements.
.13		Compares essential equipment assets with those available, considering backup requirements as well, and plans for their movement to the FARP area.
.14		Considers weather criteria.
.15		Plans alternate contingencies.
.16		Considers EW assets/procedures.
.17		Plans downed aircraft procedures, and aircraft recovery requirements to include necessary standby personnel.
.18		Plans arming/dearming procedures.
.19		Ensures ROE, weapons status, and alert conditions are established, and understood by all.
.20		Plans and schedules mission and flight briefings.
appl:	icable SOP's.	INSTRUCTIONS: The evaluator should be familiar with all FMFM's, Tactical Manuals, NATOPS instructions, and MEU(SOC) All key participants and detachment representatives in the planning.

III-D-76

ENCLOSURE (1)

KEY INDICATORS: None.

TASK: 3D.9.2 PLAN FARP EN ROUTE PHASE

 $\underline{\text{CONDITION(S)}}$: To be conducted once initial planning has established the location of the FARP. The threat information and tactical considerations mirror those required to support the basic mission. Additional sequencing and control measures are added for FARP specific tasks.

STANDARDS	: EVAL: Y: N: NE
.1	Plans for tactical dispersion of aircraft to ensure the phased arrival at the FARP location is consistent with the size of the landing area.
.2	Plans flight formations with reference to the refueling sequence and the tactical situation.
.3	Integrates available fire support capabilities to provide protection.
.4	Plans communications for oncall fixed-wing support as required.
5	Plans scatter procedures and control points/communications that allow for inflight contingencies. $ \\$
EVALUATOR participa	INSTRUCTIONS: This planning is to be conducted with all key nts.
RET INDICA	ATORS: None.
TASK: 31	D.9.3 PLAN TARP AREA OPERATIONS
	(S): The FARP location has been determined and planning for s has begun.
STANDARDS	: EVAL: Y: N: NE
.1	Assigns an onsite ACE/FARP coordinator.
.2	Assigns tasks to onsite ground control personnel.
.3	Bases location of the FARP on METT-T.
.4	Plans alternate location(s).
.5	Plans visual signals far both day and night uses, and attempts to eliminate unnecessary voice communications.
.6	Plans for specific number and types of aircraft.
.7	Plans marking of FARP area.
.8	Provides FARP layout including refueling/rearming staging areas.
.9	Plans refueling/rearming areas for safe separation of aircraft.
.10	Plans replenishment method; i.e external bladders, truck, CH- 53 , EC- 130 .
.11	Coordinates plans for use of specific fuel pumps, plus backups.
.12	Identifies and plans mission fuels.
.13	Coordinates/plans specific number of refueling points.
.14	Plane refueling heading.
.15	Calculates pumping time.
.16	Plans total time of refueling.

.17	Calculates ordnance build up times.	
	Plans arming/dearming headings of aircraft to increase safety	
if	possible.	
.19	Plans for emergencies in the refueling/rearming areas.	
.20	Plans movement of aircraft in the FARP area, and sequencing of services.	
.21	Plans ground safety equipment.	
.22	Considers drainage in FARP locations.	
.23	Considers EPA requirements, if necessary.	
.24	Considers location of LAAD teems for short range ground to air missile defense protection at the FARP site.	
.25	Publishes FARP diagram.	
.26	Establishes total fuel requirement and "take-on" quantity by type aircraft.	
EVALUATOR :	INSTRUCTIONS: This planning is to be conducted with all key ts.	
RET INDICATORS: None.		
<u>TASK</u> : 31	D.9.4 PLAN RIGHT FARP	
darkness. :	$\overline{(S)}$: Due to mission requirements, the FARP will be used during Therefore, the following requirements must be considered in the operation.	
STANDARDS:	EVAL: Y: N: NE	
.1	Utilizes light level planning calendar.	
.2	Plans Landing area lighting and flight formations to be employed.	
.3	Allocates NVG to support the operation, as required.	
.4	Plans ITG and coordinates with appropriate providing elements.	
.5	Plans aircraft Lighting.	
.6	Provides taxi directors with appropriate signaling device	
.7	Plans for contingencies and emergency procedures.	
.8	Plans training during darkness, if possible.	
EVALUATOR	<u>INSTRUCTIONS</u> : None.	
KEY INDICA	ATORS: None.	
	III-D-78	

TASK: 3D.9.5 PLAN FARP LOGISTICS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \texttt{Due to mission considerations, the FARP will remain in place for an extended period of time. Additional logistics considerations must be planned. Liaison with the CSSE is accomplished.}$

STANDARDS: EVAL: Y: N: NE
.1 Plans and identifies mission supplies.
.2 Considers resupply.
.3 Plans for the retrograding of supplies and personnel after TARNuse.
.4 Determines the requirement for EOD support.
<u>EVALUATOR INSTRUCTIONS</u> : None.
<u>KEY INDICATORS</u> : None.
TASK: 3D.9.6 BRIEF TARP MISSION
<u>CONDITION(S)</u> : The decision to employ a TARP has been made. All liaise has been performed and mission planning is complete. All participants as present for the brief.
STANDARDS: EVAL: Y: N: NE
.1 Briefs all items per published NWP 55-9 ASH manual/unit SOP.
.2 Briefs procedures for ordnance. HST, and ATC.
3 Briefs general scheme of maneuver for the basic mission.
.4 Briefs TARP security plan.
.5 Briefs communications plan and provides handouts.
.6 Briefs weather criteria.
.7 Briefs go/no 80 criteria.
.8 Briefs deception plan, if necessary.
.9 Briefs threat intelligence. to include escape and evasion procedures.
.10 Briefs downed aircraft procedures in the TARP area.
.11 Briefs disengagement procedures from the refueling points in case of emergency/attack.
.12 Briefs codewords.
.13 Briefs alternate TARP location(s).
.14 Briefs timeline.
.15 Briefs rules of engagement/weapons status and conditions.
.16 Briefs arming/dearming procedures.
.17 Briefs special considerations.
.18 Briefs obstacle clearance for FARP area.

.19 Briefs flight formations with reference to the refueling/rearming sequence.
.20 Briefs receiver aircraft on the amount of fuel to be taken.
.21 Briefs the number of refueling points.
.22 Briefs refueling and rearming headings.
.23 Briefs movement of aircraft in the FARP area.
.24 Briefs FARP area diagram.
.25 Briefs location of ground safety equipment.
.26 Briefs visual signals for day/night.
.27 Briefs contingency actions and emergency procedures.
<u>EVALUATOR INSTRUCTIONS</u> : This brief is to be conducted by the mission commander or his designee. All participants attend.
KEY INDICATORS: None.
TASK: 3D.9.7 BRIE? NIGHT FARP OPERATIONS
$\underline{\text{CONDITION}(S)}$: Night FARP operations are required to support effectively the GCE. This brief is to be conducted in conjunction with other briefings as applicable.
STANDARDS: EVAL: Y: N: NE
.1 Briefs ambient illumination.
.2 Briefs illumination plan.
.3 Briefs night vision device procedures.
.4 Briefs ITG.
.5 Briefs aircraft lighting, FARP lighting, and ground directors lighting.
.6 Briefs contingencies and emergency procedures at the FARP.
<u>EVALUATOR INSTRUCTIONS</u> : This brief is to be conducted by the mission commander or his designee. All participants attend.
<u>KEY INDICATORS</u> : None.
III-D-80

TASK: 3D.9.8 ESTABLISH ATC FUNCTIONS AT A FARP SITE

CONDITION(S): The MEU(SOC) ACE baa been assigned a mission which require. a large helicopterborne force to utilize a forward arming and refueling point (FARP) on the ingress route to a mission area. Due to the scope of the operation, onscene control of aircraft in and around the landing area is required. ATC personnel have been assigned that task, and are constrained in planning time and embarkation space due to the tactical environment.

STANDARDS	EVAL: Y: N: NE
.1	participates in the MEU(SOC) ACE planning to establish a FARP by providing air traffic control (ATC) specific information.
.2	Assist planning staff in preparing diagrams and map. for MEU(SOC) ACE approval which depict arming areas, refueling points, pre-standby and post-standby areas, obstacles, dispersion area., and control positions to include any safety equipment.
.3	Assist planning staff in preparing pilot briefing card. for MEU(SOC) ACE approval which depict FARP lighting requirements, aircraft lighting requirements, taxi instructions, timelines, communication methods and frequencies. and codeword definitions
. 4	Identifies ATC mission essential equipment and personnel required to include ground communications.
.5	Brief participating aircrews and all support personnel, and distribute briefing cards.
.6	Brief detailed weather information to include procedures which maybe required as a result of reduced ceilings/visibility.
.7	Inspect ATC personnel and equipment to be deployed.
.8	Coordinates earliest possible arrival into the landing area as appropriate to the plan.
.9	Within 5 minutes of arrival at the site, establish visual control capability consisting of radios and/or appropriate signaling devices.
.10	Set up portable NAVAID if available.
.11	provides timely coordination with refueling and arming personnel.
.12	Effectively and efficiently assist with completion of ?ARP activities.
.13	As appropriate to the plan, coordinate departure from the FARP location with the last available transportation out.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.9.9 EXECUTE FARP EN ROUTE PHASE

 $\underline{\text{CONDITION}(S)}$: A mission has been assigned which requires an en route FARP, and the ACE has completed all required liaison, planning, and briefing. Orders have been issued and all preparations have been checked.

III-D-81

STANDARDS	EVAL: Y: N: NE									
.1	Executes mission as briefed.									
.2	Executes mission communications plan as briefed.									
.3	Planned and briefed assets are available.									
.4	Appropriate number and types of personnel are available.									
.5	Adheres to ROE.									
.6	Adheres to timeline.									
.7	Executes mission security plan as briefed.									
.8	Tactically disperses aircraft.									
.9	Fuse flight formations cc briefed.									
.10	Control points allow for flexibility.									
.11	Flight leaders respond to emergencies immediately.									
.12	Understands scatter plan, and implements it without undue communication.									
.13	Aircraft arrive at the FARP cc planned.									
CONDITION										
STANDARDS	E: EVAL: Y: N: NE									
.1	Executes FARP as briefed.									
.2	Configures FARP as briefed.									
.3	Refueling/rearming area allows for safe separation of aircraft.									
.4	Onsite TARP coordinator and support personnel are present in the zone and are in control.									
.5	Movement of aircraft in the TARP area is as briefed.									
.6	Executes visual signals as briefed.									
.7	Aircrews adapt to changes without sacrificing mission accomplishment.									
.8	Sufficient fuel is available for receiver aircraft.									
.9	Sets up FART site in sufficient time to support the mission.									
.10	Aircraft receive proper ordnance.									
.11	Refueling/rearming headings are as briefed.									
	TIT D 02									

III-D-82

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.9.11 EXECUTE FARP NIGHT OPERATIONS

 $\underline{\text{CONDITION}(S)}$: The task requires night FARP operations to be conducted in support of MAGTF operations.

STANDARDS: EVAL: Y: N: NE

.1 ____ FARP lighting is sufficient.

2 ____ Taxi directors use appropriate lighting.

.3 ____ ITG methods are successful.

.4 ____ Aircraft lighting is as briefed.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

3D.1D RESUPPLY

TASK: 3D.10.1 CONDUCT RESUPPLY MISSION PLANNING

CONDITION(S): The MEU(SOC) ACE is in receipt of a warning order to conduct resupply operations as pert of a MEU. All liaison has been performed, and initial planning has begun. An operation' order has been developed and unit SOP's are available. The mission can be conducted while shipboard or ashore, either day or night. Given a mission scenario as developed by higher authority (realistic contingency scenarios are encouraged), the MEU(SOC) ACE should perform as many standards as required. Additional assets may be utilized if available to include other helicopters, fixed-wing, air control elements, and MWSS support to enhance battlefield realism.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Establishes early liaison with the supported commander.
- .2 ____ Issues warning order to MEU(SOC) ACE staff planners to prepare for imminent missions.
- .3 $_$ Analyzes mission tasking to determine specific tasks, stated, and implied.
- .4 _____ Provides aviation supportability estimates to MEU commander.
- .5 ____ Requests combat information and EEI's in concert with METT-T.
- .6 ____ Establishes a time schedule delineating completion times for all phases of planning.
- .7 ____ Provides helicopter availability table (HAT) information to the supported commander.
- .8 $_$ 5-2 initiates planning to provide environmental data.
- .9 ____ Develops aviation support requirements (ordnance, fuel, special equipment, personnel, etc.).
- .10 ____ Provides air support requirements to MEU/CATF.

III-D-83

.11	ACE provides guidance throughout planning phase by issuing SOP's, operations orders, plans, and informal briefings.
.12	Plans and/or requests reconnaissance information of the area of operations.
.13	Reconciles any aviation shortfalls with the MEU commander.
.14	Requests support from external aviation assets, if required, for fixed-wing escort, airborne early warning platform, fire support or EW support.
.15	Allocates assets to support assault force concept of Operations end coordinates an air tasking order (ATO).
.16	Plans distance and fuel requirements and identifies refueling/FARP and aerial refueling requirements. (See MPS 3D.09 Forward Arming and Refueling Point.)
.17	Integrates available fire support capability (NGF, CAS, CIFS, artillery) with planned aviation tactics, during ingress/caress, and while in the objective area.
.18	Plans/coordinates primary and alternate LZ's. (KI)
.19	Plans/coordinates ingress/caress routes to the primary and alternate LZ's.
.20	Recommends priority of targets for prep fires.
.21	Plans and coordinates control points. (KI)
.22	Ensures authority and procedures to change LZ's or ingress/egress routes are clearly established.
.23	Establishes and coordinates initial terminal guidance (ITG) procedures with the applicable element.
.24	Plans helicopter landing diagram and landing sequence in terminal area to ensure deconfliction and positive control of assets.
.25	Coordinates mutual support of weapons systems in the terminal objective area.
.26	Coordinates communications needs (electronic and visual) to establish the C3 link, COMSEC, deception, chattermark, EMCON conditions, NORDO, codewords, prowords, and frequencies.
.27	Plans shipboard refueling/rearming cycles with the ATF, if necessary.
.28	Ensures aircrew knowledge of tactical recovery of aircraft and personnel (TRAP) procedures.
.29	Ensures knowledge of forward arming and refueling point (FARP) procedures, if required by mission assignment.
.30	Plans in conjunction with the supported unit a viable deception plan, if required.
.31	Coordinates the development of "smart packs" (kneeboard handouts).
.32	Plans smallest maneuver element for tactical controllability in VMC and IMC, both day and night.
.33	Establishes plans for both operational and weather go/no 80 criteria.
.34	Establishes a bump plan.
.35	Establishes a scatter plan.
.36	Coordinates and integrates command and control procedures.
.37	Schedules rehearsal for evaluating the plan, if time allows.
.38	Schedules mission briefings for all flight crews and necessary personnel.
.39	Assists the supported unit commander in the preparation of the heloteam wave and serial assi3n ent table (HWSAT).

.40	Considers low altitude air defense (LAAD) assets to support operations based on available threat intelligence.
.41	Coordinates contingency plans for rapid withdrawal or extraction.
.42	Plans and coordinates return to force procedures (RTF) with the $\ensuremath{\text{MEU/GCE}}\xspace$.
.43	Utilizes light level planning calendar for night missions and understands limitations. (KI) $$
.44	Considers NVG's and establishes priorities for issue and testing, if required.
.45	Considers internal/external aerial delivery transport advantages/disadvantages. (KI)
.46	Submits plans to the MEU commander for approval.

EVALUATOR INSTRUCTION(S): Estimate of supportability can be either written or verbal. The evaluator should be familiar with all applicable FMFM's, tactical manuals, NATOPS instructions, and MEU(SOC) ACE SOP's. All key participants and detachment representatives should participate in the planning.

KEY INDICATORS:

FACTORS IN HELICOPTER LANDING ZONE SELECTION

- 1. MAGTF concept of operation.
- 2. Enemy capabilities, predicted intentions, and dispositions.
- 3. Terrain and proximity to objective.
- 4. Logistic support requirements.
- 5. Supporting arms requirements.
- 6. Approach and retirement routes.
- 7. Ease of identification.
- 8. Size and number required to support combat power buildup.

CONTROL POINTS

- 1. Rendezvous point.
- 2. Departure point.
- 3. Checkpoint.
- 4. Penetration control point.
- 5. Initial point.
- 6. Breakup point.

NIGHT LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Positive aircraft control procedures.
- 3. Slower tempo of activity.
- 4. Smaller helicopter waves.

- 5. Problems inherent in conducting rendezvouses, approaches and landings at night.
- 6. Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the landing zone.

EXTERNAL/INTERNAL AERIAL DELIVERY

EXTERNAL

Advantages

- 1. Rapid and efficient.
- 2. Reduced threat exposure time.
- 3.. No loading/unloading delay.

Disadvantages

- 1. Reduced airspeeds.
- 2. Restricted maneuverability.
- 3. Possible cargo lose due to:
 - a. Equipment failure.
 - b. Improper hookup.
 - c. Pilot technique.

INTERNAL

Advantages

- 1. Small items/loads.
- 2. Palleted cargo discharge anile taxiing.
- 3. Reduced danger of cargo/damage lose.
- 4. No slings requirements.
- 5. No cargo net requirements.
- 6. No airspeed/maneuverability restrictions.
- 7. Permits No.

Disadvantages

- 1. Loading/unloading delays.
- 2. May require sore sorties to accomplish mission.
- 3. Increased threat exposure time.
- 4. Loads generally smaller than external loads.
- 5. Excludes outsize cargo that may be necessary for mission.

III-D-86

AERIAL DELIVERY (NO LANDING)

Advantages

- 1. Small items/Loads.
- 2. Permits NOE.
- 3. No slings requirements.
- 4. No offloading delays.
- 5. Reduced threat exposure time.

Disadvantages

- 1. Loading delay.
- 2. May require more sorties to accomplish mission.
- 3. Possible cargo loss due to:
 - a. Equipment failure.
 - b. Improper rigging.
 - C. Pilot technique.

TASK: 3D.10.2 CONDUCT RESUPPLY MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	Briefs all items per published NATOPS, briefing guides, SOP's, and NWP 55-,.										
.2	All participating aircrews are present.										
.3	Systematically prioritizes tasks.										
.4	Allocates time to ensure all tasks assigned are completed prior to mission briefing. $ \\$										
.5	Coordinates intelligence briefing of latest threat and friendly information available to include serial imagery' and TERPES electronic order of battle.										
.6	Maximizes use of tactical SOP's.										
.7	Uses kneeboard cards and tactical checklists to consolidate information.										
.8	Briefs current ROE. ROC, and alert conditions and/or weapons conditions information.										
.9	Ensures the mission statement is understood by all participants.										
10	Briefs friendly forces scheme of maneuver, weapons involved (NOF', artillery'), and any joint integration.										
11	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)										

III-D-87

.12	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
.13	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
.14	Briefs integrated fire support/3-SEAD tactic. and responsibilities. if required.
.15	Briefs radio/KY-SB communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controller:.
.16	Briefs alternate target(s) or mission(s).
.17	Briefs friendly location. of sir defense asset. and any changing $\ensuremath{MEZ/FEZ}$ requirements.
.18	Brief. any known changes to TACP control procedures or communications requirements.
.19	Brief. all mission assets.
.20	Briefs availability of on call electronic warfare (EW), obscuring smoke, or illumination missions.
.21	3-2 briefs local populace reaction capabilities.
.22	Briefer uses appropriate maps, charts, and serial photographs, as required.
.23	Briefs encryption procedures, both internal and external to the flight.
.24	Briefs SERE procedures. (KI)
.25	Briefs EW considerations. (KI)
.26	Briefs weather, including go/no 80 criteria. (KI)
.27	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.28	Briefs mission go/no go criteria: i.e., aircraft, personnel and other mission essential equipment.
.29	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.30	Briefs actions required if attacked by SAM/AM and appropriate RWR gear operation/displays.
.31	Briefs look-out procedures to include responsibilities, radio call., and tactical maneuvering for threats.
.32	Briefs mission precedence.
.33	Briefs a timeline, both into and out of the area of operations.
.34	Briefs call signs/event numbers.
.35	Briefs shipboard operating procedures.
.36	Briefs chain of responsibilities. (KI)
.37	Briefs inadvertent IMC/loss of visual contact.
.38	Briefs fuel/ordnance requirements. (KI)
.39	Briefs NVG operational considerations.
.40	Brief. launch conditions. (KI)
.41	Briefs ingress procedures. (KI)
.42	Brief. LZ procedures/considerations. (KI)

.43	Briefs egress procedures. (KI)
.44	Briefs downed aircraft procedures for overwater and overland.
.45	Briefs TRAP procedures,
.46	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.47	Briefs FARP procedures.
.48	Briefs deception plan.
.49	Briefs timehack.
.50	Briefs location/time of debriefs.
.51	Briefs controlling agencies.
.52	Briefs EMCON procedures.
.53	Brief. DRIADS.
.54	Briefs flightdeck/ground signals.
.55	Allows questions to ensure tactical/safety of flight information is understood by all.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9 ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, and TOS/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AAA, SAN, and air threat locations known.
- 5. Expected movement.
- 6. Essential elements of information.

SUE

1. ISOPREP cards.

III-D-89

- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications

<u>EW</u>

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. RF propagation.
- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The location, call sign and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Takeoff load.
- 2. Minimum.
- 3. Bingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.

III-D-90

- 7. Timeline.
- 8. Aerial refueling.

LAUNCH

- 1. Aircraft running time.
- 2. Turn-up time.
- 3, Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures CRP's, CP's, ZP's).
- 3. Timing.
- 4. Airspeeds end altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons condition..
- g. Penetration checklist.
- 10. Communication procedure. including visual signals, lost communications. chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no 80 criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.

III-D-91

- 5 Take off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3D.10.3 EXECUTE RESUPPLY MISSION

STANDARDS: EVAL: Y: N: NE

.1	Ensures all aircrew are qualified and current for assigned mission.
. 2	Configures aircraft to conduct preplanned missions.
.3	Conducts preflight activities within prescribed time frame.

III-D-92

. 4	 Conducts a final liaison with supported unit for any changes.
. 5	 Conducts start-up ontime with systems checks ontime and ready for launch.
.6	 Ensures all personnel/equipment are properly secured prior to launch and safety equipment for personnel is aboard.
. 7	 Conducts launch activities (execute bump plan, if required), as briefed.
.8	 Accomplishes rendezvous procedures Cs briefed or 55 directed by controlling agencies.
.9	 Confirms go/no go criteria exists before continuing with mission.
.10	 Executes communications procedures/plan as briefed.
.11	 Ensures formation facilitates support by escort, control, maneuverability, mutual support, and collision avoidance.
.12	 Employs appropriate flight tactics/profile to minimize enemy detection. (KI)
.13	 Employs smallest maneuver element capable of accomplishing mission.
.14	 Executes procedures properly upon inadvertent IMC entry/loss of visual contact.
.15	 Exercises communications discipline during mission.
.16	 Ensures aircrews observe ROE and ROC.
.17	 Uses appropriate flight control measures to adequately control the flight.
.18	 Employs proper tactical response (scatter plan, EVM, ECM) to any pop-up immediate threat.
.19	 Demonstrates aircrew coordination; e.g., lookout doctrine. (KI).
.20	 Flight navigates and remains oriented throughout mission.
.21	 Applies proper course corrections, if needed, in a timely manner.
.22	 Remains constantly aware of aircraft systems and performance.
.23	 Emphasizes mission accomplishment and safety considerations throughout the flight. (KI)
.24	 Changes to route are made by proper authority.
.25	 Ensures fire support plan is responsive and covers all perceived vulnerable areas.
.26	 Ensures crewmen comply with weapons conditions as briefed.
.27	 Executes deception plan, if appropriate.
.28	 Allows escort to be in position in time for prep fires.
.29	 Performs penetration checklist at the appropriate time/place.
.30	 Reports progress of mission to controlling agency as required to update weather, enemy situation, and $go/no\ go\ criteria$.
.31	 Flight receiving clearance at the IP to proceed to the LZ ensures go/no go criteria exists. (KI) $$
.32	 Ensures any charge to LZ is made by proper authority.
.33	 Updates heloteam leader on approach to LE giving direction the helicopter will land.
.34	 Employs proper approach techniques to LE.
.35	 Makes consistent use of cover, concealment, altitude, and airspeed to minimize exposure to the enemy during approaches.

.36	Performs landing as briefed, in sequence, and in proper position utilizing ITG procedures.
.37	Contacts controlling agency upon reaching/departing LZ's.
.38	Ensures minimum time in zone.
.39	Flights arrive in LZ on time.
.40	Within 5 minutes of planned time.
.41	Within 4 minutes of planned time.
.42	Within 3 minutes of planned time.
.43	Within 2 minutes of planned time.
.44	Within 1 minute of planned time.
.45	Flights land at correct LZ.
.46	Within 500 meters of LE.
.47	Within 200 meters of LE.
.48	Within 100 meters of LZ.
.49	Within 50 meters of LE.
.50	Executes waveoffs as briefed.
.51	If carrying external load, drops load in spot as directed by HST/LZ control team.
.52	During paraops, flies correct altitude, airspeed, and heading while providing information to crewchief/jumpmaster.
.53	Lands in correct extraction site LZ.
.54	Flights arrive at the extraction LZ on time.
.55	Within 5 minutes of planned time.
.56	Within 4 minutes of planned time.
.57	Within 3 minutes of planned time.
.58	Within 2 minutes of planned time.
.59	Within 1 minute of planned time.
.60	Executes proper departure techniques to reduce exposure to threat.
.61	Executes downed aircraft procedures as briefed.
.62	Executes RTF procedures properly.
.63	Executes FARP procedures properly, if planned.
.64	Continues contact with controlling agency concerning flight status during retrograde.
.65	Executes EW procedures.
.66	Executes post landing dispersion of helicopters, as required.
.67	Performs postflight of aircraft.

III-D-94

EVALUATOR INSTRUCTIONS: Evaluator shall be familiar with Assault Support Helicopter Tactical Manual, applicable FMFM's, TACMAN's, NATOPS instructions, and SOP's. The MEU(SOC) ACE shall perform as many standards as necessary for the completion of the mission. If execution at the LZ is on time, all subordinate standards will be marked "yes."

KEY INDICATORS:

EN ROUTE

Aircraft shall utilize terrain, vegetation, and manmade objects to reduce or avoid electronic detection and limit use of aircraft lighting systems to enhance survivability.

AIRCREW COORDINATION

Cockpit duties should permit:

- 1. The pilot at the controls to avoid obstacles and report terrain/landmark information to the other pilot.
- 2. The pilot not at the controls of the aircraft to remain oriented at all times and to inform the actual pilot of direction and route corrections. In addition, he monitors the cockpit instruments.
- 3. Weapons employment.
- 4. Maintenance of situational awareness,
- Lookout and weapons stations duties to be assigned to other crewmembers.

SAFETY CONSIDERATIONS

Shall emphasize:

- 1. Compliance with safety guidance to include ROE and ROC.
- 2. Aircraft performance/limitations.
- 3. Obstacle/hazard identification and avoidance,
- 4. Reduction of reaction time to aircraft emergencies.

IP CONSIDERATIONS

- 1. Wind direction and velocity.
- 2. Friendly and enemy positions.
- 3. Physical obstructions in the LZ.
- 4. Marking of the LZ.
- 5. Other matters of special interest.

III-D-95

TASK: 3D.10.4 CONDUCT RESUPPLY MISSION DEBRIEFING The resupply mission(s) is complete and a debriefing, CONDITION(S): with emphasis on lessons learned for future use, is conducted. STANDARDS: EVAL: Y: N: NE Ensures all aviation mission essential personnel are present. Conducts debrief per SOP, NATOPS, debriefing guides, and NWP 55-9. 5-2 debriefs all crewmembers immediately upon return for any .3 _ real time intelligence information. Utilizes maps, aerial photo., sketches or other training aids .4 __ when debriefing the overall mission. Debriefs all aspects of the flight with all participants, if practicable. (KI) .5 __ Records post mission debrief for future use. .6 __ Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge. .7 __ Ensures intelligence information received before the mission .8 __ was accurate. Uses the debrief as a constructive training tool. .9 _ Debriefs ROE and ROC effects on mission execution. .10 ___

5-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

.11 ____

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard operating procedures.

III-D-96

3D.11 MEDICAL EVACUATION (MEDEVAC)

TASK: 3D.11.1 CONDUCT MEDEVAC PRELAUNCH PROCEDURES

CONDITION(S): An amphibious assault has taken place and the MEU has taken numerous casualties requiring multiple MEDEVAC missions. These missions are tasked as preplanned or immediate. Preplanned MEDEVAC missions consist of a dedicated support package which includes assault support helicopters and escorts. immediate missions cannot be planned in advance and are assigned to the dedicated MEDEVAC support package or an airborne flight is diverted from a lower priority mission by the controlling agency, in this case the MCCRES evaluator.

	S: EVAL: Y: N: NE
.1	Designates required MEDEVAC support aircraft and crews per LOI/operations order and NWP 55-9-ASH manual.
.2	Designates MEDEVAC helicopter transport commander as MEDEVAC flight leader.
.3	Designates MEDEVAC escort attack helicopter flight leader as MEDEVAC flight coordinator.
.4	Assigns medical corpsman as aircrewman, if possible.
.5	Ensures flight is equipped with the appropriate medical and rescue equipment; e.g., stretchers, external hoist, etc.
.6	Briefs all aircrew members on assigned mission and flight procedures.
.7	Briefs EMCON procedures, if applicable.
.8	Each MEDEVAC helicopter receives preflight inspection, is turned up, has systems and radio checks complete, and has prestart checks complete.
.9	Launches within the required time period.
EVALUATOR	<u>R INSTRUCTIONS</u> : None.
KEY INDIC	<u>CATORS</u> : None.
TASK: 3	BD.11.2 EXECUTE MEDEVAC EN ROUTE PROCEDURES
flight co	<u>A(S)</u> : All MEDEVAC aircraft are airborne. The flight leader or coordinator requests clearance from the controlling agency to the MEDEVAC pickup zone. Enemy fire on the MEDEVAC ers can be expected.
STANDARDS	S: EVAL: Y: N: NE
.1	MEDEVAC crew ensures that all aircrew are briefed on the situation, the adopted course of action, and enemy activity, if not accomplished before flight. (KI)
.2	Obtains clearance from controlling agency for all aircraft to proceed to MEDEVAC pickup location.
.3	Airborne diverts are executed as briefed by appropriate agency.
.4	Flies routes and altitudes that are expeditious and tactically sound.
.5	Uses en route formations which are tactically correct.
.6	Establishes radio contact with supported ground unit as soon as possible to receive LE brief.
.7	Verifies position of all ground units in the area and recommends direction of approach for MEDEVAC helicopter.

III-D-97

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

AIRCREW BRIEF

- 1. Friendly positions.
- 2. Enemy positions.
- 3. Rules of engagement.
- 4. The use of clock/distance codes and smoke grenades to mark and identify the location of enemy fire.
- 5. Firing restrictions for MEDEVAC helicopter gunners to protect ground unit personnel and escort helicopters.

TASK: 3D.11.3 EXECUTE APPROACH AND DEPARTURE PROCEDURES

 $\underline{\text{CONDITION}(S)}\colon$ The MEDEVAC package has arrived in the pickup area and received a landing zone brief.

STANDARDS: EVAL: Y: N: NE

- .1 ____ Chooses approach and departure corridors and flight techniques which afford greatest protection to the MEDEVAC helicopter.
- .2 ____ Informs the flight coordinator of the intended approach route and flight techniques to facilitate escort coverage.
- .3 ____ Escorts properly cover MEDEVAC helicopter.
- 4 $___$ Identifies the proper landing zone through radio communications and/or visual signals. (KI)
- 5 ____ If a smoke screen is employed, positions aircraft to make proper use of screening.
- .6 ____ Lands in the correct pickup zone.
- 7 ____ While evacuee is being loaded, the MEDEVAC aircrew informs the flight coordinator of the intended departure route and flight techniques.
- 8 $_$ During the return flight the medical facility is informed of:
 - a. ETA.
 - b. Type wound, injury or illness.
 - c. Evacuee category (urgent, priority, routine).
 - d. Number of casualties.

III-D-98

EVALUATOR INSTRUCTIONS: ,None.

KEY INDICATORS:

LANDING ZONE MARKING

The importance of proper landing zone identification through either radio communication and/or visual signals to prevent enemy deception cannot be overemphasized. Radio transmissions shall not refer to the visual signal until the visual signal has been deployed and sighted by the helicopter flight. Subsequent to such sighting, the visual signal shall be confirmed.

3D.12 RESCUE COMBAT AIR PATROL (RESCAP)

TASK: 3D.12.1 CONDUCT RESCAP MISSION BRIEFING

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The ATO has been issued and the MEU(SOC) ACE is assigned numerous tactical missions. Mission commanders have been assigned and hold a brief with all participants prior to each mission. The RESCAP brief will accompany other mission briefings.}$

STANDAR	DS: EVAL: Y: N: NE
.1	Briefs all RESCAP items per published NATOPS, briefing guides, and SOP's. (KI)
.2	_ All participating aircrew are present.
.3	_ Briefs timehack.
.4	_ Briefs RESCAP protective tactics.
.5	_ Briefs visual sighting techniques.
.6	_ Briefs altitudes for safe separation of fixed-wing and helo aircraft.
.7	Briefs communications procedures to include codewords to be used during any RESCAP.
.8	_ Briefs safe areas in conjunction with the ground scheme of maneuver.
.9	_ Briefs rescue helicopter guidance and pickup procedures.
.10	_ Briefs authentication procedures.
.11	_ Briefs requirement for onscene flight coordination and overhead protection.
.12	Questions are allowed to ensure safety/tactical flight information and mission data is understood by all.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

RESCAP MISSION

The primary concern on a RESCAP mission is the safe and rapid extraction of the survivors. In order to accomplish this task the following must be considered:

 Visual/voice contact to assure status and authenticity of survivor(s).

III-D-99

- 2. Flight vigilance with respect to threat area and maneuvering airspeed.
- 3. Optimized weapons for the RESCAP mission so that the survivors can be protected down to the mean lethal radius of the weapons used. referred weapons are the same as for CAS (20/25 mm, MK-82 with retarded fins, and rockets).
- 4. RESCAP effectiveness and cover becomes most critical when the rescue helicopter is in the pickup phase.
- 5. RESCAP flight must act as onscene rescue commander until relieved by a designated rescue coordinator.

TASK: 30.12.2 EXECUTE RESCAP MISSION

EVAL: Y: N: NE

 $\underline{\text{CONDITION}(S)}$: While on any mission an airborne crew receives word of a downed aircrew. The ground scheme of maneuver was considered in the selection of a safe area.

.1	Proceeds	to	downed	plane	/aircrew	area	by	most	direct	route
	consister	nt v	with the	e threa	at.		-			

- 2 ____ Acquires downed aircrew position after arriving in area of downed plane using either radio or visual communications.
- .3 ____ Neutralizes enemy threat.
- .4 ____ Executes successful tactics and jinking maneuvers.
- 5 $_$ Requests relief on station if rescue cannot be effected before reaching BINGO.
- .6 ____ Complies with ROE, ROC, minimum altitudes, and ordnance frag pattern minimums.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluator notifies flight that there is a downed plane/aircrew and directs a RESCAP mission. Mission can be "scrambled" to the RESCAP or completed in conjunction with, or diverted from. another MCCRES mission.

KEY INDICATORS: None.

STANDARDS:

TASK: 30.12.3 EXECUTE SERE EXERCISE

CONDITION(S): A simulated mishap involving a major accident with possible aircrew casualties will be conducted. At least one complete crew of the MEU(SOC) ACE's aircrew shall be selected at random as a "Downed Aircrew" either immediately prior to or after a scheduled flight. The "Downed Aircrew" will be inserted into the SERE area with appropriate flight equipment and clothing that the aircrew have on at the time of their selection. A SERE evaluator and corpsman should accompany the downed aircrew.

STANDARDS: EVAL: Y: N: NE

1	Briefs	aircrews	on	the	location	οf	friendly	and	enemy	forces
		CTT CT CWD	011	CIIC	TOCACTOIL	\sim \pm		arra	CIICIII	TOTOCD

- .2 ____ Briefs aircrews on SAR safe areas and pickup procedures.
- .3 ____ Provides downed aircrew with appropriate survival and protective equipment.
- 4 ____ Demonstrates knowledge of correct use of survival and protective equipment.
- .5 ____ Exhibits knowledge of day and night visual recognition signals.

III-D-100

.6	Communicates via radio with rescue aircraft.					
.7	Responds appropriately to conditions encountered while attempting evasion and recovery.					
.8	Takes proper measures to evade capture, if required.					
.9	Utilizes ISO prep information.					
.10	S-2 personnel debrief "survivor(s)" after rescue.					
EVALUATOR	INSTRUCTIONS: None.					
KEY INDIC	ATORS: None.					
<u>3D</u> .	.13 TACTICAL RECOVERY OF AIRCRAFT, EQUIPMENT. AND PERSONNEL (TRAP)					
TASK: 3	D.13.1 CONDUCT TRAP MISSION PLANNING					
for a TRA and the S though th	(S): A warning order has bean received requiring MAGTF support P missionA preliminary around scheme of maneuver is available, -2 is gathering information. Air superiority has been gained, ere is a threat from surface fire. Due to the situation, time is constrained.					
STANDARDS	: EVAL: Y: N: NE					
.1	Establishes early liaison with the supported commander.					
.2	Establishes plans for operational and weather go/no go criteria.					
.3	Develops, in conjunction with MEU commander, a viable deception plan.					
.4	Provides input for the communications plan.					
.5	Plans for codewords.					
.6	Develops timeline.					
.7	Integrates and coordinates aviation communications support requirements with higher headquarters, TRAP force, and air control agencies.					
.8	Provides aviation supportability estimates and asset availability information to the CLF.					
.9	Plans standby crews and bump plan.					
.10	Requests information and intelligence to develop enemy, terrain, and weather data base $({\tt METT-T})$.					
.11	Develops aviation TRAP support requirements (parts, tools, ordnance, fuel, special equipment, personnel, etc.).					
.12	Plans additional downed aircraft procedures; i.e., maintenance, demolition, etc.					
.13	Considers requirement to resupply TRAP force, as well as identifying additional equipment (slings, hoist, litters, etc.).					
.14	Identifies explosive requirements in the event contingencies arise requiring the destruction of the downed aircraft.					
.15	Reconciles any aviation shortfalls with higher headquarters.					
.16	Plans for RECCE of TRAP site, if tactically feasible.					
.17	Coordinates with airborne control agencies, if required.					

III-D-101

.18	Considers LAAD assets to support the TRAP plan based on available enemy intelligence.				
.19	Requests AAW support from theater aviation assets, if required. for fixed-wing escort, airborne early warning platform. fire support. and/or EW support.				
.20	Establishes weapons control and ROE criteria.				
.21	Requests close sir support aircraft, if required.				
.22	Requests EW support and/or smoke screening to suppress enemy air defense efforts, and to deny enemy use of EW. $$				
.23	Plans for escort aircraft if required.				
.24	Determines distance and fuel requirements and identifies FARP requirements, if necessary. (see MPS 3D.09, Forward Arming and Refueling Point,)				
.25	Coordinates primary surface search area with higher headquarters.				
.26	Establishes control points.				
.27	Plane ingress/egress route., to include alternates. based on METT-T.				
.28	Identifies obstacles to ingress/egress routes and landing zones and ensures adequate clearance is maintained.				
.29	Integrates available fire support capabilities with planned aviation tactic.				
.30	Ensures authority and procedures to change landing zones or ingress/egress routes are clearly established.				
.31	Establishes and coordinates ITG procedures, if required.				
.32	Plans flight formations which ensure tactical dispersion of aircraft.				
.33	Ensures aviation mission commander and TRAP commander are in the same aircraft, if feasible. $$				
.34	Plans for alternate mission commander.				
.35	Develops manifesting procedure that will account for all personnel for all phases of the mission.				
.36	Coordinates shipboard troop loading with the CATF, if required.				
.37	Coordinates refueling/rearming cycles with the CATF.				
.38	Schedules mission briefings for all aircrew and sir control personnel, if possible.				
applicable ACE SOP's	INSTRUCTIONS: The evaluator should be familiar with all e FMFM's, tactical manuals. NATOPS instructions, and MEU(SOC). All key participants and detachment representatives should te in the planning.				
KEY INDICATORS: None.					

III-D-102

3D.13.2 CONDUCT TRAP NIGHT MISSION PLANNING CONDITION(S): For tactical reasons, the TRAP is to be conducted at night. STANDARDS: EVAL: Y: N: NE _ Utilizes light level planning calendar. _ Plans aircraft lighting and flight formations to be employed. Plans NVG considerations and procedures. Allocates NVG's to support the TRAP, and establishes priorities for issue and testing, if required. _ Ensures availability of LZ and load identification lighting; e.g., chemical lights. _ Determines means of navigation within the surface search area. Schedules training/rehearsal during darkness if time permits. Plans contingencies and emergency procedures. **EVALUATOR INSTRUCTIONS:** None KEY INDICATORS: None 3D.13.3 CONDUCT TRAP MISSION BRIEFING The ATO has been issued and the MEU(SOC) ACE is assigned operational missions as part of a MAGTF. TRAP missions are likely due to flight operations in a high threat environment. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. Terminal controllers (FAC[A], HC[A]) attend briefs when possible. STANDARDS: EVAL: Y: N: NE Briefs all items per published NATOPS, briefing guides, SOP's, and NWP 55-9. .2 ____ All participating aircrews are present. .3 _ Systematically prioritizes tasks. __ Allocates time to ensure all tasks assigned are completed prior to mission briefing. _ Ensures the mission statement is understood by all participants.

III-D-103

Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES

Briefs controlling agencies.

Briefs DRIADS.

.11 ____ Briefs deception plan.

. 8

.9

_ Briefs EMCON procedures, if required.

Briefs flightdeck/ground signals.

electronic order of battle.

.12	Maximizes use of tactical SOP's.
.13	Uses kneeboard cards and tactical checklists to consolidate information.
.14	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.15	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration. (KI)
.16	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.17	Briefs pilot intraformation coordination with normal or degraded systems, weapons, and communications.
.18	Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.19	Briefs radio/KY-58 communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
.20	Briefs friendly locations of air defense assets and any changing ${\tt MEZ/FEZ}$ requirements.
.21	Briefs any known changes to TACP control procedures or communications requirements.
.22	Briefs availability of on call electronic warfare (EW), obscuring smoke, or illumination missions.
.23	Briefer uses appropriate maps, charts, and aerial photographs, as required.
2.4	Briefs encryption procedures, both internal and external to the
.24	flight.
.25	flight.
.25	flight. Briefs SERE procedures. (KI)
.25 .26 .27	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI)
.25 .26 .27	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.25 .26 .27 .28	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment.
.25 .26 .27 .28 .29	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include
.25 .26 .27 .28 .29	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays.
.25 .26 .27 .28 .29 .30 .31	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio
.25 .26 .27 .28 .29 .30 .31 .32	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats.
.25 .26 .27 .28 .29 .30 .31 .32 .33 34	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence.
.25 .26 .27 .28 .29 .30 .31 .32 .33 .34 .35	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA.
.25 .26 .27 .28 .29 .30 .31 .32 .33 .34 .35	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs shipboard operating procedures.
.25 .26 .27 .28 .29 .30 .31 .32 .33 .34 .35 .36 .37	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs shipboard operating procedures.
.25 .26 .27 .28 .29 .30 .31 .32 .33 .34 .35 .36 .37 .38	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs shipboard operating procedures. Briefs chain of responsibilities. (KI)
.252627282930313233343536373839	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs chain of responsibilities. (KI) Briefs inadvertent IMC/loss of visual contact.
.25262728293031323334353637383940	flight. Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs shipboard operating procedures. Briefs chain of responsibilities. (KI) Briefs inadvertent IMC/loss of visual contact. Briefs fuel/ordnance requirements. (KI)
.2526272829303132333435363738394041	Briefs SERE procedures. (KI) Briefs EW considerations. (KI) Briefs weather, to include go/no go criteria. (KI) Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats. Briefs mission precedence. Briefs a timeline, both into and out of the AOA. Briefs call signs/event numbers. Briefs shipboard operating procedures. Briefs chain of responsibilities. (KI) Briefs inadvertent IMC/loss of visual contact. Briefs fuel/ordnance requirements. (KI) Briefs NVG operational considerations, if required.

.43	Briefs LZ considerations. (KI)
.44	Briefs egress considerations. (KI)
.45	Briefs downed aircraft procedures for overwater and overland.
.46	Briefs any concurrent operations, to include deconfliction with other participating aviation unit.
.47	Briefs FARP procedures, if required.
.48	Briefs timehack.
.49	Briefs location/time of debriefs.
.50	Allows questions to ensure tactical/safety of flight information is understood by all.

EVALUATOR INSTRUCTIONS: External loading manual was utilized, if required. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, and IP's, when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. Ground threat locations known.
- 4. AM, SAM, infantry, and air threat locations known.
- 5. Expected movement.
- 6. Essential elements of information.

<u>SERE</u>

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.

III-D-105

- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Astronomical data.
- 2. RF propagation.
- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The location, call sign, end frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander/alternate.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs, and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

<u>FUEL</u>

- 1. Takeoff load.
- 2. Minimum.
- 3. Dingo.
- 4. Refueling/rearming.
- 5. Deck assignments.
- 6. Prioritizing.
- 7. Timeline.
- 8. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- Taxi time/plan/frequencies.

III-D-106

- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedure..

INGRESS

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- q. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications. chattermark, codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of first enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. NBC considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.
- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Takeoff instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

1. Primary and alternate routes.

III-D-107

- 2. Control measure. (CP's, RP's).
- 3. Timing.
- 4. Airspeed end Altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions,
- 9. Penetration checklist.
- Communication procedure. including visual signals, lost communications, chattermark, codewords, end RIO.
- 11. En route terrain.
- 12. Probable point of lest enemy contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3D.13.4 EXECUTE TRAP MISSION

 $\underline{\text{CONDITION(S)}}$: A Marine aircraft has been downed by enemy fire during intense combat operations. A TRAP mission ha. begun to safely end expeditiously recover the crew/aircraft.

STANDARDS: EVAL: Y: N: NE

.1	Uses appropriate ingress/egress routes.
.2	Executes deception plan, if required.
.3	Flight tactics reflect METT-T considerations.
.4	Maintains communication discipline as briefed.
.5	Maintains continuous coordination with MEU commander informing him of TRAP progress.
.6	Receives/provides timely update on deployment of enemy forces in the area.
.7	Flight coordination is tactically correct; e.g., suppressive fires. should TRAP effort be opposed.
.8	Arrives at TRAP site with sufficient assets to accomplish the mission.
.9	Ensures crew coordination during external recovery of personnel; e.g., hoist/SPIE rig operations.
10	Effectively utilizes LZ lighting and illumination for recovery of aircraft and/or personnel, if required.

III-D-108

11	Successfully	retrieves	downed	aircraft	or	extracts	personnel
	from TRAP mit	ce.					

.12 ____ Accounts for all TRAP personnel and equipment before departing the objective area.

<u>EVALUATOR INSTRUCTIONS</u>: External loading manual was utilized, if required. The primary concern of a TRAP mission is the safe and rapid extraction of survivors and recovery of the aircraft if possible.

KEY INDICATORS: None.

3D.14 NIGHT OPERATIONS

TASK: 3D.14.1 CONDUCT NIGHT MISSION PLANNING

CONDITION(S): This MPS should be considered in conjunction with other missions as required and concerns specific considerations that are addressed should an operation be conducted under the cover of darkness. As such, the execution of a mission at night should not be considered so much as a special operation but as other option available to the tactical commander to achieve mission accomplishment. Accordingly, while the employment of a night operation may not ensure mission success, failure to apply basic techniques in planning and execution when using darkness will almost surely result in tactical degradation that will be the genesis for mission failure.

STANDARDS: EVAL: Y: N: NE

.1	Determines if mission is to be conducted using unaided night vision techniques or $NVG's$. (KI)
. 2	Considers the slower tempo and limitations that characterize night operations. (KI)
.3	Establishes procedures for night vision adaptation and preservation.
. 4	Bases aircraft lighting on forecast light conditions and current directives.
5	Considers the advantages/disadvantages of artificial illumination vs. natural lighting. (KI)
.6	Plans the methods of employment and delivery of artificial illumination. $(\mbox{\rm KI})$
.7	Incorporates oncall illumination for emergency situations, if required.
. 8	Considers possibility of lighting aids to assist in locating/identifying the LZ and in accomplishing landings at night. (KI)
.9	Ensures liaison is made with supported/supporting unit to coordinate use of light in LZ to ensure night adaptation, preservation or NVG compatibility. (KI)
LO	Eases flight formation to maintain proper balance between safety and maneuverability.

EVALUATOR INSTRUCTIONS: None:

KEY INDICATORS:

LIMITATIONS

- 1. Reduction of visual acuity.
- 2. Used for positive aircraft control procedures.
- 3. The slower tempo of activity.
- 4. Smaller helicopter waves.

- 5. Problems inherent in conducting rendezvouses approaches. and landings at night.
- Slower and more complicated troop and cargo loading/unloading operations.
- 7. Slower buildup of combat power in the LZ.

NIGHT OPERATIONS CONSIDERATIONS

- 1. Mission and requirements.
- 2. Threat and effect of low visibility on enemy operations.
- 3. Ambient light level available (bath natural and artificial).
- 4. Weather.
- 5. Terrain/distance.
- 6. Use of light level planning calendar.
- 7. Rising and setting of the Sun/moon.
- 8. Usage of NVG manual.
- 9. Shadowing.

NATURAL AN ARTIFICIAL ILLUMINATION CONSIDERATIONS

Natural Lighting Advantages:

- 1. Element of surprise is maintained longer.
- 2. Night vision capabilities are maximized and conserved.
- 3. Helicopters are difficult to acquire and engage by visual means.
- 4. Ground fire is easy to see.

Natural Lighting Disadvantages:

- 1. Navigation is difficult.
- 2. LZ's are more difficult to identify.
- 3. Depth perception is greatly reduced.
- 4. Escort support capabilities are restricted.

ARTIFICIAL LIGHTING ADVANTAGES:

- 1. Permits navigation by terrain reference.
- 2. Aids in LZ identification.
- 3. Provides a visual horizon.
- Permits "see and avoid' procedures for cafe separation of aircraft end flights.
- Permits use of daylight operation procedures, flight techniques, and escort support procedures.

ARTIFICIAL LIGHTING DISADVANTAGES:

1. Flying through illumination debris.

III-D-110

- 2. Silhouetting of aircraft.
- 3. Provides optical tracking by the enemy.
- 4. Obscures visible horizon.
- Minimum lighting level accepted rather than the maximum to delay advantage to enemy.
- Aircraft flight pattern, downwind path of expended flares, and extended gun line of artillery-delivered illumination flare canisters.

ILLUMINATION DELIVERY METHODS

Should Consider:

- Aircraft delivery is most effective, versatile, and easiest to control.
- Long endurance, large flare capacities of cargo-type CC-130) aircraft.
- Minimum enemy exposure time of close air support and attack helicopters.
- 4. Ambient light level fluctuations and gaps in illumination caused by threat-induced evasive maneuvers.
- 5. Adjustment time for artillery and NGF flares.
- 6. Less light production and shorter burn time of artillery and NGF.
- Effectiveness of artillery and NGF is reduced in poor weather conditions.
- 8. Enemy air defense capabilities.
- 9. Range capabilities and limitations of artillery and NGF

LANDING ZONE LIGHTING

Types of Lighting Aids:

- 1. Terminal guidance systems (Glide Angle Indicator Light [GAIL]).
- 2. Expeditionary lights.
- Flare illumination.
- 4. Field expedients (vehicle lights, flashlights, blinking lights, bonfires, smudge pots, chemical lightsticks, etc.).

Landing Zone Lighting Should:

- 1. Be visible to the pilot.
- Identify an area free of obstacles that is safe for hovering and/or landing.
- 3. Employ three or more separate lights to preclude effects of autokinesis.
- Provide orientation along obstacle free approach and takeoff corridors.

NVG COMPATIBLE LZ LIGHTING RESOURCES

Landing Zone Lighting:

- 1. NVG compatible LZ lighting.
- 2. IR lights.

III-D-111

- 3 Chemical lightsticks.
- 4. Shielded flashlights.
- 5. Any light source sufficiently dimmed SQ 55 not to interfere with NVG operation.

GROUND UNIT CONSIDERATIONS

- 1. Increased time for emb5rkation/debarketion.
- 2. Light discipline requirements for NVG operations.
- 3. HST requirements for NVG utilization.
- 4. FARP requirements for NVG operations.

TASK: 3D.14.2 CONDUCT NIGHT MISSION BRIEFING

CONDITION(S): The ATO has been issued and the MEU(SOC) ACE is assigned a variety of night missions in support of the MAGTF. Multiple divisions/sections may be required. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. Terminal controllers attend briefs when possible. Flight leaders provide navigation cards, maps, aircraft configurations, and gross weights, detailed fuel figures, checkpoints, IP's, and TOT/TOS calculations when required by the evaluator.

.1	Ensures that maps are prepared and are NVG/night compatible.
.2	Briefs night vision adaptation/preservation and ensures procedures are followed by aircrew.
.3	Issues NVG in adequate numbers and with appropriate accountability.
. 4	Ensures that all aircrew members have required night flying equipment.
.5	Briefs aircrew coordination to include NVG considerations. (KI)
.6	Flight schedule allows sufficient time for aircrew to thoroughly preflight aircraft and lighting systems.
.7	Briefs flight coordinator on CA, friendly positions, approach and retirement lanes, and flight techniques to he used.
.8	Briefs transition procedures for NVG use.

EVALUATOR INSTRUCTIONS: None

KEY INDICATORS:

AIRCREW COORDINATION

- 1. Procedures for NVG failures.
- 2. Inadvertent entry into INC.
- 3. Light discipline.

III-D-112

TASK: 3D.14.3 EXECUTE NIGHT MISSION

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}} \colon \text{ The MEU(SOC) conducts night support missions. All liaison has been performed and mission planning and briefing is completed.} \\ \text{Navigation is required to the IP/LZ and timing for L-Hour, TTT, and TOT has been established.} \\$

STANDARDS	EVAL: Y: N: NE
.1	Aircrew execute their duties, as briefed. (KI)
.2	Ensures that cockpit lighting is configured for night flying or NVG compatibility, if necessary.
.3	Employs proper procedures, as necessary.
.4	Ensures that all crewmembers are wearing NVG at all times during flight when NVG's are required. $$
.5	During taxi. ground crew utilize appropriate wand signals for directing aircraft.
.6	Takeoff heading is in the direction of the first leg of flight to ensure positive orientation whenever possible.
.7	Tactical formations are limited to the smallest number of aircraft to maintain a balance between safety, tactical maneuverability, and mission accomplishment.
.8	Minimum aircraft lighting is used commensurate with safety and NVG compatibility.
.9	Demonstrates proficiency in the inflight utilization of NVG, when required. $\label{eq:normalization}$
.10	Ensures that wingman stays close enough to be sole to recognize any altitude, attitude, or airspeed changes.
.11	Avoids continuous flight at the 6 o'clock position.
.12	Does not descend below the altitude established for safe terrain and obstacle clearance.
.13	Immediately takes steps to reorient if deviation observed from planned flight route.
.14	Executes inadvertent IFR procedures. as briefed.
.15	Ensures coordination with the flight coordinator for an external lights out approach to preclude loss of or hindrance to escorts.
.16	If feasible, uses terminal guidance to acquire and land in the ${\tt LE}.$
.17	Properly executes GAIL approaches.
.18	Makes approaches that minimize aircraft maneuvering and provide sufficient altitude and straight sway for a safe rate of descent.
.19	Appropriately utilizes external lighting.
.20	Uses spotlight momentarily and intermittently to clear obstacles and locate the LE as necessary.
.21	Extinguishes spotlight after touchdown.
.22	If artificial illumination is employed, positions aircraft to maximize utilization of light.
.23	\ensuremath{LZ} lighting is in compliance with NATOPS, ASH Manual, or STANAG guidelines.
24	Lands aircraft at designated spot indicated by LZ lighting.
.25	Departures obtain safe terrain and obstacle clearance altitude.
.26	Uses appropriate number of crewmembers to conduct NVG externals.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

AIRCREW MEMBERS RESPONSIBILITIES

Pilot at the Controls:

- 1. Primary responsibility of flying the helicopter and observing outside the cockpit.
- 2. Correlates his visual cues with flight instrument information relayed by the other pilot.
- 3. Employs NVG scanning techniques for navigational landmarks, obstacle and aircraft avoidance, formation flying, and monitoring helicopter performance.
- 4. Avoids cockpit related distractions and tendency to focus on only one external visual or sensory cue.
- Retains control of helicopter during aircraft/system emergencies and executes those emergency procedures agreed upon at the briefing.

Pilot Not at the Controls:

- Monitors the flight instruments to determine aircraft performance and to detect unsafe conditions.
- Provides airspeed, radar altitude and as required, rate of descent/climb information to pilot at the controls.
- Monitors aircraft and pilot performance and, if unsafe situation arises, advises and, if required, assists the pilot in taking necessary corrective actions.
- 4. Prepares to take control of the aircraft at all times.
- 5. Monitors mechanical functioning of the aircraft, performs cockpit duties (e.g., operates switches, tunes radios, etc.) navigates, and monitors performance of crewchief/gunner.
- During aircraft/system emergencies, executes those emergency procedure. agreed upon at the briefing.
- 7. Remains oriented along the flight route

Crewchief and Gunner:

- 1. Monitor mechanical functioning of helicopter.
- 2. Perform look-out duties to warn of aircraft and obstacles.
- 3. Monitor positions of other aircraft in flight,
- Assist in terrain recognition and provide obstacle clearance and LZ condition information during hovering and landing operations.
- 5. Provide positional direction. to pilot during external operations.

III-D-114

3D.15 CLOSE AIR SUPPORT (CAS)

TASK: 3D.15.1 CONDUCT CAS MISSION BRIEFING

 $\underline{\text{CONDITION}(S)}$: The ATO has been issued and the ACE is assigned operational missions as part of a MEU. The supported unit is in combat with the enemy and is requesting multiple CAS sorties. All liaison has been performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. Terminal controllers (FAC[A], HC[A]) attend briefs when possible.

STANI	DARDS:	EVAL: Y: N: NE
.1		Briefs all items per published NATOPS, briefing guides. and SOP's.
. 2		All participating aircrews are present.
.3		Systematically priorities tasks.
. 4		Allocates time to ensure all tasks assigned are completed prior to mission briefing. $$
.5		Briefs controlling agencies.
.6		Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.7		Maximizes use of tactical SOP's.
.8		Uses kneeboard cards and tactical checklists to consolidate information.
.9		Briefs shipboard operations pertaining to AV-8B weapon/navigation system interface; i.e ship inertial navigation system (8118), close approach indicator (CIA) MOD II, CCI, end degraded weapons systems deliveries.
.10		Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.11		Ensures the mission statement is understood by all participants.
.12		Briefs friendly forces scheme of maneuver, weapons involved (MG?, artillery), end any joint integration. (KI)
.13		Briefs enemy detection end reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (KI)
.14		Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL, phaselines, target description, enemy defenses, and reattack procedures, if required.
.15		Briefs pilot intraformation coordination with normal or degraded systems, weapons, ends communications.
.16		Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.17		Briefs radio/KY-58 communication procedures with terminal controllers end/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, end alternate procedures/frequencies for contacting terminal controllers.
.18		Briefs alternate target(s) or mission(s).
.19		Briefs friendly locations of air defense assets and any changing MEZ/FEZ requirements.
.20		Briefs any known changes to TACP control procedures or commutations requirements.
.21		Briefs availability of on call electronic warfare CDI), obscuring smoke, or illumination missions.
.22		Briefs delivery and abort parameters per ground attack due to include minimum altitude, airspeed, and dive angle for ordnance releases due to FRAG pattern, terrain, or weather.
.23		Briefer uses appropriate maps, charts, and serial photographs, as required.

.24	Briefs encryption procedures, bath internal and external to the flight.
.25	Briefs SERE procedures. (KI)
.26	Briefs EW consideration. (KI)
.27	Briefs weather, including go/no go criteria.
.28	Briefs inadvertent IMC/loss of visual contact.
.29	Ensures that all appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc.
.30	Briefs mission go/no go criteria; i.e., aircraft, personnel and other mission essential equipment.
.31	Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude.
.32	Briefs actions required if attacked by SAM/AAA and appropriate RWR gear operation/displays.
.33	Briefs look-out procedures to include responsibilities, radio calls, end tactical maneuvering for threats.
.34	Briefs clearance to drop method (by voice, other signal. or "silence is consent").
.35	Briefs laser designation procedures and codes. and visor/filter usage far pilot safety in a laser environment.
.36	Briefs mission precedence.
.37	Briefs a timeline, bath into and out of the area of operations.
.38	Briefs call signs/event numbers.
.39	Briefs shipboard operating procedures.
.40	Briefs fuel/ordnance requirements. (KI)
.41	Briefs NVG operational considerations, if required.
.42	Briefs launch conditions. (KI)
.43	Briefs ingress procedures. (KI)
.44	Briefs egress procedures. (KI)
.45	Briefs downed aircraft procedures for overwater and overland.
.46	Briefs TRAP procedures.
.47	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.48	Briefs deception plan.
.49	Briefs special considerations (i.e., laser, ARBS/LST integration, SMC programs, ordinance codes for computed delivery, etc.).
.50	Briefs EMCON procedures.
.51	Briefs flightdeck/ground signals.
.52	Briefs timehack.
.53	Briefs location/time of debriefs.
.54	Allows questions to ensure tactical/safety of flight information is understood by all.

III-D-116

EVALUATOR INSTRUCTIONS: Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP'S, attack and weapons release parameters, and TOS/TOT calculations when required. For planning purposes the following ordnance quantities are recommended and are appropriate with the same level AV-8B Training and Readiness Manual syllabus sortie:

ORDNANCE	SORTIES	MIN ORD/SORTIE	TOTAL
	COMBAT	READY	
MK-76/BDU-48	4	6	24
2.75	4	6	24
or			
25 mm	4	150	600
	COMBAT C	UALIFIED	
MK-82	<u> </u>	4	16
2.75/5.0	4	6/4	24/16
	•	• • •	
or 25 mm	. .	150	600
23 mm	•		
	FULLY COMBA	AT QUALIFIED	
MK-82	8-16	4	32-64
or			
MK-83	8-16	4	32-64
or			
GBU-16B	8-16	2	32-64
MAVERICK	2	2	4

NOTE: Chaff and flares should be used for all sorties.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry. to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. operating area.
- 2. Ability to reinforce.
- 3. Infantry, AM, SAN, and air threat locations.
- 4. Expected movement.
- 5. EEI's.

<u>SERE</u>

- 1. ISOPREP cards.
- 2. Passwords.
- 3. Barter kits/blood chits.
- 4. Safe area.

III-D-117

- 5. Designated area for rescue.
- 6. Radio communications.

<u>EW</u>

- 1 EMCON condition.
- 2. Deception/meaconing.
- 3 MIJI reporting.

<u>FUEL</u>

- 1. Minimum.
- 2. Bingo.
- 3. Refueling/rearming
- 4. Deck assignments.
- 5. Aerial refueling, if required.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Launch time/frequencies/formations.
- 4. Rendezvous procedures.

INGRESS

- 1. Control measures CRP's. CP's, IP's).
- 2. Airspeed. and altitude.
- 3. Formations.
- 4. Supporting arms.
- 5. Weapons conditions.
- 6. Communication procedures including visual signals. lost communications, chattermark, codewords, and RIO.
- 7. Go/no go criteria.

EGRESS

- 1. Control measures (CP's, RP's).
- 2. Airspeeds and altitudes.
- 3. Formations.
- 4. Supporting arms.
- 5. Weapon. conditions.

III-D-118

- 6. Communication procedures including visual signals, lost communications. chattermark, codewords, and RIO.
- 7. RTF procedures.

TASK: 3D.15.2 EXECUTE INGRESS/EGRESS TO/FROM TARGET

STANDARDS:	EVAL: Y: N: NE
.1	Executes arming procedures as briefed.
.2	Executes takeoff time as briefed.
.3	Launches scheduled number of aircraft on mission.
.4	Ground attack aircraft react properly to the threat.
.5	GO/no go mission matrix is used.
.6	Executes control point (RP, CP, EP, and IP) procedures as briefed.
.7	Contacts control agencies as required.
.8	Regains strike flight formation or individual flight integrity rapidly after attacking the target.
.9	All aircraft have sufficient fuel for tactical egress and recovery aboard ship or alternate base.
.10	Actual execution of the ingress/egress allows for deconfliction both inside and outside the flight.
.11	Follows proper RTF procedures and provides intelligence update to appropriate control agency.

EVALUATOR INSTRUCTIONS: Flight leaders provide navigation cards, maps. aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, attack and weapons release parameters, and TOT calculations when required by the evaluator. The ingress/egress portions will be flown while a variety of threats; air and ground, are encountered.

KEY INDICATORS: None.

TASK: 3D.15.3 EXECUTE CAS ATTACK

III-D-119

STANDARDS: EVAL: Y: N: NE Flight utilizes timely and correct CAS procedures with TACP/terminal controller. __ Tactics in the target area are as briefed or appropriate for the threat. _ Drops ordnance on first pass, if required by threat. .3 Complies with briefed exposure time. Utilizes proper tactical maneuvering, jinking, chaff, and flares (dependent on threat). .6 _ _ Releases all ordnance planned for a particular target. .7 ____ All ordnance detonates; i.e., no releases in violation of minimum release altitude. _ Actual execution allows for deconfliction. . 8 _ Actual time on target is within 10 seconds of planned time on target, if required by threat. _ Adheres to proper weapons release parameters and procedures, dependent upon threat and target environment.

EVALUATOR INSTRUCTIONS:

frag pattern minimums.

THREAT DESCRIPTION

Permissive: Visual target acquisition and fire control systems.

Restrictive: Limited radar/electro-optic acquisition air defense system not yet fully integrated.

Sophisticated: Integrated air defense system and electronic warfare capabilities.

CLOSE AIR SUPPORT EVALUATIONS

Complies with proper ROE, ROC, minimum altitudes and ordnance $\ensuremath{\mathsf{ROC}}$

COMBAT READY

Objective. Close air support (CAS) evaluation flight.

Mission. Fly a published low level navigational route to a raised range with altitude and airspeed consistent with threat.

- a. 200 series CAS evaluation flight from the T&R Manual.
- b. One event, two to four sorties recommended.
- c. Ordnance: Practice and 25 m.

COMBAT QUALIFIED

Objective. CAS evaluation flight.

Mission, Conduct a CAS mission in a restricted threat environment to a tactical target.

- a. 300 series CAS mission from the T&R Manual.
- b. One event, two to four sorties recommended.
- c. Ordnance: MK-106/BDU-48 bombs, chaff and flares.

III-D-120

FULLY COMBAT QUALIFIED

Objective. CAS evaluation flight.

Mission. Conduct a CAS mission in a sophisticated threat environment to 5 tactical target.

- a. 300 series CAS flight from the T&R Manual.
- b. Two events, two to four AV/8S sortie. each recommended. Adversary aircraft required; support aircraft as needed.
- c. Ordnance: As required for target destruction per JMEM, including chaff and flares.

NOTE: Above sorties can be flown at night if required.

KEY INDICATORS: None.

TASK: 3D.15.4 EXECUTES ORDINANCE DELIVERY ACCURATELY/EFFECTIVELY

 $\frac{\texttt{CONDITION(S)}}{\texttt{Close air support requires superior accuracy from all aircrews.} \quad \texttt{Completion of this task by multiple sections/divisions within the MEU(SOC)} \quad \texttt{ACE will provide an indication of current training level.}$

STANDARDS: EVAL: Y: N: NE

.1	Meets briefed mission objectives; i.e., ordnance delivery is effective. $ \\$
.2	Flight achieves 70 percent mission effectiveness. (KI)
.3	Flight achieves 75 percent mission effectiveness. (KI)
.4	Flight achieves 80 percent mission effectiveness. (KI)
.5	Flight achieves 85 percent mission effectiveness. (KI)
.6	Flight achieves 90 percent mission effectiveness. (KI)
.7	Flight achieves 95 percent mission effectiveness. (KI)
. 8	Flight achieves 100 percent mission effectiveness. (KI)

EVALUATOR INSTRUCTIONS: For this task to be am accurate indicator of ordnance effectiveness, the JMEM must be researched thoroughly during the planning stage of the sortie. Each standard up to and including the highest percentage of mission effectiveness attained will be marked "Y": e.g., if the flight achieved 85 percent mission effectiveness. standards 1 through 5 will be marked "Y". While mission effectiveness should be used to evaluate a flight whose objective is a tactical target, the PERCENT TARGET COVERAGE chart should be used if the flight utilizes a raked range. The above standards can be used to evaluate a flight whether it utilizes a raked range or a tactical target by marking the standard incorporating the appropriate percentage. The type target should be annotated.

KEY INDICATORS:

MISSION EFFECTIVENESS

The ultimate grading scale for aircraft ordnance deliveries is the final effect on assigned or designated targets. Various factors that influence the effectiveness of aerial ordnance against a target include: target type, target location, type ordnance, type fusing, quantity of ordnance, type delivery, direction of delivery, and position of ordnance impact relative to the target. Based on these factors, the probability

III-D-121

of kill (Pk) attained on the mission can be divided by Pk determined possible (from planning documents such as JMEM) to arrive at a percentage of mission effectiveness (ME). This number represents an absolute quantity end is therefore not affected by threat intensity.

	0.8 - 1.0 .5179 050	
	0.8 - 1.0 .5179 050	
PERCENT ME	(observed/possible)	

BDA

PERCENT	TAF	RGET	COVE	RAGE
(CI	EP i	n me	eter.)

THREAT	70	75	80	25	90	95	100
PERMISSIVE	40	35	30	25	20	15	10
RESTRICTIVE	45	40	35	30	25	20	15
SOPHISTICATED	50	45	40	35	30	25	20

STRAFE (percent of rounds on target any threat)

TASK: 3D.15.5 CONDUCT CAS MISSION DEBRIEFING

 $\underline{\text{CONDITION(S)}}$: The aircraft have returned to the chip from multiple CAS missions. A debrief is held for all participating personnel.

STANDARDS: EVAL: Y: N: NE

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP's, NATOPS, and briefing/debriefing guides.
.3	S-3 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	Utilize maps, aerial photo., sketches, or other training aide "hen debriefing the overall mission.
.5	Debrief all crewmembers of the flight with all participant., if possible. $(\mbox{\tt KI})$
.6	Analyses plan, brief, execution phase, and lesson. learned to develop new COA's and tactic to improve SOP's., contingency plan and aircrew knowledge.
.7	Ensure intelligence information received before the mission was accurate. $% \left(1\right) =\left(1\right) \left(1\right) $
.8	Use the debriefing a constructive training tool.
.9	Debrief. ROE and ROC effect. on mission execution.
10	S-3 collect. all classified/insensitive material

III-D-122

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief,
- 2. Command and control.
- 3. Communication.
- 4. Coordination.
- 5. Navigation.
- 6. Safety.

STANDARDS: EVAL:

- 7. Tactics used/effectiveness.
- 8. Recommendations.
- 9. Shipboard operating procedure..

Y: N: NE

3D.16 CLOSE-IN TIRE SUPPORT (CIFS)ANTIARMOR

TASK: 3D.16.1 CONDUCT CLOSE IN TIRE SUPPORT (CIFS)ANTIARMOR MISSION PLANNING

CONDITION(S): The MEU Staff is planning an amphibious assault and
expects opposition from enemy forces. Artillery, NTP, and CAS aircraft
will support the scheme of maneuver. Additionally, AS-1/UH-1 helicopters
are to attack targets Utilizing CITES/antiarmor tactical.

1 ____ Makes early liaison with supporting arms and supported units to determine extent of attack helicopter support. .2 ___ Incorporates time, distance, altitude, and airspeed factors in ingress/egress route selections.

- .3 ____ Coordinates approach/retirement lanes/routes with the CLF/CATF control agencies for deconfliction.
- .4 ____ Plane for smallest maneuver element capable of accomplishing the mission.
- .5 ____ Plans formations that optimize mission success and controllability during high intensity flight operations.
- .6 ____ Plans ordnance loads based on, fragmentation patterns, accuracy, and expected enemy threat.
- .7 ____ Plane for en route air defense of helicopterborne force if required.
- .8 ____ Ensures location of friendly air defense assets and FEZ/MEZ requirements are briefed.
- .9 ____ Ensures procedures are established for safe flight separation and mutual support during approach/retirement.
- 10 ____ Ensures deconfliction with other supporting arms (MGF, artillery, CAS) during delivery of fires.
- .11 ____ Develops fire support coordination measures with supported unit to integrate and deconflict fires.

III-D-123

.12	Provides input to the timing end integration of fire support plans to include delivery of prep fires, request for SEAD, end primary and alternate means of actuating fire control procedures.
.13	Establishes EMCON end alternate communication plan.
.14	Develops codawards to identify completion of critical mission phases and informs C3 agencies of codewords.
.15	Plans for airborne coordination with applicable control agencies, i.e., TACP, TACC).
	INSTRUCTIONS: Evaluator ensures that SPINS are distributed opport agencies.
KEY INDICA	ATORS: None.
TASK: .31	D.16.2 EXECUTE CIFS/ANTIARMOR MISSION
encounter: Supporting artillery	(S): The amphibious operation has begun end the MEU is ing resistance from enemy forces as the Marines move inland. g arms fire is requested by the commander, including NGF, fixedwing CAS, and attack helicopters. The attack helicopters IFS/antiarmor fire support tactics.
STANDARDS	: EVAL: Y: N: NE
.1	Conducts, if tactically feasible, aerial reconnaissance to confirm attack positions identified during map reconnaissance. (KI)
.2	Receives updated FAC briefing on location of attack positions, targets, sectors of fire, and other essential command and control information prior to arrival in the target area,
.3	Selects firing points and remains masked while awaiting time to target (TTT)or time on target (TOT) information. (KI) ${}^{\prime}$
.4	Appropriately deploys to primary and alternate firing points.
.5	Confirms targets as enemy prior to engagement.
.6	METT-T analysis accurately identifies enemy capabilities. intentions, and location.
.7	Minimizes time in attack positions to prevent detection and engagement.
.8	Occupies and vacates attack positions on order of the flight leader.
.9	Properly Utilizes covering points. (KI)
.10	Engages all targets within individual sectors. (KI)
.11	Upon termination of attack, remasks and departs the attack position as briefed.
.12	Properly employs appropriate attack patterns and formations. $(\ensuremath{\text{KI}})$
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	ATORS:
ATTACK POS	<u>SITIONS</u>
When deter	rmining the location of attack positions, at least the following ust be considered:

III-D-124

ENCLOSURE (1)

1. Attack position to target range.

- 2. Nature of target; i.e. hard, soft, etc.
- Potential effects of rotor wash on surrounding terrain; e.g., dust.
- 4. Adequate area for proper dispersion between helicopters with multiple firing points.
- 5. Obstacle clearance; e.g. wires.

FIRING POINTS

When determining the location of firing points, at least the following factors must be considered:

- 1. Firing point to target range.
- 2. Adequate field of fire for weapons employment.
- 3. Firing point to target altitude difference.
- 4. Target visibility (background contrast, shadow/sunlight).
- 5 Effect of rotor wash on surrounding terrain.
- 6. Adequate firing helicopter maneuver area.
- 7. Effective helicopter concealment.
- 8. Helicopter inflight visibility.

TARGET ENGAGEMENT

- 1. Highest priority is assigned to enemy air defense weapons.
- 2. Conducts firing from an altitude just above the terrain.
- 3. Continue firing until:
 - a. Enemy is destroyed.
 - b. Ammo is expended.
 - c. Attack position becomes untenable.
 - d. Flight leader directs termination of attack or redeployment to alternate position.
 - 5. Flight is relieved on station.

COVERING POINTS

The following are considerations in the selection of covering points:

- 1. Used by covering element in support of TOW attack.
- 2. Mission control.
- 3. Control of supporting arms.
- 4. Performance of deceptive maneuvers.
- 5. Providing flank/rear security for attacking element.
- 6. Allows observation of kill zone and approaches to kill zone.

III-D-125

ATTACK PATTERNS

The flight leader shall adjust each attack pattern to take advantage of the terrain and weather, exploit enemy weakness, and employ his aircraft to gain the maximum advantage. Considerations in selection of attack patterns include:

- 1. Number of attacking aircraft.
- 2. Target characteristics.
- 3. Weapons capabilities.
- 4. Friendly forces in the immediate area.
- 5. Disposition of enemy forces.
- 6. Requirement for a change in direction of subsequent attack passes.

ATTACK FORMATIONS

Considerations in the selection of attack formations include:

- 1. Racetrack pattern.
- 2. Butterfly pattern.
- 3. Cloverleaf pattern.
- 4. L pattern.
- 5. 45 degree attack.
- 6. Circular pattern.
- 7. Hover fire.
- 8. Running fire.
- 9. Pull-off.

3D.17 SUPPORTING ARMS COORDINATION. AIRBORNE (SAC(A))

TASK: 3D.17.1 EXECUTES CONTROL OF ARTILLERY AND NAVAL GUNFIRE

 $\frac{\text{CONDITION(S)}}{\text{constant}}: \quad \text{The MEU(SOC) ACE has been tasked to plan and execute airborne fire support and fire support coordination missions in support of the ground combat element which has phased ashore and anticipates contact with the enemy. The fire support missions will include control of artillery and NGF.}$

STANDARDS: EVAL: Y: N: NE

.1	Takes early liaison and effects coordination with the supported unit. $ \\$
. 2	Identifies possible targets to include location; size, type, hardness, proximity to friendly troops, enemy threat, and relative importance to tactical plan.
.3	Recommends proper weapons and fuses based on type target, location, and proximity to friendly positions.
. 4	Understands the capabilities and limitations of artillery and naval gunfire support as applicable to his mission; e.g accuracy vs. rate of fire, flat trajectory vs. arcing trajectory, mobility vs. fixed position. etc.

III-D-126

.5	Knows the location of the fire support coordination line (FSCL), coordinated fire line (CFL), no fire area (FNA), and supporting arms firing positions.
.6	Coordinates fires which are in close proximity to friendly troops with supported, and supporting, units.
.7	Includes all necessary elements in "call for fire" per FMFM 7-1.
.8	Receives and understands "message to observer" message from ship or fire direction center.
.9	Maintains appropriate position to observe rounds impact.
.10	Adjusts fire mission until desired effect on target is obtained.
<u>EVALUATOR</u>	<u> INSTRUCTIONS</u> : None.
INDICATOR	S: None.
TASK: 3	BD.17.2 EXECUTES CONTROL OF CLOSE AIR SUPPORT AIRCRAFT
necessita and execu	I(S): The MEU is anticipating combat operations which will ate requests for fire support. The ACE has been tasked to plan ate necessary fire support coordination missions in support of ad combat element, including control of CAS aircraft.
STANDARDS	EVAL: Y: N: NE
.1	Makes early liaison and effects coordination with the supported unit.
.2	Identifies possible targets to include location, size, type, hardness, proximity to friendly troops, enemy threat, and relative importance to tactical plan.
.3	Verifies CAS control features.
.4	Establishes co-Documentations with the air control element/TAC(A), supported ground unit, and/or other supporting aircraft.
.5	Coordinates any attack mission with the supported ground unit, supporting air unit, and other supporting arms units (NGF, artillery) prior to execution.
.6	Requests CAS aircraft from the sir control element/TAC(A) per FMFM 5-4A procedures when required.
.7	Establishes communications with CAS aircraft per FMFM 5-4A.
.8	Provides target briefing utilizing the 9 line CAS brief per FMFM $5-4A$.
.9	Obtains clearance to conduct mission from air control element/TAC(A), supporting arms agencies, and affected ground units.
.10	Marks the target with some type of visual ground reference or ordnance per FMFM 5-4A.
.11	Uses standard terminology per FMFM 5-4A, and maintains a positive control position.
.12	Adjusts ordnance impacts using cardinal headings and meters to the next desired weapons impact as required.
.13	Debriefs aircrew and ensures any intelligence information is disseminated through the controlling agency (TACC, SACC, TADC, DASC, etc.).

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

3D.18 ESCORT

TASK: 3D.18.1 PLAN ESCORT MISSION

STANDARDS:	EVAL: Y: N: NE
.1	Establishes liaison with supported unit to determine support requirements.
.2	Considers basic principles applicable to escort support. (KI)
.3	Receives information on the required primary and alternate routes from the supported unit and masks recommendations based on METT-T.
.4	Bases tactical formations and cover patterns on number of attack aircraft available, threat axis, enemy weapons capability, and mission requirements.
.5	Determines ordnance loads with regard to JMEHS, fragmentation patterns, accuracy, expected enemy threats, and type of escort mission (helicopter or fixed-wing).
.6	Considers availability of additional aviation and fire support in development of plan.
.7	Ensures that sir-to-ground/sir-to-air control measures and communications/signals are planed.
.8	Plans for LE/ground identification/marking procedures.
.9	Develops scatter plan.
.10	Develops flight coordinator/escort brief with supported unit.
EVALUATOR	INSTRUCTIONS: None.

ESCORT SUPPORT PRINCIPLES

ATTACHED ESCORT

- 1. Ensures that escort aircraft have sufficient flexibility to react rapidly to hostile fire.
- 2. Provides maximum protection for escorted aircraft/ground forces.
- 3. Plans for mutual support of escort aircraft when possible.
- 4. Facilitates ease of control by the flight leader.

DETACHED ESCORT

- Careful explanation from supported unit of routes, phaselines, and predetermined checkpoints.
- 2. Position awareness.

III-D-128

ENCLOSURE (1)

KEY INDICATORS:

- 3. Scatter plan
- 4. Brevity codes.
- 5. Distance limitations placed upon escorted unit.

TIMING

- 1. Utilization of air and supporting arms.
- 2. Rout. management.
- 3. Escort aircraft responsible for safe separation.

FLIGHT COORDINATOR'S ESCORT PLAN

- 1. Rendezvous points.
- 2. navigation points.
- 3. Communications assets.
- 4. LZ position.
- 5. Threat codewords.
- 6. Go/no 80 criteria.
- 7. Tactics routing threat.

TASK: 3D.18.2 CONDUCT ESCORT MISSION BRIEFING

STANDARDS: EVAL: Y: N: NE

.1	Briefs timeline and rendezvous procedures for escorts.
.2	Briefs escort formations.
.3	Briefs radar warning receiver CAFR/ALR) indications and proper responses.
.4	Briefs ordnance loads on all escort aircraft.
.5	Briefs flight reaction to enemy fixed-wing and rotary-wing threat.
.6	Briefs ROE.
.7	Briefs transport gunner's procedures.
.8	Briefs communications procedures for contacting fixedwing escort/combat air petrol (CAP).
.9	Briefs location of friendly air defense 55s.t5 and FEZ/MEZ requirements.
10	Briefs supporting arms coverage en route to and in the objective area.
11	Briefs fire support coordination measures in objective areas. $(\ensuremath{\mathtt{KI}})$
12	Briefs type of escort in the objective area.

III-D-129

.13 Briefs proper ordnance utilization based an type ta	.13	target.
---	-----	---------

<u>EVALUATOR INSTRUCTIONS</u>: Flight leaders provide navigation cards, maps. aircraft configurations and gross weights, detailed fuel figures, checkpoints. IP's, and TOS calculations when required.

KEY INDICATORS:

COMMUNICATION MEASURES

Fire support coordination measures should include:

- 1. Location, time, and duration of artillery/NGF prep fires.
- 2. Time and location of fixed wing CAS.
- Time of activation, establishing agency, and location of all fire support coordination lines (FSCL).
- 4. Live fire deconfliction covered in detail.

TASK: 3D.18.3 EXECUTE ESCORT MISSION

<u>STANDARDS</u>	: EVAL: Y: N: NE
.1	Fragged/scheduled number of escort aircraft launch on mission.
.2	Escort aircraft rendezvous with supported troop lift aircraft at the scheduled time and place, or as briefed if not attached.
.3	Establishes communications and coordination immediately.
.4	Provides tactically sound escort.
.5	Utilizes proper escort tactics and formations consistent with the threat environment.
.6	Acquires enemy aircraft before they become a threat to troop insert/strike flight.
.7	Escort flight prevents enemy aircraft from degrading troop insert/strike force mission.
.8	Demonstrates appropriate J-SEAD tactics and procedures.
.9	Correctly identifies LE.
.10	Passes LE brief to troop insert flight, if time and condition permits.
.11	Correctly positions escort aircraft to support troop insert flight's approach into LZ.
.12	Ensures that preparation fires are conducted if necessary.
.13	Ensures aircrews observe ROEIROC.
14	Provides (IPS/CAS and/or establishes LE coverage pattern for on-call fires as troop insert flight approaches LZ.

III-D-130

.15 Continues tactical	escort duties during egress. if planned.
	effective protection for troop insert flight depart the LZ until they are clear of enemy
.17 Maintains prebriefed previously engaged.	d fuel reserve during egress if not
	aircraft don't become preoccupied with enemy no longer a threat to the supported force.
.19 ROE, ROC, minimum as complied with as app	ltitudes and ordnance frag pattern minimums plicable.
EVALUATOR INSTRUCTIONS:	
	ESCORT MISSION
FCQ Objective. Conduct esco	ct evaluation flights.
Mission. Ta escort rotary-wing or fixedwing aircraft on designated routes while remaining prepared to defend against an airborne/ground threat.	
a. 400 series escort flig	ght from the T&R Manual.
b. Two events of two to	four sorties each are recommended.
c. Ordnance: As required	
KEY INDICATORS: None.	
TASK: 3D.18.4 CONDUCT ESC	ORT MISSION DEBRIEFING
$\underline{\text{CONDITION}(S)}$: The escort mission is complete and a debriefing is being held for all participants. The emphasis is on lessons learned and how to apply them on future operations.	
STANDARDS: EVAL: Y: N: NE	
.1 Ensures all aviation	n mission essential personnel are present.
.2 Conducts debrief per 9.	r SOP, NATOPS, debriefing guides, and NWP 55-
.3 8-2 debriefs all cre real time intellige	ew members immediately upon return for any ence information.
.4 Utilizes maps, aeria	al photos. sketches, and other training aids overall mission.
.5 Debriefs all aspects applicable. (KI)	s of the flight with all participants. if
.6 Records post mission	n debrief for future use.
	f. execution phases, and lessons learned to and tactics to improve SOP's, contingency knowledge.
.8 Ensures intelligence accurate.	e information received before the mission was
.9 Uses the debrief as	a constructive training tool.
.10 Debriefs ROE and ROG	C effects on mission execution.

III-D-131

.11 ____ 8-2 collects all classified/sensitive materials.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

DEBRIEFING ASPECTS

- 1. Changes from original brief.
- 2. Command and control.
- 3. Communications.
- 4. Support/escort.
- 5. Coordination.
- 6. Navigation.
- 7. Safety.
- 8. Tactics used/effectiveness.
- 9. Recommendations.
- 10. Shipboard Operating procedures.

3D.19 ANTIAIR WARFARE (AAW)

TASK: 3D.19.1 CONDUCT ANTIAIR WARFARE MISSION BRIEFING

CONDITION(S): The amphibious assault has taken place end local air superiority has been attained resulting in a residual enemy air threat composed of helicopters and fixed-wing. The MEU(SOC) ACE has been assigned the additional mission of emergency air defense within the amphibious operating area AOA due to the departure of the supporting carrier battle group (CVBG). All liaison has been performed and mission planning is complete. Mission commanders have been assigned and hold briefings prior to each mission. CAP stations are to be assigned with the aircraft defending designated threat sectors. GCI/CCI controllers will be utilized when available and will attend the briefs. When possible. A VISCAP tasking should be utilized when OCI/CCI is not available.

STANDARDS: EVAL: Y: N: NE

. 1	 Conducts complete brief using established MEU(SOC) ACE briefing guides which comply with applicable SOP's, NATOPS, and OPNAVINST's.
. 2	 All participating aircrew are present.
. 3	 Questions are allowed to ensure tactical/safety of flight information and mission data is understood by all.
. 4	 Receives updated intelligence briefing from the 8-2. (See TASK $30.23.18$, Intelligence Update Briefing.)
. 5	 Briefs the matrix for mission go/no go criteria.
. 6	 Briefs current ROE, ROC, alert conditions, and weapons conditions information.
. 7	 Briefs weapons engagement parameters.
. 8	 Briefs intercept techniques and tactics.

III-D-132

.9	Briefs CAP procedures, to include location, altitude, formation, and commit criteria.
.10	Briefs pilot intraformation coordination with normal and degraded systems, weapons, and communications.
.11	Briefs enemy threat capabilities and tactics.
.12	Briefs ECM, ECCM, and RHAW consideration.
.13	Briefs GCI/CCI tactics and communications required.
.14	Briefs timehack and integrated air defense system timeline to ensure pilot understanding.
.15	Briefs any changes to control points, handover points, FEZ's, MEZ's, and RTF procedures.
.16	Briefs engaged tactics.
.17	Briefs mutual support.
.18	Briefs tactical calls and communications.
.19	Briefs BUG OUT and BINGO fuel requirements.
.20	Briefs disengagement technique.
.21	Briefs any special considerations.
.22	Briefs SERE procedures to include safe areas, pick-up procedures, radio communications and/or codewords, and visual recognition signals.

EVALUATOR INSTRUCTIONS:

AIR-TO-AIR EVALUATIONS

COMBAT READY

 $\underline{\text{Objective}}.$ Conventional air combat maneuvering (ACM) evaluation flight. (lvl).

Mission. Conduct:

- a. 200 series MW flight from the T&R Manual.
- b. One event, two sorties are recommended.

COMBAT QUALIFIED

Objective. Air defense evaluation flight C2v2), dissimilar.

Mission. With a minimum of.30 miles separation, conduct:

- a. 300 series MW flight from the T&R Manual.
- b. One event, two AV-OB sorties are recommended.
- C. Support adversary aircraft required.

FULLY COMBAT QUALIFIED

 $\underline{\text{Objective}}.$ Air defense evaluation flight. (400 series ACM evaluation flight from T&R Manual).

Mission. Conduct:

III-D-133

- a. Medium altitude intercept to visual engagement against a superior number of dissimilar adversaries. (2v2).
- b. Section attack to sequential engagements against a section of adversary helicopters. (2v2).

KEY INDICATORS: None.

TASK: 3D.19.2 EXECUTE ANTIAIR WARFARE MISSION

STANDARDS	EVAL: Y: N: NE
	Flies effective combat formations a demonstrated by VID positioning.
.2	Sets weapons conditions.
.3	Receives clearance to fire in a timely manner.
.4	Flies appropriate VID or intercepts based on enemy formation and tactics.
.5	Uses vectored thrust to gain advantage when appropriate.
.6	Uses sun, clouds, or haze to advantage.
.7	Manages fuel/power settings correctly; i.e does not "count" engine unnecessarily.
.8	Utilizes proper engaged tactics and mutual support procedures based on threat aircraft.
.9	Utilizes proper tactical communications with minimum transmissions.
.10	Maintains adequate energy levels to successfully control engagement.
.11	Identifies and uses appropriate weapon(s) within appropriate envelopes.
.12	Uses initiative to gain a tactical advantage while conforming to ${\tt ROE}.$
.13	Executes a successful bug out/disengagement.
	THOMPHOMO.

EVALUATOR INSTRUCTIONS: A valid AIM-9 or guns "kill" on the bogey/adversary can be authenticated if operating on a TACTS range or by using the VRS. It is essential that only valid shots and "kills" are accepted and recorded. Survivability is the critical item. Shot parameters must be fully briefed for each weapon prior to flight. Ranges, angle. off, and G loading should be included.

KEY INDICATORS: None.

TASK: 3D.19.3 EXECUTE (lvl) ANTIAIR WARFARE MISSION

 $\underline{\text{CONDITION(S)}}$: The fighter is established on CAP and receives a threat vector from GCI/CCI. VID is required by adversary and friendly aircraft unless otherwise cleared to fire. CAP station is located outside the MEZ.

III-D-134

STANDARDS: EVAL: Y: N: NE

- 1 ____ Initial bogey information is received and understood.
- .2 ____ Fighter obtains the first valid shot on the bogey.

<u>EVALUATOR INSTRUCTIONS</u>: An 80 percent rule will apply; i.e.. 80 percent of the engagements attempted have to receive a "yes" for the standard to be Marked "yes." VRS will be used to critique all shots.

KEY INDICATORS: None.


TASK: 3D.19.e EXECUTE (2v2) ANTIAIR WARFARE MISSION

 $\underline{\text{CONDITION}(S)}$: AAW aircraft are established an CAP and receive a threat vector from GCI/CCI. VID is required unless otherwise cleared to fire. CAP station ii located outside the MEZ. The standards below indicate the current level of air-to-air training within the unit.

STANDARDS: EVAL: Y: N: NE

- .1 ____ MW aircraft receive 70 percent.
- 2 ____ MW aircraft receive 80 percent.
- .3 ____ MW aircraft receive 90 percent.
- .4 ____ MW aircraft receive 100 percent.

<u>EVALUATOR INSTRUCTIONS</u>: The score is obtained by locating the Appropriate friendly/bogey losses on the below chart and averaging the 2"2 events.



III-D-135

TASK: 30.19.5 EXECUTE (2vX) ANTIAIR WARFARE MISSION

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \texttt{AAW aircraft are established on CAP and receive a possible threat vector from GCI/CCI or are attacked while on station. VID is required unless otherwise cleared to fire. CAP stations are located outside the MEZ.}$

STANDARDS: EVAL: Y: N: NE			
.1 MW aircraft receive 70 percent.			
.2 MW aircraft receive 80 percent.			
.3 MW aircraft receive 90 percent.			
.4 MW aircraft receive 100 percent.			
EVALUATOR INSTRUCTIONS: The score is obtained by using the previous scaring matrix (Tack: 3D.19.4), and averaging the 2vX missions flown.			
KEY INDICATORS: None.			
TASK: 3D.19.6 EXECUTE (FW v HELO) ANTIAIR WARFARE MISSION			
${ m CONDITION(S)}$: MW aircraft are established on CAP and receive a possible threat vector from GCI/CCI or acquire threat helicopters visually. VID is required in order to fire. CAP stations are located outside the MEZ.			
STANDARDS: EVAL: Y: N: NE			
.1 Aircrew obtains a valid firing solution.			
.2 Employs proper tactical consistent with the threat environment.			
.3 Maintains mutual support during each engagement.			
EVALUATOR INSTRUCTIONS: Emphasize use of video recording system (VRS). Ensure ROE is adhered to throughout each engagement. Safety is paramount in a training environment.			
KEY INDICATORS: None			
TASK: 3D.15.7 CONDUCT AAW MISSION DEBRIEFING			
CONDITION(S): An MW mission has been completed. A debriefing for that mission is held, with emphasis on lesson learned for future use.			
STANDARDS: EVAL: Y: N: NE			
.1 Ensures all aviation mission essential personnel are present.			
.2 Debrief is conducted per SOP. NATOPS, and debriefing guides.			
.3 S-2 debriefs all crewmembers immediately upon return for any real time intelligence information.			
.4 Utilizes maps. aerial photos, sketches, or other training aids when debriefing the overall mission.			

III-D-136

.5	Debriefs all espect5 of the flight. (KI)
.6	Records past mission debrief for future use.
.7	Analyzes plan, brief. execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.
.9	Uses the debrief as a constructive training tool.
.10	Debrief. ROE and ROC effects an mission execution.
.11	S-2 collects all classified/sensitive materials.
EVALUA	TOR INSTRUCTIONS: None.
KEY IN	DICATORS:
	DEBRIEFING ASPECTS
1.	Changes from original brief.
2.	Command and control.
3.	Commissions.
4.	Support/escort.
5.	Coordination.
6.	Navigation.
7.	Safety.
8.	Tactics used/effectiveness.
9.	Recommendations.
10	. Shipboard operating procedures.
	3D. 20 RECONNAISSANCE
TASK:	3D .20.1 CONDUCT RECONNAISSANCE PLANNING
to pre MEU(SC transp	TON(S): The MEU(SOC) ACE has been tasked by the MAGI) commander pare for possible reconnaissance operations against the enemy. The C) ACE commences planning for the employment of utility, ort, and attack helicopters, AV-8B's, other fixed-wing aircraft, and ery/naval gunfire.
STANDA	RDS: EVAL: Y: N: NE
.1	Contingency plans are formulated for rapid withdrawal/extraction of the supported ground unit.
.2	An aerial photo/map reconnaissance of the objective areas is conducted by the mission coordinator/key, flight coordinator, and the support patrol/force leader using recent serial photographs and photographic maps.
.3	Deception plans are considered. (KI)
	III-D-137

.4 ____ Night operation planning requirements are accomplished if applicable.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

CONTINGENCY PLANS

Because recon patrols and reaction forces are usually small force with limited combat staying power contingency plans shall be fully coordinated and be capable of being executed with speed and precision to ensure success and the safety of personnel involved.

DECEPTION PLANS

Due to the covert nature of reconnaissance operations, every attempt shall be made to conceal intentions, mislead the enemy, and perform the unexpected when conducting reconnaissance patrol insertions and extractions. Supporting arms and helicopter support should be employed in a manner that does not compromise the location of the insert. If landing zone preparation fires must be employed, multiple landing zone preparations and simulated patrol insertions can be used to deceive the enemy as to the actual insertion point.

TASK: 3D.20.2 CONDUCT RECONNAISSANCE MISSION BRIEFING

STANDARDS:	EVAL: Y: N: NE
.1	All item's are briefed per published NATOPS, briefing guides, SOP's, and NWP-55-9.
.2	All participating aircrew are present.
.3	Systematically prioritizes tasks.
.4	Allocates time to ensure all tasks assigned are completed prior to mission briefing.
.5	Coordinates intelligence briefing of latest threat and friendly information available to include aerial imagery and TERPES electronic order of battle.
.6	Maximizes use of tactical SOP.
.7	Uses kneeboard cards and tactical checklists to consolidate information.
.8	Brief. shipboard operations pertaining to AV-8B weapons/navigation system's interface; i.e., ship inertial navigation system (SINS), closer approach indicator (CAI) MOD II, CCI, and degraded weapons systems deliveries.
.9	Briefs current ROE, ROC, and alert conditions and/or weapons conditions information.
.10	Ensures the mission statement is understood by all participants.
.11	Briefs friendly forces ground scheme of maneuver, weapons involved; i.e., NGF, artillery, and any joint integration. (El)
.12	Briefs enemy detection and reaction capabilities, type and location of antiaircraft weapons, force concentrations, enemy aircraft capabilities and tactics, enemy ECM and ECCM capabilities. (E1)

III-D-138

.13	Briefs tactics in the target area, friendly positions, commander's intent with respect to planned scheme of maneuver, FSCL. phaselines, target description, enemy defenses, and reattack procedures, if required.
.14	Briefs pilot intraformation coordination with normal or degraded systems, weapon., and communications.
.15	Briefs integrated fire support/J-SEAD tactics and responsibilities, if required.
.16	Briefs radio/KY-SB communication procedures with terminal controllers and/or control agencies, including authentication procedures, burn-through or chattermark procedures in a communications jamming environment, and alternate procedures/frequencies for contacting terminal controllers.
.17	Briefs alternate target(s) or mission(s).
.18	Briefs friendly locations of air defense assets and any changing ${\tt MEZ/FEZ}$ requirements.
.19	Briefs any known changes to TACP control procedures or communications requirements.
.20	Briefs all mission assets.
.21	Briefs delivery and abort parameters per ground attack SOP, to include minimums latitude, airspeed, and dive angle for ordnance releases due to FRAG pattern, terrain, or weather.
.22	S-2 briefs local populace reaction capabilities.
.23	Briefer uses appropriate maps, charts, and aerial photographs, as required.
.24	Briefs encryption procedures, both internal and external to the flight.
.25	Briefs SERE procedures. (KI)
.26	Briefs EW consideration. (KI)
	Briefs EW consideration. (KI) Briefs weather, including go/no go criteria. (KI)
.27	
.27	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e.,
.2728	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and
.27 .28 .29	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include
.27 .28 .29 .30	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate
.27 .28 .29 .30 .31	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio
.27 .28 .29 .30 .31 .32	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or
.27 .28 .29 .30 .31 .32 .33	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter
. 27 . 28 . 29 . 30 . 31 . 32 . 33 . 34 . 35	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment.
. 27 . 28 . 29 . 30 . 31 . 32 . 33 . 34 . 35 . 38	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment. Briefs mission precedence.
. 27 . 28 . 29 . 30 . 31 . 32 . 33 . 34 . 35 . 38 . 37	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment. Briefs mission precedence. Briefs a timeline, both into and out of the area of operations.
. 27 . 28 . 29 . 30 . 31 . 32 . 33 . 34 . 35 . 38 . 37 . 38	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment. Briefs mission precedence. Briefs a timeline, both into and out of the area of operations. Briefs call signs/event numbers.
. 27 28 29 30 31 32 33 34 35 38 37 38 39	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment. Briefs mission precedence. Briefs a timeline, both into and out of the area of operations. Briefs call signs/event numbers. Briefs flightdeck/ground signals.
. 27 28 29 30 31 32 33 34 35 38 37 38 39 40	Briefs weather, including go/no go criteria. (KI) Ensures that .11 appropriate personnel have handouts; i.e., kneeboard cards, maps, charts, etc. Briefs mission go/no go criteria; i.e., aircraft, personnel, and other mission essential equipment. Briefs actions required if attacked by enemy aircraft to include defensive turns minimum altitude. Briefs actions required if attacked by SAN/AM and appropriate RWR gear operation/displays. Briefs look-out procedures to include responsibilities, radio calls, and tactical maneuvering for threats Briefs clearance to drop method (by voice, other signal, or "silence is consent"). Briefs laser designation procedures, codes, and visor/filter usage for pilot safety in a laser environment. Briefs mission precedence. Briefs a timeline, both into and out of the area of operations. Briefs call signs/event numbers. Briefs flightdeck/ground signals. Briefs shipboard operating procedures.

.43	Briefs NVG operational considerations.
.44	Briefs launch conditions. (KI)
.45	Briefs ingress procedures. (KI)
.46	Briefs LZ procedures/considerations. (KI)
.47	Briefs egress procedures. (KI)
.48	Briefs downed aircraft procedures for overwater and overland.
.49	Briefs TRAP procedures.
.50	Briefs any concurrent operations, to include deconfliction with other participating aviation units.
.51	Briefs FARP procedures.
.52	Briefs deception plan.
.53	Briefs special considerations; i.e., laser, ARBS/LST integration SMC programs, ordnance codes for computed delivery, etc.
.54	Briefs timehack.
.55	Briefs location/time of debriefs.
.56	Briefs controlling agencies.
.57	Briefs EMCON procedures.
.58	Briefs DRIADS.
.59	Questions are allowed to ensure tactical/safety of flight information is understood by all.

<u>EVALUATOR INSTRUCTIONS</u>: Brief uses NWP 55-9-ASH Manual for helicopter operations. Flight leaders provide navigation cards, maps, aircraft configurations and gross weights, detailed fuel figures, checkpoints, IP's, attack and weapons release parameters. and 105/TOT calculations when required.

KEY INDICATORS:

FRIENDLY FORCES

- 1. Infantry, to include scheme of maneuver.
- 2. Artillery.
- 3. Air support.
- 4. Naval gunfire.
- 5. Fire support coordination measures.

ENEMY FORCES

- 1. Operation area.
- 2. Ability to reinforce.
- 3. MA, SAM, infantry, and sir threat locations known.

III-D-140

- 4. Unexpected movement. 5. EEI's 1. ISOPREP cards.
 - SERE
- 2. Passwords.
- 3. Barter kits/blood kits.
- 4. Safe area.
- 5. Designated area for rescue.
- 6. Radio communications.
- 1. EMCON condition.
- 2. Deception/meaconing.
- 3. MIJI reporting.

WEATHER

- 1. Data.
- 2. RF propagation.
- 3. Current weather.
- 4. Forecast weather.

CHAIN OF RESPONSIBILITY

The location call sign and frequency should be briefed for the following:

- 1. Overall mission commander.
- 2. Air mission commander.
- 3. HTC.
- 4. Flight leader/alternate.
- 5. Flight coordinator/alternate.

The following agencies' locations, call signs. and frequencies should be briefed:

- 1. HC(A).
- 2. TAC(A).

FUEL

- 1. Takeoff load.
- 2. Minimum/bingo.
- 3. Refueling/rearming.

III-D-141

- 4. Deck assignments.
- 5. Prioritizing.
- 6. Timeline.
- 7. Aerial refueling.

LAUNCH

- 1. Aircraft manning time.
- 2. Turn-up time.
- 3. Taxi time/plan/frequencies.
- 4. T/O time/frequencies/formations.
- 5. Bump plan.
- 6. Rendezvous procedures.

<u>INGRESS</u>

- 1. Primary and alternate routes.
- 2. Control measures (RP's, CP's, IP's).
- 3. Timing.
- 4. Airspeeds and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- 10. Communication procedures including visual signals, lost communications, chattermark, code words, and RIO.
- 11. En route terrain.
- 12. Probable point of first enema' contact.
- 13. Evasive maneuvers/ACM.
- 14. Scatter plan.
- 15. Go/no go criteria.
- 16. N3C considerations.
- 17. NVG considerations.

LANDING ZONE

- 1. Primary and alternate grid coordinates.
- 2. LZ brief.

III-D-142

- 3. Landing direction/wave off instructions.
- 4. Escort.
- 5. Take off instructions.
- 6. Weapons conditions.
- 7. Landing diagram.
- 8. Retraction plan (retrograde, withdrawal, emergency extraction).

EGRESS

- 1. Primary and alternate routes.
- 2. Control measures (CP's, RP's).
- 3. Timing.
- 4. Airspeed and altitude.
- 5. Formations.
- 6. Escort.
- 7. Supporting arms.
- 8. Weapons conditions.
- 9. Penetration checklist.
- Communication procedures including visual signals, lost communications. chattermark. codewords, and RIO.
- 11. En route terrain.
- 12. Probable point of last enemy contact.
- 13. Evasive Maneuvers.
- 14. Scatter plan.
- 15. NBC considerations.
- 16. NVG considerations.
- 17. RTF.

TASK: 3D .20.3 EXECUTES INGRESS/EGRESS TO/FROM TARGET

CONDITION(S): The ATO has beam issued and the MEU(SOC) ACE is assigned armed reconnaissance/DAS missions. All liaison has beam performed and mission planning is complete. Mission commanders have been assigned and the MEU(SOC) ACE holds a brief prior to each mission. The ingress/egress portions will be flown while a variety of threats. air and ground, are encountered. Formations will vary in size from sections to divisions. Low level ingress and egress will be employed when required. EMCON procedures will be considered and employed when necessary.

III-D-143

STANDARDS:	EVAL: Y: N: NE
.1	Arming procedures are as briefed.
.2	Takeoff time is as briefed.
.3	Scheduled number of aircraft launch on mission.
.4	Ground attack aircraft react properly to the threat.
.5	Go/no 80 mission criteria is used.
.6	Control point (RP, C?, EP, and I?) procedures are flown as briefed.
.7	Control agencies are contacted as required, and updated advisories are adhered to.
.8	Regains strike flight formation or individual flight integrity rapidly after attacking the target.
.9	All aircraft have sufficient fuel for tactical egress and recovery aboard ship or alternate base.
.10	Actual execution of the ingress/egress allows for deconfliction both inside and outside the flight.
.11	Follow proper RTF procedures and pushes intelligence information through appropriate control agencies.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3D	2.20.4 EXECUTE RECONNAISSANCE PATROL/REACTION FORCE OPERATIONS
to insert Important	<u>S)</u> : The MEU(SOC) ACE has been tasked by the MAGTF commander a reconnaissance patrol/reaction force into enemy territory, considerations en route are evading enemy and maintaining l secrecy.
STANDARDS:	EVAL: Y: N: NE
.1	Reaction force aircraft are preflighted and aircrew are available for immediate launch.
.2	METT permitting, the flight coordinator inspects the objective area and recommends a final scheme of maneuver to the mission commander.
.3	Flight coordinator, mission commander, and heloborne unit commander confirm landing zone (LZ).
.4	Control of supporting arms is as briefed and per CAS, NGF, and/or artillery supporting arms coordination MPS's.
.5	Ensures aircrews observe ROE/ROC.
.6	While assault aircraft are in the LZ, escorts are alert for oncall CIFS or CAS requirements.
.7	Utilizes smoke screen effectively to provide protection to assault aircraft, if planned.
.8	Transport and escort aircraft displace from the LE immediately but maintain communications contact until the inserted element reports its status secure.
.9	Executes immediately and effectively emergency reaction/extraction operations if required.
.10	Extracts reconnaissance patrol/reaction force successfully in one wave if feasible.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

 $\underline{\text{CONDITION(S)}}$: The MEU(SOC) ACE has been tasked to plan and execute reconnaissance mission in support of amphibious operations and the ground scheme of maneuver.

STANDA	RDS: EVAL: Y: N: NE
.1 _	Ensures that reconnaissance aircraft carry adequate firepower to conduct armed reconnaissance.
.2 _	Assigns sufficient armed aircraft to reconnoiter the main route. (KI)
.3 _	Chooses flight path that offers the beet observation, mutual fire support, and avoidance of detection based on METT considerations.
.4 _	Immediately reconnoiters the dominant terrain to prevent enemy advantages
.5 _	Employs easily recognizable checkpoints.
.6 _	Produces an acceptable recording of reconnaissance information.
.7 _	Starting with the line of departure systematically reconnoiters each area while adhering to a planned pattern.
.8 _	Uses appropriate sector search patterns to ensure coverage.
.9 _	Reports immediately all evidence of enemy forces, changes from aerial imagery or maps, route conditions, and any other information requested.
.10	Takes prebriefed proper evasive actions or response upon enemy contact.
.11	Coordinates with ground reconnaissance elements for area searches which cannot be checked by air.
.12	En route, allows for encounters with the threat to be developed only enough to ensure that reconnoitering elements can bypass and continue to reconnoiter the objectives.
.13	Employs appropriate flight formation techniques.
.14	Limits time in the objective area.
.15	Provides support unit with rapid and reliable information.
	Utilizes effective communications to pass updated information to the supported force.

 $\underline{\text{EVALUATOR}}$ INSTRUCTIONS: Timeliness of reporting is essential in order to consider the reconnaissance mission successful.

KEY INDICATORS:

ROUTE RECONNAISSANCE PURPOSES

- To provide detailed information on a specific route and all adjacent terrain from which the enemy can influence movement along the route.
- 2. To obtain information on enemy forces moving generally along a specified route.
- 3. To develop the enemy situation ahead of a friendly force.

- 4. To locate sites for construction of hasty obstacle to impede enemy movement.
- 5. To support movement of supply or other type units.

TASK: 3D.20.6 EXECUTE ARMED RECONNAISSANCE DEEP AIR SUPPORT (DAS)

 $\underline{\text{CONDITION}(S)}\colon$ Armed reconnaissance and DAS million. have been launched in support of MEU operation.

STANDARDS	: EVAL: Y: N: NE
.1	Engine start, arming, and departure are ac briefed and aircraft are airborne on time.
.2	All fragged aircraft launch on mission.
.3	Conducts en route formation and procedures as planned and per the threat.
.4	Achieves adequate "lockout doctrine".
.5	Conducts RECON as required.
.6	Acquire, identifies, and engage. visual target
.7	Locate and engage briefed target.
.8	Egress is as planned and per threat.
.9	Deliver. ordnance on first pee
.10	Ordnance dud rate is less than 10 percent.
.11	Aircraft flies non-predictable and Jinking flight path.
.12	Complete with ROE, ROC, minim altitude., and ordnance frag pattern constraints.
.13	Utilize. ECM procedure. as required.
.12	Complete with RTF procedure.

EVALUATOR INSTRUCTIONS: Indicate number of moving target engaged.

MARKED RECON/DEEP AIR SUPPORT (DAS) EVALUATIVE COMBAT QUALIFIED

Objective. Armed RECON evaluation flight.

 $\underline{\text{Mission}}$. 711 an creed RECON evaluation flight in a simulated threat environment.

- a. 300 series armed RECOM evaluation flight from the T&R Manual.
- b. One event. three to four AV-8B sorties recommended.
- c. Ordnance: A. required for target destruction per JMEM.
- d. Adversary aircraft required.

FULL COMBAT QUALIFIED

Objective. Deep air support evaluation flight.

III-D-146

MCO 35

<u>Mission</u> Ingress using MACCS through a sophisticated threat environment utilizing a multiple element strike force to attack a preplanned target.

- a. 400 series DAS evaluation flight from the T&R Manual.
- b. Two events, two to four AV-83 sorties required. At least one of the events should be C mission that must be planned and launched within 3 hours of mission receipt.
- c. Ordnance: As required for target destruction per JMEM.
- d. Multiple support aircraft required.

NOTES:

- 1. Chaff and flare. to be used on all sorties.
- 2. EW range to be utilized if available.
- See Evaluator Instructions in Talk 30.15.1 for ordnance requirements.
- 4. For the rapidly planned mission. JMEMS should be extracted from the TACMAN pre-calculated solutions, while for a mission with normal time constraints JMEMS should be extracted from computer aided solutions.

KEY INDICATORS: None.

TASK: 3D.20.7 DELIVERS ORDNANCE ACCURATELY/EFFECTIVELY

 $\underline{\text{CONDITION}(S)}$: Armed RECON/DAS require. superior accuracy and flight coordination from all aircrew. Completion of this task by multiple sections divisions within the MEU(SOC) ACE will provide an indication of current training level.

STANDARDS: EVAL: Y: N: NE

.1	Meets mission objectives and delivers ordnance effectives and delivers ordnance $\frac{1}{2}$	ectively
.2	Flight achieves 70 percent mission effectiveness.	(KI)
.3	Flight achieves 75 percent mission effectiveness.	(KI)
.4	Flight achieves 80 percent mission effectiveness.	(KI)
.5	Flight achieves 85 percent mission effectiveness.	(KI)
.6	Flight achieves 90 percent mission effectiveness.	(KI)
.7	Flight achieves 95 percent mission effectiveness.	(KI)
. 8	Flight achieves 100 percent mission effectiveness.	(KI)

EVALUATOR INSTRUCTIONS: For this task to be en accurate indicator of ordnance effectiveness. The JMEM must be researched thoroughly during the planning stage of the sortie. Each standard up to and including the highest percentage of mission effectiveness attained will be marked "Y": e.g., if the flight achieved 85 percent mission effectiveness. standards 1 through 5 will be marked "Y". While mission effectiveness should be used to evaluate a flight whose objective is a tactical target, the Percent Target Coverage chart should be used if the flight utilizes a raked range. The above standards can be used to evaluate a flight whether it utilizes a raked range or a tactical target by marking the standard with the appropriate percentage. The type target should be annotated.

III-D-147

KEY INDICATORS:

MISSION ELECTIVENESS

Various factors influence the effectiveness of aerial ordnance against a various factors influence the effectiveness of aerial ordnance against a target and include: target type, target location, type ordnance, type fusing, quantity of ordnance, type delivery, direction of delivery, and position of ordnance impact relative to the target. Based on these facts, the probability of kill (Pk) attained on the mission can be divided by Pk determined possible (from planning documents such as to arrive at e percentage of mission effectiveness (ME). This number represents an absolute quantity end is therefore not affected by threat intensity.

		0.8 - .51 0 -		
		0.8 - .51 - o -		
PERCENT ME	(observed	possi	ble)	
				EDA

PERCENT TARGET COVERAGE (CEP in meters)

THREAT	70	75	80	85	90	95	100
PERMISSIVE	40	35	30	25	20	15	10
RESTRICTIVE	45	40	35	30	25	20	15
SOPHISTICATED	50	45	40	35	30	25	20

STRAFE (percent of rounds on target any threat)

3D.20.8 CONDUCT RECON MISSION DEBRIEFING

 ${\hbox{\tt CONDITION(S)}}\colon$ The aircraft have returned to the ship from multiple reconnaissance missions. A debrief is held for all participating personnel.

STANDARDS: EVAL: Y: N: NE

.1	Ensures all aviation mission essential personnel are present.
.2	Debrief is conducted per SOP's, NATOPS, and debriefing guides.
.3	5-2 debriefs all crewmembers immediately upon return for any real time intelligence information.
.4	utilizes maps, aerial photos, sketches, or other training side when debriefing the overall mission.
.5	Debriefs all aspects of the flight with all participants, if practicable. (KI)
.6	Records post mission debrief for future use.
.7	Analyzes plan, brief, execution phases, and lessons learned to develop new COA's and tactics to improve SOP's, contingency plans, and aircrew knowledge.
.8	Ensures intelligence information received before the mission was accurate.

III-D-148

.9		Uses the debrief as a constructive training tool.
.10		Debriefs ROE and ROC effects on mission execution.
.11		S-2 collects all classified/Sensitive materials.
<u>EVAI</u>	LUATOR	<u>INSTRUCTIONS</u> : None.
KEY	INDIC	ATORS:
		<u>DEBRIEFING ASPECTS</u>
	1. Cl	nanges from original brief.
	2. C	ommand and control.
	3. Co	ommunications.
	4. Co	pordination.
	5. Na	avigation.
	6. Sa	afety.
	7. Ta	actics used/effectiveness.
	8. Re	ecommendations.
	9. Sl	nipboard operating procedures.
		3D.21 ELECTRONIC WARFARE (EW)
		D .21.1 DEMONSTRATE CORRECT RESPONSE TO ENEMY ELECTRONIC WARFARE BILITY
		(S): The MEU(SOC) ACE is conducting tactical flight operations rward site while the enemy is known to have EW capability.
STAN	NDARDS	EVAL: Y: N: NE
.1		All radio nets specified as covered circuits in the communications plan are operated in the covered mode.
. 2		CEOI instructions for daily changing of frequencies end call signs are observed.
. 3		Observes emission control (ECON) procedures.
. 4		Chooses communication sites that provide for terrain masking to minimize enemy probability of intercept.
.5		Marines require authentication operating unsecure radio and wire nets.
.6		(CEO) allocates alternate frequencies for critical radio nets.
.7		Marines operating radios recognize enemy jamming (as opposed to equipment malfunctions), do not reveal effectiveness of enemy jamming efforts. and continue to attempt to communicate.
.8		Proven or suspected enemy electronic activity is reported to the supported unit by a MIJI report via wire, messenger. or other secure means in a timely manner.

III-D-149

.9	Relays communication by alternate means when radio nets are effectively jammed.
.10	Marines operations radios and officers transmitting on those radio do not compromise unit locations, strength, or commit other "BEADWINDOW" security lapses.
.11	Expedient directional antennas are used to the maximum extent possible.
.12	Uncovered transmissions are accomplished in such a way as to discourage radio direction finding.
.13	Communications security material of all types is safeguarded.
	Low-priority and routine messages are sent by means other than radio communications.
.15	Brevity codes promulgated by the appropriate communications SOP are employed.
which the scenario h	<pre>INSTRUCTIONS: The task is applicable in all instances in aggressor force described as the threat in the published has an electronic warfare capability. Evaluator should determine with the TEC the degree of application prior to start of the</pre>
KEY INDICA	ATORS: None.
TASK: 3I	D.21.2 Demonstrate SELF PROTECTION ECM CREW KNOWLEDGE
	(S): Aircrews demonstrate adequate knowledge of available asures and compatible onboard EW equipment throughout the
STANDARDS	EVAL: Y: N: NE
.1	Aircrews demonstrate proper employment and capabilities of onboard radar homing and warning (RHAW) equipment. (KI)
.2	Aircrews demonstrate proper employment and Capabilities of onboard expendable; e.g. chaff, flares. and jammers. (KI)
.3	Aircrew demonstrate proper employment and Capabilities of passive infrared (IR) jammers.
.4	Demonstrate familiarity with currently recommended defensive formation static to include mutually supportive alignment, spacing, and ECM support aircraft integration.
.5	Exhibit familiarity with currently recommended defensive maneuvers for SAM, AAA, and MW threats.
	<u>INSTRUCTIONS</u> : If available, ground teat equipment will be imulate ECM operation.
KEY INDICA	ATORS:
	RHAW AND MISSILE WARNING RECEIVERS
Operation indication	: Cockpit Switchology, pre operations checks, and display
	<u>ies</u> : Threat correlations, threats covered, display ambiguities, ot covered.
Employment	Reactions to displays.

ONBOARD EXPENDABLE

 $\underline{\mathtt{Operation}}$ — Dispenser loading and program, cockpit switchology for manual and programmed expenditure.

III-D-150

<u>Capabilities</u>: General knowledge of chaff, decoy flare IR effectiveness, current jammer threat coverage.

Employment: Timing/interface with threat activity and aircraft
maneuvers use in high/low altitude profiles, etc.

TASK: 3D.21.3 EXECUTE CORRECT ELECTRONIC WARFARE FLIGHT PROCEDURES

STANDARDS:	EVAL: Y: N: NE
.1	Uses EW considerations and tactics effectively.
.2	Conducts airfield departures as briefed.
.3	Optimizes tactics. including route utilized, altitudes, end EW support for the threat EW considerations
.4	Employs appropriate return-to-force (RIF) procedures.
.5	Demonstrates proper air command and control procedures within TAOR, including entry/exit points and corridors, IFF/SIF, and covered and coded communications.
.6	Gathers EW intelligence within limits of capability.
.7	Demonstrates proper tactics utilization of radar warning receiver.
.8	Demonstrates proper tactical utilization of expendable countermeasure equipment.
.9	Utilizes alternate communication nets (e.g., HF).

 $\underline{\text{EVALUATOR INSTRUCTIONS}}\colon$ Fifty percent of MEU(SOC) ACE assets shall be tested. Indicate the following data:

- 1. Missions flown.
- 2. Mode IV checks attempted.
- 3. Mode IV checks successful.
- 4. Secure voice checks successful.
- 5. Whether KY-58s were used on tactical missions.

KEY INDICATORS: None.

3D.22 MARINE AIR COMMAND AND CONTROL SYSTEM (MACCS)

TASK: 3D.22.1 CONDUCT INITIAL MACCS SPECIFIC PLANNING

III-D-151

CONDITION(S): The MEU is in receipt of a warning order and has begun planning for an amphibious operation. The embarked MEU(SOC) ACE is comprised of a medium helicopter squadron (HMM) reinforced with heavy lift, utility, and attack helicopters, V/STOL attack fixed-wins aircraft, forward antiair defense weapons, and aviation command and control. The MEU(SOC) ACE commander, using his original staff, augmented by representatives from the attached detachments, oversees aviation planning and coordination.

STAN	IDARDS	S: EVAL: Y: N: NE
.1		Uses an established SOP for planning.
.2		Establishes early coordination with the ATF aviation planners and control agencies for all relevant phases of operations.
.3		Provides air support and aircraft control input to the aviation estimates of supportability for all operations assigned, and identifies any limitations or problem areas.
. 4		Coordinates all relevant communications requirements for subordinate, adjacent, and higher level circuits with the MEU communications planners to ensure the effective coordination and control of all direct support aircraft, encryption hardware/software, and authentication materials. (KI)
.5		Recommends air support control measures; e.g., control points, RTF, etc., in accordance with FMFM 5-4A and/or guidance set forth by the MEU/ACE planning staff.
.6		Establishes liaison with higher, adjacent, and subordinate units of the ATF throughout the planning phase/or as directed by the MEU/ACE planning staff.
.7		Issues memorandums or outline plans and attends staff conferences or informal briefings as required or as directed by the MEU/ACE planning staff.
.8		Requests MAGTF commander's guidance concerning elements and/or vital areas to be defended by air defense assets and their order of priority.
.9		Recommends methods of providing early warning information to the deployed LAAD detachments through their detachment commander. $(\mbox{\tt KI})$
.10		Coordinates with the MEU to ensure that the antiair warfare rules of engagement, warning conditions, weapons launch conditions, and sources of antiaircraft intelligence are addressed in the aviation annex to the ATF operations order.
.11		Coordinates LAAD employment with supported unit.
.12		Establishes coordination with the rear area security commander in accordance with the rear area security plan or OPORD.
.13		Reviews ATF force list and/or MEU/ACE planning guidance to determine the impact of control required of remotely piloted vehicles (RPV's) in the operation.
14		Recommends to the MEU/ACE planning staff RPV tasking data and format as it should appear on the ATF ATO.
.15		Coordinates air support control requirements with planned air defense measures.

III-D-152

 $\overline{\text{EVALUATOR}}$ INSTRUCTIONS: The evaluator should examine planning documents to ensure that the requirements in 30.22.1.1 through 30.22.1.10 were accomplished during planning. Also since the MACCS detachment ii task organized to meet the situation, the evaluator should query individuals and the OIC cc to the roles and relationship they have been defined for it by the MEU/ACE.

KEY INDICATION:

REQUIRED COMMUNICATIONS INSTRUCTIONS

The function. required to be performed by the communications capabilities of the MACCS detachment are dependent upon the requirements to put air control capability ashore. Operation at the MEU level usually do not pace command ashore and limit the amount of control phased ashore. The portions of control passed ashore tend to be employed as an extension of ship-based coordination capability. The MACCS detachment may be required to communicate with the agencies listed below in order to perform its mission.

- 1. TAC(A).
- 2. TACC (afloat).
- 3. SACC.
- 4. FSCC.
- 5. HOC (afloat).
- 6. TACP/PAC(A).
- 7. SAAWC/FAAWC.
- a. LAAD detachments.
- 9. Forward sited aircraft.
- 10. Direct sir support aircraft.

EARLY WARNING

Success of LMD employment is highly dependent on early involvement in the planning phase, receiving early warning information, and a properly emplaced means for command and control. It is imperative that LAAD be tied into the CATF AAW network, to ensure total integration of sir defense assets and effort. Available radar generated early warning must be maximized. Communications down to the LAAD teems must be continuously available. Proper integration of all ATF air defense assets will ensure that coverage for the Marines on the around is optimized.

TASK: 3D .22.2 CONDUCT MACCS DETACHMENT SITE SELECTION

<u>CONDITION(S)</u>: The MAGTF commander has directed that facilities to extend the ability to coordinate and control direct support assets be established ashore. The fire support control timeline has been coordinated with the MEU and stipulates an area airspace control capability of limited ability and control and coordination of LAAD assets for the landward sector of the AOA.

STANDARDS: EVAL: Y: N: NE

1	Conducts coordination with the FSCC to ensure the MACCS detachment site considerations are included in selecting initial positions ashore.
2	Conducts a map survey to determine suitable MACCS detachment CP/FSCC site. (KI)
3	Collocates the MACCS detachment CP and FSCC site when possible.
4	Plans for the establishment of alternate operational sites per procedures contained in an SOP.

III-D-153

.5	oases requirements for equipment on supportability of the MAGTF scheme of maneuver ashore and projected Location of terminal controllers (FAC's. etc.) and dispersion of LAAD teams. (KI)
.6	Establishes priorities for emplacement of equipment.
.7	Designates advance party to accompany FSCC advance party to reconnoiter FSCC/MACCS detachment CP position.
.8	Suggests requirements and potential sites for air/ground radio relay/radio retransmission sites to support DAS control measures.
.9	Requests TAMPS, ECAC, or PROPHET studies for potential mite
VALUATOR	<u>INSTRUCTIONS</u> : None.

KEY INDICATORS:

MAP SURVEY

The following considerations are given priority in the site selection for the MACCS detachment CP position ashore in the following order:

Communications - Antenna siting and remoting requirements. Distances of antenna from power source and MACCS detachment CP. Ground wave propagation and equipment grounding requirements. Terrain masking and effects on communications. To perform its mission and assigned tasks, the site selected must afford the best possibility to communicate with the below listed agencies/terminal control facilities:

- 1. FSCC.
- 2. TACC/SACC (afloat).
- 3. TACP(S)/FAC(A).
- 4. Deployed LAAD units.
- 5. Direct support aircraft.
- 6. HDC (afloat).
- 7. RPV unit (ground control site).
- 8. Forward sited aviation assets.
- 9. Supported unit.

<u>Cover and Concealment</u>. While important, covered locations often preclude or reduce effective communications. In this regard the requirements to communicate must be given the higher priority. Every attempt should be made to camouflage to the maximum extent possible consistent with the mission requirements to communicate. However, the capabilities of remote radios must be considered as an alternative to exposing the MACCS detachment CP and protecting by camouflage.

<u>Traffiability</u>. The site should be accessible in all weather conditions. Road network should be adequate to support initial emplacement and resupply activities.

<u>Physical Layout</u>. The site should provide adequate space to tactically deploy the MACCS detachment CP and attendant support equipment to include:

- 1. Communications.
- 2. Field sanitation.
- 3. Billeting.
- 4. Local security.

III-D-154

EQUIPMENT REQUIREMENTS

The following should he given consideration in planning numbers and types of equipment required for the MACCS detachment:

- 1. Estimated duration of operations ashore.
- 2. Number of nets required.
- 3. Secure voice requirements.
- 4. Nobility requirements.
- 5. Scheme of maneuver ashore.
- 6. Air and/or around radio relay/radio retransmission requirements.
- 7. TAC(A) requirements.

STANDARDS: EVAL:

missiles.

8. Battery requirements based on usage in a specific environment.

ADVANCE PARTY/RSOP TEAM

The advance party should be manned, equipped. and briefed to properly site the MACCS detachment CP. Vehicle security during the convoy and mite security upon arrival at the operational mite must be performed by the advance party. Composition of the advance party will be dependent upon the urgency of attaining operational readiness and current threat. and should consider NBC, ECO, engineer support, and enemy air and ground activity.

TASK: 3D.Z2.3 CONDUCT MACCS DETACHMENT LOGISTIC PLANNING

Y: N: NE

CONDITION(S): The MEU is in receipt of a warning order and has begun planning for an amphibious operation. The embarked MEU(SOC) ACE is comprised of a medium helicopter squadron (BMM) reinforced with heavy lift, utility, and attack helicopters. V/STOL attack fixed-wing aircraft, forward antiair defense weapons. and aviation command and control. The MEU(SOC) commander, using his original staff, augmented by representatives from the attached detachments. oversees aviation planning and coordination.

__ Resupply procedures for the MACCS detachment are outlined in an SOP or specified in the OpOrd. The MACCS detachment commander plans logistic requirements for all elements of the detachment deployed. (KI) The senior LMD representative of the MACCS detachment conducts liaison with the units to be supported by LMD detachments to plan far resupply of Class I, III, and V items. (KI) Supported units clearly understand their responsibility for Class I (rations and water) resupply to the LMD detachment. Supported units clearly understand their responsibility for Class III (fuel) of the MACCS detachment and arrangements are made for refueling vehicles and MEP equipment with the CSSE. .6 _ Supported units clearly understand their responsibility for class V (ammunition) resupply to the LAAD element if it is unable to utilize the missile resupply point due to its mission (attached). __ Missile resupply point has been established and all LMD personnel are aware of its location and procedures required. ___ All MACCS detachment elements are aware of how and where to obtain all classes of supplies. __ All LAAD personnel are aware of proper inspection methods for receipt of missiles and the disposition of unsatisfactory

.10	Procedures are established for the maintenance of all MACCS
	detachment TIE equipment dismissals) at the supported unit
	or CSSE level, and this information is disseminated to all
	units of the MACCS detachment

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

LOGISTICS PLANNING

The senior personnel of the MACCS detachment will be required to participate in the planning stages of the amphibious operation to ensure resupply requirements are met for the MACCS detachment addressing all support needed over a widely dispersed areas. There is no substitute for proper prior planning.

LOGISTICS LIAISON

Liaison requirements exist to ensure the supported units understand resupply requirements for the LAAD detachment. Alternate means of resupply, as well as emergency resupply of missiles, must also be taken into account. Battery resupply for all MACCS elements is a priority.

TASK: 3D.22.4 RECONNOITER. SELECT. AND OCCUPY POSITIONS (RSOP)

STANDARDS: EVAL: Y: N: NE The MACCS detachment commander briefs the RSOP Team on its mission and provides essential elements of information on friendly and enemy forces. (KI) The RSOP team leader reconnoiters and marks RSOP and main body convoy routes when feasible. The RSOP team leader briefs vehicle drivers on the primary and/or alternate routes and provides a security man for each vehicle. RSOP team deployed to the primary site using tactical convoy or help. Communications maintained between the RSOP teem and the MACCS detachment during the movement and/or after site occupation. Occupies site. marks ground defense positions in accordance with the ground defense plan, and establishes security prior to proceeding with other RSOP activity. .6 __ Site security provided during RSOP. RSOP teem deployed to the primary site with appropriate NBC .7 __ protective equipment. .8 ___ Sweep of the position conducted for NBC containments. Position sweeped for mines, antipersonnel devices, and .9 __ unexploded ordnance. Site positions marked for follow-on, equipment. A helo landing site is designated for MEDEVAC and logistic .11 ___ purposes. (KI) .12 ____ A storage area for small arms ammunition and other explosives is selected.

.13	A billeting and support area is area. (KI)	designated	within the defended
.14	The RSOP party members serve as upon arrival at site.	guides for	equipment placement

KEY INDICATORS:

RSOP TEAM BRIEF

Plans addressing quick reaction by the unit should be prepared and briefed to MACCS detachment personnel MASCC required. The following considerations should be evident:

- 1. NBC.
- 2. Air/ground attacks (to include rules of engagement).
- 3. Distribution/dispersion of critical personnel.
- 4. Security during movement and stops.
- 5. Alternate routing.

EVALUATOR INSTRUCTIONS: None.

- 6. Convoy speed end separation.
- 7. MEDEVAC procedures.
- 8. Withdrawal plan.

HELICOPTER LANDING AREA

Helicopter landing areas should be a sufficient distance from operational equipment/billeting area to prevent interruption of operations and injury of personnel. They should be free of foreign object damage (FOD) materials. Area dimensions should be as specified in OH 5-3A or as otherwise directed in the MEU operations order/SOP.

BILLETING/SUPPORT AREAS

Billeting, supply. motor transport, and other support areas are located in a terrain masked position. Maximum advantage of natural cover is taken to enhance the effectiveness of and reduce the amount of camouflage needed to conceal the area profile.

TASK: 3D.22.5 TRANSFER LAAD ASSETS ASHORE DURING AMPHIBIOUS OPERATIONS

CONDITION(S): The embarked MEU has completed planning for the amphibious operation and subsequent operations ashore. The amphibious lending preparations are progressing to the point of execution. The control of and coordination of MACCS detachments is required to assist in the effective integrated employment of aviation/air defense assets. The LMD detachment has been assigned to provide both general and direct support low altitude air defense for assault detachments of the supported unit.

STANDARDS: EVAL: Y: N: NE

.1	Coordination is completed with ATF representatives to ensure MACCS representation in appropriate control agencies afloat. $(\mbox{\scriptsize KI})$
.2	MACCS detachment communication requirements are coordinated with the ATF. and communications assets are available to the

.3 ____ LAAD command (LC) net is established afloat.

MACCS detachment representatives.

III-D-157

.4	LAAD weapons control (LZ) net is established afloat.
.5	Coordination when the AAW representatives in the TACC/SACC is established, and early warning information is available for passing to deployed LAAD assets.
.6	Procedures are established for the deployed MACCS detachments to pass visual reports up the operational chain to the FAAWC/SAAWC.
.7	MACCS detachment representatives are positioned in the highest level GCE COC/FSCC ashore.
MEU emg actual	TOR INSTRUCTIONS: The conditions set herein are typical of the ployment, and will be adjusted by the evaluator in concert with the assignments made in the operations order or in the configuration of phibious assets employed by the ATF.
KEY IN	DICATORS:
	AFLOAT CONTROL
commun nets to detach is the	CCS detachment commanders or liaison still afloat must be able to icate effectively with MACCS detachments ashore. Communications of ensure effective and timely passing of information to the MACCS ments are required, particularly the LAAD detachment. Also critical requirement for monitoring Navy equivalent nets as LF MW assets a integrated into the ATF MW plan.
TASK:	3D.22.6 ESTABLISH MACCS DETACHMENT AND COMMUNICATIONS
prepar MACCS LAAD a aircra	ION(S): The build up of forces ashore continues. The MAGTF is ing to phase control of shore-based supporting arms ashore. The detachment is ordered ashore to assume the mission of control of ssets and to assist in the coordination of direct air support ft operations. The advance party and leading elements of the FSCC dered ashore concurrently.
STANDA:	RDS: EVAL: Y: N: NE
.1	Receives mission tasking and provides appropriate briefings to subordinates.
.2	Task organizes personnel to move and set up equipment.
.3	Briefs personnel on the ground defense plan, encompassing rules of engagement, and land-air threat existence.
.4	Advises and updates higher command element of equipment status and operational capability as set up work continues.
.5	Directs movement and emplacement of the MACCS detachment equipment and personnel.
.6	Equipment emplaced, to include support equipment, tentage, radio antennas, and vehicles to take full advantage of cover provided by natural terrain features.
.7	Establishes communications connectivity with the FSCC.
.8	Attains full mission capability as prescribed by the MEU commander.
.9	Attains full communications capability with all required agencies prescribed in the communications plan including coordination with the ground control station COC(S) of the RFV unit. (KI)
.10	Implements passive air defense measures; i.e., camouflage, deceptive measures.

III-D-158

<u>EVALUATOR INSTRUCTIONS</u>: The evaluator will ensure that any communications initiated are as per the published communications plan. To establish a grade of "YES" communications must be operational at Least 90 percent of the time required.

KEY INDICATORS:

PERSONNEL TASK ORGANIZATION

Personnel require specific individual tasking to ensure that mission essential functions can be carried out concurrently; e.g., antenna erection, control checks, communications checks, liaison, etc.

MISSION ESSENTIAL COMMUNICATIONS

Communications requirements will be mission dependent and will differ contingent upon whether control is afloat or if coordination has been moved ashore, The below listed communications nets are provided as C start point:

CONTROL AFLOAT

- 1. Tactical air traffic control (TATC).
- 2. Guard (as required).
- 3. Tactical sir direction (TAD) (as required).
- 4. Helo direction (RD) (as required).
- 5. Tactical air request (TAR).
- 6. Helicopter request (HR).
- 7. LAAD command LC net,
- 8. Helo command (RC) (as required).
- 9. Tactical air co-end (TAC).
- 10. LAAD weapons control (LWC).
- 11. LAAD team control (HTC).
- 12. Antiwar warfare coordination/reporting (MWC/R).
- 13. Tactical air request/helicopter request (TAR/HR) (if combined).
- 14. FSCC hot-line.
- 15. Tactical air control party local (TACP/L) (as required).
- 16. Landing zone control net (LZCM).

NOTE: The above communications are not prioritized, nor is it required that all nets be maintained operational to achieve a "YES" grade it's in fact not feasible due to the limited communications assets of the detachment. The key requirement is that the NACCS detachment is able to fulfill its mission.

III-D-159

TASK: 3D.22.7 CONDUCT MACCS DETACHMENT OPERATIONAL CREW BRIEFING

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}} : \quad \text{The MACCS detachment is ashore, established, and fully operational to perform its mission. The mission includes the ability to provide coordination for area airspace procedural control for aircraft operating in the designated area of responsibility and coordination and control of LAAD asset employment.}$

STANDARDS	: EVAL: Y: N: NE
.1	The MACCS detachment commander provides initial briefing to the principal officers of the detachment which supplements general guidance obtained from the operations order.
.2	The MACCS detachment principal officers prepare and deliver the MACCS detachment operational crew brief and debriefs to disseminate and collect current information.
.3	The MACCS detachment commander specifies the tactical air and helicopter special control procedures to be employed during operations ashore.
.4	The MACCS detachment commander reviews ECM procedures with all radio net operators.
.5	The MACCS detachment commander prioritizes communications nets being used by the MACCS detachment.
.6	The MACCS detachment principal officers specify information flooprocedures and priorities for their functional area.
.7	The MACCS detachment operational crews prepare and maintain status boards/log sheets in a current accurate manner. (KI)
.8	The operational net operators/controllers prepare and maintain operator/controller logs in accordance with an SOP.

EVALUATOR INSTRUCTIONS: The challenge will be to define which operator/controller is performing control or coordination functions. They most likely will be performing multiple functions. The MACCS detachment at this level of operation will not be capable of performing full traditional MACCS agency functions nor is it sustainable for long periods of time. Information flow and understanding of the requirements is critical for all hands of the detachment. The flow of antiaircraft intelligence to LAAD is most likely the highest priority area of information.

MACCS detachment commander ensures that the rules of engagement, warning conditions, weapons launch conditions and the sources and flow of antiaircraft intelligence is briefed to the LAAD detachments and clearly defined and understood by the MEU.

KEY INDICATORS:

KNOWN EXERCISE STATUS INFORMATION

The following information is collected from the appropriate operations orders and transcribed on to the plotting boards/log sheets prior to the arrival at the MACCS detachment operational site in the AOA.

Situation Map

- 1. Known enemy positions/SAM positions (size, type).
- 2. Friendly unit locations (projected).
- 3. Boundaries.
- 4. Fire support coordination line (FSCL).
- 5. Ho fire areas (NFA)/restricted fire area (RFA).
- 6. Reconnaissance areas of operation (RAO).
- 7. Forward line of troops (FLOT)/forward edge of the battle area (FERA).

- 8. Airspace coordination areas (ACAs) (informal and formal).
- 9. Location of friendly air assets.
- 10. Location of helo LE's.
- 11. All known navigation aide (control points TACANS, as required).
- 12. CATF and CL? objectives.
- 13. Overlay of ground scheme of maneuver.
- 14. Any special fire support coordination considerations.
- 15. Air defense control measures.
- 16. RTF procedures.

Status Boards/Log sheets

- 1. Other agency designations and call sign.
- 2. Air tasking order (ATO) or frag.
- 3. Communications status.
- 4. Equipment status.
- 5. Weather

TASK: 3D.22.8 TRANSFER CONTROL COORDINATION ASHORE TO MACCS DETACHMENT

CONDITION(S): The build up of forces ashore has progressed to the point where the MEU is preparing to phase the control coordination of land based supporting arms ashore. The MACCS detachment is ordered ashore to assume the mission as the landward extension of the naval tactical air control system (ATACS) for the coordination of direct sir support operations and LMD. The advance party and advance elements of the FSCC are ordered ashore concurrently.

STANDARDS: EVAL: Y: N: NE _ Communications are established with the required stations per annex K of the operations order. Checklists for the establishment of coordination ashore are onhand and are utilized to ensure there is no interruption of landing force support. (El) The exchange of air defense warnings, weapons launch conditions. ANTIAIR warfare intelligence, and other pertinent data continues. The current status of all fixedwing, helicopter. and assault support aircraft to include scheduled events, alert aircraft, MEDEVAC aircraft. SAN aircraft, and airborne aircraft is verified. The status of all tactical air and assault support requests is on hand and verified. The status and location of friendly artillery and active fire support areas (FSA's) for naval gunfire assets is verified with the SACC. When established ashore the MACCS detachment advises the TACC (afloat) and the FSCC that the MACCS detachment is prepared to assume coordination and procedural control of landward DAS and coordination of LAAD. .8 ____ MACCS detachment, SACC, and TACC (afloat) exchange and verify required information.

.9 ____ Establishment of the MACCS detachment coordination capability is completed with no loss of support or vital information.

EVALUATOR INSTRUCTIONS: The establishment of coordination responsibility of DAS and LAAD ashore can only be conducted in situations where the GCE will transfer control and coordination of land-based artillery and NGF ashore. The use of the MACCS detachment as a landward extension of the tactical air control system requires the collocation of control/coordination of other supporting arms to be effective. The passage of segments of air control and air defense control/coordination separately can be accomplished, however this could severely extend the limited assets and personnel of the MACCS detachment. Prior to assuming coordination ashore. the MACCS detachment determines that it has the prescribed and/or necessary line of communications and sufficient backup assets to assume coordination responsibilities.

KEY INDICATORS:

LAAD EXTENSION OF CONTROL/COORDINATION ASHORE

As landward control/coordination of LAAD is extended ashore, the LMD detachment commander displaces from the TACC (afloat) to the senior FSCC ashore with the MACCS detachment CF The LAAD logistics representative will displace ashore from the SACC to a location directed by the LAAD commander from which all support requirements for both general and direct support can be consolidated. The LAAD logistics representative can also serve as the logistics point of contact for the entire MACCS detachment ashore. Conductivity with the primary source of early warning and antiair intelligence is maintained by radio. If personnel are available, a liaison in the TACC (afloat) should be maintained.

NACCS DETACHMENT LIAISON FROM SACC

When the MACCS detachment moves ashore it is joined shortly thereafter by its liaison from the SACC afloat. The liaison brings with him the information which does not lend itself to radio transmission but which is required to coordinate supporting arms and air support ashore. This information is transcribed onto the appropriate situation maps and boards/log sheets at the MACCS detachment CF.

- 1. Situation map update.
- 2. Target lists provided along with current status.
- Support ship position information (i.e., aircraft carriers, LPH, LHA, fire support ships).
- 4. Preplanned supporting arms fires.
- 5. USN/USMC RPV control and coordination procedures.

TASK: 3D .22.9 COORDINATE CONTROL OF PREPLANNED DIRECT AIR SUPPORT

STANDARDS: EVAL: Y: N: NE

.1	Reviews the ATO for clarity, conflicts, and completeness. (KI)
. 2	Resolves any conflicts with the appropriate $agency(s)$; i.e., TACC (afloat), FSCC, SACC, etc.
.3	Checks with the TACC/SACC (afloat) air support section and the BCS/HDC for late ATO's and ATO updates.
. 4	Transfers required ATO information to the tactical air direction (TAD)/helicopter direction (HD) log/worksheets.

III-D-162

.5	 Plots RPV launch and control sites on the situation map.
.6	 Plots RPV operating areas on the situation 'nap.
.7	 Implements RPV control and coordination procedures per OH 2-2. local SOP. and/or operation order.
.8	 Coordinates with the FSCC to establish appropriate control measures. (KI)
.9	 Confirms the status of the terminal controllers: e.g., FAC, $\mbox{HC}(\mbox{A})$, etc.
.10 _	 Advises the air officer in the FSCC/terminal controller of changes to the ATO. (KI) $$
.11	 Provides information on ATO to the terminal controllers on request.
.12	 Updates logs/worksheets as events or changes occur.
.13 _	 Receives or requests required reporting in information from DAS/AS aircraft. (KI)
.14	 Notifies TACC (afloat) of all assigned aircraft that fail to report within 10 minutes of ETA. (KI)
.15	 Utilizes modified RIO (abbreviated) procedures as directed by the operation order.
.16	 Provides an aircrew brief. as applicable. (KI)
.17	 Routes for preplanned, oncall aircraft are verified for possible conflicts. (KI)
.18	 Selects shortest route to handoff point consistent with safety of flight and least disruptive to other supporting arms fires. (KI)
.19	 Provides routing to the location of a control point on request. $(\mbox{{\tt KI}})$
.20	 Provides helicopter routine instructions. (KI)
.21 _	 Directs aircraft to switch to the terminal controller frequency
.22	 Receives or requests required reporting out information from OAS/AS aircraft. (KI)
.23	 Institutes procedures to determine status of aircraft that do not report out within 10 minutes of ETR. (KI)
.24	 Directs the aircraft to contact the MACCS detachment upon completion of mission. (KI)
.25	 Receives EDA/mission assessments/inflight reports CSAM/AA/sitings of enemy units or equipment) from mission complete aircraft, terminal controller. RPV, or the supported unit. (KI)
.26 _	 Passes EDA information to aircrew if known prior to mission aircraft checking out.
.27	 Ensures received BDA information is passed to the FSCC and TACC (afloat) as intelligence information.

EVALUATOR INSTRUCTIONS: The AID may be received by teletype. courier, or as a Last resort by radio or telephone. The operation order should specify the time of publication and receipt by using units. The information listed in KI 3D.22.10.1 is the minimum information which the MACCS detachment CP must have to process and coordinate the execution of the AID. If the information is missing, then the air detachment evaluator should be notified or the MACCS detachment should be marked "N/A" and a major exercise discrepancy should be written.

The point at which aircraft check into the MACCS detachment for en route control will vary considerably. when helicopters and DAS aircraft are ship-based they are normally provided en route control by the TACC (afloat) or HDC (afloat) until they cross over land (feet dry) at which time they would report to the MACCS detachment for an abbreviated mission brief, en route control and handover to a terminal controller. The procedures are reversed on the return trip. Forward based aircraft at this level of operation should report to the MACCS detachment on launch, receive a mission brief, en route control, and band over to terminal control. The MACCS detachment would normally report the launch of a land/forward based aircraft to the TACC (afloat) for record keeping/asset management purposes. Aircraft returning from the forward sites to the ships should be coordinated with the TACC (afloat)/HDC (afloat) prior to recovery to ensure a ready deck or

space to land on. The degree of control provided will vary depending on the traffic density in the assigned operating area, communication control procedures in effect, and scheduled and ongoing supporting fires.

BDA/mission assessment can be obtained from the aircraft, RFV, supported unit and/or terminal control agency. The MACCS detachment then compiles the BDA/mission assessment information and forwards it to the FSCC and TACC (afloat). If DA/mission assessments are not available, the information will be forwarded as it becomes available. If BDA or mission assessment is unknown it should be so stated by the aircraft, terminal controller, RFV, or the supported unit.

KEY INDICATORS:

AIR TASKING ORDER

The MACCS detachment commander should review the ATO for completeness of content, clarity, and possible conflicts or errors. And then gives it to the appropriate controller/operator for processing to the logs/worksheets. The ATO should contain the below information for fixed-wing and helicopter aircraft:

- 1. Mission number.
- 2. Number and type of aircraft.
- 3. Type mission.
- 4. Quantity and type of ordnance.
- 5. Estimated time of departure.
- 6. Estimated time of return.
- 7. Terminal controller call sign and supported "'nit.
- 8. Terminal controller primary and secondary frequencies.
- Amplifying information; i.e., control points, airborne controllers in support of specific ground units, etc.
- 10. Unit request number for reference. Helo missions may provide support for more than one request for support and should be so noted. Requests should be listed in the priority (legs) for execution.
- 11. RFV flight data.

TAD AND HD LOGS

The below listed information is required to be entered in the TAD and HD lags/worksheets. This information is normally formatted on a preprinted, locally produced form. Changes and log/worksheet updates will be recorded as necessary. It is recommended that any unique symbology used for brevity, that it be the same from crew to crew or controller to controller.

- 1. Mission number.
- 2. Call sign.
- 3. Number and type of aircraft.
- 4. Mission.
- 5. Ordnance.
- 6. Estimated time of arrival (ETA).
- 7. Actual time of arrival (ATA).*
- 8. Estimated time of return (ETR).
- 9. Actual time of return (ATR).*

III-D-164

- 10. Terminal control agency.
- 11. Terminal control agency frequency.
- 12. RPV flight data.
- 13. Remarks.
- * Filled out as they occur.

FSCC COORDINATION FOR FIRE SUPPORT CONTROL MEASURES

The MACCS detachment will coordinate, if necessary, with regards to special missions that require sterile airspace for mission accomplishment and required fire support control measures. Some of the special missions could include JTAR's/TAR's which do not originate from a terminal control agency or FSCC; i.e., photo recon and aerial observation/mission originated by the tactical air commander and CATF N-2 or N-3 or other command elements.

TERMINAL CONTROL/CONTROLLER BRIEF

When changes have been required in preplanned OAS/AS missions, the MACCS detachment contacts the air officer in the FSCC or the appropriate terminal controller when directed and provides essential information on the ATO which has been changed.

REPORTING IN

Aircraft reporting into the MACCS detachment will give only essential information not included on the ATO as delineated in the operation order such as:

- 1. Call sign.
- 2. Mission number.
- 3. Time on station.
- 4. Position.
- 5. Any exceptions to the ATO.

When the aircrew has completed his RIO, the MACCS detachment will provide the OAS/AS aircraft with the aircrew brief information necessary to continue the mission (abbreviated format).

LATE RIO PROCEDURES

The MACCS detachment institute below listed procedures for aircraft in the event they fail to contact the MACCS detachment within 10 minute of the ETA or ETR (local SOP or operation order may dictate a different time standard to be used):

- MACCS detachment will contact the TACC (afloat). The TACC (afloat) will pass the current status of the mission or latest aircraft ETA.
- 2. If the aircraft has launched and sufficient time has elapsed for the aircraft to arrive in the working area, the MACCS detachment should contact the ATO listed terminal controller to determine if the event proceeded to the mission. If this situation has happened, the aircraft/terminal controller responds stating a new ETR
- 3. Aircraft responds with a new ETR.
- 4. Aircraft fails to respond, proceed with the following steps:
 - a. Contact TACC (afloat) stating aircraft mission number, call sign, ETR, and last known location failed to radio out.

III-D-165

- b. TACC (afloat) will contact other control agencies to see if there has been any contact with the aircraft.
- c. TACC (afloat) notifies the MACCS detachment of aircraft location and that it has either RTE'd, time of RTE, or it is unaccounted for.
- d. MACCS detachment requests the initiation of TRAP and assists TRAP effort with any other known information or aircraft if available.
- 5. MACCS detachment will contact the CCS to obtain pertinent RPV data and pass to other agencies as required.

AIRCREW BRIEF

The TAD/HD of the MACCS detachment will provide a target brief IAW FMFM 5-4A or the operation order. ASR and MEDEVAC briefs are provided ea per local SOP or operation order.

For preplanned scheduled aircraft missions, only information not included on the ATO which involves safety of flight and en route traffic control will be provided unless requested by the aircrew or changes have occurred in the information provided in the ATO. Examples of additional information that may be provided are as follows:

- 1. Contact point for terminal control.
- 2. Enemy SAM information if available.
- 3. RIO instructions.
- 4. Other friendly aircraft activity in the assigned area.
- 5. No communications with the terminal controller procedures.
- 6. ACA or hazardous airspace information.
- 7. Target briefs IAW FMFM 5-4A. ASR briefs, MEDEVAC briefs.
- 8. Assigned approach and retirement lanes/routes.

MACCS DETACHMENT PREPLANNED ROUTES

Upon receipt of the ATO, the MACCS detachment verified the control point assignments and altitudes for handoff to the terminal controller. Additionally. a review of other scheduled air strikes, helicopter lifts, RPV's, and other supporting arms should be conducted to evaluate the potential for conflicts or to provide situational awareness update information on other aircraft working in close proximity.

MACCS DETACHMENT SELECTS SHORTEST ROUTE

The MACCS detachment preplans, when possible, the shortest route for aircraft from reporting-in position to the assigned control point (if applicable) and subsequent initial point. Reporting in points are normally assigned and aircraft will be at various positions on initial check-in for different missions. If the pilot is not at the designated check-in he will be routed as necessary. Routes assigned should be the shortest possible consistent with safe flight and control measures.

ROUTING TO OR LOCATION OF THE CONTROL POINT

When aircraft report to the MACCS detachment, they may request routing or location of a control point. The pilot will be provided routing from his position.

MACCS DETACHMENT HELICOPTER ROUTING

When helicopters report to the MACCS detachment, they will be provided routing instructions upon request. They must provide the MACCS detachment their present location. The MACCS detachment will then route the helicopter utilizing helicopter checkpoints and lanes (when such are designated) and altitude assignments.

III-D-166

Routing considerations.

- 1. Pickup/drop tones.
- 2. Helicopter lane..
- 3. Control points.
- 4. Supporting arms.
- 5. NGF location.
- 6. Artillery location.
- 7. FSC measures.
- 8. Other air traffic.
- 9. Enemy air and surface threats.
- 10. RFV missions.
- 11. Air defense measures in effect.
- 12. Other information as required; i.e., MEDEVACS, location of medical assistance, terrain hazards.

REPORTING OUT

- 1. Call sign.
- 2. Mission number, if required.
- Bomb damage assessment (EDA) may be relayed by the aircrew, if available.

BDA RECEIVED FROM AIRCRAFT/RPV/TERMINAL CONTROLLER/SUPPORTED UNIT

OAS aircraft relay mission results including ordnance expended and EDA. Aircraft are released for return to force if fuel and ordnance status preclude other mission assignments. Fuel and ordnance permitting, aircraft are utilized on another mission or assigned to an orbit point to hold for possible employment. Similarly, helicopters are released to return to base or are assigned other missions if fuel status or crewtime permits. Other aircraft, such as air reconnaissance flights, RFV's, and supported units also report mission complete to the MACCS detachment as required. BDA is reported in the following format:

- Target coordinates of mission event number if preplanned, or the request number if immediate.
- 2. Time on and time off target (not required if ontime as on the ATO).
- 3. Percent of hits on target over percent of target destroyed.
- 4. Damage:
 - a. Structures damaged or destroyed.
 - b. Enemy casualties killed and confirmed.
 - c. Vehicles (land or waterborne) damaged or destroyed.
 - d. Weapons or radar positions damaged or destroyed.
 - e. Bridges or roads/trails damaged or destroyed.
 - f. Supply caches (by type) damaged or destroyed.

III-D-167

- g. Area coverage.
- h. General effect on the target.
- 5. Unit supported (not required if flown on the ATO).
- 6. Operation supported (if required).

TERMINAL CONTROLLER/RPV/SUPPORTED UNIT REPORTS 5DA TO MACCS DETACHMENT

Terminal control agencies. RPV's, and supported units report mission completion and BDA to the MACCS detachment. Mission completion reports are essential to allow the MACCS detachment to effectively manage air assets and are required from each terminal controller/control agency. Modifications may be forthcoming from FAC's, FAC(A)'s, TAC(A)'s. and HC(A)'s on damage assessments which were unknown at the time of completion of the strike. Terminal controllers, RPV's, and supported units report DA the MACCS detachment in the format listed in above XI.

TASK: 3D.22. 10 COORDINATE CONTROL OF IMMEDIATE DIRECT AIR SUPPORT

 $\frac{\text{CONDITION(S)}}{\text{condition(S)}}: \quad \text{The MACCS detachment CP is ashore and is fully operational.} \quad \text{Fire support coordination for shore based fire support means has been passed ashore to the FSCC. Coordination of landward direct air support aircraft and control/coordination of LMD has been passed to the MACCS detachment. Part of the mission of the MACCS detachment is the coordination of the processing of requests for immediate direct air support.}$

STANDARDS:	EVAL: Y: N: NE
.1	The MACCS detachment uses the proper JTAR/ASR forms to record the required information. (KI) $$
.2	TAR net operator assigns a time received and request number to incoming requests. (KI) $$
.3	TAR net operator completes decoding of encoded portions of the $\ensuremath{\mathtt{JTAR}/\mathtt{ASR}}$.
.4	${\tt JTAR/ASR}$ checked for completeness by the TAR/KR net operator to include receipt time.
.5	TAR net operator advises the requesting unit of their request number assigned to the request.
.6	Requesting units are given periodic updates of the status of their request on a timely basis.
.7	The location of the TAR/ASR is transcribed onto the situation map. (KI)
.8	The MACCS detachment crew chief checks the TAR/ASR for accuracy end completeness.
.9	The crew chief reviews the situation map for possible conflicts and passes the JTAR/ASR to the MACCS detachment senior watch officer (S"0).
.10	The SWO coordinates with the FSCC to validate the requirement. $(\ensuremath{\text{KI}})$
.11	The SWO reviews availability of aircraft to satisfy the ${\tt JTAR/ASR.}$ (KI)
.12	The SWO coordinates with the FSCC to determine selection or recommendation for aircraft allocation.
.13	The SWO notifies the TACC (afloat)/SACC of the request, location, and aircraft/asset requirements if required.
.14	The SWO coordinates with the FSCC the establishment of appropriate airspace control measures. (KI)
.15	Coordinates with the GCS for shortest route selection for RPV movement to its working area.
.16	The MACCS detachment completed the processing end selected aircraft for assignment in 10 minutes or less.

.17	The MACCS detachment completed the launch order/request within minutes after processing completed.
.18	The TACC (afloat)/SACC notified of aircraft assignment to JTAR/ASR, if required.
.19	The appropriate terminal controller/agency/requesting unit notified of aircraft assignment to the JTAR/ASR.
.20	The TA)/HD receives the required RIO from aircraft.
.21	The TAO/HO provides an aircrew briefing, as applicable. on the ${\tt JTAR/ASR.}$ (KI)
.22	TAR net operator provides brief to the terminal controller/requesting unit.
.23	${\tt TAD/ND}$ directs the aircraft via the shortest safe route to the handover/control point for the terminal controller/requesting unit.
.24	$\ensuremath{TAO/HD}$ directs the aircraft to switch to the frequency for the terminal controller.
.25	The aircraft is directed to contact the MACCS detachment upon completion of the mission.
.26	EDA/mission assessment is received from either mission aircraft or the terminal controller/requesting unit.
.27	BDA/mission assessment information is disseminated to mission aircraft, FSCC, terminal controller, TACC (afloat), and SACC as appropriate.

EVALUATOR INSTRUCTIONS: The JTAR/ASR may be received by the MACCS detachment in one of several ways. However, for evaluation purposes they can be divided into two basic categories. The first are those requests received over the TAR/HR net and the second include all other methods; i.e., other nets, hand delivered, etc. The method of original receipt will influence the processing and coordination required and will impact upon the resonance time to fill the request. For requests not received over the TAR/KR net, the JTAR/ASR must be coordinated with the FSCC, as they would probably not have knowledge of the request. This will increase the response time. Also JTAR/ASR's originated outside of the normal request channel have historically been incomplete, contained errors, and require additional coordination to complete. The evaluator must use his judgment in assessing the effectiveness of processing the out of channel request. For evaluation purposes the start time for processing is the time the MACCS detachment acknowledges receipt of the request and the atop time is the time the MACCS detachment initiates the attempt to either assign an appropriate airborne asset or initiates the request for strip launch or diversion from higher authority with the intent to request assignment of aircraft to the specific immediate request.

The sequence in which the agency or aircrew briefing take place is not critical. Normally they are given simultaneously by the TAD/ND to the aircraft and the TAR net operator to the terminal controller/requesting unit. They are given as time permits and as to what information is required to continue the control/coordination of aircraft towards mission completion/assignment. Aircraft not assigned a specific terminal controller; i.e., RF-4, EA-6, end some observation aircraft, will be directed to a frequency monitored by the MACCS detachment for flight safety/mission status.

 ${\tt IDA/mission}$ assessment/enemy information will be handled as outline in Task 3D.26.4, Conduct and Coordination of Preplanned Direct Air Support.

A trend within the fleet is that terminal controllers send only the information required for a target brief IAW FMFM 5-4A. When the immediate request is sent to the MACCS detachment, the response should be a request number, the event number assigned, and the call sign of aircraft assigned. The remarks section is used for additional information. The intent here is to reduce communications in the REC environment (FMFM 5-4A). If these streamlined procedures are used, a "yea" should still be given to 3D.22.11.1.

KEY INDICATOR:

JOINT TACTICAL AIR STRIKE REQUEST/ASSAULT SUPPORT REQUEST

Requests for all immediate assault support and joint tactical air strikes must be recorded on the result support request form and joint tactical air strike request forms as per NWP-22, revision A, Supporting Arms end Amphibious Operations or in accordance with FMFM 5-41 for briefing information for CAS and CIFS aircraft.

REQUEST NUMBER

JTAR/ASR's are numbered as follows:

- 1. JTAR's are numbered sequentially on receipt with the day of the month followed by an odd number; i.e., 10-1, 10-3, 10-5, etc,
- ASR's are numbered sequentially on receipt with the day of the month followed by an even number; i.e., 10-2, 10-4, 10-6, etc.
- 3. MEDEVAC's are numbered sequentially on receipt with the day of the month followed by a letter; i.e., 10-A, 10-B, 10-C, etc.

The request number assigned is the receipting acknowledgment by the MACCS detachment to the requesting unit for their request.

SITUATION MAP

Data which is transferred from the JTAR/ASR to the situation map includes the appropriate symbol and request number. Symbol will be centered over the grid coordinates of the target/request.)

DASC/FSCC VALIDATION OF JTAR/ASR

When the request was not received over the TAR/HR net, the SWO must coordinate with the FSC to determine if aircraft are required to satisfy the request. If the JTAR/ASR is disapproved, the MACCS detachment advises the requested agency. If the request is approved by the FSCC, then the MACCS detachment presents the options for aircraft assignment.

AVAILABILITY OF ASSETS

Asset availability will directly affect the response time required to satisfy the request in a timely manner. Each situation could be different. However, the MACCS detachment must have a system to ensure that the most readily available aircraft with the proper mission configurations are identified and assigned in the most efficient manner. When more than one outstanding JTAR/ASR is received with the same mission priority, coordination must be conducted with the FSCC for the correct prioritization. Items that should be considered are listed:

- 1. Fixed-wing.
- 2. Type ordnance of configuration required.
- 3. Airborne refueler availability.
- Availability of on-station aircraft with proper ordnance load, configuration. or time-on-station.
- Status of ongoing preplanned aircraft missions which could satisfy the JTAR by utilizing divert aircraft if authorized.
- 6. Status of strip alert aircraft/forward sited aircraft to include ordnance or configuration load.
- 7. Consider requesting an aircraft be configured and assigned by the TACC (afloat) with the proper ordnance.
- 8. Helicopter.
- 9. Precedence.
- 10. Type of load to include internal or external requirement.
- 11. Status of the FARP.
- 12. Weight of load or number of passengers.
- 13. Any other special considerations; i.e., lifting slings, helicopter support tern (HST), etc.

III-D-170

- $14.\ \mbox{Availability}$ of on-station helicopters that are compatible with mission requirements.
- 15. Status of ongoing preplanned helicopter missions to satisfy the ASR by utilizing divert authority.
- 16. Status of ground alert helicopters considering alert time, mission configuration, ability to accomplish the mission, and elapsed time from launch to pickup and delivery.
- 17. Requesting a helicopter be configured and assigned by the TACC (afloat) to fulfill the requested requirements.
- 18. Halo (UB-1N) equipped with ASC-26 communications suite for command and control.

FSCC COORDINATION FOR FIRE SUPPORT CONTROL MEASURES

The MACCS detachment will coordinate, if necessary, fire support control measures necessary with regards to any special missions that may require sterile airspace for mission accomplishment. The special missions may include those JTAR/ASR's which do not originate from a terminal controller or FSCC; i.e., RFV's, photo recon and aerial observation/missions originated by the MEU, CATF, or other ground or command elements.

AIRCREW BRIEF BY THE MACCS DEFACEMENT

The MACCS detachment provides target briefs IAW FMFM 5-4A or the operation order and provides ASR and MEDEVAC briefs as per local SOP or operation order.

Additionally the MACCS detachment will provide the following information when the aircraft RIO for the mission brief:

- 1. RIO instructions.
- 2. JTAR/ASR request number to be executed by the aircraft.
- 3. Pertinent mission brief.
- 4. Target briefs IAW FMFM 5-4A, ASR briefs, or MEDEVAC briefs.
- Any appropriate safety information needed by aircraft to ensure safety of flight.

TASK: 3D .22. 11 EXECUTE/COORDINATE AIR DEFENSE MEASURES

<u>CONDITION(S)</u>: The MACCS detachment is ashore and fully operational to perform its mission. Fire support coordination for shore based fire support means has been passed ashore to the FSCC. Coordination of landward DAS and control/coordination of LAAD has been passed to the MACCS detachment. Part of the mission includes the requirement to execute sir defense measures and coordinate with ATF air defense agencies to ensure friendly aircraft safety.

<u>STANDARDS</u>	EVAL: Y: N: NE
.1	Reports friendly aircraft status when requested from other sir control agencies. $(\mbox{\rm KI})$
.2	Provides friendly aircraft position in a timely manner.
.3	Establishes communication connectivity to the LAAD detachment.
.4	Provides LMD representative with air defense information to include RTF procedures received by the MACCS detachment from other agencies. (KI)
.5	Relays LAAD air defense information to appropriate air control agencies when requested. (KI)
.6	Reports of visual sighting of hostile aircraft by ground units passed to the LMD detachment.
.7	The MACCS detachment retransmits LMD hostile aircraft sightings to the appropriate agencies.

.8	Early warning, weapons control conditions. and weapons release conditions received from the ATF FAAWC/SAAWC implemented as directed.
.9	Engagement reports by LAAD detachment relayed to the TACC (afloat) as received. (KI)
.10	LAAD detachment locations are consistently updated and maintained on the situation map.
.11	LAAD detachment commander coordinates and establishes status of alert for deployed teams.
.12	The LAAD detachment commander coordinates with the supported unite to ensure the zones of fire complement the ground scheme of maneuver, cover the like avenues of approach, and/or provide adequate coverage of ATF defined vital area.
.13	Guidance for the LAAD succession of command is published in the operation order, as well as the implementation of procedures for lost communications operations.
.14	When LAAD detachment is assigned in the direct support role, coordination has been made to ensure the required load of missiles is carried, and any required augmentation to carry the combat load is identified.
.15	Target assignments are monitored to ensure they are made to the correct section/teems within range and capability of the missile system.
.16	Coordination with the CSSE/supported units is made to ensure methods for effective resupply of missiles are established and published.

EVALUATOR INSRUCTIONS: None.

KEY INDICATORS:

MACCS DETACHMENT REPORTING AIRCRAFT POSITIONS

Friendly aircraft position information will be reported to other air control agencies upon request. When specific mission information in requested the MACCS detachment will provide the following:

- 1. Mission number.
- 2. Call sign.
- 3. Final controller.
- 4. Frequency to which assigned.
- 5. Position of aircraft.

FRIENDLY AIRCRAFT STATUS REPORTING TIMES

When friendly aircraft or RPV status is requested by external agencies, timely response is required. To achieve a "Yes" answer the information requested must be provided within go seconds.

AIR DEFENSE INFORMATION PROVIDED TO LAAD IT THE MACCS DETACHMENT

The LAAD detachment possesses minimum organic communications to receive and pass air defense information to the TACC (afloat) and other appropriate Navy agencies and therefore, may rely on the MACCS detachment to provide additional communications support over existing nets. The types of information received by the MACCS detachment that may be provided to the LMD detachment are as follows:

- 1. Air defense warning conditions.
- 2. Air defense readiness conditions.
- 3. Early warning.

III-D-172

- 4. Weapons conditions.
- 5. Rules of engagement or changes.
- 6. RTF procedures.
- 7. RPV operations.
- 8. Special instructions for LA() employment.

LAAD INFORMATION RELAYED BY THE MACCS DETACHMENT TO ATI AIR DEFENSE

The LAAD teams are an excellent source of low altitude enemy air defense information that must be provided to the ATF to adequately manage the total air defence effort. The LAAD representative at the MACCS detachment CP receives the information and passes it to the SWO for retransmission to the appropriate agencies.

LAAD ENGAGEMENT REPORTS

A typical engagement report will include the following information:

- 1. Hostile aircraft type/number of aircraft.
- 2. Time of engagement.
- 3. Team location and identification.
- 4. Number of missiles fired.
- 5. Results (hit. miss, kill).

TASK: 3D.22.12 EXECUTE/COORDINATION INFORMATION/DATA TRANSFER

 ${\hbox{\tt CONDITION}(S)}\colon$ The MACCS detachment is ashore and fully operational to perform its mission. Part of the mission is to pass and coordinate information between other ATI' elements and the MEU. The nature of the information relates to operations and intelligence.

STANDARDS	EVAL: Y: N: NE
.1	Passes to the TACC (afloat) combat information collected from inflight reports reported by aircraft under its control within 1 minute after receiving report.
.2	Provides aviation time sensitive combat information reports to the MEU/TACC (afloat) $5-2$ in accordance with appropriate time limitations.
.3	Requests from and forwards TACC (afloat)/FSCC friendly/enemy ground/air situation information needed to make accurate judgments in the safe conduct of air operations.
.4	Complies with EMCON conditions specified in the operation order or by higher headquarters.
.5	Uses a predeveloped plan/SOP to implement EMCON measures when so directed.
.6	Reports all MIJI/FIR encounters. (El)
.7	Continues to function as per the operation order while undergoing active commutations jamming.
.8	Receives or requests a target list and active targets from the FSCC.
.9	Receives weather information from the TACC (afloat).
.10	Reports EDA/mission assessment to FSCC and TACC (afloat). (E1)

III-D-173

.11 Coordinates RPV positioning with FSCC/GCS.
.12 Coordinates and disseminates changes in FSC measures.
.13 Plots verifies, and disseminates to the MEU direct air support requests in support of rear area Security.
EVALUATOR INSTRUCTIONS: The MACCS detachment take. measures to ensure that ordnance is not delivered on friendly positions (e.g., rear area) that aircraft do not fly into enemy antiair, that helicopters are directed to the correct position of the units they are supporting, and that all aircraft are directed around and or integrate with friendly fire. With as little interruption of these fires as possible through its close coordination with the FSCC.
The evaluator must review appropriate operation order, communication plan CEOI, COI, and SOP's to determine EMCON requirement imposed on the MACCS detachment and the additional requirements to report enemy ECM or ECCM efforts.
KEY INDICATORS:
MIJI ENCOUNTERED
When any type of disruption occurs on any net a MIJI report must be filed
 Net operator notifies the SOW/crew chief of interference when he first becomes aware of a problem on the net, including recording time and nature of the interference.
2. SWO/crew chief monitors net to verify problem. If the problem is determined to be meaconing, intrusion, jamming, or interference, the SWO/crew chief will direct the net operator to complete a MIJT report as per the operation order.
BDA/MISSION ASSESSMENT
BOA/mission assessment is reported to the supported FSCC and the TACC (afloat) in order to more clearly evaluate the effect of air operations of the enemy. In addition, this information will enable the SOW to determine if more aircraft are needed to complete outstanding air requests.
3D.23 CONTINUING ACTIONS IT MARINES
TASK: 3D.23. 1 DEMONSTRATE INDIVIDUAL DISCIPLINE
<u>CONDITION(S)</u> : The MEU(SOC) ACE has phased ashore and is conducting tactical operations from a forward area. Enemy forces may be in the area possessing weapons capable of direct and indirect fire, rotary-wing and fixed-wing aircraft, and EW capabilities.
STANDARDS: EVAL: Y: N: NE
.1 Unit discipline is demonstrated by individual members being in control of themselves and contributing to mission accomplishment.
.2 Marines take care to safeguard and clean their weapons. both individual and crew-served, daily.
.3 Vehicles, generators, etc., are given regular maintenance by the Marines assigned to operate them.
.4 Marines employ fire control and fire discipline when engaged. Random waste of ammunition is not tolerated by unit leaders.
.5 Marines do not waste or abuse unit supplies or materiel.

III-D-174

	e safeguarded from the enemy and fattered as litter on the terrain.	rom the weather and
direction fi message trai checks are I	rating radios do not expose themse inding (RDF) by unnecessary, wordy ffic. Standard prowords are used a limited. All personnel using radio andards of performance regardless	, or repetitious and communications os adhere to
by policing	ively promote field sanitation and the area and enforcing use of des al health habits,	personal hygiene ignated heeds and
	s actively enforce rules of engager dual Marines exercise appropriate o	
	\underline{S} : Evaluators will use the 90 person of the time) to determ \underline{S} met.	
KEY INDICATORS: None	е	
TASK: 3D.23. 2 DEMON	NSTRATE PROPER DISPERSION OF PERSO	NNEL AND EQUIPMENT
from a forward area w	MEU(SOC) ACE is conducting tactical ith the enemy reported to be in the indirect fire weapons, rotary-wing cilities.	e vicinity
STANDARDS: EVAL: Y	Y: N: NE	
	uipment, aircraft, vehicles, and reer as to reduce their vulnerability	
	tions for crewserved weapons general of 30-35 meters.	ally are separated
terrain feat	ll vehicles and aircraft and takes tures to the maximum degree possib ment, yet avoids positions that wi in exiting.	le to seek cover
exercise. Evaluator re 90 percent of the Mari	S: This task is applicable through aches a YES evaluation based on hims in the unit participate through erformance defined by the requirements.	is observation that ghout the exercise
KEY INDICATORS: Nor	ne.	
<u>TASK</u> : 3D. 23.3 DEMOR	NSTRATE PROPER USE OF COVER	
from a forward area w	MEU(SOC) ACE is conducting tactical ith the enemy reported to be in the indirect fire weapons, rotary wing cilities.	e vicinity
STANDARDS: EVAL STAN	NDARDS: EVAL: Y: N: NE	
tactical and	Marines, including vehicle drivers d personal example an understanding covered positions.	, demonstrate by g of use of covered
	d vehicles do not remain in exposed to the nearest cover.	d locales but moos
	TTT-D-175	

i	Equipment, tentage. radios, aircraft and vehicle parking areas are sited to take advantage of cover provided by natural terrain features.
.4	Individual and crewserved weapons firing positions are established in areas that permit use of natural cover while still allowing observation and adequate field. of fire.
.5	All individual Marines and crewserved weapons elements make use of available material to improve cover.
exercise. 190 percent	INSTRUCTIONS: This task is applicable throughout the Evaluator reaches a YES evaluation based on his observation that of the Marines in the unit participate throughout the exercise uality of performance defined by the requirements.
KEY INDICA	TORS: None.
TASK: 31	D.23.A. DEMONSTRATE PROPER CAMOUFLAGE AND CONCEALMENT
CONDITION() from a fordirect and EW capabil	ward site with the enemy reported to be in the area possessing indirect fire weapons, rotary-wing end fixed-wing aircraft, end
STANDARD.	EVAL: Y: N: NE
.1	Ensures that the principles of camouflage siting, discipline, and construction ere employed continuously throughout the operations.
.2	Uses natural materials and camouflage screen support system to conceal positions, aircraft, and vehicles.
.3	Camouflages all positions to prevent identification by enemy aircraft.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK 3	D. :3.5 CONDUCT LOCAL SECURITY OPERATORS
vicinity to	S): Enemy reconnaissance units have been sighted in close DMEU(SOC) ACE positions. These forces possess direct and ire, rotary-wing and fixed-wing aircraft, and EN capabilities.
STANDARD:	EVAL: T: 5: 55
.1	Briefs end inspects Marines assigned local forward security missions.
.2	Emplaces Marines end weapons in positions which offer good observation, fields of fire, concealment, end cover end which control enemy avenues of approach.
.3	Employs local security measures which provide for early warning, continual observation, end counter reconnaissance screening end avoid the element of enemy surprise.
.4	Individual weapons are available and ready for use at all times.
.5	Individual Marines are aware of signals for lifting or shifting fires.
.6	Individual weapon shooters provide immediate well-aimed volume of fire at the sectors of fire assigned to each weapon.

.7	Hand grenades are available and Marines are proficient in their use.
.6	Considers active and passive OPSEC measures to prevent surprise and to provide greater security.
.8	Positions elements to allow for their mutual support, emphasizing coordinated surveillance, exchange of information. coordinated fires, final protective fires, and patrolling.
.10	Organizes defensive positions to allow for all-round defense.
.11	Plans primary and Supplementary positions.
.12	Maintains the dispersion of units and individuals throughout the operation to avoid excessive casualties.
.13	Makes maximum use of surveillance devices in order to detect enemy movement.
.14	Uses available time effectively in the planning and preparation of defensive positions.
.15	Disseminates combat information acquired by security elements throughout the unit and as required to higher command elements.
EVALUATOR	INSTRUCTIONS: None.
KEY INDIC	ATORS: None.
TASK: 3	D .23.6 DEMONSTRATE CORRECT RESPONSE TO ENEMY AIR CAPABILITIES
The enemy	(S): The MEU(SOC) ACE is conducting tactical flight operations., in addition to direct and indirect fire and SW capabilities. ed-wing and rotary-wing aircraft capability.
STANDARDS	: EVAL: Y: N: NE
.1	Unit has established procedures for both passive and active air defense.
.2	Air guards are designated. (KI)
.3	Unit has an alarm system to warn of air attack.
.4	Marines within the unit are aware of the meaning of the alarm.
.5	If given advance warning of approaching hostile aircraft, Marines react by dispersing in accordance with established passive measures and by taking appropriate active defensive actions when attacked.
.6	Unit machinegun teams engage enemy aircraft when under attack.
.7	Small unit leaders demonstrate ability to concentrate small arms fire against attacking aircraft.
.8	Unit reports attack by enemy air to higher headquarters using a flash message.
<u>EVALUATOR</u>	<u>INSTRUCT IONS</u> : None.
KEY INDIC	ATORS:

AIR GUARDS

Air guards within each subordinate element are designated to watch for the approach of hostile aircraft. These Marines are not specially trained beyond careful instruction by their immediate leader. They are able to:

- 1. State the nature of the threat: i.e., fixed-wing jet, fixed-wing prop, or rotary-wing.
- 2. Describe the signal established 58 the alarm for attack.
- 3. identify friendly aircraft that are in support of the unit.

TASK: 3D.23.7 DEMONSTRATE CORRECT TREATMENT OP PRISONERS OP WAR

 $\underline{\text{CONDITION(S)}}$: The MEU(SOC) ACE has taken prisoners of war (POW's) and baa designated a POW collection point.

STANDA	S: EVAL: Y: N: NE	
.1	The MEU(SOC) ACE has and uses SOP for processing POW	'S.
.2	POW's are searched immediately upon capture; weapons of potential intelligence value are tagged and evacu same time as POW; personal items end protective clot equipment are returned to POW. (KI)	ated at the
.3	Individual Marines handling POW's segregate them by grade, end combatant status). (KI) $$	type (sex,
.4	POW's are allowed to retain personal protective equiphelmet, gas mask, etc.). (KI)	pment (e.g.,
.5	POW's are required to remain silent and not permitte converse among themselves. (KI)	d to
.6	POW's are processed with speed to obtain maximum int benefits. (KI) $$	elligence
.7	Marine's handling POW's ensure that they are safegua abuse and from hazards of enemy fire. (KI)	rded from
.8	Perishable information obtained from POW's is report immediately to higher headquarters. (KI)	ed
.9	Enemy casualties receive same medical care and MEDEV as unit casualties with any difference in treatment on medical considerations. (KI)	
.10	POW's are escorted under guard to the designated col point as soon as possible.	lection
.11	POW's and all recovered equipment/documents are tran higher command element as soon as possible.	sferred to

EVALUATOR INSTRUCTIONS: Evaluator ensures that POW's are not mistreated.

KEY INDICATORS:

SEGREGATION

The segregation of POW's requires that individual POW's be identified as belonging to a particular category. While time and combat conditions may not permit the detailed interrogation of POW's to make all each determinations, it should be possible to readily identify and separate POW's into groups by sex and into subgroups such as enlisted, officer, civilians, and political figures. This keeps the leaders from promoting escape efforts and will assist in maintaining discipline.

<u>SEARCHING</u>

POW's should be disarmed and searched for concealed weapons, equipment, and documents of particular intelligence value immediately upon capture, unless the number of POW's captured, enemy action, or other circumstances make such a search impracticable. Until each POW is searched, Marines must be particularly alert to prevent the use of concealed weapons or the destruction of documents or equipment.

III-D-178

STANDARDS:

EVAL:

SILENCE

Silence POW's and do not let them talk to each other. Should a POW be heard or observed doing anything unusual, note and report this information for interrogation purposes.

SAFEGUARD

The handling of POW's will be in accordance with the 1949 Geneva Convention and they will be safeguarded et all times. While evacuating POW's to the rear, do not let them bunch up, spread out too far, or start diversions. before evacuating a POW, attach a tag to him which reflects date/time of capture, place of capture, capturing unit, and circumstances of capture.

SPEED

Evacuate POW's to the designated battalion/regimental collection point as soon as possible.

EOUIPMENT

Items of personal or individual equipment which are new or appear to be of a type not previously seen may be of intelligence value and should be processed via intelligence channels.

DOCUMENTS

A captured document is any piece of recorded information which has been in the hands of the enemy. When such documents are taken from a POW for Safekeeping and delivery to intelligence personnel, care must be taken to assure that they can later be identified with the individual POW from whom they were taken. Documents and records of a personal nature must be returned to the POW from whom they were taken. In no instance should the personal identity card of a POW be taken.

PERSONAL EFFECTS

POW's should be permitted to retain protective equipment such as helmets, protective makes, and like items; effects and articles used for clothing or eating, except knives and forks; rations; identification cards or tags; and badges of grade and nationality. When items of equipment issued for personal protection are taken, they must be replaced with equivalent items serving the same purpose. Although money and other valuables may be taken from POW's as a security measure, they must be receipted and a record must be maintained.

MEDICAL CARE

POW's are entitled to the same medical care as friendly casualties, to include MEDEVAC priority. Any difference in treatment must be based solely on medical considerations.

TASK: 3D. 23.8 DEMONSTRATE CORRECT TREATMENT OF CASUALTIES

Y: N: NE

.1 ____ Marines dealing with casualties prior to arrival of corpsmen demonstrate buddy aid knowledge in treatment of fractures, penetrating wounds, and sucking chest wounds.

.2 ____ Marines tagged as lightly wounded apply self aid.

.3 ____ Marines who must be evacuated are transported by men carry, litter, vehicle, or helicopter to the collection point or treatment site in a tactically sound and expeditious manner that still shows regard for the type of wound of the casualty.

.4 ____ Casualty reporting begins immediately after a Marine is tagged, starting at the level of the 3unior leader and terminating at the unit headquarters.

EVALUATOR INSTRUCTIONS: Marines, including officers, who are tagged with incapacitating wounds drop when 'hit". Marines tagged is incapacitated do not move under their own power, relying on other Marines to move them.

KEY INDICATORS: None.

TASK: 3D.23.9 DEMONSTRATE CORRECT COMMAND AND STAFF ACTIONS

 $\underline{\text{CONDITION(S)}}$: Given a mission tasking the commander and his staff should monitor all facets of the assigned missions.

STANDARDS	EVAL: Y: N: NE
.1	Designates flight leadership.
.2	Supervises the conduct of operations while maintaining tactical communications with the MEU commander.
.3	Disseminates any changes to procedures, tactics or communications as dictated by the operational situation.
.4	Provides updated information to the MEU as to how assets can assist the current tactical situation.
.5	Monitors delays to assigned missions and/or mission aborts. Provides recommendations for alternative actions to higher headquarters.
.6	Coordinates and updates fire support coordination measures to the $\ensuremath{MEU}\xspace.$
.7	Ensures procedures for updating all source intelligence information are established and disseminated to aircrews for planning.
.8	Ensures contingency requirements and emergencies are tactically sound and handled according to plans and SOP.
.9	Ensures early warning and alert conditions are passed in a timely manner.
.1D	Monitors designated and appropriate nets and responds to data such as alert warnings.
.11	Effectively operates a MEU(SOC) ACE common net.
.12	Establishes a means of effective coordination with HDC, DASC, and/or higher headquarters, including EMCON.
.13	Adheres to flight schedule.
.14	Conducts post operation debriefing to include lessons learned. Uses positive points to update contingency plane and SOP's.
.15	Staff actions continue during absence of the commander.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

III-D-180

KEY INDICATORS: None.

TASK: 30.23.10 DEMONSTRATE MAINTENANCE PERFORMANCE

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}}: \quad \text{Aircraft availability, resonance reliability and maintenance effectiveness are evaluated throughout the scenario. As closely as possible, combat operations and tempo shall be simulated, but must not interfere with current safety regulation and standards.}$

STANDARDS	EVAL: Y: N: NE
.1	Aircraft availability - 50 to 59 percent or higher.
.2	Aircraft availability - 60 to 69 percent or higher.
.3	Aircraft availability - 70 to 79 percent or higher.
.4	Aircraft availability - 80 to 89 percent or higher.
.5	Aircraft availability - 90 to 100 percent.
.6	Response reliability - less than 70 percent. (KI)
.7	Response reliability - 70 to 79 percent or higher.
.8	Response reliability - 80 to 89 percent or higher.
.9	Response reliability - 90 to 100 percent.
.10	Maintenance effectiveness - less than 70 percent.
.11	Maintenance effectiveness - 70 to 79 percent or higher.
.12	Maintenance effectiveness - 80 to 89 percent or higher.
.13	Maintenance effectiveness - 90 to 100 percent.
.14	Seventy percent of tested Mode IV units were operational.
.15	Eighty percent of tested Mode IV units were operational.
.16	Ninety percent of tested Mode IV units were operational.
.17	One hundred percent of tested Mode IV units worked successfully
.18	Seventy percent of tested secure voice units worked successfully.
.19	Eighty percent of tested secure voice units worked successfully
.20	Ninety percent of tested secure voice units worked successfully
.21	One hundred percent of tested secure voice units worked successfully.
.22	Processing of discrepancies begins immediately following aircrevereturn to squadron/maintenance area.

EVALUATOR INSTRUCTIONS: Evaluator must comment in detail as to the reasons for the scores given, so include NRS, NMRS. "Onhand" aircraft are defined as assigned aircraft minus SDLM aircraft minus deployed aircraft. "Up" aircraft are defined as "miesion capable" aircraft per OPNAVINST 4790.2E, VOL II. Aircraft availability is defined as "up" aircraft divided by "onhand" aircraft. Response reliability is defined as

sorties scheduled minus combat aborts divided by sorties scheduled. maintenance effectiveness is defined as sorties scheduled minus maintenance aborts divided by sorties scheduled.

KEY INDICATORS:

ABORTS

WEATHER ABORTS:

Scheduled missions which are launched and not completed due to weather conditions shall not be counted in the computations.

COMBAT ABORTS

- 1. Scheduled missions which are not launched as scheduled due to lack of aircraft or pilots. An aircraft shall also be considered a combat abort if it is "up" but launched too late to complete the assigned mission. No abort shall be assessed when a replacement aircraft is launched in place of a downed aircraft provided the replacement aircraft fulfills the required mission.
- 2. A launched mission that. because of mechanical malfunction or pilot error, was unable to complete the mission.
- 3. A mission launched unarmed or otherwise not configured for the assigned mission.

NOTE: Authorized additions to the flight schedule after its publication are considered scheduled sororities.

TASK: 3D .23.11 DEMONSTRATE SAFETY AWARENESS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \texttt{Safety of aircraft and crew shall he a primary consideration throughout any evaluation.} \quad \texttt{Therefore aviation and ground safety shall he evaluated continuously.}$

STANDARDS:	EVAL: Y: N: NE				
.1	Each crew member wears required flight/survival clothing and equipment.				
.2	Requires safety devices as the mission dictates.				
.3	Maintenance practices conform with current safety regulations; i.e., Group, Wing.				
.4	Seats and restraining devices are available and used by emplaned personnel.				
.5	Secures vehicles and cargo properly prior to takeoff and until after landing.				
.6	Sound suppressors and safety goggles are available and used.				
7	Crew members do not exceed crew day/flight time limitations without authorization.				
.8	Unsafe practices ere immediately corrected and/or are addressed in flight debriefings by flight leaders.				
EVALUATOR :	INSTRUCTIONS: The evaluator shall use local directives/SOP's.				
KEY INDICAT	<u>FORS</u> : None.				

III-D-182

TASK: 3D.23.12 DEMONSTRATE CREWCHIEF COORDINATION

 $\underline{\text{CONDITION(S)}}$: Crew coordination should be evaluated on as many missions as possible.

STANDARDS	: EVAL: Y: N: NE
.1	Pilot briefs crewchief.
.2	Covers Lookout sectors as briefed.
.3	Communicates promptly, consistently, and accurately using appropriate terminology/signals.
.4	Monitors mechanical functioning of the aircraft.
.5	Keeps pilots advised of position of other aircraft in the flight.
.6	Provides obstacle clearance and landing zone information during hovering and landing operations.
.7	Understands and complies with commands for control of weapon employment procedures. (KI)
.8	Ensures all passengers are seated, have seat belt on, and are wearing appropriate safety equipment.
.9	During external cargo/rope suspension/hoist operation uses standard terminology for positioning aircraft.
.10	During external cargo/rope/hoist operations advises pilot of conditions of the load.
.11	Keeps the pilot informed of internal load and personnel progress during all open ramp operations either airborne or on the ground, as applicable.
.12	Performs all safety and mechanical checks during refuel/transfer of fuel with range extension tanks installed.
.13	Uses correct hand and arm signals during taxiing or positioning aircraft.
.14	Crewchief passes on signals between the pilot, jumpmaster, end/or helicopter rope suspension training master.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS:

WEAPONS CONTROL

BASIC COMMANDS SHOULD BE:

- 1. Lock and load.
- 2. Open fire.
- 3. Cease fire.
- 4. Clear your weapons.
- 5. Countermeasures employed.

III-D-183

TASK: 30.23.13 DEMONSTRATE COMMUNICATIONS DISCIPLINE

 $\underline{\text{CONDITION(S)}} \colon \quad \text{Communications discipline should be evaluated an 55 many missions as possible.}$

STANDARDS	: EVAL: Y: N: NE
.1	Complies with EMCON procedures.
.2	Radio communications arm prompt and concise.
.3	Avoids unnecessary transmissions and testing of equipment. (KI)
.4	Automated communications electronics operation instruction. (ACEOI) properly employed.
.5	Doss not respond to fraudulent or imitative messages.
.6	Recognizes. counters properly, and reports MIJI activities.
.7	Makes appropriate "bead window" calls.
.8	Makes maximum use of covered communication equipment.
.9	Briefs radio discipline and employs visual signals to the maximum extent possible.
.10	Employs visual signals wherever possible for ground-to-air communication.
.11	Executes chattermark procedures as briefed.
.12	Correctly uses authentication procedures.
EVALUATOR to MIJI a	INSRUCTIONS: Appropriate agencies provide debrief with regard ttempts.
KEY INDIC	ATORS:
	voids unnecessary maintenance radio operation during EMCON onditions.
2. Co	onsiders radio operations for deception plan.
TASK: 3	D.23.14 CONDUCT ACE SHIPBOARD OPERATIONS BRIEFING
CONDITION of a MEU. missions.	(S): The ACE has deployed aboard an air-capable ship as part All workups are complete and the ACE is conducting tactical
STANDARDS	EVAL: Y: N: NE
.1	Briefs using established MEU(SOC) ACE briefing guides which comply with applicable SOP's, NATOPS, and OPNAVINST's.
.2	Briefs shipboard operations per published NATOPS, briefing guides, and Navy and MEU(SOC) ACE SOP's.
.3	All participating aircrew are present.
.4	Ship's air department personnel brief flight crews prior to each launch.

III-D-184

.5 ____ MEU(SOC) ACE LSD's brief all AV-8B flightcrews prior to launch with correct launch, recovery, and bingo date.

.6 ____ LSO briefs are in accordance with the AV-8B Shipboard Operating Bulletin and applicable NATOPS.

.7	Briefs night shipboard procedures and techniques prior to any night operations.
.8	Briefs radar and air defense control procedures if the ACE is tasked to provide emergency defense of the ship/ATF and at other times as required.
.9	Briefs EMCON procedures when necessary.
.10	Briefs IFR shipboard procedures when applicable.
.11	Briefs shipboard night vision goggle (NVG) procedures when applicable.
.12	Briefs shipboard ordnance procedures to include arming/dearming, approach/departure, and jettison procedures.
.13	Allows questions to ensure tactical/safety of flight information and mission data is understood by all.
EVALUATOR	INSTRUCTIONS: None.
KEY INDICA	TORS: None.
TASK: 3	D.23.15 EXECUTE SHIPBOARD OPERATIONS
	<u>S)</u> : Tactical missions are being conducted routinely from the port of the KEY.
STANDARDS:	EVAL: Y: N: NE
.1	MEU(SOC) ACE LSO's are on duty as scheduled.
.2	Complies with deckhandlers' signals while taxiing on the flightdeck.
.3	Complies with shipboard ordnance procedures/patterns.
.4	Follows LSO instructions and commands promptly: e.g., wave-off.
.5	Launches alert missions within the prescribed time limit.
.6	Complies with shipboard arrival and departure patterns/procedures.
.7	Communications between shipboard agencies and MEU air control/terminal control agencies are expeditious and efficient.
.8	Aircrew recover aboard ship with adequate (at least bingo) fuel reserves.
.9	Returning flights make their "charlie" time (when the lead aircraft crosses the edge of the flight deck; approaching a hover), ontime.
.10	Within 1 minute of scheduled time.
.11	Within 2 minutes of scheduled time.
.12	Within 3 minutes of scheduled time.
.13	All aircrew perform professionally while operating aboard ship (visors down (when applicable), masks on, canopies closed, etc.).

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.23.16 EXECUTE INTEGRATED FLIGHT DECK OPERATIONS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The MEU(SOC) ACE is engaged in intensive flight operations against the enemy. Fixed-wing and helicopter launches and recoveries are occurring simultaneously in order to meet the requirements of the MEU.}$

STANDARDS	EVAL: Y: N: NE
.1	The MEU(SOC) ACE has and uses both day and night shipboard flight operations SOP's; i.e ., "bingo" fuel requirements, divert procedures, EMCON procedures. etc.
.2	Coordinates with flight deck/hangar deck personnel to ensure that aircraft are brought topside, towed, and spotted with minimum interference to flight deck operations.
.3	Conducts night integrated flight deck operations planning with appropriate ship's personnel; i.e., flight deck, hangar deck, ATC, Air OPS, etc.
.4	Coordinates with flight deck/hangar deck personnel to ensure procedures are developed to minimize disruption to flight operations caused by a "palm tree" and other aircraft that go "down" on the flight deck during flight operations.
.5	AV-8B's launch in support of helicopter operations.
.6	$\mbox{AV-8B's}$ launch on alert missions (CAS, EDATF) while helicopter flight operations are in progress.
.7	Brings ordnance up to the flight deck, builds it up, and loads it on appropriate aircraft during integrated flight deck operations.
.8	Accomplishes expeditious arming/dearming of MEU(SOC) ACE aircraft during integrated flight deck operations.
.9	Routinely conducts simultaneous launches and recoveries of AV-8B'u and helicopters in support of the landing force.
.10	Conducts night integrated helicopter and fixed-wing) flight operations in support of the MEU, as required.

KEY INDICATORS: None.

TASK: 3D.23.17 EXECUTE HELICOPTER ROPE SUSPENSION (ERS) OPERATIONS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The MEU(SOC) ACE has been tasked to clandestinely insert infantry or reconnaissance teams into enemy territory. Aircraft exposure to enemy observation must be kept to a minimum. Therefore, some type of HRS operation will be necessary.}$

III-D-186

STANDARDS:	EVAL:	Υ:	N:	NE

.1	Rope suspension (RS) master and aircrew conduct joint inspection of aircraft per currently approved directives to ensure aircraft is ready for RS operations; i.e., sharp edges and points taped, Lines and anchor points rigged, etc.
.2	RS master and aircrew conduct joint inspection of rope suspension system.
.3	Ensures proper communication devices are installed and operable. (KI)
. 4	Aircrew and PS master brief entire mission face to face. (KI)
.5	Briefs emergency procedures. (KI)
.6	Flight employs deception measures at IP (some helicopters depart for false LZ), if required, to mask final destination.
.7	Aircrew demonstrates expeditious establishment of critical factors; i.e., altitude, minimum lateral drift, etc.
. 8	Expeditiously inserts teem into correct LZ.
.9	Does not depart LZ until rope(s) is clear of last man.
LO	Aircrew does not exceed permissible rate of turn and forward speed if trailing SPIE rig.

 $\underline{EVALUATOR\ INSTRUCTIONS}\colon$ Aircrew coordination is paramount. In all situations, the helicopter aircraft commander (HAC) is ultimately responsible for the safety of the crew, passengers embarked, and the orderly conduct of the flight.

KEY INDICATORS:

COMMUNICATIONS DEVICES

The following requirements shall be mandatory:

- Internal Communications System (ICS) Communications. Positive ICS communication between all aircrew members and the RS master must he maintained throughout the evolution. Alternate signals must be agreed upon for use in emergency situations only.
- Two Way Radio Communication. Positive two way radio communication with the aircrew and the supported ground unit must be maintained. An alternate, hack up method of communication; i.e., hand and arm signals, smoke, etc., is permissible to continue operations only if it has been briefed by all parties concerned and the HAC and the RS master both agree that the evolution can be safely conducted.

MISSION BRIEF

A face to face mission brief for all aircrew' and the PS master and his assistants (if present) participating in the rope suspension operation is mandatory. In addition to briefing the specifics of the mission to he performed, the safety of the entire evolution must be stressed to all participants.

EMERGENCY PROCEDURES

Emergency procedures must include hut are not limited to the following:

- 1. Emergency jettisoning of the rope(s).
- 2. Personnel entangled in rope.

III-D-187

TASK: 3D.23.18 CONDUCT INTELLIGENCE UPDATE BRIEFING

STANDARDS: EVAL: Y: N: NE
.1 Updates briefing on detailed scheme of maneuver, forces and weapons involved, enemy concentrations, control points, ingress/egress routes, and the latest aerial imagery.
.2 Updates EEI's for visual reconnaissance by MEU(SOC) ACE aircrew.
.3 Updates any enemy threat capabilities or changes to tactics.
.4 Updates any changes to return to force (RTF) procedures, routes, and daily changing codes.
EVALUATOR INSTRUCTIONS: None.
<u>KEY INDICATORS</u> : None
TASK: 3D.23.19 EXECUTE OPERATIONS DUTY OFFICER (ODO) TASKS
$\frac{\text{CONDITION(S)}}{\text{a MEU.}}: \text{The ACE has received, and is executing, an ATO as part of a MEU.} \text{The operations duty officer is a key link to the effective control of MEU(SOC) ACE aircraft and as such remains alert throughout flight operations.}$
STANDARDS: EVAL: Y: N: NE
.1 Ensures that information for assisting pilots during airborne emergencies, including MEU(SOC) ACE SOP and NATOPS is available.
.2 Ensures universal time hack is maintained for aircrew.
.3 Ensures the MEU(SOC) ACE common net is monitored during flight operations.
.4 Continually monitors the flight schedule making only authorized corrections or changes.
.5 Establishes priority for assignment of available aircraft and coordinates deck/flight line spotting.
.6 Monitors crew day and flight time limitations during training flights.
.7 Ensures essential information is available to flight crews. (KI)
.8 Ensures returning aircrew debrief with the 8-2.
.9 Remains informed of current flight operations and planned operations through contact with air operations, TACC, DASC, SACC, and/or higher command element.
.10 Ensures availability and readiness of standby aircrew and aircraft.
.11 Knows, and executes, the necessary procedures for overdue aircraft in accordance with the SOP.
.12 Reacts appropriately to a staged mishap in accordance with the MEU(SOC) ACE mishap plan.
.13 Remains aware of the daily operations plan, ATO, and SPINS.

III-D-188

.14 ____ Assists MEU(SOC) ACE 5-3 in preparation of daily SITREP and

other required reports.

.15 ____ Coordinates with maintenance control to en5ure smooth flow of aircraft flight operations in accordance with the published flight schedule.

<u>EVALUATOR INSTRUCTIONS</u>: Evaluators should be familiar with MEU(SOC) ACE flight operations SOP.

KEY INDICATORS:

ODO ESSENTIAL INFORMATION

The duty officer shell ensure at least the following updated information is available to the flight crews:

- 1. Current and forecast weather.
- 2. Deck spot/flight line positioning.
- Divert fields/decks, frequencies, decoding devices, and call signs.
- 4. NAVAIDS ID and status.
- 5. Nearest land (shipboard).
- 6. Recovery time.
- 7. NOTAM's.
- 8. Friendly and enemy situation updates.
- 9. Fire support plans and J-SEAD procedures.
- 10. Updated tactical/administration read and initial board.
- 11. Rules of engagement (ROE) and rules of conduct (ROC) updates.

TASK: 30.23.20 MONITOR PLIGHT OPERATIONS

 $\frac{\texttt{CONDITION(S)}}{\texttt{CONDITION(S)}}: \quad \text{The MEU(SOC) ACE commander and his staff should evaluate the effective performance of the MEU(SOC) ACE throughout the planning, briefing, and execution phases of all missions.}$

STANDARDS: EVAL: Y: N: NE

communications with the MEU commander and alters plans if required by changes in the scheme of maneuver or the enemy situation. 2 Disseminates any changes of procedures, tactics, or communications to subordinates as dictated by the operational situation. 3 Provides updated advice and planning considerations to the MEU as to how aviation assets can assist the MAGTF in the current tactical situation. 4 Monitors any delays to preplanned missions, and/or mission aborts, and provides recommendations for alternative actions to the MEU. 5 Re-evaluates the assigned mission details as changes in the scheme of maneuver occur.		
communications to subordinates as dictated by the operational situation. 3 Provides updated advice and planning considerations to the MEU as to how aviation assets can assist the MAGTF in the current tactical situation. 4 Monitors any delays to preplanned missions, and/or mission aborts, and provides recommendations for alternative actions to the MEU. 5 Re-evaluates the assigned mission details as changes in the scheme of maneuver occur. 6 Coordinates continuous updating of target lists with the MEU an supported unit. 7 Ensures procedures for updating all source and theater intelligence information are established and disseminated to	1	required by changes in the scheme of maneuver or the enemy
as to how aviation assets can assist the MAGTF in the current tactical situation. 4 Monitors any delays to preplanned missions, and/or mission aborts, and provides recommendations for alternative actions to the MEU. 5 Re-evaluates the assigned mission details as changes in the scheme of maneuver occur. 6 Coordinates continuous updating of target lists with the MEU an supported unit. 7 Ensures procedures for updating all source and theater intelligence information are established and disseminated to	2	communications to subordinates as dictated by the operational
aborts, and provides recommendations for alternative actions to the MEU. 5 Re-evaluates the assigned mission details as changes in the scheme of maneuver occur. 6 Coordinates continuous updating of target lists with the MEU an supported unit. 7 Ensures procedures for updating all source and theater intelligence information are established and disseminated to	3	as to how aviation assets can assist the MAGTF in the current
scheme of maneuver occur. 6 Coordinates continuous updating of target lists with the MEU an supported unit. 7 Ensures procedures for updating all source and theater intelligence information are established and disseminated to	4	aborts, and provides recommendations for alternative actions to
supported unit. 7 Ensures procedures for updating all source and theater intelligence information are established and disseminated to	5	
intelligence information are established and disseminated to	6	Coordinates continuous updating of target lists with the MEU and supported unit.
	7	intelligence information are established and disseminated to

.8	Ensures contingency requirements and emergencies are handled according to plan, and SOP procedures are tactically sound.
.9	Ensures scatter plan is understood and can be implemented without unnecessary communications or in a NORDO/EMCON condition.
.10	Ensures early warning information and alert conditions are passed in a timely manner.
.11	Readies preplanned reaction forces if required by the tactical situation (reclamation team, TRAP maintenance force, etc.).
.12	Conducts a poet operation debriefing as to lessons learned. and uses positive point to update contingency plans and SOP's.
.13	Other points are resolved and changes are made to contingency plans and SOP's, if applicable.
.14	Continues planning for future operations and establishes an effective long term aircrew training program which emphasizes current and projected tactics.
EVALUATOR	R INSTRUCTIONS: None.
KEY INDIC	CATORS: None.
TASK: 3	BD.23.21 CONDUCT COLD WEATHER OPERATION PLANNING
liaison w considere	as part of a MEU. The commander is directed to establish with the supported unit for planning. This task should be ed in conjunction with other missions as required. EVAL: Y: N: NE
.1	Reviews information on terrain and climatology including snow conditions, snow depth, ice thickness, and wind velocity and direction.
.2	Considers equivalent chill factor and effect on Marines physical and mental efficiency.
.3	Planning reflects that work requires up to four times longer to accomplish in cold weather.
.4	Fire support plan considers the limitations in ground mobility of artillery weapons.
.5	Allows extra time for preflight, engine warmup, ground checks, rotor engagement, and taxiing of aircraft.
.6	Utilizes prominent terrain features for navigation to offset difficulties associated with snow covered and featureless terrain.
.7	Considers the use of mobile navigation aids/ASRT to aid in navigation.
.8	5 5
.9	Coordinates with Hut for LZ prep.
	Coordinates with Hut for LZ prep.
.10	Coordinates with Hut for LZ prep. Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold weather environment in event of mishap or heater failure.
	Coordinates with Hut for LZ prep. Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold weather environment in event of mishap or heater failure. Emphasizes adherence to assigned mission routes to enhance SAR
.11	Coordinates with Hut for LZ prep. Ensures the proper distribution of survival gear to personnel and aircraft for survival in cold weather environment in event of mishap or heater failure. Emphasizes adherence to assigned mission routes to enhance SAR effort. Plans extensive use of warming tents and stoves to assure

EVALUATOR INSTRUCTIONS: NOT	EVALUATOR	OR INSTRUCTIONS:	None
-----------------------------	-----------	------------------	------

KEY INDICATORS:

HELICOPTER SURVIVAL KIT

- 1. 5 man arctic tent.
- 2. Rations.
- 3. Waterproof matches.
- 4. Sleeping bags.
- 5. Axes.
- 6. Entrenching tool.
- 7. Lines.
- 8. Radio batteries.
- 9. Candles.
- 10. Snowknife.
- 11. Snowsaw.
- 12. Sunglasses.
- 13. Water purification tables.
- 14. Flashlight/lanterns.
- 15. Snowshoes.

TASK: 3D .23.22 EXECUTE COLD WEATHER INSURANCE TASK

 $\underline{\text{CONDITION(S)}}$: The MEU(SOC) ACE is deployed to en expeditionary airfield with all necessary ground support equipment available.

<u>STANDARDS</u>	: EVAL: Y: N: NE
.1	Ensures that supervisory personnel are present to monitor the effects of cold weather on maintenance personnel.
.2	Employs buddy system when working on aircraft to prevent cold-weather casualties.
.3	Ensures that all people wear cold-weather gear, particularly gloves, when working near matel during freezing temperatures.
.4	Locates warming tents near aircraft maintenance areas and monitors their use during freezing weather.
.5	Stores batteries in warm areas when not in use.
.6	Uses auxiliary power units whenever possible.
. 7	Checks aircraft fuel for water before engine start.

III-D-191

.8	Preheats oil reservoirs, engine intakes, and oil components to aid in engine start and rotor engagement.
.9	Parks aircraft with full fuel tanks and fully serviced systems to prevent moisture from accumulating in fuel and lubrication systems.
.10	Uses protective covers whenever possible.
.11	Obtains fluid level readings when fluids are warm.
.12	Demonstrates awareness of what cold soaking will do to control rods and other malleable metal surfaces.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
KEY INDIC	ATORS: None.
TASK: 3	D.23.23 EXECUTE COLD WEATHER MISSIONS
	(S): The MEU(SOC) ACE conducts cold weather support missions. on has been performed and mission planning and briefing is .
STANDARDS	: EVAL: Y: N: NE
.1	All aircrew wear appropriate cold weather equipment.
.2	Aircraft attain normal operating limitations before taxiing.
.3	Takes proper precautions when taxiing on snow/ice covered areas.
.4	If taking off from water, wet snow, or slush covered area, operates landing gear through several cycles to prevent gear from freezing in retracted position.
.5	Does not operate aircraft beyond NATOPS limitations when flying in icing conditions.
.6	Demonstrates proper snow landing techniques.
.7	Uses landing point indicators (e.g., sled, panel, colored snow, etc.) to prevent drift during landing.
.8	Land aircraft far enough apart in LZ to prevent blowing snow from reducing visibility to other aircraft during approach.
.9	During external operations. with snow in the landing area, lands adjacent to the load and uses a sling extension for sling operations.
.10	When resting in snow, maintains power to the head to prevent settling.
.11	Crewchief ensures sufficient tail rotor clearance when landing on snow before allowing egress of personnel and equipment.
.12	Crewchief prevents accumulation of snow inside cabin section of aircraft.
.13	Maintains cabin temperature below 40 degrees Fahrenheit to prevent buildup of condensation on equipment and weapons.
.14	Utilizes maximum performance takeoff to minimize IFR conditions caused by blowing snow induced by rotor wash.

III-D-192

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.23.24 CONSIDER DESERT OPERATIONS EFFECTS ON AIRCRAFT

 $\underline{\text{CONDITION}(S)}$: This task should be considered in conjunction with other mission. ac required. The mission should include TERI, navigation, and night evolution..

STANDARDS: EVAL: Y: N: NE Thoroughly consider the affect of ambient weather conditions (e.g. temperature, humidity, density altitude, dust/sand storms, etc.) on aircraft performance and assigned mission. Plans to utilize easily identifiable terrain features as checkpoints during en route navigation. Consider alternative for reducing effect of sand and duet in areas where aircraft will be operating. Ensures that aircraft are properly configured with survival equipment for desert survival. (KI) _ Covers windscreen. when not in use to prevent possible bubbling. When possible, keeps windscreen from receiving direct sunlight. .6 _ _ Covers or closes all possible openings when aircraft is not in use. (KI) During engine start, rotor engagement, end task; minimizes ground time to reduce effects of blowing sand, dust, and high temperatures on engines and gear boxes. .8 ___ Ensures that all ground crew use proper protective clothing and equipment to reduce effects of rotor wash on personnel. (KI) Supervisor monitors conditions of maintenance personnel for dehydration. heat exhaustion, and other heat related injuries. .10 __ (KI) _ Remains constantly aware of available aircraft power at all .11 _ times. Avoids flying into sand or dust storms. .12 __ Executes briefed inadvertent IFR procedures, if necessary. .14 Uses minimum power approaches into LE. (KI) Plans waveoff per NATOPS.

EVALUATOR INSTRUCTIONS: None.

SET INDICATORS:

COVER ALL OPENING: WHEN AIRCRAFT IS NOT IN USE

- Blowing sand and dust will seep into any opening. Buildup of sand/dust in unobserved spaces can cause mechanical failure or malfunction.
- Overall maintenance is severely degraded by blowing sand and dust. System contamination is a constant problem as work is interrupted by the arrival and departure of aircraft. Prolonged operation in a sandy environment at home field will result in significantly degraded aircraft availability.

- Presence of sand and dust in control hinges and actuating linkages.
- 4. check tires for proper inflation.
- 5. check proper extension of struts.
- check for accumulation of dust and sand in avionics and navigation compartments, engine intake, cockpit, and corrosion on rotor blades, etc.

PROTECTIVE CLOTHING EQUIPMENT AVAILABLE AND USED TO HANDLE

AIRCRAFT

Blowing send end debris associated with desert aircraft operations end the intense heat buildup associated with desert sunlight requires specialized equipment by aircrew and EST personnel. All ground aircrew end EST personnel working in close proximity to operating aircraft must have appropriate eye protection, cranial protectors, sound attenuators, end gloves in addition to the required desert protective clothing.

SURVIVAL KITS

Survival kits are available end up to date.

APPROACHES

Despite engine air particle separators (ZAPS) installed on every engine, hovering close to the ground will lead to send ingestion by the engines (which will result in engine damage and power lose), end possible observation of dust clouds by the enemy. It also can cause disorientation of the pilots due to flying send, particularly at night. Blowing debris from lending end departing aircraft creates a hazard to all personnel end a visibility problem for the aircrew.

TASK: BD.23.25 CONDUCT FORWARD BASE OPERATIONS (FBO) BRIEFING

 $\frac{\text{CONDITION(S)}}{\text{CONDITION(S)}}: \quad \text{As friendly forces have secured ground inland, the ACE has been directed to reposition a number of AV-8B'a closer to the FEBA to shorten response time for air support sorties. This will entail basing AV-SB's at austere locations including roads, grass strips, minimum length metal strips, end tactical forward sites.}$

TANDARDS:	EVAL: Y: N: NE
.1	Briefs using established MEU(SOC) ACE briefing guides which comply with applicable SOP's, NATOPS, end OPNAVINST's.
.2	All participating aircrew are present.
.3	Briefs time back end timeline and ensures both are understood.
.4	Briefs specific forward basing characteristics as applicable.
.5	Briefs friendly locations of air defense assets end any changing ${\tt FEZ/MEZ}$ requirements.
.6	Briefs communications requirements and any control agencies involved at the forward $site(s)$.
.7	Briefs techniques and procedures as applicable for maximum performance $V/STOL$ maneuvers including short takeoff (STO). vertical takeoff (VTO), rolling vertical takeoff (RVTO), rolling vertical lending (RVL). vertical lending (VL), end slow lending (SL).
.8	Briefs $V/STOL$ emergencies, including nozzleblast impingement or flaps.

III-D-194

.9	Briefs water system management and limitations.
.10	Briefs forward base patterns and procedures.
.11	Briefs forward base ordnance and refueling procedures.
.12	Briefs proper LSO/LSS procedures.
.13	Briefs shipboard operating procedures as applicable.
.14	Briefs techniques for precision V/STOL maneuvers.
.15	Briefs performance limited V/STOL procedures and techniques.
.16	Briefs night FBO procedures prior to any night operations.
.17	Allows questions to ensure tactical/safety of flight information and mission date is understood by all.

EVALUATOR INSTRUCTIONS: The following should be considered:

FORWARD BASK OPERATIONS

COMBAT READY

Objective: Conduct FBO evaluation flights.

<u>Mission</u>: Perform FBO flight operations from an expeditionary airfield (EAF) and confined area landing (CAL)site.

- a, 200 series FBO sorties from T&R Manual.
- b. Two events, two to four sorties each recommended.
- c. Ordnance: As required.

FULLY COMBAT QUALIFIED

Objective: Conduct FBO evaluation flights.

 ${\underline{\tt Mission}}\colon {\hbox{\tt Perform FBO}}$ flight operations as required from roads and grass fields utilizing ski jump as available.

- a. 400 series FEC sorties from T&R Manual.
- b. Two events, two to four sorties each recommended.
- c. Ordnance: As required.

NOTE: FBO evaluation sorties should be flown in conjunction with other tactical sorties as required.

KEY INDICATION: None.

TASK: 3D.23.26 EXECUTE MISSIONS FROM FORWARD BASES

 $\underline{\text{CONDITION}(S)}$: Forward bases have bean established and high intensity flight operations are being conducted from various locations.

III-D-195

STANDARDS: EVAL: Y: N: NE	
.1 Arrives at the forward site at the time designated in the ATO.	
.2 Demonstrates maximum weight VTO's and VL's to a 96 by 96 foot pad in a confined area.	
.3 Demonstrates proficiency to STO and RVL on centerline at a specific paint on e short strip or road.	
.4 Demonstrates proficiency in maximum performance V/STOL maneuvers.	
.5 Demonstrates proficiency in maximum weight STO's and SL's.	
.6 Complies with forward base air and ground traffic patterns and arming/dearming procedures.	
.7 Responds correctly to LSO/LSS instructions and commands; e.g., wave-off.	
.8 Alert Status aircrews monitor established communications nets treceive tasking.	:0
.9 Alert Status aircraft scramble from forward base within prescribed time period established in the ATO.	
<u>EVALUATOR INSTRUCTIONS</u> : Indicate whether flight operations were from:	
1. Grass strip.	
2. Road.	
3. Tactical confined area Landing (CAL) site.	
4. Expeditionary airfield (EAF).	
FBO sorties should be flown in conjunction with other tactical sorties as required.	3
KEY INDICATORS: None.	
3D .24 NUCLEAR. BIOLOGICAL AID CHEMICAL (NBC) OPERATIONS	
TASK: 3D.24.1 PREPARE FOR NBC OPERATIONS	
CONDITION(S): Threat forces have been reported to be capable of employing NBC munitions in the area where the MEU(SOC) ACE is located aimed at destroying/disrupting operations. Due to the threat, passive ar active defense measures must be used for survival of the unit. This task may be evaluated during any evolution (ground or air) in which the MEU(SOC) ACE participates. Safety of aircraft and crews is the primary consideration when employing actual chemical agents and masking procedures. AS desired by the evaluator this task may he exercised through the use of smoke, gas, or a combination thereof at any time during the evaluation.	2
STANDARDS: EVAL: Y: N: NE	
.1 MEU(SOC) ACE has established a SOP which outlines procedures for enemy NBC strikes and reports required.	
.2 All individual NBC defense equipment authorized by the unit table of equipment is issued to each individual and is serviceable.	
.3 All unit defense equipment T/E's are operationally ready and distributed to designated and trained/knowledgeable operators.	
.4 Shortages are identified and replacement actions are taken.	

III-D-196

.5	Decontamination equipment and bulk decontaminates are assembled and prepared far ready transport to a decontamination area.
.6	Mll decontamination equipment units are filled water used for training).
.7	MOPP level is established by the TAC/appropriate staff member and personnel are at or above the required MOPP level.
.8	Ensures personnel are familiar with the Operational Exposure Guide (FMFM 11-8) and Mission Oriented Protective Posture (FMFM 11-9) for the control of exposure of personnel to radiation or chemical hazards.
.9	Ensures Marines properly identify NATO or threat NBC contamination marker.
.10	Emplacement of equipment maximizes utilization of terrain features for cover, concealment, and topographic shielding.
imminent normal as NBC defen	INSTRUCTIONS: Provide the unit information to expect an nuclear attack by the enemy, and integrate NBC scenarios with signments. Evaluator(s) should be highly trained in the area of se (MOS 57XX) or be thoroughly trained in this area as part of 's school.
KEY INDIC	ATORS: None.
TASK: 3	D.24.2 PREPARE FOR NUCLEAR ATTACK
used in o	(S): The MEU(SOC) ACE is informed that nuclear weapons have been ffensive operations. SOP's and or Op Orders are on hand to hecklists, sequence of actions. and guidance.
	EVAL: Y: N: NE
.1	Backup/alternate command, control, and communications procedures are identified.
.2	Subordinate/displaced elements are alerted.
.3	$\mbox{\tt MEU}(\mbox{\tt SOC})$ ACE continues the mission while implementing actions to minimize casualties and damage.
.4	Vehicles and equipment are protected from heat, blast, and radiation.
.5	Periodic monitoring is initiated, using available survey instruments.
.6	Personnel identify/prepare shelters from heat, blast, and radiation.
.7	All loose items, flushable/explosive items, food, and water are secured/protected from heat/blast, and radiation.
.8	Marines are familiar with standard first aid procedures to provide self/buddy aid for nuclear blast and thermal effects.
EVALUATOR	<u>INSTRUCTIONS</u> : None.

TASK: 3D.25.3 RESPOND TO THE INITIAL EFFECTS OW A NUCLEAR ATTACK

C

CONDITION	(S): A nuclear attack has occurred.	
STANDARDS:	EVAL: Y: N: NE	
.1	Upon recognizing the attack, all personnel take immediate action to shield themselves from blast/beat of detonation.	
.2	chain of command and communication are maintained or reestablished. MEU(SOC) ACE Resumes mission if possible.	
.3	NBC-1 initial and follow up reports (as required) are rapidly submitted to higher headquarters by personnel designated or responsible for collecting the information. Reliable and complete reports are rapidly forwarded, by secure means when possible.	
.4	Casualties are giver first aid and are evacuated to a medical treatment station as the mission permits; fatalities are evacuated to a graves registration collection point.	
	Damage assessment is submitted by secure means to higher/supported headquarters per SOP.	
.6	Continuous monitoring is initiated, using available survey instruments.	
	<u>INSTRUCTIONS</u> : Evaluator simulates nuclear detonation with an or nuclear blast simulator, or informs the unit that nuclear occurred.	
<u>KEY INDICATORS</u> : None.		

KI

3D.25.4 RESPONSE TO THE RESIDUAL EFFECTS OF A NUCLEAR ATTACK

CONDITION(S): A surface or subsurface nuclear detonation has occurred. The MEU(SOC) ACE location is within the predicted fallout zone. An M5A2 radiological fallout predictor or substitute is available, The unit gets effective downwind messages at least once every 3 hours. NBC-2 report is furnished to the unit about 15 minutes after the detonation or prepared by the unit; NBC-3 report is furnished about 45 minutes after detonation; NBC-5 report and or contamination overlay is provided about 4 hours after the detonation 4 hours after the detonation.

STANDARDS: EVAL: Y: N: NE

.1	$\ensuremath{MEU}(\ensuremath{SOC})$ ACE mission is performed concurrently with all other actions.
.2	Supervisors are advised of estimated time of fallout arrival and subordinate units are notified.
.3	Continuous monitoring is maintained using available survey instruments.
.4	Equipment, munitions, POL. food, and water are protected from fallout.
.5	Personnel take protective measures to minimize fallout effects as mission permits.
.6	NBC-4 reports are forwarded, as required, to the higher headquarters by secure means.
.7	Unit total dose information is recorded and reported to higher headquarter using available secure means.
.8	Exposure is minimized while the CO determines if relocation to a clean area is necessary or possible. Optimum time of exit is calculated.
.9	Personnel are able to handle and provide first aid treatment to casualties in a nuclear environment.
10	Casualties end fatalities are assessed.

.6 _

EVALUATOR INSTRUCTIONS: MEU(SOC) ACE commander is advised of estimated time of fallout arrival. KEY INDICATION: None TASK: 3D.24.5 PERFORM RADIOLOGICAL DECONTAMINATION CONDITION(S): Fallout has ceased and personnel and equipment are contaminated. The hazard to personnel does not allow time for the radiation to decay to a minimum level. Time and tactical situation permits decontamination. Decontamination support is not available. STANDARDS: EVAL: Y: N: NE __ Decontamination priorities are established. .2 _ Decontamination point is established. __ Decontamination personnel wear appropriate protective clothing and equipment. Equipment. personnel, individual weapons and electronic systems are decontaminated using appropriate decontamination kits. ___ Unit equipment and vehicles are decontaminated using appropriate .5 __ expedient devices.

headquarters.

9 _____ Decontamination personnel are decontaminated as necessary.

_ Contaminated areas are marked with NATO standard NBC markers.

Contaminated materials are discarded according to tactical SOP, marked as contaminated, and location is provided to the higher

_ Adequacy of decontamination is determined using available personnel and equipment monitoring instruments.

.10 ___ Does not exceed OEG.

.11 ____ Total dose information is recorded and reported to the MAGTF command element.

EVALUATOR INSTRUCTIONS: None.

KEY INDICATORS: None.

TASK: 3D.24.6 CROSS A RADIOLOGICALLY CONTAMINATED AREA

 $\underline{\text{CONDITION(S)}}$: Tactical situation forces a MEU(SOC) ACE to cross a radiologically contaminated area while moving to a new site. Unit receives an NBC-5 report or contamination overlay from the MAGTF command element.

STANDARDS: EVAL: Y: N: NE

.1	Temporary	facilities	are	established	to	continue	the	mission
	while a ne	ew site is 1	oeing	g set up.				

- 2 $_$ NBC-5 report and/or contamination overlay is posted to situation map and route determined.
- .3 ____ Route clearance and approval is obtained if necessary.
- .4 ____ Turn back dose and dose rate are provided to advance party and/or reconnaissance team.

III-D-199

.5	Vehicles receive additional shielding end personnel are provided all available protection from dust.
.6	Advance party end or reconnaissance team is dispatched to reconnoiter new areas.
.7	Crosses suspected contaminated area while employing contamination evidence techniques.
.8	Operational exposure guidance is not exceeded.
.9	After clearing the contaminated area, the degree of personnel end equipment contamination is determined, using available personnel end equipment monitoring instruments.
.10	Decontamination priorities are established end performed as required.
.11	Unit total dose information is recorded. using available total dose instruments, end reported to higher headquarters.
EVALUATOR	<u>INSTRUCTIONS</u> : None.
RET INDIC	ATORS: None.
TASK: 31	D. 24.7 PREPARE FOR A FRIENDLY NUCLEAR STRIKE
	(S): Unit receives a friendly NUCWARN per FMFM 11-8. TADC/TACC within minimum safe distance (MSD) 2 to (MSD) 3.
STANDARDS	EVAL: Y: N: NE
.1	Personnel accurately and completely apply the NUCWARN to the situation map within 5 minutes after message receipt.
.2	Pertinent information regarding the planned detonation (time of burst, ground zero, fallout coverage, MSD, etc.) is available to the TAC.
.3	TAC is advised of the vulnerability of the unit to the burst (within MSD 1, 2, or 3) and residual contamination (within predicted fallout zone).
. 4	TAC is advised of the measures needed to prevent casualties, damage, and extended interference with the mission.
.5	$\ensuremath{MEU}(\ensuremath{SOC})$ ACE implements protective measure, as directed by higher headquarters, consistent with the mission.
.6	Personnel minimize exposure by rolling down sleeves, buttoning collars, and wearing additional clothing equal to a two layer uniform.
.7	Personnel take cover in foxholes, bunkers, armored vehicles, existing shelters (basements, culverts, caves, tunnels, etc.), or lie prone on open ground.
.8	Vehicles are placed behind masking terrain.
.9	Duplicate electronic devices are turned off; erected antennas are disassembled; other antennae are tied down. Bare minimum radio equipment remains erected.
.10	All loose items (mall weapons, tools, etc.) and highly flammable explosive items (POL, propellants, missiles, etc.) are placed in armored vehicles or shelters.
.11	MEU(SOC) ACE acknowledges the warning before the expected time of burst. All protective measures implemented.

III-D-200

EVALUATOR INSTRUCTIONS: Evaluator simulates nuclear detonation with an artillery or nuclear blast simulator or informs the unit that nuclear bleat has occurred. Evaluator assesses casualties and damage to unprotected personnel and equipment.

NET INDICATORS: None.

TASK: 3D.24.8 PREPARE FOR A CHEMICAL AGENT ATTACK

STANDARDS:	EVAL: Y: N: NE
.1	MEU(SOC) ACE has and uses a chemical defense SOP which addresses chemical defense/decontamination procedures.
.2	MEU(SOC) ACE is directed to increase MOPP consistent with mission, temperature, work rate, end TAC guidance.
.3	Unit tasks that require a high degree of manual dexterity or physical strength, and are difficult to perform in MOPP 4 are identified. Alternate methods, such as rotating or assigning additional personnel, are planned.
. 4	Marines identify criteria for and demonstrate the capabilities for donning the protective mask and chemical protective ensemble.
.5	The buddy system is used to facilitate monitoring/treatment for chemical agent poisoning end emergency decontamination of teem members.
.6	MEU(SOC) ACE performs its mission while implementing all actions to minimize casualties and damage.
.7	Personnel are wearing the appropriate level MOPP equipment for the condition set. $$
.8	Portions of essential equipment, munitions, POL, food, and water supplies that cannot be placed in a shelter are covered with expendable or readily decontaminated tarps, shelter halves, or ponchos.
.9	Detector paper is affixed to visible, horizontal surfaces of protective clothing and on equipment, munitions, etc.
.10	MEU(SOC) ACE equipment is checked to ensure the Mll is filled, individuals have complete M13 and Kz56 kits, and there is an available water source with a supporting road network.
.11	Potential decontamination sites are reported to the higher headquarters.
.12	Available chemical agent alarms are set up and monitored.
.13	Protective NBC equipment and supplies are properly used and maintained in a high state of serviceability.
.14	Marines demonstrate a knowledge of chemical agent symptoms.

KEY INDICATORS: None.

TASK: 30.24.9 RESPOND TO A CHEMICAL AGENT ATTACK

 $\underline{\mathtt{CONDITION}(S)}$: The MEU(SOC) ACE is under a chemical agent attack.

STANDARDS	EVAL: Y: N: NE
.1	Upon hearing a chemical alarm, personnel take immediate protective measures followed by treatment/decontamination of casualties. (KI)
.2	Personnel automatically mask upon notification of any enemy artillery, rocket, or air attack/overlist.
.3	Personnel automatically mask upon perceiving a suspicious odor, airborne droplets/mist, or smoke from unknown source.
.4	Marines do not unmask until authorized. (KI)
5	The MEU(SOC) ACE is able to perform mission for at least 4 hours while in MOPP 4.
.6	Type of chemical flight is identified and reported using available detector kit.
	1. If Persistent Agent:
.7	Locates contamination and marks with NATO standard markers.
.8	Reports location and type of contamination to the higher headquarters.
.9	CO determines if immediate relocation to a clean area is necessary or possible and advises MAGTF/MAG commander.
.10	Determines priorities for decontamination. Requests decontamination support, if required.
.11	Wraps WIA's, marks as contaminated, and evacuates as mission permits. Warns medical treatment facility.
.12	Wraps KIA's, marks as contaminated. and evacuates as mission permits. Warns graves registration collection point.
	1. If Nonpersistent Agent:
.13	Follows unmasking procedures. (NI)
.14	Evacuates WIA's to the medical treatment facility as mission permits.
.15	Evacuates KIA's to the graves registration collection point as mission permits.
.16	Services and returns detector units to operation.
.17	Replaces expended chemical defense items, as required.
.18	CO adjusts MOPP level, as required.
.19	Squadron provides first aid treatment to casualties in a chemical environment.

III-D-202

EVALUATOR INSTRUCTIONS: Selected personnel are presented decontamination training kits and first aid treatment training devices to "treat designated casualties. Every attempt must be made to provide a realistic situation through devices. scenarios, or other aids. A believable, well supported situation shall be imposed by the trainer/evaluator. The attack Site should support the type of activities being conducted and permit the safe use of simulators and devices.

KEY INDICATORS:

CHEMICAL CASUALTIES

Chemical casualties are described as:

- 1. Personnel without mask and hood within arms reach, without decontamination kits, or not wearing chemical protective clothing.
- Personnel not taking immediate corrective actions upon perceiving the attack, hearing a chemical agent alarm, being ordered to mask, or using incorrect masking procedures (not masking within 9 seconds), or making incorrect use of decontamination kits/first aid treatment items,
- 3. Marines who unmask or otherwise assume a lesser degree of MOPP without being authorized to do so.

UNMASKING PROCEDURES

- when a detector kit is available, the following unmasking procedures will be adhered to:
 - a. After determining absence of agents, two or three Marines unmask for 5 minutes.
 - b. Marines remask and are examined in a shady area for symptoms for $10\ \mathrm{minutes}.$
 - c. If no symptoms appear, remainder of unit may unmask.
- When no detector kit is available, the following unmasking procedures will be adhered to:
 - a. Two or three Marines take a deep breath, hold it, break the seal on their masks, and keep their eyes open for 15 seconds.
 - b. Then they clear their masks, re-establish the seal, and wait 10 minutes.
 - c. If no symptoms appear, the same Marines break the seal of their masks, take two or three deep breathe, clear and rascal their masks.
 - d. If after 10 minutes no symptoms have appeared, the same Marines unmask for 5 minutes and then remask.
 - a. If after 10 more minutes no symptoms have appeared, the rest of the unit may unmask.

TASK: 3D.24.10 PERFORM PARTIAL DECONTAMINATION

CONDITION(S): Personnel and equipment have been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is not available for complete decontamination. The hazard is such that partial decontamination is required. All personnel maintain a maximum MOPP level. Extent of decontamination is determined and decontamination priorities are established.

STANDARDS	EVAL: Y: N: NE				
.1	Personnel decontaminate individual weapons and MEU(SOC) ACE equipment using appropriate decontamination kits.				
.2	Extent of decontamination is determined end decontamination priorities are established.				
.3	Contaminated protective coverage received, decontaminated, or discarded.				
.4	Decontamination procedures are appropriate to items being decontaminated. (KI)				
	MEU(SOC) ACE equipment and vehicles are decontaminated using appropriate expedient devices.				
.6	MEU(SOC) ACE conducts hasty decontamination of personnel, if necessary.				
.7	Adequacy of decontamination is determined.				
.8	If inadequate:				
	a. Procedures are repeated.				
	b. Decontamination support is requested, or;				
	c. Risk of using equipment is accepted.				
.9	Contaminated materials are discarded according to tactical SOP, marked as contaminated, and location provided to the MAG'))' command element.				
.10	CD reduces MOPP level if required.				
EVALUATOR	<u>INSTRUCTIONS</u> : None.				

KEY INDICATORS:

<u>DECONTAMINATION PROCEDURES</u>

Initial decontamination of unit equipment, vehicles, and weapons may be accomplished by:

- Removing all arose liquid contamination with sticks or other improvised devices, which are buried after use.
- 2. Utilizing Mll decontamination apparatuses filled with DS2 to spray areas frequently used or touched. (Water is used to simulate DS2 in a training environment.)

Contaminated items that may need special decontamination treatment are:

- POL, food, and water containers and munitions are washed with soapy water, rinsed, and thoroughly air dried.
- Communications equipment, vans, and other electronic equipment are decontaminated with hot sir, by weathering, or all metal parts are wiped with rags soaked with DS2. (Water is used for training purposes.)
- 3. Optical instruments are blotted with rags and then wiped with lens cleaning solution or organic solvent.

Adequacy of decontamination is determined using the chemical agent detector kit. If contamination is still present, decontaminate again.

III-D-204

TASK: 3D.24.11 COORDINATE FOR COMPLETE DECONTAMINATION OP EQUIPMENT

CONDITION(S): MEU(SOC) ACE equipment has been contaminated by a chemical agent. Emergency decontamination has been accomplished. Time is available for complete decontamination. Decontamination support from a decontamination unit is available upon request

STANDARDS: EVAL: Y: N: NE	
	amination unit and coordinate. time of ted time of task completion.
.2 Determines supplies furnished by the cor	, equipment, and personnel support to be ntaminated unit.
decontamination stat (PDS/EDS) assembly a	e. route clearance to personnel cion equipment decontamination station area. Advance party (personnel to augment cation and establish security) is dispatched
.4 Main body arrives at processing.	PDS/EDS assembly area and organizes for
.5 Decontamination begin	n as scheduled.
	nel reorganize in a clean area upwind of the resumption of their mission.
.7 CO adjusts MOPP leve	el as required.
EVALUATOR INSTRUCTIONS: None	
RET INDICATORS: None.	
TASK: 3D.24.12 EXCHANGE PROT	TECTIVE CLOTHING
<pre>CONDITION(S): The protective uncontaminated area is availab</pre>	clothing is contaminated and a suitable ole.
STANDARDS: EVAL: Y: N: NE	
.1 Individual. don new	protective clothing.
.2 Contaminated clothin contamination.	ng is removed without transfer of
EVALUATOR INSTRUCTIONS: None	
<u>KEY INDICATORS</u> : None.	

TASK: 3D.2e.13 CONDUCT NBC AERIAL SURVEY

 $\underline{\text{CONDITION(S)}}$: Nuclear detonations have occurred and the MEU(SOC) ACE conducts an aerial survey to determine the extent of contamination.

III-D-205

STANDARDS:	EVAL: Y: N: NE
.1 W	Wears appropriate level MOPP gear far condition that is met.
.2 M	Monitor has internal communications with aircrew.
	dircrew is familiar with course leg technique of radiological curvey. (KI)
	ircrew is familiar with point technique of radiological survey KI)
u	NEU(SOC) ACE monitor/survey and decontamination teams are ready upon completion of the flight to check for and remove contamination from aircraft.
EVALUATOR I	NSTRUCTIONS: None.

KEY INDICATORS:

COURSE LEG TECHNIQUE

- 1. Pilot locates the starting checkpoint of a course leg to be flown and either locate. the end checkpoint or determines the azimuth of the course leg.
- Pilot flies aircraft on the proper course to pass over the checkpoint on a straight path to the end checkpoint. When on course he alerts the monitor and gives the altitude above the ground.
- 3. Pilot commands "Mark" when the aircraft is over the starting checkpoint and flies the course maintaining a constant altitude and speed above ground.
- 4. Pilot alerts the monitor when aircraft nears the end checkpoint. When the aircraft is over the end checkpoint, the pilot commands "Mark".

POINT TECHNIQUE

- When the situation permits the aircraft lands near the point of interest, the monitor dismounts, proceeds to the selected point and takes a meter reading or tests for the presence of chemical agents.
- If the situation does not allow for a landing, an aerial radiological reading will be taken.

TASK: 3D .24.14 SCORE THE NBC EXAM

 $\underline{\text{CONDITION}(S)}$: Classroom atmosphere. An exam will be prepared at the wing/brigade level and will take no more than 30 minutes. All available personnel will take the examination.

STANDARDS: EVAL: Y: N: NE .1 ____ Unit averages 70 percent or higher. .2 ___ Unit averages 80 percent or higher. .3 ___ Unit averages 90 percent or higher. .4 ___ Unit averages 100 percent.

III-D-206

REQUIRED DATA:

- a. No. of personnel in unit:
- b. No. of personnel taking exam:
- c. Unit average:

KEY INDICATORS: None.

3D.25 GENERAL KNOWLEDGE

TASK: 3D.25.1 ADMINISTER NATOPS IMMEDIATE ACTION EMERGENCIES EXAM

 $\begin{tabular}{ll} \hline $CONDITION(S)$: & The examination viii cover only immediate action \\ emergencies; i.e., those denoted by en asterisk in the NATOPS manual. All available MEU(SOC) ACE aircrew viii take the examination. \\ \hline \end{tabular}$

STANDARDS: EVAL: Y: N: NE

- .1 ____ MEU(SOC) ACE averages 90-95 percent.
- .2 ____ MEU(SOC) ACE averages 96-100 percent.

<u>EVALUATOR INSTRUCTIONS</u>: The MEU(SOC) ACE must average 90 percent on this exam. Debrief the exam as soon as everyone is finished to reinforce correct responses and correct any wrong responses.

KEY INDICATORS: None.

TASK: SD.25.2 ADMINISTER TACTICAL MANUAL EXAMINATION

 $\underline{\text{CONDITION}(S)}$: Questions for the tactical examination viii be requested from higher command by the senior evaluator. Local publications that address tactical operations may be used as a source for supplementary questions for the examination.

STANDARDS: EVAL: Y: N: NE

- 1 ____ MEU(SOC) ACE averages as percent on Tactical Manual Exam.
- .2 ____ MEU(SOC) ACE averages 90 percent.
- .3 ____ MEU(SOC) ACE averages 95 percent.
- .4 ____ MEU(SOC) ACE averages 100 percent.

III-D-207

KEY INDICATORS: None.

TASK: 3D.25.3 ADMINISTER AIRCRAFT AND EQUIPMENT RECOGNITION EXAM

CONDITION(S): The examination will include examples of the major ground, air, and naval weaponry/systems currently employed by western, Communist, and third world nation., as well a. recognition of hospital ship., MEDEVAC aircraft, and other medical transports marked with the Red Cross and other distinctive emblem, provided for in the Geneva Conventions. The examination should include such additional regional features as fin flashes, national ensign., etc. All available MEU(SOC) ACE aircrew will take the examination. S-2 will provide realistic views from an aircraft perspective.

STANDARDS: EVAL: Y: N: NE	
.1 MEU(SOC) ACE averages 85 percent on Recognition Exam.	
.2 MEU(SOC) ACE average. 90 percent.	
.3 MEU(SOC) ACE averages 95 percent.	
.4 MEU(SOC) ACE average. 100 percent.	
EVALUATOR INSTRUCTIONS: None.	
KEY INDICATORS: None.	
3D.25.4 ADMINISTER RULES OF ENGAGEMENT EXAMINATION	
$\underline{\text{CONDITION}(S)}$: The examination will consist of actions required in relation to actual MEU(SOC) ACE contingencies to include classified briefing information, a. appropriate.	
STANDARDS: EVAL: Y: N: NE	
.1 MEU(SOC) ACE average. 85 percent on published standard ROE Ex	cam
.2 MEU(SOC) ACE average. 90 percent.	
.3 MEU(SOC) ACE average. 95 percent.	
.4 MEU(SOC) ACE average. 100 percent.	
<u>EVALUATOR INSTRUCTIONS</u> : The evaluator must provide the ROE as the contingencies dictate; JCS Peacetime Rules of Engagement, Law of Land Warfare. and local ROE, both classified and unclassified.	
<u>KEY INDICATORS</u> : None.	

III-D-208